

CUMMINS CREEK

Siuslaw National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Cummins Creek Wilderness on the Siuslaw National Forest as entered into the National Wilderness Preservation System by the Act of June 26, 1984.

Signed 1-20-87
(Date)

John R. Buttrill
for JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Cummins Creek Wilderness is as shown on the map dated September, 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-328. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Cummins Creek Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

CUMMINS CREEK WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon State Plane coordinate grid system, North Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALDPORT SE Map #1	1			1/4 corner of Sections 14 and 15 T16S, R12W, W.M. Latitude 44°-10-39.22 North, Longitude 124°-06-03.02 West, Oregon grid coordinates south zone X=1,0555,510, Y=935,432
		N03-38E	2504 (763.2)	Along West line of said Section 14
	2			Section corner 10, 11, 14, and 15 T15S, R12W, W.M.
		N02-03E	587 (178.9)	Along West line of said Section 11
	3			A point on West line of said Section 11, 100 feet South of centerline of USFS Road No. 1050
		S76-48E	83 (25.3)	
	4			
		S78-47E	221 (67.4)	
	5			
		S88-41E	130 (39.6)	
	6			
		N76-19E	118 (36.0)	Paralleling USFS Road No. 1050, 100 feet Southerly of centerline
	7			
		N38-28E	193 (58.8)	
	8			
		N42-37E	136 (41.5)	
	9			
		N70-54E	193 (58.8)	
	10			
		N73-46E	165 (50.3)	
	11			
		N87-45E	127 (38.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALDPOR	12			
SE		S61-56E	119 (36.3)	
Map #1	13	S48-52E	189 (57.6)	
	14	S76-31E	124 (37.8)	
	15	S88-08E	123 (37.5)	
	16	N59-02E	152 (46.3)	
	17	N30-37E	171 (52.1)	
	18	N28-13E	93 (28.3)	
	19	N77-07E	72 (21.9)	
	20	S08-08E	78 (23.8)	Paralleling USFS Road No. 1050, 100 feet Southerly of centerline.
	21	S18-36E	107 (32.6)	
	22	S44-20E	62 (18.9)	
	23	S84-05E	194 (59.1)	
	24	N73-27E	105 (32.0)	
	25	N55-29E	175 (53.3)	
	26	N62-59E	167 (50.9)	
	27	N66-26E	120 (36.6)	
	28	S74-49E	134 (40.8)	
	29	S87-21E	108 (32.9)	
	30	N49-21E	112 (34.1)	
	31	N65-48E	76 (23.2)	
	32	S76-48E	83 (25.3)	
	33	S47-51E	100 (30.5)	
	34	S68-12E	178 (54.3)	
	35	S88-36E	82 (25.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDPORT SE Map #1	36	N50-56E	109	(33.2)	
	37	N15-07E	115	(35.1)	
	38	N67-50E	87	(26.5)	
	39	S74-12E	165	(50.3)	
	40	S64-34E	135	(41.1)	
	41	S88-43E	313	(95.4)	
	42	N75-24E	222	(67.7)	
	43	N73-45E	282	(86.0)	
	44	N58-47E	264	(80.5)	
	45	N48-50E	349	(106.4)	Paralleling USFS Road No. 1050, 100 feet Southerly of Centerline.
	46	N48-45E	152	(46.3)	
	47	N55-06E	105	(32.0)	
	48	S84-32E	252	(76.8)	
	49	S74-43E	300	(91.4)	
	50	S83-46E	111	(33.8)	
	51	S58-12E	142	(43.3)	
	52	S69-59E	126	(38.4)	
	53	N76-35E	112	(34.1)	
	54	S83-08E	109	(33.2)	
	55	S79-38E	95	(29.0)	
	56	S56-49E	93	(28.3)	
	57	N80-56E	190	(57.9)	
	58	N62-44E	146	(44.5)	
	59	N54-30E	219	(66.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDPOR SE Map #1	60	N55-24E	157	(47.9)	
	61	N88-15E	196	(59.7)	
	62	S86-14E	228	(69.5)	
	63	N75-12E	219	(66.8)	
	64	N81-25E	181	(55.2)	
	65	N55-51E	105	(32.0)	Paralleling USFS Road No. 1050, 100 feet Southerly of centerline
	66	N81-32E	95	(29.0)	
	67	S72-07E	98	(29.9)	
	68	S51-24E	159	(48.5)	
	69	S48-18E	135	(41.1)	
	70	S63-02E	190	(57.9)	
	71	S73-26E	165	(50.3)	
	72	S65-08E	166	(50.6)	
	73	S01-00E	185	(56.4)	
	74	S85-18E	146	(44.5)	
	75	S77-48E	114	(34.7)	
	76	N77-20E	91	(27.7)	
	77	N36-05E	132	(40.2)	
	78	N21-56E	83	(25.3)	
	79	N61-33E	82	(25.0)	
	80	S47-27E	83	(25.3)	
	81	S69-41E	58	(17.7)	
	82	S68-26E	92	(28.0)	
	83	S40-20E	113	(34.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDPORT SE Map #1	84	S07-53E	161	(49.1)	
	85	S22-46E	230	(70.1)	
	86	S42-26E	126	(38.4)	
	87	S54-53E	156	(47.5)	Paralleling USFS Road No. 1050, 100 feet Southerly of centerline
	88	S87-06E	158	(48.2)	
	89	N58-56E	182	(55.5)	
	90	N45-53E	182	(55.5)	
	91	N42-03E	206	(62.8)	
	92	N26-46E	131	(39.9)	
	93	N25-33E	151	(46.0)	
	94				A point on the West line of Lot 8, scetion 7, T15S, R11W, W.M., 100 feet South of centerline of USFS Road No. 1050
		S00-12W	1773	(540.4)	Along West line of Lot 8 in said Section 7
	95				1/16-80 corner of Sections 7 and 18 T15S, R11W, W.M.
		S86-42E	2655	(809.2)	Along South line of said Section 7
	96				1/4 corner of said Sections 7 & 18
		N00-08E	1329	(405.1)	Along N-S centerline of said Section 7
	97				CS 1/16 corner of said Section 7
		N00-42E	1316	(401.1)	Along N-S centerline of said Section 7
	98				C 1/4 corner of said Section 7
		S87-18E	2655	(809.2)	Along E-W centerline of said Section 7

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALDPORT SE Map #1	99			1/4 corner of Sections 7 and 8, T15S, R11W, W.M.
		S52-05E	109 (33.2)	
	100	S35-02E	118 (36.0)	
	101	S69-34E	109 (33.2)	
	102	N87-16E	251 (76.5)	Along line Easterly and Northerly on South and East shoulder of old spur road
	103	S87-45E	204 (62.2)	
	104	S68-54E	272 (82.9)	
	105	S75-20E	178 (54.3)	
	106	S50-17E	230 (70.1)	
	107	S47-48E	202 (61.6)	
	108	S44-18E	229 (69.8)	
	109	S31-32E	140 (42.7)	
	110	S35-16E	121 (36.9)	
	111	S72-03E	110 (33.5)	
	112	N44-06E	180 (54.9)	
	113	N13-18E	170 (51.8)	
	114	N11-56W	179 (54.6)	
	115	N18-37W	191 (58.2)	
	116	N03-42E	139 (42.4)	
	117	N26-52E	86 (26.2)	
	118	N76-07E	92 (28.0)	
	119	N80-39E	80 (24.4)	
	120			A point on the East shoulder of old spur road, 100 feet South of centerline of USFS Road No. 55

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALDPORT		S88-30E	190 (57.9)	
SE	121			
Map #1		N86-32E	182 (55.5)	
	122			
		N57-38E	168 (51.2)	
	123			
		S85-41E	159 (48.5)	Paralleling USFS Road No. 55,
	124			100 feet Southerly of centerline
		S64-42E	285 (86.9)	
	125			
		S49-59E	252 (76.8)	
	126			
		S63-01E	123 (37.5)	
	127			
		S69-39E	227 (69.2)	
	128			
		S69-58E	204 (62.2)	
	129			
		S46-32E	106 (32.3)	
	130			
		S50-49E	203 (61.9)	
	131			
		S58-36E	250 (76.2)	
	132			
		S53-40E	253 (77.1)	
	133			
		S67-29E	209 (63.7)	
	134			
		S64-18E	267 (81.4)	
	135			
		S69-43E	265 (80.8)	
	136			
		S86-56E	243 (74.1)	
	137			
		S88-38E	252 (76.8)	
	138			
		S77-17E	254 (77.4)	
	139			
		S62-29E	188 (57.3)	
	140			
		S61-55E	202 (61.6)	
	141			
		S62-36E	372 (113.4)	
	142			
		S60-21E	283 (86.3)	
	143			
		S62-12E	392 (119.5)	
	144			

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDPOR T SE Map #1		S64-25E	521	(158.8)	
	145	S65-53E	377	(114.9)	
	146	S87-09E	161	(49.1)	
	147	S73-03E	86	(26.2)	Paralleling USFS Road No. 55, 100 feet Southerly of centerline
	148	S33-52E	92	(28.0)	
	149	S46-02E	157	(47.9)	
	150	S75-58E	256	(78.0)	
	151	S55-00E	269	(82.0)	
	152	S48-25E	297	(90.5)	
	153	S63-18E	367	(111.9)	
	154	S60-09E	203	(61.9)	
	155	S48-17E	111	(33.8)	
	156	S22-39E	190	(57.9)	
	157	S28-58E	182	(55.5)	
	158	S62-33E	202	(61.6)	
	159	S01-00E	286	(87.2)	
TIDEWATER SW Map #2	160	S66-53E	275	(83.8)	
	161	S63-45E	244	(74.4)	
	162	S42-14E	235	(71.6)	
	163	S15-33E	295	(89.9)	
	164	S08-56E	232	(70.7)	
	165	S26-34E	163	(49.7)	
	166	S42-49E	241	(73.5)	
	167	S61-03E	171	(52.1)	
	168				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
TIDEWATER		S76-58E	124	(37.8)
SW	169			
Map #2		S39-10E	174	(53.0)
	170			
		S42-43E	248	(75.6)
	171			
		S50-26E	157	(47.9)
	172			
		S67-06E	126	(38.4)
	173			Paralleling USFS Road No. 55,
		S83-26E	166	(50.6)
	174			100 feet Southerly of centerline
		N86-52E	237	(72.2)
	175			
		S69-36E	212	(64.6)
	176			
		S44-46E	170	(51.8)
	177			
		S29-43E	244	(74.4)
	178			
		S27-17E	216	(65.8)
	179			
		S27-31E	160	(48.8)
	180			
		S52-37E	155	(47.2)
	181			
		S51-40E	134	(40.8)
	182			
		S34-17E	190	(57.9)
	183			
		S17-44E	286	(87.2)
	184			
		S20-30E	280	(85.3)
	185			
		S11-54E	170	(51.8)
	186			
		S03-40W	156	(47.5)
	187			
		S05-55E	301	(91.7)
	188			
		S09-00E	166	(50.6)
	189			
		S16-10E	280	(85.3)
	190			
		S29-08E	210	(64.0)
	191			
		S40-26E	187	(57.0)
	192			

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIDEWATER SW Map #2		S73-32E	184	(56.1)	
	193	S73-33E	237	(72.2)	
	194	S73-31E	233	(71.0)	
	195	S64-44E	197	(60.0)	
	196	S40-32E	172	(52.4)	
	197	S29-11E	88	(26.8)	
	198	S20-45W	141	(43.0)	
	199	S19-16W	239	(72.8)	Paralleling USFS Road No. 55, 100 feet Westerly of centerline
MAPLETON NW Map #3	200	S19-18E	188	(57.3)	
	201	S38-51E	185	(56.4)	
	202	S30-35E	102	(31.1)	
	203	S11-43E	54	(16.5)	
	204	S09-33W	235	(71.6)	
	205	S09-35W	294	(89.6)	
	206	S07-03W	285	(86.9)	
	207				A point 100 feet Northerly of the centerline of the junction of USFS Roads No. 55 and 5694
		S51-13W	72	(21.9)	
	208	S70-07W	188	(57.3)	
	209	S78-37W	147	(44.8)	
	210	S58-33W	347	(105.8)	Paralleling USFS Road No. 5694, 100 feet Westerly of centerline
	211	S51-05W	174	(53.0)	
	212	S43-21W	221	(67.4)	
	213	S40-58W	261	(79.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #3	214				
		S50-52W	228	(69.5)	Paralleling USFS Road No. 5694, 100 feet Westerly of centerline
	215	S55-24W	349	(106.4)	
	216	S37-47W	264	(80.5)	
	217	S35-52W	263	(80.2)	
	218	S30-46W	98	(29.9)	
	219				A point 100 feet West of the centerline of USFS Road No. 5694
		S41-25W	339	(103.3)	Descend
	220	S48-18W	245	(74.7)	
	221				A point on the ordinary high water line of the West bank of Cummins Creek
		N81-13W	111	(33.8)	
222		N23-31W	118	(36.0)	Along ordinary high waterline of West bank of Cummins Creek
223		N03-58W	290	(88.4)	
224		N05-01E	183	(55.8)	
225		N13-28E	73	(22.3)	
226		N04-33E	252	(76.8)	
227		N05-13W	440	(134.1)	
228		N16-42W	157	(47.9)	
229		N11-32W	155	(47.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #3	230				A point on the ordinary high water line of the West bank of Cummins Creek
	231	N57-11W	90	(27.4)	
	232	S63-37W	144	(43.9)	
	233	S32-25W	237	(72.2)	Across north slope of Cummins Ridge
	234	S35-31W	236	(71.9)	
	235	S45-53W	230	(70.1)	
	236	S67-55W	229	(69.8)	
	237	S89-45W	235	(71.6)	
	238	N77-59W	221	(67.4)	
	239	N59-45W	181	(55.2)	
	240	N57-08W	155	(47.2)	
	241	S73-04W	120	(36.6)	
	242	S71-45W	201	(61.3)	
		S70-34W	270	(82.3)	
	243				A point on spur ridge
	244	S03-29E	115	(35.1)	
	245	S01-02W	220	(67.1)	Along ridge
	246	S17-40W	188	(57.3)	
	247	S09-06W	259	(78.9)	
		S01-28W	156	(47.5)	
	248				A point on Cummins Ridge
	249	S25-47E	198	(60.4)	
		S60-28E	130	(39.6)	Across south slope of Cummins Ridge

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #3	250				
		S77-49E	142	(43.3)	Along south slope of Cummins Ridge
	251				
		N79-19E	286	(87.2)	
	252				
		N78-27E	140	(42.7)	
	253				
		S57-35E	149	(45.4)	
	254				A point 100 feet West of centerline of USFS Road No. 5694515 Cummins Ridge
		S46-53E	151	(46.0)	
	255				
		S29-26E	232	(70.7)	
	256				Paralleling USFS spur Road No. 515 100 feet Westerly of centerline
		S26-41E	216	(65.8)	
	257				
		S18-54E	154	(46.9)	
	258				
		S10-32E	131	(39.9)	
	259				
		S12-24W	144	(43.9)	
	260				A point 100 feet West of centerline of junction of USFS spur Road No. 5694515 and Road No. 5694
		S17-08W	153	(46.6)	
	261				
		S03-19E	138	(42.1)	
	262				
		S26-34W	119	(36.3)	
	263				
		S42-24W	156	(47.5)	Paralleling USFS Road No. 5694, 100 feet Westerly of centerline
	264				
		S27-44W	153	(46.6)	
	265				
		S04-34W	214	(65.2)	
	266				
		S19-32W	263	(80.2)	
	267				
		S33-16W	149	(45.4)	
	268				
		S26-47W	113	(34.4)	
	269				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #3		S03-13W	178	(54.3)	
	270				
		S17-14W	213	(64.9)	
	271				
		S30-45W	184	(56.1)	
	272				
		S67-22W	216	(65.8)	
	273				
		S76-25W	213	(64.9)	
	274				
		S69-58W	193	(58.8)	
	275				
		N84-39W	129	(39.3)	Paralleling USFS Road No. 5694, 100 feet Northerly of centerline
	276				
HECETA HEAD NE Map #4		N45-36W	136	(41.5)	
	277				
		S79-37W	61	(18.6)	
	278				
		N80-24W	264	(80.5)	
	279				
		S78-20W	188	(57.3)	
	280				
		N83-10W	244	(74.4)	
	281				
		N57-15W	170	(51.8)	
	282				
		S82-04W	203	(61.9)	
	283				
		N86-17W	247	(75.3)	
	284				
		S87-08W	220	(67.1)	
	285				
		S73-14W	295	(89.9)	
	286				
		S69-06W	339	(103.3)	
	287				
		N74-07W	135	(41.1)	
	288				
		N64-23W	217	(66.1)	
	289				
		N65-04W	204	(62.2)	
	290				
		S87-12W	204	(62.2)	
	291				
		S55-41W	252	(76.8)	
	292				
		S44-23W	263	(80.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA	293				
HEAD NE		S36-33W	423	(128.9)	
Map #4	294	S40-00W	146	(44.5)	
	295	S32-48W	268	(81.7)	
	296	S49-51W	109	(33.2)	Paralleling USFS Road No. 5694, 100 feet Northerly of centerline
	297	N58-31W	57	(17.4)	
	298	N11-10W	77	(23.5)	
	299	N23-12W	190	(57.9)	
	300	N40-42W	255	(77.7)	
	301	N59-27W	309	(94.2)	
	302	N72-02W	272	(82.9)	
	303	N74-36W	275	(83.8)	
	304	N84-40W	226	(68.9)	
	305	N75-31W	188	(57.3)	
	306	S87-00W	191	(58.2)	
	307	S70-30W	291	(88.7)	
	308	N83-05W	174	(53.0)	
	309	S80-06W	256	(78.0)	
	310	S57-55W	218	(66.4)	
	311	S38-32W	144	(43.9)	
	312	S52-26W	230	(70.1)	
	313	S69-59W	149	(45.4)	
	314	N66-33W	206	(62.8)	
	315	N62-49W	293	(89.3)	
	316	N68-56W	261	(79.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA	317				
HEAD NE		S83-35W	232	(70.7)	
Map #4	318	S84-06W	156	(47.5)	
	319	N58-16W	89	(27.1)	
	320	N54-19W	240	(73.2)	
	321	N60-44W	237	(72.2)	Paralleling USFS Road No. 5694, 100 feet Northerly of centerline
	322	N87-19W	299	(91.1)	
	323	N69-49W	145	(44.2)	
	324	S88-48W	143	(43.6)	
	325	S67-41W	224	(68.3)	
	326	N84-22W	234	(71.3)	
	327	S74-46W	187	(57.0)	
	328	S79-14W	123	(37.5)	
	329	N61-01W	318	(96.9)	
	330	N64-32W	279	(85.0)	
	331	N70-20W	220	(67.1)	
	332	N79-30W	236	(71.9)	
	333	S68-55W	220	(67.1)	
	334	S67-12W	279	(85.0)	
	335	N72-49W	318	(96.9)	
	336	N66-01W	278	(84.7)	
	337	N41-41W	331	(100.9)	
	338	N63-10W	288	(87.8)	
	339	N71-21W	163	(49.7)	
	340	S80-24W	204	(62.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA	341				
HEAD NE		S73-14W	250	(76.2)	
Map #4	342	S66-23W	165	(50.3)	
	343	N55-36W	135	(41.1)	
	344	N51-01W	141	(43.0)	
	345	N79-22W	168	(51.2)	Paralleling USFS Road No. 5694, 100 feet Northerly of centerline
	346	N72-21W	346	(105.5)	
	347	S89-47W	274	(83.5)	
	348	S81-44W	362	(110.3)	
	349	S81-20W	239	(72.8)	
	350	S84-03W	97	(29.6)	
	351	N54-54W	136	(41.5)	
	352	N49-27W	237	(72.2)	
	353	N66-12W	278	(84.7)	
	354	N80-27W	217	(66.1)	
	355	N50-53W	138	(42.1)	
	356	N33-45W	257	(78.3)	
	357	N35-19W	206	(62.8)	
	358	N59-51W	279	(85.0)	
	359	N71-46W	352	(107.3)	
	360	N81-01W	372	(113.4)	
	361	N79-46W	321	(97.8)	
	362	N80-15W	230	(70.1)	
	363	S89-32W	124	(37.8)	
	364	S78-59W	304	(92.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA	365				
HEAD NE		S72-23W	198	(60.4)	
Map #4	366	N76-17W	131	(39.9)	
	367	N62-06W	250	(76.2)	
	368	N74-39W	264	(80.5)	
	369	N76-55W	336	(102.4)	
	370	N73-42W	459	(139.9)	Paralleling USFS Road No. 5694, 100 feet Northerly of centerline
	371	N56-01W	111	(33.8)	
	372	N45-00W	150	(45.7)	
	373	N61-50W	144	(43.9)	
	374	N48-20W	122	(37.2)	
	375	N28-56W	174	(53.0)	
	376	N46-02W	117	(35.7)	
	377	N70-18W	187	(57.0)	
	378	S66-51W	135	(41.1)	
	379	S41-59W	148	(45.1)	
	380	S75-32W	192	(58.5)	
	381	N77-16W	118	(36.0)	
	382	N69-42W	156	(47.5)	
	383	S76-07W	92	(28.0)	
	384	S57-20W	139	(42.4)	
	385	S86-42W	104	(31.7)	
	386	N59-26W	147	(44.8)	
	387	N79-19W	232	(70.7)	
	388	S72-15W	292	(89.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #4	389				
		S73-02W	332	(101.2)	
	390				
		S78-37W	340	(103.6)	
	391				
		S80-42W	347	(105.8)	Paralleling USFS Road No. 5694,
	392				
		N86-11W	450	(137.2)	
	393				
		S82-18W	134	(40.8)	
	394				
		S57-46W	163	(49.7)	
	395				
		S53-55W	260	(79.2)	
	396				A point Northerly of centerline of USFS Road No. 5694
		S87-45W	178	(54.3)	Westerly
	397				
		N85-48W	532	(162.2)	
	398				CN 1/16 corner of Section 26, T15S, R12W, W.M.
		N87-33W	2600	(792.5)	Along E-W centerline of the NW 1/4 of said Section 26
	399				N 1/16 corner of Sections 26 and 27 T15S , R12W, W.M.
		N02-28E	1303	(397.2)	Along West line of said Section 26
	400				Section corner of Sections 22, 23, 26, and 27, T15S, R12W, W.M.
		N00-05W	4436	(1352.1)	Along East line of said Section 22
	401				
		N02-10E	396	(120.7)	
	402				A point on the East line of said Section 22, 100 feet Westerly of centerline of USFS Road No. 1051
		S71-22E	94	(28.7)	Paralleling USFS Road No. 1051, 100 feet Southerly and Easterly of centerline
	403				
		S68-27E	128	(39.0)	
WALDPORT SE Map #1					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDPOR T SE Map #1	404	N79-58E	132	(40.2)	
	405	N38-32E	213	(64.9)	
	406	N64-21E	141	(43.0)	Paralleling USFS Road No. 1051,
	407	S88-15E	229	(69.8)	100 feet Southerly of centerline
	408	S87-27E	270	(82.3)	until intersecting South line of
	409	N80-47E	187	(57.0)	section 14, T15S, R12W, W.M., thence
	410	N49-10E	156	(47.5)	along South line of said Section
	411	N12-01E	144	(43.9)	14 to W 1/16 corner, thence along
	412	N16-49W	135	(41.1)	East line of SW 1/4, SW 1/4, of
	413	N47-32W	96	(29.3)	said Section 14 to a point 100
	414				feet South of centerline of USFS
					Road No. 1051, thence paralleling
					USFS Road No. 1051, 100 feet
					Easterly of centerline
					A point on the East line of the
					SW 1/4, SW 1/4, of said Section 14,
					100 feet North of centerline of
					USFS Road No. 1051
		N04-25E	260	(79.2)	Along the East line of the SW 1/4,
					SW 1/4, of said Section 14
					A point on the East line of the
					SW 1/4, SW 1/4, of said Section 14,
					100 feet South of centerline of
					USFS Road No. 1051
		N65-53E	73	(22.3)	
416		N60-52E	150	(45.7)	
417		N57-27E	125	(38.1)	Paralleling USFS Road No. 1051,
418					100 feet Southerly of centerline

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDPOR T SE Map #1		N66-15E	82	(25.0)	
	419	S81-15E	105	(32.0)	
	420	S35-14E	133	(40.5)	
	421	S38-43E	161	(49.1)	
	422	S68-35E	140	(42.7)	
	423	S88-53E	206	(62.8)	Paralleling USFS Road No. 1051,
	424	N80-51E	182	(55.5)	100 feet Southerly of centerline
	425	N57-36E	172	(52.4)	
	426				A point 100 feet South of centerline of USFS Road No. 1051
		N16-33E	116	(35.4)	
	427	N43-44E	95	(29.0)	Ascending Northerly across USFS
	428	N26-12E	138	(42.1)	Road No. 1051
	429	N24-12E	98	(29.9)	
	430	N55-47E	181	(55.2)	
	431				CWWSE 1/256 corner of said Section 14
		N03-07E	939	(286.2)	Along N-S 1/256 line
	432				NWNWSE 1/256 corner of said Section 14
		N80-22W	329	(100.3)	Along E-W 1/256 line
	433				CNNS 1/256 corner of said Section 14
		N02-13E	284	(86.6)	Along N-S centerline of said Section 14
	434				C 1/4 corner of said Section 14
		N84-25W	647	(197.2)	Along E-W centerline of said Section 14

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDPOR T SE Map #1	435			CEW 1/64 corner of said Section 14
	N05-18E	314	(95.7)	Along N-S center line of the SE 1/4 NW 1/4, of said Section 14
	436			CSSSENW 1/256 corner of said Sec. 14
	N86-55W	1006	(306.6)	Along E-W 1/256 line
	437			SESWNW 1/256 corner of said Section 14
	S04-52W	342	(104.2)	Along N-S 1/256 line
	438			CEWW 1/256 corner of said Section 14
	N85-49W	961	(292.9)	Along E-W centerline of said Section 14
WALDPOR T SE	1			1/4 corner of Sections 14 and 15 T15S, R12W, W.M., P.O.B.