

EAGLE CAP WILDERNESS

Wallowa and Whitman National Forests

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Eagle Cap Wilderness on the Wallowa and Whitman National Forests as entered into the National Wilderness Preservation System by the Act of September 3, 1964 and as extended by the Act of October 21, 1972 and the Act of June 26, 1984.

Signed

(Date)

6/30/87

Chad Olson  
for JAMES F. TORRENCE  
Regional Forester

### Definition of Intent

The legal description of the Eagle Cap Wilderness is as shown on the map dated September 1986 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-328, 92-521 and 88-577. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Eagle Cap Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

# EAGLE CAP WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon State Plane coordinate grid system, North Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MINAM Map No. 1	1			The northeast corner of Sec.3, T. 1 S., R. 41 E., W.M., Latitude 45-30-56.06 North Longitude 117-39-47.95 west, Oregon grid coordinates north zone x = 2,727,000, y = 686,822.
		S27-47E	127 (38.7)	
	2	S27-25E	211 (64.3)	Ascend.
	3	S27-23E	126 (38.4)	
	4			A point on High Ridge.
		S22-45E	235 (71.6)	
	5	S26-03E	303 (92.4)	
	6	S44-50E	233 (71.0)	Along the crest of High Ridge.
	7	S45-20E	242 (73.8)	
	8	S53-55E	246 (75.0)	
	9	S52-00E	203 (61.9)	
	10	S49-14E	182 (55.5)	
	11	S43-01E	144 (43.9)	
	12	S27-07E	184 (56.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MINAM Map No. 1	13				
		S25-21E	189	(57.6)	
	14	S26-26E	189	(57.6)	
	15	S21-33E	215	(65.5)	
	16	S06-36E	148	(45.1)	
	17	S47-45E	207	(63.1)	
	18	S50-02E	177	(53.9)	
	19	S40-31E	217	(66.1)	Along the crest of High Ridge.
	20	S28-56E	217	(66.1)	
	21	S38-22E	269	(82.0)	
	22	S29-35E	314	(95.7)	
	23	S21-54E	434	(132.3)	
	24	S23-46E	211	(64.3)	
	25	S02-39W	130	(39.6)	
	26	S23-26E	196	(59.7)	
	27	S20-38E	238	(72.5)	
	28	S22-09E	273	(83.2)	
	29	S16-52E	300	(91.4)	
	30	S20-54E	191	(58.2)	
	31	S50-39E	65	(19.8)	
MT. MORIAH Map No. 5	32	S33-36E	179	(54.6)	
	33	S39-09E	291	(88.7)	
	34	S35-19E	635	(193.5)	
	35	S37-18E	569	(173.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	36				
		S41-20E	154	(46.9)	
	37				
		S45-58E	250	(76.2)	
	38				
		S43-36E	202	(61.6)	
	39				
		S30-35E	230	(70.1)	
	40				
		S17-14E	273	(83.2)	
	41				
		S08-15E	202	(61.6)	
	42				
		S33-20E	318	(96.9)	
	43				Along the crest of High Ridge.
		S38-21E	201	(61.3)	
	44				
		S36-48E	322	(98.1)	
	45				
		S41-17E	240	(73.2)	
	46				
		S23-54E	193	(58.8)	
	47				
		S19-05E	251	(76.5)	
	48				
		S43-22E	124	(37.8)	
	49				
		S82-32E	85	(25.9)	
	50				
		S89-45E	467	(142.3)	
	51				
		N81-20E	285	(86.9)	
	52				
		N63-12E	333	(101.5)	
	53				
		N74-45E	217	(66.1)	
	54				
		N87-18E	148	(45.1)	
	55				
		S60-02E	98	(29.9)	
	56				
		S49-07E	197	(60.0)	
	57				
		S33-20E	360	(109.7)	
	58				
		S25-42E	387	(118.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	59				
		S18-36E	332	(101.2)	
	60				
		S07-36E	484	(147.5)	
	61				
		S06-20E	208	(63.4)	
	62				
		S01-26W	199	(60.7)	
	63				
		S03-35W	128	(39.0)	Along the crest of High Ridge.
	64				
		S14-49W	125	(38.1)	
	65				
		S23-59W	278	(84.7)	
	66				
		S34-16W	163	(49.7)	
	67				
		S41-11W	181	(55.2)	
	68				
		S39-14W	141	(43.0)	
	69				
		S30-40W	100	(30.5)	
	70				
		S17-43W	102	(31.1)	
	71				
		S31-57E	100	(30.5)	
	72				
		S53-18E	323	(98.5)	
	73				
		S52-41E	307	(93.6)	
	74				
		S63-01E	187	(57.0)	
	75				A point on Cougar Ridge, elevation 5,720 ft., in SW 1/4 of NE 1/4 of Sec. 13, T. 1 S., R. 41 E.
		S46-06E	293	(89.3)	
	76				
		S69-05E	204	(62.2)	
	77				
		S39-20E	237	(72.2)	Along the crest of Cougar Ridge.
	78				
		S27-46E	298	(90.8)	
	79				
		S18-49E	329	(100.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	80				
		S11-53E	175	(53.3)	
	81				
		S03-50E	179	(54.6)	
	82				
		S04-37W	162	(49.4)	
	83				
		S23-47E	129	(39.3)	
	84				
		S55-22E	185	(56.4)	
	85				
		S75-01E	131	(39.9)	
	86				
		S67-34E	217	(66.1)	Along the crest of Cougar Ridge.
	87				
		S58-06E	284	(86.6)	
	88				
		S52-16E	185	(56.4)	
	89				
		S62-12E	146	(44.5)	
	90				
		S39-48E	109	(33.2)	
	91				
		S18-32E	198	(60.4)	
	92				
		S11-50E	327	(99.7)	
	93				
		S06-55E	174	(53.0)	
	94				
		S07-44E	245	(74.7)	
	95				
		S04-37W	323	(98.5)	
	96				
		S10-27W	501	(152.7)	
	97				
		S16-21W	434	(132.3)	
	98				
		S21-01W	324	(98.8)	
	99				
		S22-08W	289	(88.1)	
	100				
		S14-18W	211	(64.3)	
	101				
		S04-50W	403	(122.8)	
	102				
		S39-14E	247	(75.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	103				
		S29-38E	275	(83.8)	
	104				
		S35-59E	311	(94.8)	
	105				
FOX POINT Map No. 4		S34-55E	335	(102.1)	
	106				
		S36-09E	303	(92.4)	
	107				
		S23-12E	282	(86.0)	Along the crest of Cougar Ridge.
	108				
		S23-04E	278	(84.7)	
	109				
		S26-28E	269	(82.0)	
	110				
		S37-06E	144	(43.9)	
	111				
		S28-36E	278	(84.7)	
	112				
		S30-22E	358	(109.1)	
	113				
		S33-56E	401	(122.2)	
	114				
		S32-03E	416	(126.8)	
	115				
		S29-41E	353	(107.6)	
	116				
		S31-23E	276	(84.1)	
	117				
		S40-53E	197	(60.0)	
	118				
		S41-48E	114	(34.7)	
	119				
		S10-35E	125	(38.1)	
	120				
		S04-14E	108	(32.9)	
	121				
		S00-31W	110	(33.5)	
	122				
		S28-25E	69	(21.0)	
	123				A point on Cougar Ridge, 200 feet easterly of and perpendicular to the centerline of USFS Trail #1668, in NW 1/4 of Sec. 30, T. 1 S., R. 42 E.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4		S37-31E	141	(43.0)	
	124	S38-52E	212	(64.6)	
	125	S26-48E	215	(65.5)	
	126	S31-26E	190	(57.9)	
	127	S06-37E	182	(55.5)	
	128	S18-34E	289	(88.1)	
	129	S16-44E	372	(113.4)	Paralleling USFS Trail #1668, 200 feet easterly of centerline.
	130	S19-12E	380	(115.8)	
	131	S19-31E	320	(97.5)	
	132	S25-19E	185	(56.4)	
	133	S46-43E	118	(36.0)	
	134	S57-17E	229	(69.8)	
	135	S67-25E	245	(74.7)	
	136	S56-40E	178	(54.3)	
	137	S59-35E	199	(60.7)	
	138	S55-13E	175	(53.3)	
	139	S38-47E	209	(63.7)	
	140	S31-26E	190	(57.9)	
	141	S20-19E	202	(61.6)	
	142	S15-02E	266	(81.1)	
	143	S08-23E	219	(66.8)	
	144	S33-12E	163	(49.7)	
	145	S47-27E	198	(60.4)	
	146	S38-55E	387	(118.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	147				
		S43-53E	290	(88.4)	
	148				
		S38-21E	342	(104.2)	
	149				
		S38-09E	332	(101.2)	
	150				
		S33-46E	450	(137.2)	
	151				
		S32-38E	271	(82.6)	
	152				
		S32-39E	334	(101.8)	
	153				
		S38-47E	294	(89.6)	Paralleling USFS Trail #1668, 200 feet easterly of centerline.
	154				
		S32-39E	245	(74.7)	
	155				
		S21-57E	361	(110.0)	
	156				
		S22-05E	303	(92.4)	
	157				
		S15-57E	204	(62.2)	
	158				
		S15-39E	208	(63.4)	
	159				
		S14-02E	239	(72.8)	
	153				
		S38-47E	294	(89.6)	
	154				
		S32-39E	245	(74.7)	
	155				
		S21-57E	361	(110.0)	
	156				
		S22-05E	303	(92.4)	
	157				
		S15-57E	204	(62.2)	
	158				
		S15-39E	208	(63.4)	
	159				
		S14-02E	239	(72.8)	
	160				
		S02-12W	313	(95.4)	
	161				
		S13-27W	236	(71.9)	
	162				
		S20-25W	201	(61.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	163	S30-26W	93	(28.3)	
	164	S04-24W	78	(23.8)	
	165	S11-11E	93	(28.3)	
	166	S24-21E	196	(59.7)	
	167	S30-31E	370	(112.8)	
	168	S22-01E	299	(91.1)	
	169	S20-53E	415	(126.5)	Paralleling USFS Trail #1668, 200 feet easterly of centerline.
	170	S23-49E	280	(85.3)	
	171	S16-13E	236	(71.9)	
	172	S07-06E	291	(88.7)	
	173	S12-51E	234	(71.3)	
	174	S08-50E	195	(59.4)	
	175	S25-29E	142	(43.3)	
	176	S38-26E	198	(60.4)	
	177	S56-30E	163	(49.7)	
	178	S48-23E	239	(72.8)	
	179	S46-26E	141	(43.0)	
	180	S26-13E	217	(66.1)	
	181	S25-26E	158	(48.2)	
	182	S01-00E	67	(20.4)	
	183	S47-46E	118	(36.0)	
	184	S58-17E	249	(75.9)	
	185	S52-23E	259	(78.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	186				
		S44-37E	208	(63.4)	
	187				
		S26-28E	276	(84.1)	
	188				
		S15-25E	162	(49.4)	
	189				
		S07-11E	120	(36.6)	
	190				
		S04-22E	170	(51.8)	Paralleling USFS Trail #1668, 200 feet easterly of centerline.
	191				
		S08-20W	269	(82.0)	
	192				
		S09-36W	288	(87.8)	
	193				
		S08-01W	208	(63.4)	
	194				
		S18-26W	187	(57.0)	
	195				
		S16-06W	202	(61.6)	
	196				
		S04-06W	196	(59.7)	
	197				
		S10-13W	164	(50.0)	
	198				
		S07-12W	192	(58.5)	
	199				
		S02-23W	216	(65.8)	
	200				A point 200 feet easterly of and perpendicular to the centerline of USFS Trail #1668 which is on the north line Sec. 8, T. 2 S., R. 42 E.
		N88-00E	3065	(934.2)	Easterly along north line of said Sec. 8.
	201				Northeast corner of said Sec. 8.
		N87-29E	5157	(1571.9)	Easterly along north line Sec. 9, T. 2 S., R. 42 E.
	202				Northeast corner of said Sec. 9.
		N84-32E	1205	(367.3)	Easterly along north line Sec. 10, T. 2 S., R. 42 E.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	203			A point on the north line of said Sec. 10 at intersection with ridge that extends southerly from Fox Point.
	N04-32E	228	(69.5)	
	204			
	N03-31W	195	(59.4)	
	205			
	N12-04W	191	(58.2)	
	206			
	N05-41E	212	(64.6)	
	207			
	N15-39E	215	(65.5)	Along the ridge top.
	208			
	N30-45E	227	(69.2)	
	209			
	N43-50E	173	(52.7)	
	210			
	N51-10E	151	(46.0)	
	211			
	N55-15E	119	(36.3)	
	212			
	N31-07E	130	(39.6)	
	213			
	N19-55E	147	(44.8)	
	214			
	N24-30E	174	(53.0)	
	215			
	N28-22E	114	(34.7)	
	216			
	N35-02E	118	(36.0)	
	217			
	N41-43E	123	(37.5)	
	218			
	N16-54E	83	(25.3)	
	219			
	N14-21W	44	(13.4)	
	220			
	N45-09W	278	(84.7)	
	221			
	N41-05W	218	(66.4)	
	222			
	N43-18W	214	(65.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	223				
		N26-07W	227	(69.2)	
	224				
		N25-13W	171	(52.1)	
	225				
		N27-35W	175	(53.3)	Along the ridge top.
	226				
		N12-17W	183	(55.8)	
	227				
		N01-33W	148	(45.1)	
	228				
		N17-06E	136	(41.5)	
	229				
		N04-46E	36	(11.0)	
	230				A point atop Fox Point at approximately 6,850-foot elevation.
		N51-03E	9970	(3038.9)	
	231				Triangulation Station BAKER in NE 1/4, Sec. 35, T. 1 S., R. 42 E.
		S36-02E	122	(37.2)	
	232				
		S36-28E	172	(52.4)	
	233				
		S46-26E	225	(68.6)	
	234				
		S44-28E	227	(69.2)	
	235				
		S51-26E	183	(55.8)	Along crest of Huckleberry Mountain.
	236				
		S57-37E	207	(63.1)	
	237				
		S56-22E	247	(75.3)	
	238				
		S55-16E	183	(55.8)	
	239				
		S46-55E	255	(77.7)	
	240				
		S51-58E	216	(65.8)	
	241				
		S50-58E	170	(51.8)	
	242				
		S28-13E	93	(28.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	243				
		S10-44E	97	(29.6)	
	244				
		S22-44E	114	(34.7)	
	245				
		S17-26E	164	(50.0)	
	246				
		S28-23E	156	(47.5)	
	247				
		S26-08E	118	(36.0)	
	248				
		S38-01E	110	(33.5)	
	249				
		S64-26E	76	(23.2)	Along the crest of Huckleberry Mountain.
	250				
		S78-14E	123	(37.5)	
	251				
		S70-08E	88	(26.8)	
	252				
		S86-36E	84	(25.6)	
	253				
		S64-34E	158	(48.2)	
	254				
		S64-19E	173	(52.7)	
	255				
		S75-42E	154	(46.9)	
	256				
		S74-43E	178	(54.3)	
	257				
		S71-13E	155	(47.2)	
	258				
		S71-24E	107	(32.6)	
	259				
		S65-43E	124	(37.8)	
	260				
		S52-20E	72	(21.9)	
	261				
		S55-43E	80	(24.4)	
	262				
		S26-10E	129	(39.3)	
	263				
		S46-28E	110	(33.5)	
	264				
		S36-18E	61	(18.6)	
	265				
		S28-11E	95	(29.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FOX POINT Map No. 4	266				
		S85-30E	166	(50.6)	
	267				
		S84-23E	174	(53.0)	
	268				
		N75-17E	303	(92.4)	
	269				
		N85-40E	278	(84.7)	
	270				
		N79-24E	141	(43.0)	
	271				
		N81-57E	107	(32.6)	
	272				
		N81-33E	75	(22.9)	Along the crest of Huckleberry Mountain.
	273				
		S69-11E	76	(23.2)	
	274				
		S53-21E	54	(16.5)	
	275				
		S60-39E	73	(22.3)	
	276				
		N87-21E	130	(39.6)	
	277				
		S86-25E	80	(24.4)	
	278				
		S79-35E	88	(26.8)	
	279				
		S81-43E	111	(33.8)	
	280				
		N85-48E	136	(41.5)	
	281				
		N68-12E	92	(28.0)	
	282				
		N61-32E	67	(20.4)	
	283				
		S83-49E	121	(36.9)	
	284				
		S74-54E	92	(28.0)	
	285				
		S78-34E	91	(27.7)	
	286				
		N83-04E	182	(55.5)	
	287				
		N64-09E	144	(43.9)	
	288				
		N75-24E	123	(37.5)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE NW Map No. 3	289				
		N82-52E	81	(24.7)	
	290	S85-39E	92	(28.0)	
	291	S69-10E	143	(43.6)	Along the crest of Huckleberry Mountain.
	292	S34-51E	96	(29.3)	
	293	S42-42E	229	(69.8)	
	294	S43-56E	226	(68.9)	
	295	S39-10E	230	(70.1)	
	296	S45-00E	365	(111.3)	
	297	S47-01E	201	(61.3)	
	298	S56-25E	146	(44.5)	
	299	S54-53E	177	(53.9)	
-----					
	300				Triangulation Station, elevation 7552, NW 1/4 of Sec. 6, T. 2 S., R. 43 E.
-----					
		S77-33E	334	(101.8)	
	301	S57-36E	259	(78.9)	
	302	S48-44E	196	(59.7)	Along the crest of Huckleberry Mountain.
	303	S56-12E	149	(45.4)	
	304	S35-30E	150	(45.7)	
	305	S49-58E	163	(49.7)	
	306	S57-14E	120	(36.6)	
	307	S65-09E	150	(45.7)	
	308	S88-34E	80	(24.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE					
NW	309				
Map		S69-01E	78	(23.8)	
No. 3	310	S30-48E	61	(18.6)	
	311	S11-50E	107	(32.6)	Along the crest of Huckleberry Mountain.
	312	S07-04E	325	(99.1)	
	313	S12-57E	357	(108.8)	
	314	S08-11E	176	(53.6)	
-----					
	315				A point on the crest of Huckleberry Mountain, at its intersection with the E-W centerline of Sec. 6, T. 2 S., R. 43 E.
-----					
		N88-14E	3105	(946.4)	Easterly along E-W centerline of said Sec. 6.
-----					
	316				East 1/4 corner of said Sec. 6.
-----					
		N88-03E	5280	(1609.3)	Easterly along E-W centerline of Sec. 5, T. 2 S., R. 43 E.
-----					
	317				East 1/4 corner of said Sec. 5.
-----					
		N88-18E	5190	(1581.9)	Easterly along E-W centerline of Sec. 4, T. 2 S., R. 43 E.
-----					
	318				East 1/4 corner of said Sec. 4.
-----					
		S02-37E	3050	(929.6)	Southerly along east line of said Sec. 4.
-----					
	319				Southeast corner of said Sec. 4.
-----					
		S01-46E	5242	(1597.8)	Southerly along east line of Sec. 9, T. 2 S., R. 43 E.
-----					
	320				Southeast corner of said Sec. 9.
-----					
		S02-09E	5268	(1605.7)	Southerly along east line of Sec. 16, T. 2 S., R. 43 E.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE NW Map No. 3	321				Southeast corner of said Sec. 16.
		N87-41E	3133	(954.9)	Easterly along north line of Sec. 22, T. 2 S., R. 43 E.
-----					
	322				A point on the north line of said Sec. 22, at intersection with ordinary high water line on the west bank of the Lostine River.
-----					
ENTERPRISE SW Map No. 8	323				Southerly along the ordinary high water line on the west bank of Lostine River.
	to 743				
EAGLE CAP NW Map No. 14					
-----					
EAGLE CAP NE Map No. 13	744				A point on ordinary high water line on south bank of Lostine River, approximately 100 feet upstream from confluence with East Lostine River.
-----					
	745	S24-08E	179	(54.6)	Paralleling East Lostine River 100 feet southwesterly of thread of stream.
	746	S48-56E	175	(53.3)	
	747	S52-44E	231	(70.4)	
	748	S66-16E	181	(55.2)	
	749	S71-28E	186	(56.7)	
		S67-53E	173	(52.7)	
-----					
	750				A point 100 feet from and perpendicular to the thread of East Lostine River, elevation 5,840 feet.
-----					

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE CAP NE Map No. 13	N74-28E	776	(236.5)	Easterly, crossing the East Lostine River.
	751			A point on 6,000-foot elevation contour on the east side of East Lostine River.
	N21-29W	197	(60.0)	
	752			
	N12-03W	196	(59.7)	
	753			
	N14-31W	263	(80.2)	
	754			
	N17-46W	269	(82.0)	
	755			
	N21-06W	225	(68.6)	Along the 6,000-foot elevation contour.
	756			
	N30-23W	134	(40.8)	
	757			
	N22-45W	168	(51.2)	
	758			
	N09-54W	151	(46.0)	
	759			
	N11-59E	101	(30.8)	
	760			
	N19-23E	57	(17.4)	
	761			
	N01-47E	64	(19.5)	
	762			
	N35-04W	127	(38.7)	
	763			
	N17-33W	186	(56.7)	
	764			
	N34-29W	182	(55.5)	
ENTERPRISE	765			
SE	N18-21W	213	(64.9)	
Map	766			
No. 9	N17-42W	148	(45.1)	
	767			
	N12-21W	107	(32.6)	
	768			
	N52-11W	96	(29.3)	
	769			
	N42-31W	114	(34.7)	
	770			
	N29-21W	92	(28.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
-----				
ENTERPRISE SE	771			
Map No. 9	772	N12-25W	112 (34.1)	
		N45-00W	140 (42.7)	
	773			
		N37-52W	228 (69.5)	
	774			
		N27-04W	152 (46.3)	
	775			
		N26-34W	161 (49.1)	
	776			
		N12-39W	151 (46.0)	
	777			
		N17-34W	83 (25.3)	Along the 6,000-foot elevation contour.
	778			
		N44-37W	104 (31.7)	
	779			
		N23-53W	133 (40.5)	
	780			
		N13-34W	175 (53.3)	
	781			
		N11-08W	124 (37.8)	
	782			
		N00-52E	66 (20.1)	
	783			
		N34-36W	70 (21.3)	
	784			
		N49-02W	101 (30.8)	
	785			
		N19-32W	99 (30.2)	
	786			
		N00-43W	80 (24.4)	
	787			
		N01-35E	108 (32.9)	
	788			
		N03-41W	124 (37.8)	
	789			
		N08-21W	255 (77.7)	
	790			
		N11-08W	264 (80.5)	
	791			
		N00-48W	142 (43.3)	
	792			
		N11-37E	144 (43.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SE Map No. 9	793	N17-37W	89	(27.1)	
	794	N23-34W	180	(54.9)	
	795	N18-50W	136	(41.5)	Along the 6,000-foot elevation contour.
	796	N52-33W	59	(18.0)	
ENTERPRISE SW Map No. 8	797	N19-25W	147	(44.8)	
	798	N07-50W	110	(33.5)	
	799	N00-27W	129	(39.3)	
-----					
	800				A point on the 6,000-foot elevation contour, intersection with unnamed stream, in NE 1/4 of Sec. 36, T. 3 S., R. 43 E.
-----					
		S64-27W	125	(38.1)	
801		S64-57W	85	(25.9)	
802		S87-11W	122	(37.2)	Descend said unnamed stream.
803		S86-59W	114	(34.7)	
804		S59-34W	166	(50.6)	
805		S41-33W	176	(53.6)	
806		S54-50W	182	(55.5)	
807		S53-16W	167	(50.9)	
808		S86-49W	54	(16.5)	
-----					
	809				A point in said unnamed stream at intersection with the 5,600-foot elevation contour.
-----					
		N21-11W	86	(26.2)	Northerly along the 5,600-foot elevation contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW Map No. 8	810				
		N51-28W	75	(22.9)	
	811	N14-39E	134	(40.8)	
	812	N17-17E	236	(71.9)	
	813	N02-05W	192	(58.5)	
	814	N09-06W	310	(94.5)	
	815	N11-40W	435	(132.6)	
	816	N18-07W	167	(50.9)	Along the 5,600-foot elevation contour.
	817	N25-27W	251	(76.5)	
	818	N26-59W	242	(73.8)	
	819	N25-36W	264	(80.5)	
	820	N19-52W	226	(68.9)	
	821	N24-30W	87	(26.5)	
	822	N06-03E	66	(20.1)	
	823	N44-22W	64	(19.5)	
	824	N50-40W	107	(32.6)	
	825	N23-46W	119	(36.3)	
	826	N04-05W	140	(42.7)	
	827	N16-31E	208	(63.4)	
	828	N28-47E	104	(31.7)	
	829	N61-49E	32	(9.8)	
	830	N10-11E	79	(24.1)	
	831	N23-55W	126	(38.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	832				
Map No. 8		N09-08W	170	(51.8)	
	833				
		N05-03W	171	(52.1)	
	834				
		N05-06E	112	(34.1)	
	835				
		N07-49W	132	(40.2)	
	836				
		N26-24W	160	(48.8)	
	837				
		N29-45W	137	(41.8)	
	838				
		N05-17W	108	(32.9)	Along the 5,600-foot elevation contour.
	839				
		N04-11W	164	(50.0)	
	840				
		N07-07W	153	(46.6)	
	841				
		N32-21W	142	(43.3)	
	842				
		N41-51W	64	(19.5)	
	843				
		N16-18W	68	(20.7)	
	844				
		N11-57W	53	(16.2)	
	845				
		N44-13E	52	(15.8)	
	846				
		N17-39E	69	(21.0)	
	847				
		N18-12W	151	(46.0)	
	848				
		N17-05W	388	(118.3)	
	849				
		N22-37W	260	(79.2)	
	850				
		N23-52W	124	(37.8)	
	851				
		N02-52W	200	(61.0)	
	852				
		N00-58E	118	(36.0)	
	853				
		N09-04W	95	(29.0)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	854				
Map		N45-56W	173	(52.7)	
No. 8	855				
		N44-04W	173	(52.7)	
	856				
		N42-49W	222	(67.7)	
	857				
		N23-53W	200	(61.0)	
	858				
		N17-47W	138	(42.1)	
	859				
		N10-11W	79	(24.1)	
	860				
		N32-23E	49	(14.9)	Along 5,600-foot elevation contour.
	861				
		N19-15E	133	(40.5)	
	862				
		N68-12W	48	(14.6)	
	863				
		S75-50W	106	(32.3)	
	864				
		N70-28W	150	(45.7)	
	865				
		N50-12W	125	(38.1)	
	866				
		N29-09W	308	(93.9)	
	867				
		N23-16W	327	(99.7)	
	868				
		N22-58W	236	(71.9)	
	869				
		N25-26W	270	(82.3)	
	870				
		N25-25W	378	(115.2)	
	871				
		N27-41W	387	(118.0)	
	872				
		N18-13W	330	(100.6)	
	873				
		N16-26W	262	(79.9)	
	874				
		N14-59W	247	(75.3)	
	875				
		N06-09W	196	(59.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW Map No. 8	876				
		N07-23W	109	(33.2)	
	877				
		N04-34W	100	(30.5)	
	878				
		N47-56E	55	(16.8)	
	879				
		N90-00E	42	(12.8)	
	880				
		S48-54E	62	(18.9)	
	881				
		S25-49E	172	(52.4)	
	882				
		S29-10E	49	(14.9)	Along 5,600-foot elevation contour.
	883				
		N90-00E	20	(6.1)	
	884				
		N23-24E	73	(22.3)	
	885				
		N12-18E	160	(48.8)	
	886				
		N18-39E	172	(52.4)	
	887				
		N28-26E	151	(46.0)	
	888				
		N31-47E	84	(25.6)	
	889				
		N14-13E	77	(23.5)	
	890				
		N04-17W	268	(81.7)	
	891				
		N04-23E	366	(111.6)	
	892				
		N14-06W	238	(72.5)	
	893				
		N15-19W	250	(76.2)	
	894				
		N13-48W	180	(54.9)	
	895				
		N04-55E	152	(46.3)	
	896				
		N37-23E	91	(27.7)	
	897				
		N51-55E	123	(37.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ENTERPRISE SW Map No. 8	898				A point on the 5,600-foot elevation contour, intersection with unnamed stream.
	899	N40-36W	83	(25.3)	
	900	N66-54W	148	(45.1)	Descend unnamed stream.
	901	N49-18W	132	(40.2)	
	902	N44-11W	99	(30.2)	
	903	N58-19W	55	(16.8)	
	904	N67-23W	52	(15.8)	
		N87-08W	60	(18.3)	
	905				A point in said unnamed stream at intersection with the 5,440-foot elevation contour, NW 1/4 of NW 1/4 of Sec. 24, T. 3 S., R. 43 E.
	906	N03-11W	54	(16.5)	
	907	N31-36W	153	(46.6)	
	908	N33-02W	171	(52.1)	
	909	N21-32W	117	(35.7)	
	910	N00-37E	188	(57.3)	Along 5,440-foot elevation contour.
	911	N10-03E	178	(54.3)	
	912	N12-50W	104	(31.7)	
	913	N08-28E	122	(37.2)	
	914	N01-15E	46	(14.0)	
	915	N27-08W	136	(41.5)	
		N20-09W	84	(25.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	916				
Map		N11-08E	129	(39.3)	
No. 8	917				
		N14-22E	214	(65.2)	
	918				
		N18-48E	152	(46.3)	
	919				
		N12-04E	134	(40.8)	
	920				
		N09-11W	138	(42.1)	
	921				
		N08-40W	153	(46.6)	
	922				
		N03-41W	124	(37.8)	Along 5,440-foot elevation contour.
	923				
		N06-39E	121	(36.9)	
	924				
		N06-30E	80	(24.4)	
	925				
		N36-15E	93	(28.3)	
	926				
		N15-57E	87	(26.5)	
	927				
		N07-17E	87	(26.5)	
	928				
		N25-15W	136	(41.5)	
	929				
		N20-33W	103	(31.4)	
	930				
		N14-56W	109	(33.2)	
	931				
		N04-25W	221	(67.4)	
	932				
		N05-43W	241	(73.5)	
	933				
		N08-50W	137	(41.8)	
	934				
		N16-02W	98	(29.9)	
	935				
		N01-01E	112	(34.1)	
	936				
		N04-51E	118	(36.0)	
	937				
		N19-53W	100	(30.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW Map No. 8	938				
		N18-52W	83	(25.3)	
	939	N01-49W	126	(38.4)	
	940	N13-39E	72	(21.9)	
	941	N31-12W	127	(38.7)	Along 5,440-foot elevation contour.
	942	N37-33W	185	(56.4)	
	943	N26-55W	146	(44.5)	
	944	N25-02W	151	(46.0)	
	945	N33-08W	199	(60.7)	
	946	N26-49W	197	(60.0)	
	947	N18-18W	140	(42.7)	
	948	N07-31W	107	(32.6)	
	949	N05-07E	146	(44.5)	
-----					
	950				A point on the 5,440-foot elevation contour at intersection with unnamed draw.
-----					
		S64-48W	132	(40.2)	
	951	S78-57W	172	(52.4)	
	952	S86-56W	112	(34.1)	Descend said unnamed draw.
	953	N67-01W	108	(32.9)	
	954	N66-17W	72	(21.9)	
-----					
	955				A point in said unnamed draw at intersection with the 5,200-foot elevation contour.
-----					
		N28-10W	144	(43.9)	Along the 5,200-foot elevation contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	956				
Map		N25-08W	323	(98.5)	
No. 8	957				
		N13-25W	362	(110.3)	
	958				
		N12-09W	332	(101.2)	
	959				
		N21-18W	322	(98.1)	
	960				
		N14-32W	255	(77.7)	
	961				
		N29-58W	128	(39.0)	
	962				
		N35-10W	54	(16.5)	Along the 5,200-foot elevation contour.
	963				
		N07-07W	89	(27.1)	
	964				
		N15-45E	81	(24.7)	
	965				
		N32-44E	33	(10.1)	
	966				
		N45-00W	112	(34.1)	
	967				
		N26-43W	176	(53.6)	
	968				
		N08-52W	175	(53.3)	
	969				
		N01-50E	94	(28.7)	
	970				
		N39-31W	126	(38.4)	
	971				
		N35-11W	203	(61.9)	
	972				
		N23-50W	282	(86.0)	
	973				
		N21-00W	282	(86.0)	
	974				
		N18-51W	260	(79.2)	
	975				
		N25-38W	111	(33.8)	
	976				
		N05-04W	79	(24.1)	
	977				
		N40-07W	116	(35.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	978				
Map No. 8		N21-43W	132	(40.2)	
	979				
		N19-54W	258	(78.6)	
	980				
		N19-21W	238	(72.5)	
	981				
		N18-10W	205	(62.5)	
	982				
		N03-39W	204	(62.2)	
	983				
		N03-23W	203	(61.9)	
	984				
		N09-56W	278	(84.7)	Along 5,200-foot elevation contour.
	985				
		N13-01W	231	(70.4)	
	986				
		N09-25W	244	(74.4)	
	987				
		N07-19W	149	(45.4)	
	988				
		N15-51W	77	(23.5)	
	989				
		N71-05W	111	(33.8)	
	990				
		N38-33W	176	(53.6)	
	991				
		N25-40W	201	(61.3)	
	992				
		N27-09W	173	(52.7)	
	993				
		N29-30W	201	(61.3)	
	994				
		N21-48W	145	(44.2)	
	995				
		N14-09W	123	(37.5)	
	996				
		N07-24W	155	(47.2)	
	997				
		N01-02W	110	(33.5)	
	998				
		N01-08W	202	(61.6)	
	999				
		N15-44E	188	(57.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	1000				
Map		N15-18E	121	(36.9)	
No. 8	1001	N06-43W	120	(36.6)	
	1002	N03-11W	144	(43.9)	
	1003	N02-03E	112	(34.1)	
	1004	N26-52E	86	(26.2)	
	1005	N57-01E	68	(20.7)	
	1006	S88-45E	46	(14.0)	Along the 5,200-foot elevation contour.
	1007	N13-35W	94	(28.7)	
	1008	N33-31W	181	(55.2)	
	1009	N33-32W	100	(30.5)	
	1010	N17-06W	95	(29.0)	
	1011	N14-28W	128	(39.0)	
	1012	N18-40W	78	(23.8)	
	1013	N88-34W	80	(24.4)	
	1014	N86-40W	86	(26.2)	
	1015	N52-22W	121	(36.9)	
	1016	N37-00W	173	(52.7)	
	1017	N33-20W	227	(69.2)	
	1018	N01-28W	78	(23.8)	
	1019	N30-48W	61	(18.6)	
	1020	N75-08W	101	(30.8)	
	1021	N71-46W	93	(28.3)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	1022				
Map		N26-39W	319	(97.2)	
No. 8	1023				
		N22-44W	287	(87.5)	
	1024				
		N24-50W	207	(63.1)	
	1025				
		N14-21W	226	(68.9)	
	1026				
		N03-07W	312	(95.1)	
	1027				
		N10-01W	253	(77.1)	
	1028				
		N18-47W	314	(95.7)	Along 5,200-foot elevation contour.
	1029				
		N15-35W	153	(46.6)	
	1030				
		N03-49E	150	(45.7)	
	1031				
		N24-15E	122	(37.2)	
	1032				
		N18-07W	116	(35.4)	
	1033				
		N17-17W	219	(66.8)	
	1034				
		N11-05E	198	(60.4)	
	1035				
		N12-08E	124	(37.8)	
	1036				
		N65-11E	102	(31.1)	
	1037				
		N82-17E	119	(36.3)	
	1038				
		N55-03E	101	(30.8)	
	1039				
		N35-55E	107	(32.6)	
	1040				
		N60-36E	63	(19.2)	
	1041				
		N89-17E	80	(24.4)	
	1042				
		N65-54E	42	(12.8)	
	1043				
		N45-48W	102	(31.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	1044				
Map		N53-26W	111	(33.8)	
No. 8	1045				
		N72-31W	133	(40.5)	
	1046				
		N54-05W	193	(58.8)	
	1047				
		N42-16W	178	(54.3)	
	1048				
		N30-53W	136	(41.5)	
	1049				
		N02-07W	298	(90.8)	
	1050				
		N03-58W	419	(127.7)	Along 5,200-foot elevation contour.
	1051				
		N08-58W	173	(52.7)	
	1052				
		N30-25W	180	(54.9)	
	1053				
		N24-17W	202	(61.6)	
	1054				
		N25-46W	129	(39.3)	
	1055				
		N10-12E	102	(31.1)	
	1056				
		N01-56E	118	(36.0)	
	1057				
		N34-07W	112	(34.1)	
	1058				
		N49-24W	120	(36.6)	
	1059				
		N24-11W	183	(55.8)	
	1060				
		N07-37W	143	(43.6)	
	1061				
		N20-55W	168	(51.2)	
	1062				
		N23-55W	232	(70.7)	
	1063				
		N12-01W	207	(63.1)	
	1064				
		N04-46W	132	(40.2)	
	1065				
		N38-33W	88	(26.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE					
SW	1066				
Map		N24-43W	124	(37.8)	
No. 8	1067				
		N30-28W	138	(42.1)	
	1068				
		N10-54W	137	(41.8)	
	1069				
		N09-24E	135	(41.1)	
	1070				
		N18-04E	97	(29.6)	
	1071				
		N16-29E	74	(22.6)	
	1072				
		N88-48W	48	(14.6)	Along 5,200-foot elevation contour.
	1073				
		N77-47W	175	(53.3)	
	1074				
		N58-33W	142	(43.3)	
	1075				
		N55-54W	153	(46.6)	
	1076				
		N11-19W	178	(54.3)	
	1077				
		N02-55E	235	(71.6)	
	1078				
		N09-58W	168	(51.2)	
	1079				
		N04-40E	185	(56.4)	
	1080				
		N22-27E	81	(24.7)	
	1081				
		N36-32W	101	(30.8)	
	1082				
		N29-09W	109	(33.2)	
	1083				
		N01-16W	90	(27.4)	
	1084				
		N15-47W	96	(29.3)	
	1085				
		N46-05W	112	(34.1)	
	1086				
		N37-34W	148	(45.1)	
	1087				
		N15-39W	163	(49.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SW	1088				
Map		N03-26E	200	(61.0)	
No. 8	1089				
		N00-17W	202	(61.6)	
	1090				
		N01-02E	165	(50.3)	
	1091				
		N04-34E	100	(30.5)	
	1092				
		N28-56E	97	(29.6)	
	1093				
		N20-21E	66	(20.1)	
	1094				
		N11-46W	74	(22.6)	Along 5,200-foot elevation contour.
	1095				
		N18-13W	83	(25.3)	
	1096				
		N09-50E	76	(23.2)	
	1097				
		N03-26E	100	(30.5)	
	1098				
		N59-21W	94	(28.7)	
	1099				
		N55-07W	93	(28.3)	
	1100				
		N25-48W	168	(51.2)	
	1101				
		N11-54W	189	(57.6)	
	1102				
		N01-27W	236	(71.9)	
	1103				
		N10-12W	152	(46.3)	
	1104				
		N01-21E	212	(64.6)	
	1105				
		N06-33E	149	(45.4)	
	1106				
		N02-12W	78	(23.8)	
	1107				
		N55-40W	50	(15.2)	
	1108				
		N76-20W	76	(23.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
ENTERPRISE SW Map No. 8	1109			A point on the 5,200-foot elevation contour, intersection with the west line of Sec. 23, T. 2 S., R. 43 E.
		N02-04W	2383 (726.3)	
ENTERPRISE NW Map No. 3	1110	N01-14W	2053 (625.8)	Northerly along west line of said Sec. 23.
	1111			A point on the west line of said Sec. 23, intersection with the 5,600-foot elevation contour.
		N21-13W	6053 (1845.0)	
	1112			A point on the 4,160-foot elevation contour, intersection with north line of Sec. 15, T. 2 S., R. 43 E.
		N87-14E	1994 (607.8)	Easterly along north line of said Sec. 15.
	1113			The NE corner of said Sec. 15.
		N87-47E	5240 (1597.2)	Easterly along north line of Sec. 14, T. 2 S., R. 43 E.
	1114			The NE corner of said Sec. 14.
		N87-59E	4977 (1517.0)	
ENTERPRISE NE Map No. 2	1115	N89-46E	254 (77.4)	Easterly along north line of Sec. 13, T. 2 S., R. 43 E.
	1116			The NE corner of said Sec. 13.
		N88-02E	2838 (865.0)	Easterly along north line of Sec. 18, T. 2 S., R. 44 E.
	1117			The north 1/4 corner of said Sec. 18.
		S01-55E	3911 (1192.1)	Along north-south centerline of said Sec. 18.
	1118			The SE corner of NE 1/4 of the SW the SW 1/4 of said Sec. 18.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
ENTERPRISE NE Map No. 2	S87-41W	1310	(399.3)	Along south line of NE 1/4 of SW 1/4 of said Sec. 18.
	1119			The SW corner of the NE 1/4 SW 1/4 of said Sec. 18.
	S01-46E	1329	(405.1)	Along east line of the SW 1/4 of SW 1/4 of said Sec. 18.
	1120			The SE corner of SW 1/4 of SW 14 of said Sec. 18.
	N88-28E	1276	(388.9)	Along south line of said Sec. 18.
	1121			South 1/4 corner of said Sec. 18.
	S03-25E	2517	(767.2)	
	ENTERPRISE 1122			Ascending southerly.
	SE S02-16E	2754	(839.4)	
	Map No. 9 1123			An angle point.
	N88-06E	2713	(826.9)	
	1124			An angle point.
	N87-54E	5314	(1619.7)	
	1125			The NW corner of Sec. 28, T. 2 S., R. 44 E.
	S02-13E	5258	(1602.6)	Southerly along west line of said Sec. 28.
	1126			The NW corner of Sec. 33, T. 2 S., R. 44 E.
	N87-35E	3972	(1210.7)	Easterly along north line of said Sec. 33.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
-----				
ENTERPRISE				
SE	1127			The NE corner of NW 1/4 of NE 1/4 of said Sec. 33.
Map				
No. 9				
		S01-40E	1308 (398.7)	Southerly along east line of NW 1/4 of NE 1/4 of said Sec. 33.
-----				
	1128			The NE corner of SW 1/4 of NE 1/4 of said Sec. 33.
-----				
		N87-38E	1332 (406.0)	Easterly along north line of SE 1/4 of NE 1/4 of said Sec. 33.
-----				
	1129			The NE corner of SE 1/4 of NE 1/4 of said Sec. 33.
-----				
		S02-10E	4049 (1234.1)	Southerly along east line of said Sec. 33.
-----				
	1130			The SE corner of said Sec. 33.
-----				
		S02-23E	5960 (1816.6)	Along east line of Sec. 4, T. 3 S., R. 44 E.
-----				
	1131			The SE corner of said Sec. 4
-----				
		S89-43W	624 (190.2)	Along south line of said Sec. 4.
-----				
	1132			EE 1/64 corner on the north line of Sec. 9 T. 3 S., R. 44 E.
-----				
		S02-32E	5260 (1603.3)	Southerly along north-south line dividing east half of east half of Sec. 9, T. 3 S., R. 44 E.
-----				
	1133			The EE 1/64 corner on the north line of Sec. 16, T. 3 S., R. 44 E., WM.
-----				
		S02-13E	2611 (795.8)	Southerly along said north-south line dividing E 1/2 of the E 1/2 of the NE 1/4 of said section 16.
-----				
	1134			The CEE 1/64 corner of said Sec. 16.
-----				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ENTERPRISE SE Map No. 9		N88-31E	1825	(556.3)	Easterly along east-west center line of said Sec. 16. and center line of Sec. 15, T. 3 S., R. 44 E.
	1135				A point on ordinary high water line of east bank of Hurricane Creek at intersection of east-west center line of said Sec. 15.
		N09-22W	98	(29.9)	
	1136	N09-09W	208	(63.4)	
	1137	N01-14W	232	(70.7)	
	1138	N07-34W	129	(39.3)	
	1139	N11-59E	67	(20.4)	Descending along ordinary high water line of east bank of Hurricane Creek.
	1140	N33-17E	237	(72.2)	
	1141	N36-08E	188	(57.3)	
	1142	N34-09E	210	(64.0)	
	1143	N35-45E	154	(46.9)	
	1144	N18-17E	115	(35.1)	
	1145	N06-17W	101	(30.8)	
	1146	N06-40W	95	(29.0)	
	1147	N03-18W	104	(31.7)	
	1148	N10-05E	337	(102.7)	
	1149	N00-37W	188	(57.3)	
	1150	N28-50W	147	(44.8)	
	1151	N27-56W	149	(45.4)	
	1152	N19-20W	60	(18.3)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SE	1153				
Map No. 9	1154	N21-27W	60	(18.3)	
	1155	N23-06E	82	(25.0)	
	1156	N22-02E	181	(55.2)	
	1157	N28-14E	123	(37.5)	
	1158	N10-44E	156	(47.5)	
	1159	N01-37E	142	(43.3)	
	1160	N00-00E	344	(104.9)	Descending along ordinary high water line of east bank of Hurricane Creek.
	1161	N00-51E	202	(61.6)	
	1162	N00-21W	162	(49.4)	
	1163	N19-39W	164	(50.0)	
	1164	N19-45W	124	(37.8)	
	1165	N19-16W	88	(26.8)	
	1166	N05-12E	144	(43.9)	
	1167	N16-30E	141	(43.0)	
	1168	N23-05E	133	(40.5)	
	1169	N15-25E	192	(58.5)	
	1170	N27-09E	88	(26.8)	
	1171	N15-23E	155	(47.2)	
	1172	N04-13E	149	(45.4)	
	1173	N06-05W	198	(60.4)	
	1174	N18-13W	250	(76.2)	
		N01-55W	300	(91.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE SE Map No. 9	1175				
		N09-07E	189	(57.6)	
	1176	N00-39W	178	(54.3)	
	1177	N02-53W	218	(66.4)	
	1178	N04-51E	201	(61.3)	
	1179	N14-46E	188	(57.3)	
	1180	N15-37E	193	(58.8)	
	1181	N12-07E	181	(55.2)	Descending along ordinary high water line of east bank of Hurricane Creek.
	1182	N17-14E	182	(55.5)	
	1183	N16-18E	264	(80.5)	
	1184	N25-59E	132	(40.2)	
	1185	N37-20E	148	(45.1)	
	1186	N26-34E	145	(44.2)	
	1187	N18-33E	167	(50.9)	
	1188	N15-36E	186	(56.7)	
	1189	N15-41E	237	(72.2)	
	1190	N11-10E	232	(70.7)	
	1191	N07-05E	162	(49.4)	
	1192	N22-37E	169	(51.5)	
	1193	N21-10E	133	(40.5)	
	1194	N18-52E	124	(37.8)	
	1195	N03-54W	176	(53.6)	
	1196	N03-12W	233	(71.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
ENTERPRISE					
SE	1197				
Map		N01-25E	202	(61.6)	
No. 9	1198				
		N18-13E	173	(52.7)	Descending along the ordinary high water line of east bank of Hurricane Creek.
	1199				
		N28-06E	100	(30.5)	
	1200				
		N34-08E	109	(33.2)	
	1201				
		N24-16E	78	(23.8)	
-----					
	1202				A point on ordinary high water line of east bank, Hurricane Creek at intersection of east-west center line of Sec. 3, T. 3 S., R. 44 E.
-----					
		N87-15E	2042	(622.4)	Easterly along east-west center line of said Sec. 3.
-----					
	1203				The west 1/4 of Sec. 2, T. 3 S., R. 44 E., W.M.
-----					
		N88-11E	3957	(1206.1)	Easterly along east-west centerline of said Sec. 2.
-----					
	1204				The NE corner of W 1/2 of SE 1/4 of said Sec. 2.
-----					
		S02-32E	2596	(791.3)	Southerly along east line of W 1/2 of SE 1/4 of said Sec. 2.
-----					
	1205				The SE corner of W 1/2 of SE 1/4 of said Sec. 2.
-----					
		N86-04E	1311	(399.6)	Easterly along south line of said Sec. 2.
-----					
	1206				The NW corner of Sec. 12, T. 3 S., R. 44 E.
-----					
		N87-34E	2659	(810.5)	Easterly along north line of said Sec. 12.
-----					
	1207				The north 1/4 of said Sec. 12.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
-----				
ENTERPRISE SE Map No. 9				
	S01-21E		1365 (416.1)	Southerly on north-south centerline of said Sec. 12.
	1208			The NE corner of SE 1/4 of NW 1/4 of said Sec. 12.
	N88-55E		1276 (388.9)	Easterly on the north line of SW 1/4 NE 1/4 of said Sec. 12.
	1209			The NE corner of SW 1/4 of NE 1/4 of said Sec. 12.
	S03-49E		1260 (384.0)	Southerly on the east line of the SW 1/4 NE 1/4 of said Sec. 12.
	1210			The CE 1/16 of said Sec. 12.
	N88-24E		1289 (392.9)	
JOSEPH SW Map No. 10	1211	S70-38E	78 (23.8)	Easterly on the east-west centerline of said Sec. 12.
	1212			The west 1/4 of Sec. 7, T. 3 S., R. 45 E., W.M.
	S01-49E		2627 (800.7)	Southerly on westline of said Sec. 7.
	1213			The SW corner of said Sec. 7 on the Wallowa NF boundary.
	N88-08E		2000 (609.6)	Easterly on south line of said Sec. 7.
	1214			The EW 1/64 corner on the north line of Sec. 18, T. 3 S., R. 45 E., W.M.
	S02-28E		2618 (798.0)	Southerly on the west line of the E 1/2 E 1/2 of NW 1/4 of said Sec. 18.
	1215			The CW 1/64 corner of said Sec. 18.
	N87-27E		3943 (1201.8)	Easterly along east-west center line of said Sec. 18.
	1216			The W 1/4 corner of Sec. 17, T. 3 S., R. 46 E.
-----				

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
JOSEPH SW Map No. 10		1300	(396.2)	Along east-west centerline of said Sec. 17.
	1217			The CW 1/16 of said Sec. 17.
		S02-13E	2611 (795.8)	Southerly along north-south centerline of SW 1/4 of said Sec. 17.
	1218			The west 1/16 corner on the southline of said Sec. 17.
		N88-06E	1330 (405.4)	Easterly along north line of Sec. 20, T. 3 S., R. 45 E.
	1219			The north 1/4 corner of said Sec. 20.
		S01-35E	5276 (1608.1)	Southerly on the north-south centerline of said Sec. 20.
	1220			The north 1/4 corner of Sec. 29, T. 3 S., R. 45 E.
		S02-38E	2637 (803.8)	Southerly on north-south centerline of said Sec. 29.
	1221			The C 1/4 corner of said Sec. 29.
		S87-18W	1317 (401.4)	Along east-west centerline of said Sec. 29.
	1222			The CW 1/16 corner of said Sec. 29.
		S01-55E	2638 (804.1)	Southerly along east line of W 1/2 of SW 1/4 of said Sec. 29.
	1223			A point at SE corner of W 1/2 of SW 1/4 of said Sec. 29.
		N86-52E	1302 (396.9)	Easterly along north line of Sec. 32, T. 3 S., R. 45 E.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
JOSEPH SW Map No. 10	1224				The north 1/4 corner of said Sec. 32.
		S88-50E	637	(194.2)	Easterly on north line at said Sec. 32.
	1225				A point on north line of said Sec. 32 on an unnamed ridge dividing East and West Forks, Wallowa River.
		S03-31E	130	(39.6)	
	1226	S18-03E	187	(57.0)	
	1227	S28-45E	200	(61.0)	
	1228	S28-29E	147	(44.8)	
	1229	S27-04E	154	(46.9)	Ascend along said unnamed ridge.
	1230	S38-12E	137	(41.8)	
	1231	S34-48E	128	(39.0)	
	1232	S31-25E	217	(66.1)	
	1233	S27-26E	117	(35.7)	
	1234	S22-52E	69	(21.0)	
	1235	S08-57E	109	(33.2)	
	1236	S12-12W	241	(73.5)	
	1237	S00-54W	128	(39.0)	
	1238	S05-16W	218	(66.4)	
	1239	S01-25W	121	(36.9)	
	1240	S01-01E	224	(68.3)	
	1241	S08-58E	365	(111.3)	
	1242	S10-55E	259	(78.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
JOSEPH	1243				
SW		S12-49E	149	(45.4)	
Map	1244				
No. 10		S05-08E	168	(51.2)	
	1245				
		S08-04E	114	(34.7)	
	1246				
		S08-45E	145	(44.2)	
	1247				
		S16-32E	67	(20.4)	
	1248				Ascend along said unnamed ridge.
		S44-17E	225	(68.6)	
	1249				
		S50-15E	239	(72.8)	
	1250				
		S74-54E	92	(28.0)	
	1251				
		S67-20E	86	(26.2)	
	1252				
		S23-23E	169	(51.5)	
	1253				
		S01-34W	182	(55.5)	
	1254				
		S06-18E	182	(55.5)	
	1255				
		S05-48E	208	(63.4)	
	1256				
		S01-55W	179	(54.6)	
	1257				
		S12-32W	120	(36.6)	
	1258				A point on said unnamed ridge on north line of Sec. 5, T. 4 S., R. 45 E.
		N87-37E	18743	(5712.9)	Easterly along south lines of Sec. 32, 33, 34, 35, and 36, T. 3 S., R. 45 E.
	1259				A point on south line of said Sec. 36 on Ferguson Ridge.
		S30-42E	37	(11.3)	
	1260				Ascend Ferguson Ridge.
		S21-27E	30	(9.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA	1261				
NW		S30-38E	120	(36.6)	
Map	1262				
No. 12		S30-06E	80	(24.4)	Ascend Ferguson Ridge.
	1263				
		S21-48E	97	(29.6)	
-----					
	1264				A point on Ferguson Ridge at 7,360 foot elevation contour.
-----					
		S30-59E	6122	(1866.0)	
CORNUCOPIA	1265				
NE		S31-00E	20627	(6287.1)	
Map					
No. 11	1266				A high point at SE end of Wing Ridge. Elevation 7,500 feet.
-----					
		S35-54W	3181	(969.6)	Descend southwesterly toward Big Sheep Creek.
-----					
	1267				A point on south line of Sec. 29, T. 4 S., R. 46 E.
-----					
		S87-29W	2520	(768.1)	Westerly along north line of Sec. 32, T. 4 S., R. 46 E.
-----					
	1268				The SE corner of Sec. 30, T. 4 S., R. 46 E.
-----					
		S87-37W	2642	(805.3)	Westerly along south line of said Sec. 30.
-----					
	1269				The south 1/4 corner of said Sec. 30.
-----					
		S02-39E	1296	(395.0)	Southerly on north-south center line of Sec. 31, T. 4 S., R. 46 E.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
-----				
CORNUCOPIA				
NE	1270			The CN 1/16 corner of said Sec. 31.
Map				
No. 11		N87-33E	2649 (807.4)	Easterly along north line of S 1/2 of NE 1/4 of said Sec. 31.
	1271			The NE corner of S 1/2 of NE 1/4 of said Sec. 31.
		N87-37E	1416 (431.6)	Easterly along north line of SW 1/4 of NW 1/4 of Sec. 32, T. 4 S., R. 46 E.
	1272			An angle point.
		S37-39W	1956 (596.2)	
	1273			An angle point.
		S67-46E	8293 (2527.7)	
	1274			A point on the summit of an unnamed high point at approximately 7,300-foot elevation on Hells Canyon National Recreation Area boundary.
		S10-46W	13424 (4091.6)	
CORNUCOPIA	1275			
SE		S09-33W	313 (95.4)	Along Hells Canyon National Recreation Area boundary.
Map	1276			
No. 21		S10-42W	129 (39.3)	
	1277			
		S02-38W	87 (26.5)	
	1278			A point on Imnaha Divide. Approximate Elevation 7,120 feet. On Hells Canyon Recreation Area boundary.
		S52-39E	143 (43.6)	Along Imnaha Divide.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1279				
Map		S44-21E	252	(76.8)	
No. 21	1280	S53-31E	291	(88.7)	
	1281	S57-33E	283	(86.3)	Along Imnaha Divide.
	1282	S57-58E	192	(58.5)	
	1283	S67-00E	302	(92.0)	
	1284	S68-16E	340	(103.6)	
	1285	S61-17E	214	(65.2)	
	1286	S71-21E	338	(103.0)	
-----					
	1287				A point on Imnaha Divide approxi- mately 7,040-foot elevation on Hells Canyon National Recreation Area boundary.
-----					
		N42-22E	231	(70.4)	
1288		N37-09E	373	(113.7)	
1289		N48-11E	280	(85.3)	
1290		N61-43E	327	(99.7)	
1291		N66-20E	194	(59.1)	
1292		N80-02E	301	(91.7)	Along Imnaha Divide.
1293		N72-38E	375	(114.3)	
1294		N68-19E	436	(132.9)	
1295		N60-42E	355	(108.2)	
1296		N51-02E	229	(69.8)	
1297		N70-17E	311	(94.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1298				
Map		N77-11E	397	(121.0)	
No. 21	1299				
		N71-45E	386	(117.7)	
	1300				
		N80-16E	207	(63.1)	
	1301				
		N84-06E	272	(82.9)	
	1302				
		S89-00E	287	(87.5)	
	1303				
		S69-43E	453	(138.1)	
	1304				
		S68-10E	315	(96.0)	Along Innaha Divide
	1305				
		S43-38E	532	(162.2)	
	1306				
		S45-56E	394	(120.1)	
	1307				
		S43-25E	333	(101.5)	
	1308				
		S56-48E	259	(78.9)	
	1309				
		S75-22E	257	(78.3)	
	1310				
		N87-04E	312	(95.1)	
	1311				
		N85-13E	468	(142.6)	
	1312				
		S88-07E	335	(102.1)	
	1313				
		S87-34E	425	(129.5)	
	1314				
		N89-02E	354	(107.9)	
	1315				
		S79-53E	404	(123.1)	
	1316				
		S75-16E	382	(116.4)	
	1317				
		S81-52E	205	(62.5)	
	1318				
		N79-49E	170	(51.8)	
	1319				
		N61-17E	285	(86.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1320				
Map		N57-17E	259	(78.9)	
No. 21	1321				
		N51-06E	193	(58.8)	
	1322				
		N71-05E	265	(80.8)	
	1323				
		N75-44E	361	(110.0)	
	1324				
		N83-34E	277	(84.4)	Along Immaha Divide.
	1325				
		N86-08E	282	(86.0)	
	1326				
		S87-51E	345	(105.2)	
	1327				
		N74-41E	273	(83.2)	
	1328				
		N70-33E	339	(103.3)	
	1329				
		N61-07E	265	(80.8)	
	1330				
		N53-37E	142	(43.3)	
-----					
	1331				A point on Immaha Divide at ap- proximate 6,240 foot elevation.
-----					
		S01-54E	332	(101.2)	
	1332				
		S00-09E	367	(111.9)	
	1333				
		S14-31E	347	(105.8)	
	1334				
		S26-51E	447	(136.2)	
	1335				Descend southerly.
		S17-36E	350	(106.7)	
	1336				
		S23-12E	190	(57.9)	
	1337				
		S19-15W	155	(47.2)	
	1338				
		S00-17W	208	(63.4)	
	1339				
		S18-11E	433	(132.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1340				
Map		S17-10E	359	(109.4)	
No. 21	1341	S11-03E	349	(106.4)	
	1342	S18-59E	326	(99.4)	Descend southerly.
	1343	S01-00E	343	(104.5)	
	1344	S13-42E	291	(88.7)	
-----					
	1345				A point on ordinary high water line on north bank, Imnaha River.
-----					
		S45-33W	147	(44.8)	
	1346	S44-17W	228	(69.5)	Ascending along ordinary high water line, north bank, Imnaha River.
	1347	S44-20W	240	(73.2)	
-----					
	1348				A point at ordinary high water line, north bank of Imnaha River at confluence with unnamed stream.
-----					
		S01-36E	4183	(1275.0)	
-----					
	1349				Intersection with 5,200-foot eleva- tion contour on south side of Imnaha River drainage.
-----					
		S73-43W	185	(56.4)	
	1350	S81-27W	155	(47.2)	
	1351	S53-14W	114	(34.7)	Along 5,200-foot elevation contour.
	1352	S55-46W	117	(35.7)	
	1353	S25-34W	102	(31.1)	
	1354	S49-24W	101	(30.8)	
	1355	S53-01W	106	(32.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1356				
Map		S28-06W	100	(30.5)	
No. 21	1357				
		S23-16W	109	(33.2)	
	1358				
		S04-13E	122	(37.2)	
	1359				
		S34-25E	65	(19.8)	
	1360				
		S40-22E	79	(24.1)	Along 5,200-foot elevation contour.
	1361				
		S43-32E	55	(16.8)	
	1362				
		S27-21W	65	(19.8)	
	1363				
		N77-57W	182	(55.5)	
	1364				
		N79-55W	166	(50.6)	
	1365				
		N86-38W	119	(36.3)	
	1366				
		N88-03W	118	(36.0)	
	1367				
		S85-02W	92	(28.0)	
-----					
	1368				A point on 5,200-foot elevation contour, on a spur ridge.
-----					
		S18-15E	291	(88.7)	
	1369				
		S26-54E	312	(95.1)	
	1370				
		S30-54E	177	(53.9)	
	1371				Ascend spur ridge.
		S14-09E	237	(72.2)	
	1372				
		S13-04E	243	(74.1)	
	1373				
		S00-40E	259	(78.9)	
	1374				
		S09-39E	203	(61.9)	
	1375				
		S03-47W	258	(78.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1376				
Map		S07-46W	311	(94.8)	
No. 21	1377				
		S13-52W	509	(155.1)	
	1378				
		S15-01W	355	(108.2)	
	1379				Ascend spur ridge.
		S20-38W	290	(88.4)	
	1380				
		S10-03W	304	(92.7)	
	1381				
		S18-50W	229	(69.8)	
	1382				
		S10-03W	258	(78.6)	
-----					
	1383				A point on a spur ridge, 50 feet northerly of and perpendicular to centerline of USFS Road 6600 at approximately 6,520-foot elevation.
-----					
		S81-58W	358	(109.1)	
	1384				
		S78-51W	274	(83.5)	
	1385				
		S71-56W	300	(91.4)	
	1386				Westerly along crest of divide
		S80-56W	190	(57.9)	ridge between Imnaha and Elk
	1387				drainages.
		S01-00W	140	(42.7)	
	1388				
		S66-53W	171	(52.1)	
	1389				
		S67-58W	136	(41.5)	
	1390				
		S61-57W	225	(68.6)	
	1391				
		S72-10W	212	(64.6)	
	1392				
		S57-29W	177	(53.9)	
-----					
	1393				A point on said divide ridge at 6,580-foot elevation contour.
-----					
		S86-10W	3609	(1100.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
CORNUCOPIA SE Map No. 21	1394		A point on the NW shore of the unnamed northwestern most lake in Twin Lakes group.
	S40-21W	3911 (1192.1)	
1395			A point on a spur ridge near center of NE 1/4 of Sec. 3, t. 6 S., R. 46 E.
	S38-30W	175 (53.3)	
1396	S30-19W	184 (56.1)	
1397	S21-27W	241 (73.5)	
1398	S19-14W	228 (69.5)	
1399	S25-15W	136 (41.5)	Ascend spur ridge.
1400	S10-48W	155 (47.2)	
1401	S22-01W	197 (60.0)	
1402	S21-40W	152 (46.3)	
1403	S31-56W	172 (52.4)	
1404	S35-53W	174 (53.0)	
1405	S48-32W	149 (45.4)	
1406	S51-51W	214 (65.2)	
1407	S50-18W	146 (44.5)	
1408	S59-59W	178 (54.3)	
1409	S71-16W	187 (57.0)	
1410	S66-48W	221 (67.4)	
1411			A point on said spur ridge, elevation 7,200 feet.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA SE Map No. 21	1412	S30-21E	271	(82.6)	.
	1413	S12-07E	195	(59.4)	
	1414	S04-33E	240	(73.2)	Southerly.
	1415	S03-11E	180	(54.9)	
		S02-39W	130	(39.6)	
-----					
	1416				A point 200 feet northerly of and perpendicular to centerline of USFS Road 6600496.
-----					
	1417	S81-15W	132	(40.2)	
	1418	S49-17W	152	(46.3)	
	1419	S31-57W	219	(66.8)	Paralleling USFS Road 6600496, 200 feet westerly of centerline.
	1420	S13-42W	165	(50.3)	
	1421	S00-51W	136	(41.5)	
		S04-31E	76	(23.2)	
-----					
	1422				A point 200 feet westerly of and perpendicular to the centerline of USFS Road 6600496, 150 feet northerly of and perpendicular to USFS Road 6600450.
-----					
	1423	N85-31W	294	(89.6)	
	1424	N82-56W	276	(84.1)	
	1425	N69-39W	256	(78.0)	Paralleling USFS Road 6600450, 150 feet northerly of centerline.
	1426	N45-08W	288	(87.8)	
	1427	N48-52W	189	(57.6)	
		N63-32W	247	(75.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1428				
Map		N63-11W	199	(60.7)	
No. 21	1429				
		N75-36W	117	(35.7)	
	1430				
		N30-31W	156	(47.5)	
	1431				
		N44-38W	223	(68.0)	
	1432				Paralleling USFS Rd. 6600450, 150
		N51-09W	191	(58.2)	feet northerly of centerline.
	1433				
		N47-19W	140	(42.7)	
	1434				
		N54-47W	62	(18.9)	
	1435				
		S81-44W	63	(19.2)	
	1436				
		N76-25W	94	(28.7)	
	1437				
		N59-17W	117	(35.7)	
-----					
	1438				A point on Russel Mtn., 150
					feet northerly of and perpendicular
					to centerline of USFS Rd. 6600450,
					elevation 7,460.
-----					
		N27-03W	106	(32.3)	
	1439				
		N46-02W	157	(47.9)	
	1440				
		N61-45W	152	(46.3)	
	1441				
		S81-56W	128	(39.0)	
	1442				Across north side of Russell Mtn. on
		S65-33W	97	(29.6)	the 7,460-foot elevation contour.
	1443				
		S53-45W	130	(39.6)	
	1444				
		S24-24W	119	(36.3)	
	1445				
		S04-28E	128	(39.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
-----				
CORNUCOPIA				
SE	1446			A point on Russel Mtn. on the divide
Map				between Imnaha River and Pine Creek,
No. 17				elevation 7,460 feet.
-----				
	S82-29W	145	(44.2)	
1447				
	N88-27W	334	(101.8)	
1448				
	N89-01W	291	(88.7)	
1449				
	N79-38W	322	(98.1)	
1450				Descend northwesterly along divide
	N59-17W	347	(105.8)	ridge on Imnaha River/Pine Creek
1451				watershed.
	N65-01W	436	(132.9)	
1452				
	N60-53W	282	(86.0)	
1453				
	N57-35W	285	(86.9)	
1454				
	N46-30W	459	(139.9)	
1455				
	N28-57W	279	(85.0)	
1456				
	N22-24W	567	(172.8)	
1457				
	N21-21W	497	(151.5)	
1458				
	N25-55W	314	(95.7)	
1459				
	N12-23W	327	(99.7)	
-----				
1460				A point on said divide, near center
				of NW 1/4 of Sec. 4, T. 6 S., R. 46 E.,
				elevation 7,200 feet.
-----				
	N10-41E	216	(65.8)	
1461				Across headwaters of Rock Creek.
	N18-01E	346	(105.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1462				
Map		N29-22E	283	(86.3)	
No. 21	1463				
		N10-05E	303	(92.4)	Across headwaters of Rock Creek.
	1464				
		N01-56E	177	(53.9)	
	1465				
		N17-56W	107	(32.6)	
	1466				
		N24-37W	53	(16.2)	
-----					
	1467				A point on spur ridge on the north line of Sec. 4, T. 6 S., R 46 E.
-----					
		N56-55W	158	(48.2)	
	1468				
		N69-39W	256	(78.0)	
	1469				
		N75-04W	233	(71.0)	
	1470				
		N65-36W	189	(57.6)	
	1471				Along spur ridge.
		N65-50W	342	(104.2)	
	1472				
		N69-41W	406	(123.7)	
	1473				
		N65-55W	360	(109.7)	
	1474				
		N62-01W	288	(87.8)	
	1475				
		N71-21W	260	(79.2)	
	1476				
		N01-00W	264	(80.5)	
	1477				
		N74-15W	203	(61.9)	
	1478				
		N47-49W	259	(78.9)	
	1479				
		N49-02W	151	(46.0)	
	1480				
		N49-02W	252	(76.8)	
	1481				
		N55-18W	344	(104.9)	
	1482				
		N48-22W	421	(128.3)	

QUAD	ANGLE	BEARING	DISTANCE		DESCRIPTION
SHEET	POINT		FEET		
NAME			(METERS)		
-----					
CORNUCOPIA					
SE	1483				
Map		N47-17W	248	(75.6)	
No. 21	1484				
		N48-40W	210	(64.0)	
	1485				
		N74-11W	125	(38.1)	Along spur ridge.
	1486				
		N88-26W	110	(33.5)	
	1487				
		N70-26W	48	(14.6)	
	1488				
		N63-26W	25	(7.6)	
-----					
	1489				The summit of Deadman Point.
-----					
		S48-12W	89	(27.1)	
	1490				
		S43-03W	271	(82.6)	
	1491				
		S40-48W	251	(76.5)	
	1492				
		S35-20W	223	(68.0)	
	1493				
		S35-04W	184	(56.1)	Along ridge.
	1494				
		S27-26W	176	(53.6)	
	1495				
		S61-08W	122	(37.2)	
	1496				
		S26-07W	225	(68.6)	
	1497				
		S26-15W	240	(73.2)	
	1498				
		S17-58W	194	(59.1)	
	1499				
		S07-54W	175	(53.3)	
	1500				
		S04-26W	103	(31.4)	
	1501				
		S07-32W	191	(58.2)	
	1502				
		S07-15W	174	(53.0)	
	1503				
		S07-18W	165	(50.3)	
	1504				
		S09-53W	204	(62.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SE	1505				
Map		S23-40W	212	(64.6)	
No. 21	1506				
		S30-52W	197	(60.0)	
	1507				
		S33-58W	115	(35.1)	
	1508				
		S41-32W	246	(75.0)	
	1509				
		S48-57W	154	(46.9)	
	1510				
		S49-02W	191	(58.2)	
	1511				Along ridge.
		S61-37W	183	(55.8)	
	1512				
		S77-17W	168	(51.2)	
	1513				
		S84-37W	85	(25.9)	
CORNUCOPIA	1514				
SW		S84-27W	176	(53.6)	
MAP	1515				
No. 20		S81-58W	172	(52.4)	
	1516				
		S84-31W	220	(67.1)	
	1517				
		N77-58W	201	(61.3)	
	1518				
		N77-14W	154	(46.9)	
	1519				
		N61-47W	186	(56.7)	
	1520				
		N37-17W	111	(33.8)	
	1521				
		N63-52W	177	(53.9)	
-----					
	1522				The summit of Sugarloaf Mtn.,
		N86-20W	392	(119.5)	Triangulation station SUGARLOAF MTN.
-----					
	1523				
		N60-11W	378	(115.2)	
	1524				
		N55-55W	362	(110.3)	Along the ridge between Imnaha River
	1525				and Pine Creek.
		N62-29W	216	(65.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1526				
Map		N47-18W	299	(91.1)	
No. 20	1527				
		N46-39W	296	(90.2)	
	1528				
		N45-00W	291	(88.7)	
	1529				
		N47-59W	285	(86.9)	
	1530				
		N36-21W	353	(107.6)	
	1531				
		N42-11W	158	(48.2)	
	1532				
		N47-06W	116	(35.4)	Along ridge between the Imnaha River and Pine Creek.
	1533				
		N77-46W	123	(37.5)	
	1534				
		S83-50W	177	(53.9)	
	1535				
		S88-46W	232	(70.7)	
	1536				
		S79-01W	105	(32.0)	
	1537				
		S73-13W	263	(80.2)	
	1538				
		S63-13W	118	(36.0)	
	1539				
		S01-00W	198	(60.4)	
	1540				
		S48-08W	246	(75.0)	
	1541				
		S48-46W	205	(62.5)	
	1542				
		S54-28W	181	(55.2)	
	1543				
		S49-39W	122	(37.2)	
	1544				
		S38-17W	187	(57.0)	
	1545				
		S54-03W	162	(49.4)	
	1546				
		S44-18W	233	(71.0)	
	1547				
		S50-39W	144	(43.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1548				
Map		S51-20W	218	(66.4)	
No. 20	1549				
		S54-34W	183	(55.8)	
	1550				
		S58-02W	147	(44.8)	
	1551				
		S64-51W	127	(38.7)	
	1552				
		S71-34W	111	(33.8)	
	1553				
		S75-51W	131	(39.9)	
	1554				
		S82-10W	345	(105.2)	Along ridge between the Imnaha River and Pine Creek.
	1555				
		N88-46W	371	(113.1)	
	1556				
		S89-24W	380	(115.8)	
	1557				
		N83-43W	246	(75.0)	
	1558				
		N82-00W	410	(125.0)	
	1559				
		N80-26W	385	(117.3)	
	1560				
		N86-35W	302	(92.0)	
	1561				
		S88-34W	120	(36.6)	
	1562				
		S62-44W	181	(55.2)	
	1563				
		S56-48W	197	(60.0)	
	1564				
		S50-24W	218	(66.4)	
	1565				
		S39-02W	143	(43.6)	
	1566				
		S38-23W	227	(69.2)	
	1567				
		S33-13W	166	(50.6)	
	1568				
		S36-10W	147	(44.8)	
	1569				
		S35-08W	285	(86.9)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1570				
Map		S37-48W	271	(82.6)	
No. 20	1571				
		S41-40W	268	(81.7)	
	1572				
		S44-12W	252	(76.8)	
	1573				
		S42-02W	191	(58.2)	
	1574				
		S41-15W	227	(69.2)	
	1575				
		S50-51W	201	(61.3)	
	1576				
		S56-19W	220	(67.1)	Along ridge between the Imnaha River and Pine Creek.
	1577				
		S63-26W	114	(34.7)	
	1578				
		S67-12W	150	(45.7)	
	1579				
		N86-01W	129	(39.3)	
	1580				
		N86-29W	130	(39.6)	
	1581				
		N66-21W	317	(96.6)	
	1582				
		N75-36W	229	(69.8)	
	1583				
		S85-17W	183	(55.8)	
	1584				
		N88-02W	146	(44.5)	
	1585				
		S80-42W	167	(50.9)	
	1586				
		S84-57W	102	(31.1)	
	1587				
		S78-14W	49	(14.9)	
	1588				
		S84-31W	126	(38.4)	
	1589				
		N84-02W	240	(73.2)	
	1590				
		N89-06W	257	(78.3)	
	1591				
		N80-12W	247	(75.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1592				
Map		N86-11W	286	(87.2)	
No. 20	1593				
		N84-40W	194	(59.1)	
	1594				
		N77-04W	416	(126.8)	
	1595				
		N76-46W	240	(73.2)	
	1596				
		N65-41W	182	(55.5)	
	1597				
		N68-04W	155	(47.2)	
	1598				
		N57-53W	222	(67.7)	Along ridge between the Imnaha River and Pine Creek.
	1599				
		N61-52W	212	(64.6)	
	1600				
		N61-42W	103	(31.4)	
	1601				
		N83-49W	83	(25.3)	
	1602				
		N88-13W	96	(29.3)	
	1603				
		S68-43W	102	(31.1)	
	1604				
		S61-33W	136	(41.5)	
	1605				
		S42-28W	144	(43.9)	
	1606				
		S45-59W	124	(37.8)	
	1607				
		S53-56W	200	(61.0)	
	1608				
		S64-40W	208	(63.4)	
	1609				
		S71-00W	129	(39.3)	
	1610				
		S76-51W	268	(81.7)	
	1611				
		S82-03W	181	(55.2)	
	1612				
		S86-16W	292	(89.0)	
	1613				
		S81-22W	353	(107.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1614				
Map		S81-20W	405	(123.4)	
No. 20	1615				
		S63-32W	245	(74.7)	
	1616				
		S51-03W	221	(67.4)	
	1617				
		S33-58W	174	(53.0)	
	1618				
		S24-40W	189	(57.6)	Along ridge between the Imnaha River and Pine Creek.
	1619				
		S24-42W	179	(54.6)	
	1620				
		S19-30W	171	(52.1)	
	1621				
		S18-26W	126	(38.4)	
	1622				
		S17-01W	205	(62.5)	
	1623				
		S18-18W	134	(40.8)	
	1624				
		S21-56W	227	(69.2)	
	1625				
		S25-36W	187	(57.0)	
	1626				
		S42-21W	153	(46.6)	
	1627				
		S45-00W	175	(53.3)	
	1628				
		S39-33W	141	(43.0)	
-----					
	1629				A point on the southerly divide ridge of the drainage of the South Fork Imnaha River, intersection with USFS Trail 1887 at approxi- mately 7,880-foot elevation.
-----					
		S31-58W	166	(50.6)	
	1630				
		S16-01W	203	(61.9)	Along the ridge between Norway Creek and East Fork Pine Creek.
	1631				
		S08-10E	218	(66.4)	
	1632				
		S20-35E	262	(79.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1633				
Map		S17-35E	212	(64.6)	
No. 20	1634				
		S09-31E	181	(55.2)	
	1635				
		S10-36E	158	(48.2)	
	1636				
		S14-41E	193	(58.8)	
	1637				
		S14-02E	276	(84.1)	
	1638				
		S05-50E	315	(96.0)	
	1639				
		S04-28E	219	(66.8)	Along the ridge between Norway Creek and East Fork Pine Creek.
	1640				
		S14-36E	123	(37.5)	
	1641				
		S00-48W	72	(21.9)	
	1642				
		S09-45E	159	(48.5)	
	1643				
		S12-01E	110	(33.5)	
	1644				
		S10-03E	178	(54.3)	
	1645				
		S10-12E	192	(58.5)	
	1646				
		S17-31E	216	(65.8)	
	1647				
		S30-54E	148	(45.1)	
	1648				
		S34-15E	224	(68.3)	
	1649				
		S55-11E	284	(86.6)	
	1650				
		S71-42E	134	(40.8)	
	1651				
		S31-59E	232	(70.7)	
	1652				
		S28-04E	238	(72.5)	
	1653				
		S24-34E	296	(90.2)	
	1654				
		S11-04E	271	(82.6)	
					66

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1655				
Map		S13-22E	251	(76.5)	
No. 20	1656				
		S05-37E	419	(127.7)	Along the ridge between Norway Creek and the East Fork Pine Creek.
	1657	S04-14E	325	(99.1)	
	1658				
		S10-53E	318	(96.9)	
	1659				
		S25-25E	179	(54.6)	
	1660				
		S41-22E	145	(44.2)	
-----					
	1661				A point on the ridge between Norway Creek and the East Fork Pine Creek on the south line of Sec. 10, T. 6 S., R. 45 E. on said divide ridge.
-----					
		S87-41W	2007	(611.7)	Westerly along the south line of said Sec. 10.
-----					
	1662				The SW corner of said Sec. 10.
-----					
		S87-49W	5558	(1694.1)	Westerly along the south line of Sec. 9, T. 6 S., R. 45 E.
	1663				The southwest corner of said Sec. 9.
-----					
		S03-15E	5248	(1599.6)	
-----					
	1664				An angle point.
-----					
		S02-53E	1824	(556.0)	
-----					
	1665				A point on the ridge that extends northeasterly from Cornucopia Peak at approximately 7,760-foot elevation.
-----					
		S30-38W	145	(44.2)	
	1666				
		S43-26W	207	(63.1)	Along the summit ridge of Cornucopia Peak.
	1667	S31-48W	235	(71.6)	
	1668				
		S28-32W	170	(51.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1669				
Map		S29-27W	142	(43.3)	
No. 20	1670				
		S31-43W	145	(44.2)	
	1671				
		S57-42W	125	(38.1)	
	1672				
		S58-10W	137	(41.8)	
	1673				
		S82-31W	177	(53.9)	
	1674				
		S73-46W	107	(32.6)	
	1675				
		S50-20W	152	(46.3)	Along the summit ridge of Cornucopia Peak.
	1676				
		S41-03W	154	(46.9)	
	1677				
		S30-33W	212	(64.6)	
	1678				
		S23-09W	181	(55.2)	
	1679				
		S05-37W	184	(56.1)	
	1680				
		S05-57W	164	(50.0)	
	1681				
		S05-23E	160	(48.8)	
	1682				
		S11-04E	286	(87.2)	
	1683				
		S07-29E	138	(42.1)	
	1684				
		S13-12E	184	(56.1)	
	1685				
		S09-23W	117	(35.7)	
	1686				
		S09-32E	139	(42.4)	
	1687				
		S05-45W	160	(48.8)	
	1688				
		S15-15W	148	(45.1)	
	1689				
		S27-21W	131	(39.9)	
	1690				
		S49-21W	121	(36.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1691				
Map		S51-41W	127	(38.7)	
No. 20	1692				
		S63-55W	157	(47.9)	
	1693				
		S70-41W	145	(44.2)	
	1694				
		S72-17W	125	(38.1)	
	1695				
		S71-41W	162	(49.4)	
	1696				
		S69-31W	97	(29.6)	
	1697				
		S55-49W	98	(29.9)	Along the summit ridge of Cornucopia Peak.
	1698				
		S50-15W	302	(92.0)	
	1699				
		S42-02W	300	(91.4)	
	1700				
		S42-15W	265	(80.8)	
	1701				
		S46-05W	112	(34.1)	
	1702				
		S34-20W	99	(30.2)	
	1703				
		S43-57W	78	(23.8)	
	1704				
		S66-48W	99	(30.2)	
	1705				
		S62-30W	193	(58.8)	
	1706				
		S58-10W	137	(41.8)	
	1707				
		S43-11W	178	(54.3)	
	1708				
		S40-23W	202	(61.6)	
	1709				
		S36-58W	233	(71.0)	
	1710				
		S47-13W	202	(61.6)	
	1711				
		S56-31W	156	(47.5)	
	1712				
		S53-57W	195	(59.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1713				
Map		S73-18W	282	(86.0)	
No. 20	1714				
		S86-56W	243	(74.1)	Along the summit ridge of Cornucopia Peak.
	1715	N89-06W	127	(38.7)	
	1716	N80-07W	157	(47.9)	
	1717	N51-09W	46	(14.0)	
-----					
	1718				A point on the summit ridge of Cornucopia Peak at its intersection with the divide ridge between the Pine Creek and Eagle Creek drainages.
-----					
		S02-39W	389	(118.6)	
1719		S02-03W	447	(136.2)	
1720		S02-17W	200	(61.0)	
1721		S12-30E	226	(68.9)	
1722		S10-27E	237	(72.2)	Along the ridge between the Pine Creek and Eagle Creek Drainages.
1723		S04-24E	91	(27.7)	
1724		S03-36W	143	(43.6)	
1725		S19-34W	176	(53.6)	
1726		S20-46W	288	(87.8)	
1727		S15-09W	540	(164.6)	
1728		S14-52W	300	(91.4)	
1729		S11-12W	206	(62.8)	
1730		S03-13W	178	(54.3)	
1731		S01-02W	166	(50.6)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
CORNUCOPIA					
SW	1732				
Map		S06-39W	164	(50.0)	
No. 20	1733				
		S45-00W	123	(37.5)	
	1734				
		S45-00W	187	(57.0)	
	1735				
		S30-24W	334	(101.8)	
EAGLE	1736				
CAP SE		S46-27W	195	(59.4)	Along the ridge between the Pine Creek and Eagle Creek Drainages.
Map	1737				
No. 19		S81-39W	145	(44.2)	
	1738				
		S77-30W	208	(63.4)	
	1739				
		S82-15W	193	(58.8)	
	1740				
		S81-41W	90	(27.4)	
	1741				
		S33-13W	170	(51.8)	
	1742				
		S00-38E	182	(55.5)	
	1743				
		S20-26E	309	(94.2)	
	1744				
		S22-39E	275	(83.8)	
	1745				
		S23-30E	344	(104.9)	
	1746				
		S27-41E	252	(76.8)	
	1747				
		S32-23E	437	(133.2)	
	1748				
		S30-15E	111	(33.8)	
	1749				
		S12-43E	32	(9.8)	
SPARTA	1750				
NE		S03-50E	164	(50.0)	
Map					
No. 22	1751				
					A point on the divide ridge between the Conundrum Creek and Little Eagle Creek Drainages.
-----					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SPARTA NE Map No. 22		S61-23W	175	(53.3)	
	1752				
		S61-58W	245	(74.7)	
	1753				
		S47-36W	156	(47.5)	
	1754				
		S79-00W	178	(54.3)	
	1755				
		S78-50W	305	(93.0)	Along the divide ridge between the Conundrum and Little Eagle Creek drainages
	1756				
		S71-28W	352	(107.3)	
	1757				
		S76-44W	161	(49.1)	
	1758				
		S75-04W	93	(28.3)	
	1759				
		S65-07W	76	(23.2)	
	1760				
		S46-52W	152	(46.3)	
	1761				
		S45-11W	216	(65.8)	
	1762				
		S40-17W	275	(83.8)	
	1763				
		S56-19W	169	(51.5)	
	1764				
		S51-54W	159	(48.5)	
	1765				
		S47-31W	178	(54.3)	
	1766				
		S46-37W	150	(45.7)	
	1767				
		S45-00W	76	(23.2)	
	1768				A point on the divide ridge between the Conundrum and Little Eagle Creek drainages, approximate elevation 6,900 feet.
		N75-08W	4778	(1456.3)	
	1769				A point on a spur ridge, approxi- mate elevation 6,250 ft.
		N67-25W	412	(125.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1770				
CAP SE		N64-58W	2283	(695.9)	
Map					
No. 19	1771				A point on the divide ridge between the Little Eagle Creek and Long Creek drainages, approximate elevation 6,730 feet.
		N09-55W	105	(32.0)	
1772		N33-41W	177	(53.9)	
1773		N48-06W	157	(47.9)	
1774		N01-00W	81	(24.7)	
1775		N72-49W	102	(31.1)	Along the divide ridge between Little Eagle Creek and Long Creek, thence along the divide ridge between Little Eagle and Sullivan Creek.
1776		N75-46W	203	(61.9)	
1777		N88-10W	188	(57.3)	
1778		N75-23W	143	(43.6)	
1779		N49-01W	162	(49.4)	
1780		N34-15W	224	(68.3)	
1781		N45-35W	274	(83.5)	
1782		N60-14W	264	(80.5)	
1783		N62-01W	181	(55.2)	
1784		N42-34W	133	(40.5)	
1785		N27-15W	186	(56.7)	
1786		N29-06W	222	(67.7)	
1787		N27-16W	255	(77.7)	
1788		N08-56W	232	(70.7)	
1789		N06-05E	302	(92.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1790				
CAP		N10-48E	309	(94.2)	
SE	1791				
Map		N22-54E	224	(68.3)	
No. 19	1792				
		N41-54E	235	(71.6)	Along the divide ridge between Little Eagle and Sullivan Creek.
	1793				
		N37-14E	220	(67.1)	
	1794				
		N12-17E	207	(63.1)	
	1795				
		N03-10E	163	(49.7)	
	1796				
		N37-09W	41	(12.5)	
	1797				A point on the divide ridge between Little Eagle Creek and Sullivan Creek, elevation 7,496 feet.
		N33-11W	8228	(2507.9)	
	1798				A high point on the divide ridge between the Twin Canyon and Park Creek drainages, elevation 6,243 feet.
		N01-59W	8917	(2717.9)	
	1799				A point on the divide ridge between the Little Kettle Creek and East Fork Eagle Creek drainages, elevation 6,320 feet.
		N55-18W	6822	(2079.3)	
	1800				A point on the divide ridge between the East Fork Eagle Creek and Hudson Creek drainages, elevation 7,104 feet.
		N77-40W	5382	(1640.4)	
	1801				A point on a spur ridge in the Hudson Creek drainage, Southerly of an unnamed lake drainage, elevation 7,440 feet.
		S88-13W	224	(68.3)	Along spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1802				
CAP SE		S83-33W	116	(35.4)	
Map	1803				
No. 19		S81-52W	233	(71.0)	
	1804				
		S82-37W	109	(33.2)	
	1805				
		S69-05W	291	(88.7)	
	1806				
		S64-52W	252	(76.8)	
	1807				
		S69-37W	187	(57.0)	
	1808				
		S81-01W	179	(54.6)	Along spur ridge.
	1809				
		S87-03W	350	(106.7)	
	1810				
		N84-40W	226	(68.9)	
	1811				
		N86-38W	204	(62.2)	
	1812				
		S84-38W	267	(81.4)	
	1813				
		N78-54W	104	(31.7)	
	1814				
		N49-58W	131	(39.9)	
	1815				
		N37-09W	119	(36.3)	
	1816				
		N27-57W	130	(39.6)	
	1817				
		N14-58W	136	(41.5)	
	1818				
		N18-51W	133	(40.5)	
	1819				
		N32-40W	156	(47.5)	
	1820				
		N47-44W	134	(40.8)	
	1821				
		N75-28W	112	(34.1)	
	1822				
		S86-34W	100	(30.5)	
	1823				
		S68-42W	107	(32.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1824				
CAP SE		S42-04W	97	(29.6)	
Map	1825				
No. 19		S33-08W	113	(34.4)	
	1826				
		S57-12W	197	(60.0)	
	1827				
		S68-59W	148	(45.1)	
	1828				
		S73-58W	181	(55.2)	
	1829				
		S83-50W	149	(45.4)	
	1830				
		S81-25W	161	(49.1)	Along spur ridge.
	1831				
		S80-06W	151	(46.0)	
	1832				
		S63-35W	166	(50.6)	
	1833				
		S44-37W	107	(32.6)	
	1834				
		S44-27W	146	(44.5)	
	1835				
		S40-13W	195	(59.4)	
	1836				
		S62-13W	127	(38.7)	
	1837				
		S53-26W	149	(45.4)	
	1838				
		S52-26W	115	(35.1)	
	1839				
		S61-53W	132	(40.2)	
	1840				
		S75-27W	219	(66.8)	
	1841				
		S75-58W	169	(51.5)	
	1842				
		N80-35W	177	(53.9)	
	1843				
		S75-43W	114	(34.7)	
EAGLE	1844				
CAP SW		N87-13W	144	(43.9)	
Map	1845				
No. 18		N74-36W	328	(100.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1846				
CAP SW		N60-50W	316	(96.3)	
Map	1847				
No. 18		N24-57W	175	(53.3)	
	1848				
		N11-15W	195	(59.4)	
	1849				
		N13-21E	143	(43.6)	
	1850				
		N21-24E	397	(121.0)	Along spur ridge.
	1851				
		N17-55E	354	(107.9)	
	1852				
		N19-07E	318	(96.9)	
	1853				
		N23-43E	234	(71.3)	
	1854				
		N18-49E	279	(85.0)	
	1855				
		N05-30E	250	(76.2)	
	1856				
		N10-32W	246	(75.0)	
	1857				
		N33-10W	245	(74.7)	
	1858				A point on said ridge, elevation 7,200 feet.
		N25-22W	128	(39.0)	
	1859				
		N45-00W	259	(78.9)	
	1860				
		N55-22W	201	(61.3)	Descend.
	1861				
		N63-26W	228	(69.5)	
	1862				
		N64-13W	131	(39.9)	
	1863				The NE corner of Sec. 1, T. 6 S., R. 43 E.
		S87-52W	2022	(616.3)	Westerly along north line of said Sec. 1.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE CAP SW Map No. 18	1864				A point on the north line of said Sec. 1, elevation 5,440 feet, west of Eagle Creek.
		S53-45W	74	(22.6)	
	1865				
		S47-29W	81	(24.7)	
	1866				
		S48-06W	52	(15.8)	
	1867				
		S49-58W	65	(19.8)	
	1868				
		S83-48W	93	(28.3)	Along the 5,440-foot elevation contour.
	1869				
		S74-31W	86	(26.2)	
	1870				
		S78-41W	87	(26.5)	
	1871				
		N80-42W	56	(17.1)	
	1872				
		S88-38W	42	(12.8)	
	1873				
		S42-24W	31	(9.4)	
	1874				
		S22-04W	40	(12.2)	
	1875				
		S20-10E	52	(15.8)	
	1876				
		S02-12W	52	(15.8)	
	1877				
		S17-49W	29	(8.8)	
	1878				
		S66-57W	51	(15.5)	
	1879				
		N83-07W	58	(17.7)	
	1880				
		S78-14W	49	(14.9)	
	1881				
		S72-26W	83	(25.3)	
	1882				
		S54-58W	106	(32.3)	
	1883				
		S42-25W	157	(47.9)	
	1884				
		S35-51W	191	(58.2)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1885				
CAP SW		S41-24W	124	(37.8)	
Map	1886				
No. 18		S35-12W	179	(54.6)	
	1887				
		S34-12W	125	(38.1)	
	1888				
		S57-11W	90	(27.4)	
	1889				
		S73-15W	128	(39.0)	
	1890				
		N68-50W	100	(30.5)	
	1891				
		N90-00W	56	(17.1)	Along the 5,440-foot elevation contour.
	1892				
		S70-54W	55	(16.8)	
	1893				
		N78-32W	76	(23.2)	
	1894				
		S78-19W	59	(18.0)	
	1895				
		S73-34W	64	(19.5)	
	1896				
		S65-04W	78	(23.8)	
	1897				
		N89-09W	68	(20.7)	
	1898				
		N80-50W	63	(19.2)	
	1899				
		N76-11W	63	(19.2)	
	1900				
		S62-29W	108	(32.9)	
	1901				
		S59-28W	45	(13.7)	
	1902				
		S77-54W	72	(21.9)	
	1903				
		N87-43W	50	(15.2)	
	1904				
		S47-50W	115	(35.1)	
	1905				
		S39-17W	57	(17.4)	
	1906				
		S54-42W	168	(51.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1907				
CAP SW		S64-19W	145	(44.2)	
Map	1908				
No. 18		S87-24W	88	(26.8)	
	1909				
		N85-26W	100	(30.5)	
	1910				
		N54-28W	69	(21.0)	
	1911				
		S85-55W	70	(21.3)	
	1912				
		S60-03W	68	(20.7)	
	1913				
		S59-18W	74	(22.6)	Along the 5,440-foot elevation contour.
	1914				
		S83-22W	87	(26.5)	
	1915				
		S87-48W	104	(31.7)	
	1916				
		N77-13W	99	(30.2)	
	1917				
		N72-22W	135	(41.1)	
	1918				
		N67-56W	80	(24.4)	
	1919				
		N60-10W	86	(26.2)	
	1920				
		S24-49W	88	(26.8)	
	1921				
		S26-34W	112	(34.1)	
	1922				
		S36-02W	82	(25.0)	
	1923				
		S68-52W	80	(24.4)	
	1924				
		S67-10W	62	(18.9)	
	1925				
		S45-51W	96	(29.3)	
	1926				
		S47-17W	71	(21.6)	
	1927				
		S64-13W	99	(30.2)	
	1928				
		S69-05W	109	(33.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1929				
CAP SW		S86-22W	126	(38.4)	
Map	1930				
No. 18		S79-23W	98	(29.9)	
	1931				
		S82-47W	72	(21.9)	
	1932				
		S56-56W	51	(15.5)	
	1933				
		S35-29W	115	(35.1)	
	1934				
		S29-53W	146	(44.5)	
	1935				
		S46-31W	80	(24.4)	Along the 5,440-foot elevation contour.
	1936				
		S71-21W	163	(49.7)	
	1937				
		S67-40W	121	(36.9)	
	1938				
		S59-19W	143	(43.6)	
	1939				
		S46-44W	117	(35.7)	
	1940				
		S39-15W	106	(32.3)	
	1941				
		S43-20W	98	(29.9)	
	1942				
		S65-13W	100	(30.5)	
	1943				
		S73-22W	80	(24.4)	
	1944				
		S55-29W	78	(23.8)	
	1945				
		S50-54W	103	(31.4)	
	1946				
		S43-42W	124	(37.8)	
	1947				
		S63-52W	118	(36.0)	
	1948				
		S61-23W	125	(38.1)	
	1949				
		N88-36W	82	(25.0)	
	1950				
		N59-23W	57	(17.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE CAP SW Map No. 18	1951				A point on a spur ridge on the 5,440 foot elevation contour.
		S24-49W	353	(107.6)	Descend.
	1952				A point in Boulder creek. Elevation 5,200 feet.
		S02-58W	135	(41.1)	
1953		S01-15W	228	(69.5)	
1954		S09-38E	114	(34.7)	
1955		S12-03W	105	(32.0)	
1956		S45-00W	117	(35.7)	Along the 5,200-foot elevation contour.
1957		S46-20W	333	(101.5)	
1958		S49-28W	345	(105.2)	
1959		S59-23W	279	(85.0)	
1960		S46-13W	334	(101.8)	
1961		S57-13W	244	(74.4)	
1962		S59-37W	289	(88.1)	
1963		S60-11W	221	(67.4)	
1964		S76-41W	96	(29.3)	
1965		S76-06W	108	(32.9)	
1966		S72-01W	198	(60.4)	
1967		S62-26W	205	(62.5)	
1968		N76-38W	104	(31.7)	
1969		N59-28W	181	(55.2)	
1970		N70-17W	113	(34.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE	1971				
CAP SW		N84-34W	42	(12.8)	
Map	1972				
No. 18		S11-19W	117	(35.7)	Along the 5,200-foot elevation contour.
	1973				
		S14-34E	131	(39.9)	
	1974				
		S32-54E	81	(24.7)	
	1975				
		S13-09E	110	(33.5)	
	1976				A point on the south line of Sec. 3, T. 6 S., R. 43 E., elevation 5,200 feet.
		S87-51W	1063	(324.0)	Westerly along south line of said Sec. 3.
	1977				A point on the south line of said Sec. 3, on a spur ridge.
		N71-01W	234	(71.3)	
1978		N85-32W	206	(62.8)	
1979		N73-41W	274	(83.5)	
1980		N84-52W	268	(81.7)	
1981		N69-41W	271	(82.6)	Ascend spur ridge.
1982		N63-26W	224	(68.3)	
1983		N66-51W	135	(41.1)	
1984		N85-19W	184	(56.1)	
1985		N80-20W	274	(83.5)	
1986		N74-56W	188	(57.3)	
1987		N55-17W	123	(37.5)	
1988		N51-47W	102	(31.1)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
EAGLE CAP SW Map No. 18	1989			A high point on the divide ridge between the Eagle Creek and Grove Creek drainages, approximate elevation 6,810 feet.
	N48-45W	14291	(4355.9)	
	1990			A point on USFS Trail 1934.
	S87-32W	1631	(497.1)	
	1991			A point on a spur ridge.
	N40-10W	243	(74.1)	
1992	N38-33W	176	(53.6)	
1993	N50-04W	296	(90.2)	
1994	N68-25W	237	(72.2)	
1995	N75-10W	211	(64.3)	Ascend spur ridge.
1996	N74-20W	222	(67.7)	
1997	N71-11W	139	(42.4)	
1998	N45-21W	115	(35.1)	
1999	N39-28W	190	(57.9)	
2000	N43-27W	183	(55.8)	
2001	N51-04W	127	(38.7)	
2002	N65-59W	101	(30.8)	
2003	N88-12W	222	(67.7)	
2004	S87-11W	224	(68.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
EALGE	2005				
CAP SW		N85-35W	195	(59.4)	
Map	2006				
No. 18		S89-11W	139	(42.4)	Ascend spur ridge.
	2007				
		N53-08W	115	(35.1)	
	2008				
		N39-48W	226	(68.9)	
	2009				A high point on the divide ridge between the West Eagle and Trout Creek drainages, elevation 6,720 feet.
		N17-47W	4150	(1264.9)	
	2010				A high point on the divide ridge between the Trout Creek and South Fork Catherine Creek drainages, approximate elevation 7,050 feet.
		N10-57W	3024	(921.7)	
	2011				A point in the South Fork Catherine Creek, approximate elevation 6,640 feet.
		N84-09W	128	(39.0)	
	2012				
		N66-02W	59	(18.0)	
FLAGSTAFF	2013				
BUTTE		N78-48W	7662	(2335.4)	
Map					
No. 17	2014				South 1/4 corner Sec. 14, T. 5 S., R. 42 E.
		N03-39W	800	(243.8)	Northerly.
CHINA	2015				
CAP		N03-05W	6629	(2020.5)	
Map					
No. 15					

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
CHINA CAP Map No. 15	2016		A high point on the Middle Fork Catherine /Pole Creeks watershed divide, elevation 7,402 feet.
	N48-54W	10496 (3199.2)	
	2017		A point on Spring Creek/Squaw Creek watershed divide, elevation 6,360 feet.
	N65-11W	6096 (1858.1)	
	2018		A high point on the divide between Spring Creek and the North Fork Catherine Creek, elevation 6,460 feet.
	S88-23W	106 (32.3)	
2019	N72-27W	186 (56.7)	
2020	N68-07W	290 (88.4)	
2021	N53-27W	395 (120.4)	
2022	N53-39W	348 (106.1)	Along the ridge south of Chop Creek.
2023	N23-23W	209 (63.7)	
2024	N34-51W	233 (71.0)	
2025	N21-18W	253 (77.1)	
2026	N26-02W	294 (89.6)	
2027	N46-50W	243 (74.1)	
2028	N54-09W	435 (132.6)	
2029	N52-46W	450 (137.2)	



QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
CHINA	2030			
CAP		N57-03W	281 (85.6)	
Map	2031			
No. 15		N43-14W	137 (41.8)	
	2032			
		N53-29W	129 (39.3)	Along ridge south of Chop Creek.
	2033			
		N72-49W	102 (31.1)	
	2034			
		N86-33W	149 (45.4)	
	2035			
		S87-35W	142 (43.3)	
	2036			
		N82-28W	122 (37.2)	
	2037			A point on ridge south of Chop Creek. Elevation 5,800 feet.
		N21-11W	1079 (328.9)	
	2038			A point on north line of said Sec. 32, T. 4 S., R. 42 E., in Chop Creek.
		S88-19W	1493 (455.1)	Westerly along north line of said Sec. 32.
	2039			The NW corner of said Sec. 32.
		S88-12W	3061 (933.0)	Westerly along north line of Sec. 31, T. 4 S., R. 42 E.
	2040			A point on north line of said Sec. 31. Elevation 6,000 feet.
		N15-12W	10889 (3319.0)	
	2041			The NW Corner of Sec. 19, T. 4 S., R. 42 E.
		S71-09W	916 (279.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
LITTLE 2042 CATHERINE CREEK	S71-11W	4860 (1481.3)	
Map 2043 No. 16			A high point on the ridge between Dobbin Creek and Little Catherine Creek. Elevation 6,805 feet.
	N52-03W	790 (240.8)	
2044	N45-56W	437 (133.2)	
2045	N44-47W	576 (175.6)	
2046	N47-15W	449 (136.9)	
2047	N48-49W	234 (71.3)	
2048	N58-51W	207 (63.1)	
2049	N57-38W	362 (110.3)	Along ridge.
2050	N54-43W	209 (63.7)	
2051	N47-06W	154 (46.9)	
2052	N45-26W	190 (57.9)	
2053	N30-31W	240 (73.2)	
2054	N51-18W	226 (68.9)	
2055	N59-36W	174 (53.0)	
2056	N63-07W	164 (50.0)	
2057	N71-13W	255 (77.7)	
2058	N86-28W	178 (54.3)	
2059	N85-36W	156 (47.5)	
2060	N75-49W	184 (56.1)	
2061	N64-52W	125 (38.1)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
LITTLE CREEK Map No. 16	2062			A point on summit of Bald Mtn. at approximately 6,800-foot elevation.
	2063	N59-02W	204 (62.2)	
	2064	N31-18W	346 (105.5)	
	2065	N15-06W	403 (122.8)	
	2066	N10-06W	308 (93.9)	
	2067	N05-19W	216 (65.8)	Along ridge between Little Creek and Dobbin Creek.
	2068	N21-43E	138 (42.1)	
	2069	N55-20E	260 (79.2)	
	2070	N52-38E	208 (63.4)	
	2071	N46-40E	195 (59.4)	
	2072	N61-42E	103 (31.4)	
	2073	N71-22E	94 (28.7)	
	2074	N88-23E	178 (54.3)	
	2075	S85-37E	210 (64.0)	
	2076	N82-55E	162 (49.4)	
		N74-09E	176 (53.6)	
	2077			A high point on spur ridge between Little Creek and Dobbin Creek. Elevation 6,650 feet.
	2078	N57-37W	159 (48.5)	
	2079	N64-12W	269 (82.0)	
	2080	N67-10W	247 (75.3)	Along ridge.
	2081	N56-19W	177 (53.9)	
		N55-17W	139 (42.4)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
LITTLE 2082				
CATHERINE 2083	N29-55W	198	(60.4)	
CREEK 2083				
Map	N13-03W	611	(186.2)	
No. 16 2084				
	N17-44W	181	(55.2)	
2085				
	N11-02W	84	(25.6)	
2086				
	N08-00W	251	(76.5)	Along ridge.
2087				
	N05-02W	330	(100.6)	
2088				
	N15-39W	326	(99.4)	
2089				
	N23-59W	288	(87.8)	
2090				
	N24-35W	272	(82.9)	
2091				
	N34-53W	226	(68.9)	
2092				
	N51-15W	201	(61.3)	
2093				
	N68-15W	202	(61.6)	
2094				
	N78-10W	171	(52.1)	
2095				
	S87-02W	154	(46.9)	
2096				
	N83-08W	84	(25.6)	
2097				A high point on the ridge between Little Creek and Dobbin Creek. Elevation 6,477 feet.
	N03-58W	275	(83.8)	
2098				
	N08-06W	213	(64.9)	
2099				Along ridge.
	N11-58E	222	(67.7)	
2100				
	N24-08E	201	(61.3)	
2101				
	N28-15E	152	(46.3)	
2102				
	N15-46E	88	(26.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
LITTLE CATHERINE CREEK Map No. 16	2103				
		N04-54W	176	(53.6)	
	2104				
		N14-28W	224	(68.3)	
	2105				
		N21-43W	132	(40.2)	Along ridge.
	2106				
		N29-40W	174	(53.0)	
	2107				
		N40-36W	175	(53.3)	
	2108				
		N42-55W	97	(29.6)	
	2109				
		N40-28W	89	(27.1)	
	2110				A point on the ridge between Little Creek and Dobbin Creek. Elevation 6,544 feet.
		N12-59W	4869	(1484.1)	
	2111				A point on the ridge between Little Creek and Dobbin Creek.
		N59-36W	1504	(458.4)	
	2112				A high point on the ridge between Little Creek and Dobbin Creek. Elevation 6,360 feet.
		N38-02E	227	(69.2)	
MT. FANNY Map No. 6	2113				
		N34-56E	1060	(323.1)	
	2114				A high point on divide between Dobbin and Fireline Creek, approximately 6,280 foot elevation.
		N52-30W	2387	(727.6)	
	2115				A high point, elevation 6,312 feet.
		N14-39E	2348	(715.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MT. FANNY Map No. 6	2116			A high point. Approximate elevation 6,080 feet.
		N03-45W	6721 (2048.6)	
	2117			A point on the divide between the Catherine Creek and Minam Creek drainages, elevation 6,390 feet.
		N81-38W	69 (21.0)	
2118		N85-45W	121 (36.9)	
2119		N63-06W	75 (22.9)	
2120		N42-35W	50 (15.2)	
2121		N00-35W	98 (29.9)	Ascend along ridge.
2122		N07-11W	136 (41.5)	
2123		N02-04E	83 (25.3)	
2124		N21-48W	48 (14.6)	
2125		N55-12W	100 (30.5)	
2126		N64-28W	100 (30.5)	
2127		N60-07W	108 (32.9)	
2128		N44-38W	112 (34.1)	
2129		N16-42W	157 (47.9)	
2130		N18-31W	243 (74.1)	
2131		N27-09W	261 (79.6)	
2132		N35-05W	238 (72.5)	
2133		N35-45W	216 (65.8)	
2134		N37-10W	394 (120.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2135				
		N48-43W	262	(79.9)	
	2136				
		N55-26W	234	(71.3)	
	2137				
		N58-02W	157	(47.9)	
	2138				
		N73-46W	82	(25.0)	
	2139				
		N43-36W	145	(44.2)	Ascend along ridge.
	2140				
		N13-21W	143	(43.6)	
	2141				
		N00-15W	234	(71.3)	
	2142				
		N01-30W	190	(57.9)	
	2143				
		N07-05W	203	(61.9)	
	2144				
		N08-23W	219	(66.8)	
	2145				
		N09-46W	271	(82.6)	
	2146				
		N12-07W	138	(42.1)	
	2147				
		N56-35W	176	(53.6)	
	2148				
		N50-49W	342	(104.2)	
	2149				
		N49-39W	148	(45.1)	
	2150				
		N39-14W	63	(19.2)	
	2151				A point on ridge. Elevation 6,920 feet.
		N33-34W	260	(79.2)	
	2152				
		N28-09W	210	(64.0)	
	2153				Along the 6,920-foot contour.
		N08-01W	215	(65.5)	
	2154				
		N05-04E	306	(93.3)	
	2155				
		N05-15E	186	(56.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2156				
		N01-00E	184	(56.1)	
	2157				
		N01-38E	246	(75.0)	Along the 6,920-foot elevation contour.
	2158				
		N04-16E	377	(114.9)	
	2159				
		N03-38E	316	(96.3)	
	2160				A point in a draw. Elevation 6,920 feet.
		N15-07E	3461	(1054.9)	
	2161				A point on a spur ridge. Elevation 7,020 feet.
		N65-10W	74	(22.6)	
2162		N33-24W	162	(49.4)	
2163		N19-54W	112	(34.1)	
2164		N51-35W	37	(11.3)	
2165		S42-53W	76	(23.2)	Along spur ridge.
2166		S60-30W	87	(26.5)	
2167		S63-06W	77	(23.5)	
2168		N78-35W	111	(33.8)	
2169		N69-35W	100	(30.5)	
2170		N57-24W	102	(31.1)	
2171		N59-17W	80	(24.4)	
2172		N55-35W	65	(19.8)	
2173		N56-19W	115	(35.1)	
2174		N56-13W	185	(56.4)	
2175		N50-09W	197	(60.0)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2176				
		N45-00W	205	(62.5)	
	2177				
		N37-07W	186	(56.7)	
	2178				
		N38-56W	161	(49.1)	
	2179				
		N40-04W	197	(60.0)	
	2180				
		N45-00W	185	(56.4)	Along spur ridge.
	2181				
		N42-05W	125	(38.1)	
	2182				
		N66-26W	120	(36.6)	
	2183				
		N65-00W	163	(49.7)	
	2184				
		N75-26W	155	(47.2)	
	2185				
		N81-21W	126	(38.4)	
	2186				
		N79-47W	113	(34.4)	
	2187				A point on a spur ridge. Elevation 6,800 feet.
		N39-33W	171	(52.1)	
	2188				
		N35-45W	339	(103.3)	
	2189				
		N27-36W	246	(75.0)	
	2190				Northwesterly across headwaters of Big Canyon.
		N12-04W	325	(99.1)	
	2191				
		N19-29W	174	(53.0)	
	2192				
		N10-53W	260	(79.2)	
	2193				A high point in basin at headwaters of Big Canyon.
		N06-16W	257	(78.3)	
	2194				Northwesterly across headwaters of Big Canyon.
		N11-33W	325	(99.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2195				
		N08-39W	246	(75.0)	Northwesterly across the headwaters of Big Canyon.
	2196				
		N08-57W	167	(50.9)	
	2197				A point on a spur ridge. Elevation 6,800 feet.
		N05-30E	136	(41.5)	
2198		N22-50E	165	(50.3)	
2199		N39-23E	137	(41.8)	
2200		N17-21E	168	(51.2)	
2201		N05-22E	182	(55.5)	Ascend spur ridge.
2202		N02-52E	160	(48.8)	
2203		N11-15E	174	(53.0)	
2204		N21-55E	193	(58.8)	
2205		N62-33E	145	(44.2)	
2206		N49-29E	135	(41.1)	
2207		N48-07E	78	(23.8)	
2208		N49-33E	80	(24.4)	
	2209				A point on ridge. Elevation 7,040 feet.
		N32-35E	115	(35.1)	
2210		N24-02E	91	(27.7)	
2211		N33-22E	49	(14.9)	
2212		N67-52E	64	(19.5)	
2213		N64-41E	124	(37.8)	Ascend ridge.
2214		N37-24E	86	(26.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2215				
		N22-12E	188	(57.3)	
	2216	N25-34E	280	(85.3)	Ascend ridge.
	2217	N22-51E	152	(46.3)	
	2218				Summit of Dunns Bluff.
		S78-59W	115	(35.1)	
	2219	S77-33W	167	(50.9)	
	2220	S86-09W	134	(40.8)	
	2221	N76-01W	281	(85.6)	
	2222	N83-13W	338	(103.0)	
	2223	N72-01W	204	(62.2)	
	2224	N76-38W	164	(50.0)	
	2225	N85-26W	276	(84.1)	
	2226	N76-15W	198	(60.4)	Along ridge.
	2227	N50-07W	182	(55.5)	
	2228	N24-15W	122	(37.2)	
	2229	N03-02E	132	(40.2)	
	2230	N18-44E	125	(38.1)	
	2231	N24-29E	111	(33.8)	
	2232	N20-26E	172	(52.4)	
	2233	N36-36E	87	(26.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT.	2234				
FANNY		N01-00E	164	(50.0)	
Map	2235				
No. 6		N36-36W	169	(51.5)	
	2236				
		N51-23W	178	(54.3)	
	2237				
		N45-26W	190	(57.9)	
	2238				
		N22-10W	146	(44.5)	
	2239				
		N13-30E	180	(54.9)	
	2240				
		N11-11E	175	(53.3)	Along ridge.
	2241				
		N09-28E	97	(29.6)	
	2242				
		N36-02W	150	(45.7)	
	2243				
		N33-03W	222	(67.7)	
	2244				
		N16-14W	240	(73.2)	
	2245				
		N11-42W	286	(87.2)	
	2246				
		N25-49W	239	(72.8)	
	2247				
		N26-23W	137	(41.8)	
	2248				
		N15-45W	203	(61.9)	
	2249				
		N01-37W	282	(86.0)	
	2250				
		N06-25W	269	(82.0)	
	2251				
		N21-25W	140	(42.7)	
	2252				
		N35-50W	111	(33.8)	
	2253				
		N11-47W	142	(43.3)	
	2254				
		N03-06E	221	(67.4)	
	2255				
		N15-04E	285	(86.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2256				
		N18-09E	260	(79.2)	
	2257				
		N25-30E	311	(94.8)	
	2258				
		N31-50E	444	(135.3)	Along ridge.
	2259				
		N27-16E	220	(67.1)	
	2260				
		N18-48E	202	(61.6)	
	2261				
		N12-27E	167	(50.9)	
	2262				
		N05-30E	136	(41.5)	
	2263				Summit of Pine Butte at 6,615-foot elevation point.
		N41-42E	147	(44.8)	
	2264				
		N49-04E	379	(115.5)	
	2265				
		N37-48E	186	(56.7)	
	2266				
		N36-44E	84	(25.6)	
	2267				
		N12-02E	139	(42.4)	Along ridge.
	2268				
		N05-36W	164	(50.0)	
	2269				
		N04-39W	173	(52.7)	
	2270				
		N13-36E	259	(78.9)	
	2271				
		N12-40E	274	(83.5)	
	2272				
		N11-01E	152	(46.3)	
	2273				
		N19-30E	102	(31.1)	
	2274				
		N61-46E	123	(37.5)	
	2275				
		N79-06E	190	(57.9)	
	2276				
		N74-30E	105	(32.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2277				
		N83-53E	141	(43.0)	
	2278				
		N86-42E	104	(31.7)	
	2279				
		N84-30E	136	(41.5)	
	2280				
		S87-35E	95	(29.0)	Along ridge.
	2281				
		N83-54E	104	(31.7)	
	2282				
		N46-09E	105	(32.0)	
	2283				
		N17-25E	124	(37.8)	
	2284				
		N08-11E	169	(51.5)	
	2285				
		N26-52E	84	(25.6)	
	2286				Summit unnamed bluff at approximately 6,650-foot elevation.
		N14-58E	120	(36.6)	
	2287				
		N14-27E	100	(30.5)	
	2288				
		N16-37W	129	(39.3)	
	2289				
		N24-15W	200	(61.0)	
	2290				
		N21-51W	191	(58.2)	Northerly, westerly and northwesterly along top of southerly bluff of Little Minam River.
	2291				
		N22-52W	180	(54.9)	
	2292				
		N02-05W	110	(33.5)	
	2293				
		N50-12E	94	(28.7)	
	2294				
		N68-48E	105	(32.0)	
	2295				
		N39-17E	85	(25.9)	
	2296				
		N10-07W	85	(25.9)	
	2297				
		N30-52W	191	(58.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT.	2298				
FANNY		N34-33W	183	(55.8)	
Map	2299				
No. 6		N34-02W	186	(56.7)	
	2300				
		N26-25W	180	(54.9)	
	2301				
		N16-32W	190	(57.9)	
	2302				
		N14-56W	171	(52.1)	
	2303				
		S85-26W	100	(30.5)	
	2304				
		S68-30W	106	(32.3)	Northerly, westerly and northwesterly along the bluffs of Little Minam River.
	2305				
		S77-14W	77	(23.5)	
	2306				
		S40-55W	79	(24.1)	
	2307				
		S14-53W	82	(25.0)	
	2308				
		S01-53W	152	(46.3)	
	2309				
		S10-24E	100	(30.5)	
	2310				
		S25-40W	85	(25.9)	
	2311				
		S59-02W	117	(35.7)	
	2312				
		S62-45W	114	(34.7)	
	2313				
		S59-02W	157	(47.9)	
	2314				
		S44-20W	182	(55.5)	
	2315				
		S41-03W	82	(25.0)	
	2316				
		S87-44W	76	(23.2)	
	2317				
		N66-32W	116	(35.4)	
	2318				
		S87-39W	122	(37.2)	
	2319				
		N84-48W	110	(33.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT.	2320				
FANNY		N56-35W	173	(52.7)	
Map	2321				
No. 6		N53-57W	195	(59.4)	
	2322				
		N54-01W	180	(54.9)	
	2323				
		N80-36W	153	(46.6)	
	2324				
		N78-01W	116	(35.4)	
	2325				
		S81-27W	195	(59.4)	
	2326				
		S83-43W	119	(36.3)	Northwesterly along the bluffs of Little Minam River.
	2327				
		N43-23W	125	(38.1)	
	2328				
		N30-35W	153	(46.6)	
	2329				
		N30-01W	156	(47.5)	
	2330				
		N35-39W	187	(57.0)	
	2331				
		N18-51W	173	(52.7)	
	2332				
		N07-31W	237	(72.2)	
	2333				
		N11-30W	306	(93.3)	
	2334				
		N15-30W	180	(54.9)	
	2335				
		N33-35W	143	(43.6)	
	2336				
		N24-21W	104	(31.7)	
	2337				
		N63-36W	162	(49.4)	
	2338				
		N44-22W	190	(57.9)	
	2339				
		N31-54W	221	(67.4)	
	2340				
		N32-27W	231	(70.4)	
	2341				
		N34-11W	260	(79.2)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2342				
		N29-47W	224	(68.3)	
	2343				
		N27-25W	211	(64.3)	Northerly along the bluffs of the Little Minam River.
	2344				
		N32-00W	208	(63.4)	
	2345				
		N25-04W	222	(67.7)	
	2346				
		N29-59W	120	(36.6)	
	2347				
		N37-39W	44	(13.4)	
	2348				A point on the bluffs of the Little Minam River approximately 200 feet easterly of centerline of USFS Road 6220, elevation 6,440 feet.
		N02-36W	44	(13.4)	
2349					
		N62-59E	57	(17.4)	
2350					
		N71-24E	107	(32.6)	
2351					
		S86-47E	89	(27.1)	
2352					
		N73-58E	181	(55.2)	
2353					Northeasterly across head of unnamed drainage.
		N59-11E	205	(62.5)	
2354					
		N47-28E	148	(45.1)	
2355					
		N62-56E	103	(31.4)	
2356					
		N70-23E	107	(32.6)	
2357					
		N69-32E	72	(21.9)	
2358					
		N77-36E	51	(15.5)	
	2359				A point on breaks on unnamed drainage south 75 feet from NE Section corner of Section 29, T. 2 S., R. 41 E.
		S08-04E	114	(34.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2360				
		S09-57E	133	(40.5)	
	2361				
		S04-32W	101	(30.8)	
	2362				
		S06-49E	118	(36.0)	
	2363				
		S05-43E	90	(27.4)	
	2364				
		S39-09E	90	(27.4)	Along breaks of Little Minam River.
	2365				
		N51-09E	92	(28.0)	
	2366				
		N20-09E	148	(45.1)	
	2367				
		N00-19W	182	(55.5)	
	2368				
		N02-09W	160	(48.8)	
	2369				
		N08-33W	155	(47.2)	
	2370				
		N00-44E	156	(47.5)	
	2371				
		N06-02W	143	(43.6)	
	2372				
		N02-10E	132	(40.2)	
	2373				
		N21-17W	185	(56.4)	
	2374				
		N15-07W	142	(43.3)	
	2375				
		N11-45W	152	(46.3)	
	2376				
		N12-32W	175	(53.3)	
	2377				
		N01-48E	222	(67.7)	
	2378				
		N09-55E	145	(44.2)	
-----					
2379					A point on the breaks of the Little Minam River. Elevation 6,600 feet.
-----					
		N06-28E	160	(48.8)	Ascend.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. FANNY Map No. 6	2380				
		N07-50W	191	(58.2)	
	2381				
		N03-40W	218	(66.4)	Ascend.
	2382				
		N08-18W	97	(29.6)	
	2383				
		N09-10W	94	(28.7)	
	2384				Summit of Pt. Prominence 6,745-foot elevation. Triangulation Station.
		N58-28E	140	(42.7)	
MT. MORIAH Map No. 5	2385				
		N64-54E	229	(69.8)	
	2386				
		N56-33E	131	(39.9)	
	2387				
		N32-54E	81	(24.7)	
	2388				
		N01-16E	90	(27.4)	Descend ridge.
	2389				
		N25-51W	142	(43.3)	
	2390				
		N23-28W	166	(50.6)	
	2391				
		N22-34W	167	(50.9)	
	2392				
		N16-17W	185	(56.4)	
	2393				
		N33-35W	143	(43.6)	
	2394				
		N29-03E	21	(6.4)	
	2395				
		N73-01W	99	(30.2)	
	2396				
		N81-15W	237	(72.2)	
	2397				
		N66-34W	163	(49.7)	
	2398				
		N62-33W	232	(70.7)	
	2399				
		N37-02W	138	(42.1)	
	2400				
		N24-34W	192	(58.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2401				
		N21-03W	228	(69.5)	Descend ridge.
	2402				
		N19-37W	214	(65.2)	
	2403				A point on ridge which is 100 feet easterly of and perpendicular to centerline of USFS Rd. 6220.
		N01-14W	324	(98.8)	
	2404				
		N00-50W	206	(62.8)	
	2405				
		N12-37W	206	(62.8)	
	2406				
		N09-57W	174	(53.0)	
	2407				Paralleling USFS Rd. 6220, 100 feet easterly of centerline.
		N03-50E	240	(73.2)	
	2408				
		N09-30E	254	(77.4)	
	2409				
		N17-10E	214	(65.2)	
	2410				
		N13-01E	218	(66.4)	
	2411				
		N02-15E	331	(100.9)	
	2412				
		N00-31E	563	(171.6)	
	2413				
		N00-23W	754	(229.8)	
	2414				
		N00-17E	406	(123.7)	
	2415				
		N08-03W	300	(91.4)	
	2416				
		N21-29W	238	(72.5)	
	2417				
		N33-09W	90	(27.4)	
	2418				A point 100 feet northeasterly of and perpendicular to USFS Rd. 6220 in minor draw.
		N22-50E	62	(18.9)	Descend draw.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2419				
		N59-07E	119	(36.3)	
	2420				
		N69-11E	129	(39.3)	
	2421				Descend draw.
		N83-56E	161	(49.1)	
	2422				
		N74-03E	51	(15.5)	
	2423				A point in minor draw. Elevation 5,800 feet.
		N13-09E	141	(43.0)	
	2424				
		N08-01E	150	(45.7)	
	2425				
		N12-32E	120	(36.6)	
	2426				
		N33-12E	128	(39.0)	
	2427				
		N66-20E	80	(24.4)	Along 5,800-foot elevation contour.
	2428				
		N16-32W	95	(29.0)	
	2429				
		N47-44W	178	(54.3)	
	2430				
		N64-11W	138	(42.1)	
	2431				
		N51-43W	121	(36.9)	
	2432				
		N30-07W	151	(46.0)	
	2433				
		N41-25W	91	(27.7)	
	2434				
		N77-15W	54	(16.5)	
	2435				
		N16-11W	65	(19.8)	
	2436				
		N17-13W	74	(22.6)	
	2437				
		N69-32W	80	(24.4)	
	2438				
		N85-20W	135	(41.1)	
	2439				
		N40-56W	150	(45.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2440				
		N00-31W	110	(33.5)	
	2441				
		N11-59W	116	(35.4)	
	2442				
		N10-15E	84	(25.6)	
	2443				
		N34-10E	102	(31.1)	
	2444				
		N35-32E	103	(31.4)	
	2445				
		N16-02E	91	(27.7)	
	2446				
		N08-50W	104	(31.7)	Along 5,800-foot elevation contour.
	2447				
		N11-38W	104	(31.7)	
	2448				
		N13-28W	120	(36.6)	
	2449				
		N05-00E	332	(101.2)	
	2450				
		N05-44E	331	(100.9)	
	2451				
		N01-52E	245	(74.7)	
	2452				
		N00-00W	156	(47.5)	
	2453				
		N40-36E	74	(22.6)	
	2454				
		N23-32E	135	(41.1)	
	2455				
		N19-55E	135	(41.1)	
	2456				
		N38-40E	64	(19.5)	
	2457				
		N06-05W	75	(22.9)	
	2458				
		N27-50W	161	(49.1)	
	2459				
		N14-49W	215	(65.5)	
	2460				
		N09-57W	214	(65.2)	
	2461				
		N08-27W	177	(53.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2462	N03-43W	200	(61.0)	Along the 5,800-foot elevation contour.
	2463				A point in a minor draw. Elevation 5,800 feet.
		N65-13E	1231	(375.2)	
	2464				An angle point. Elevation 5,600 feet.
		N08-32E	20	(6.1)	
2465		N14-49E	125	(38.1)	
2466		N04-42W	159	(48.5)	
2467		N08-58E	135	(41.1)	
2468		N01-00W	224	(68.3)	Along 5,600-foot elevation contour.
2469		N17-19W	97	(29.6)	
2470		N01-53E	122	(37.2)	
2471		N31-18W	146	(44.5)	
2472		N67-43W	132	(40.2)	
2473		N57-10W	74	(22.6)	
2474		N33-16W	115	(35.1)	
2475		N17-17W	141	(43.0)	
2476		N28-02W	87	(26.5)	
2477		N37-47W	113	(34.4)	
2478		N65-11W	117	(35.7)	
2479		N46-22W	59	(18.0)	
2480		N10-19W	262	(79.9)	
2481		N19-51W	141	(43.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2482				
		N01-21W	170	(51.8)	
	2483				
		N29-32W	103	(31.4)	
	2484				
		N30-36W	159	(48.5)	
	2485				
		N34-40W	114	(34.7)	
	2486				
		N25-06W	123	(37.5)	Along 5,600-foot elevation contour.
	2487				
		N01-55W	180	(54.9)	
	2488				
		N12-34W	170	(51.8)	
	2489				
		N05-19W	173	(52.7)	
	2490				
		N05-19E	130	(39.6)	
	2491				
		N15-42E	192	(58.5)	
	2492				
		N37-51E	165	(50.3)	
	2493				
		N38-35E	120	(36.6)	
	2494				
		N29-54E	92	(28.0)	
	2495				
		N10-13E	113	(34.4)	
	2496				
		N03-11W	108	(32.9)	
	2497				
		N23-37W	200	(61.0)	
	2498				
		N13-34W	239	(72.8)	
	2499				
		N25-35W	234	(71.3)	
	2500				
		N16-08W	212	(64.6)	
	2501				
		N03-28W	132	(40.2)	
	2502				
		N22-10W	58	(17.7)	
	2503				A point on spur ridge. Elevation 5,600 feet.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MT. MORIAH Map No. 5		N18-07E	460 (140.2)	
	2504			A point in minor draw. Elevation 5,400 feet.
		N01-55E	120 (36.6)	
	2505			
		N08-05W	199 (60.7)	
	2506			
		N18-26W	136 (41.5)	
	2507			
		N35-32W	129 (39.3)	
	2508			Along the 5,400-foot elevation contour.
		N32-34W	98 (29.9)	
	2509			
		N14-09W	131 (39.9)	
	2510			
		N13-42W	127 (38.7)	
	2511			
		N08-46E	151 (46.0)	
	2512			
		N05-58W	67 (20.4)	
	2513			
		N11-49E	44 (13.4)	
	2514			A point in a minor draw. Elevation 5,400 feet.
		N64-31W	1155 (352.0)	Across spur ridge.
	2515			A point in a draw at headwaters of Eagle Creek. Elevation 5,400 feet.
		S85-07W	82 (25.0)	
	2516			
		N87-03W	213 (64.9)	
	2517			
		N75-02W	209 (63.7)	Along 5,400-foot elevation contour.
	2518			
		N62-50W	259 (78.9)	
	2519			
		N56-32W	287 (87.5)	
	2520			
		N61-01W	233 (71.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT.	2521				
MORIAH		N58-21W	297	(90.5)	
Map	2522				
No. 5		N46-58W	246	(75.0)	
	2523				
		N36-55W	261	(79.6)	
	2524				
		N44-16W	330	(100.6)	
	2525				
		N43-07W	259	(78.9)	
	2526				
		N37-06W	149	(45.4)	
	2527				
		N32-54W	81	(24.7)	Along 5,400-foot elevation contour.
	2528				
		N02-44W	168	(51.2)	
	2529				
		N05-51W	167	(50.9)	
	2530				
		N28-13W	140	(42.7)	
	2531				
		N43-09W	132	(40.2)	
	2532				
		N64-13W	99	(30.2)	
	2533				
		N80-32W	49	(14.9)	
	2534				
		N02-40W	172	(52.4)	
	2535				
		N08-02W	243	(74.1)	
	2536				
		N29-57W	174	(53.0)	
	2537				
		N37-52W	171	(52.1)	
	2538				
		N48-33W	160	(48.8)	
	2539				
		N25-14W	115	(35.1)	
	2540				
		N39-27W	124	(37.8)	
	2541				
		N35-58W	77	(23.5)	
	2542				
		N14-45W	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2543	N26-16W	174	(53.0)	
	2544	N16-13W	147	(44.8)	
	2545	N11-44W	79	(24.1)	
	2546	N26-08E	59	(18.0)	
	2547	N12-06E	57	(17.4)	
	2548	N59-02E	76	(23.2)	
	2549	N67-15E	101	(30.8)	Along 5,400-foot elevation contour.
	2550	N25-46E	129	(39.3)	
	2551	N05-34W	124	(37.8)	
	2552	N26-51W	91	(27.7)	
	2553	N35-19W	88	(26.8)	
	2554	N45-00W	34	(10.4)	
	2555	N00-44W	78	(23.8)	
	2556	N10-05W	240	(73.2)	
	2557	N06-25W	331	(100.9)	
	2558	N16-11W	65	(19.8)	
	2559	N55-49E	128	(39.0)	
	2560	N43-53E	108	(32.9)	
	2561	N21-42E	100	(30.5)	
	2562	N11-36W	154	(46.9)	
	2563	N25-17W	140	(42.7)	
	2564	N35-43W	110	(33.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2565 N74-17W 2566 N46-31W 2567 N45-00W 2568 N24-52W 2569 N13-51E 2570 N21-20E 2571 N23-08E 2572 N46-13E 2573 N34-44E 2574 N17-51E 2575 N10-50E 2576 N05-48W 2577 N25-17W 2578 N50-43W 2579 N40-04W 2580 N64-25W 2581 N85-37W 2582 N84-39W 2583 N76-07W 2584 N10-25W 2585 N09-50W 2586 N15-46W	140 160 102 45 154 157 112 100 91 124 96 119 119 85 140 79 288 193 96 188 176 136	(42.7) (48.8) (31.1) (13.7) (46.9) (47.9) (34.1) (30.5) (27.7) (37.8) (29.3) (36.3) (36.3) (25.9) (42.7) (24.1) (87.8) (58.8) (29.3) (57.3) (53.6) (41.5)	Along 5,400-foot elevation contour.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2587 N11-42W	113	(34.4)	Along the 5,400-foot elevation contour.
	2588			A point on west line of SW 1/4 of Sec. 29, T. 1 S., R. 41 E. Elevation 5,400 feet.
	N01-57W	1469	(447.8)	Along West line of said Sec. 29.
	2589			A point on west line of said Sec. 29. Elevation 5,200-feet.
	N29-49W	111	(33.8)	
2590	N40-36W	166	(50.6)	
2591	N38-22W	92	(28.0)	
2592	N01-53W	152	(46.3)	
2593	N09-39E	149	(45.4)	Along the 5,200-foot elevation contour.
2594	N24-27E	145	(44.2)	
2595	N08-47E	98	(29.9)	
2596	N14-27W	168	(51.2)	
2597	N13-46W	202	(61.6)	
2598	N01-57E	88	(26.8)	
2599	N15-50E	70	(21.3)	
2600	N84-32E	94	(28.7)	
2601	N75-32E	64	(19.5)	
2602				A point on West line of said Sec. 29. Elevation 5,200 feet.
	N02-16W	430	(131.1)	Along West Section line of said Sec. 29.
2603				A point on West Section line of said Sec. 29. Elevation 5,320 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2604	N71-34E	142	(43.3)	
	2605	N76-50E	285	(86.9)	
	2606	N71-14E	165	(50.3)	
	2607	N68-09E	207	(63.1)	
	2608	N54-13E	190	(57.9)	
	2609	N57-49E	178	(54.3)	
	2610	N47-37E	139	(42.4)	Along 5,320-foot elevation contour.
	2611	N33-13E	100	(30.5)	
	2612	N00-56W	122	(37.2)	
	2613	N14-56W	78	(23.8)	
	2614	N25-27W	137	(41.8)	
	2615	N26-12W	140	(42.7)	
	2616	N17-47W	138	(42.1)	
	2617	N23-35W	77	(23.5)	
	2618	N21-31E	76	(23.2)	
	2619	N22-26E	136	(41.5)	
	2620	N09-37E	120	(36.6)	
	2621	N12-46E	77	(23.5)	
	2622	N20-23E	112	(34.1)	
	2623	N22-39E	164	(50.0)	
	2624	N16-26E	145	(44.2)	
	2625	N11-45W	177	(53.9)	
		N17-52W	160	(48.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2626				
		N38-44W	123	(37.5)	
	2627				
		N27-51W	120	(36.6)	
	2628				
		N29-41W	131	(39.9)	
	2629				
		N29-19W	84	(25.6)	
	2630				
		N11-19W	107	(32.6)	
	2631				
		N11-53E	97	(29.6)	
	2632				
		N15-05E	146	(44.5)	Along 5,320-foot elevation contour.
	2633				
		N22-16W	203	(61.9)	
	2634				
		N27-54W	173	(52.7)	
	2635				
		N38-11W	131	(39.9)	
	2636				
		N32-17W	112	(34.1)	
	2637				
		N03-12W	179	(54.6)	
	2638				
		N11-56W	218	(66.4)	
	2639				
		N13-01W	218	(66.4)	
	2640				
		N02-53W	218	(66.4)	
	2641				
		N20-43E	175	(53.3)	
	2642				
		N16-23E	255	(77.7)	
	2643				
		N40-32E	182	(55.5)	
	2644				
		N34-46E	147	(44.8)	
	2645				
		N03-22E	170	(51.8)	
	2646				An angle point. Elevation 5,320.
		N61-38E	356	(108.5)	Descend.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2647				A point at head of minor draw. Elevation 5,240 feet.
	2648	N65-26E	77	(23.5)	
	2649	N69-16E	119	(36.3)	
	2650	N75-40E	141	(43.0)	
	2651	S88-23E	106	(32.3)	
	2652	N59-30E	104	(31.7)	
	2653	N35-46E	115	(35.1)	Along 5,240-foot elevation contour.
	2654	N51-41E	127	(38.7)	
	2655	N55-39E	191	(58.2)	
	2656	N62-45E	148	(45.1)	
	2657	N54-28E	86	(26.2)	
	2658	N84-28E	135	(41.1)	
	2659	N81-50E	197	(60.0)	
	2660	N78-50E	150	(45.7)	
	2661	N48-14E	113	(34.4)	
	2662	N50-49E	188	(57.3)	
	2663	N38-27E	87	(26.5)	
	2664	N42-43E	71	(21.6)	
		N00-00W	72	(21.9)	
	2665				A point on minor spur ridge. Elevation 5,240 feet.
	2666	N08-49E	117	(35.7)	
		N03-15E	247	(75.3)	Ascend.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2667				
		N03-15W	282	(86.0)	
	2668				
		N14-46W	133	(40.5)	Ascend.
	2669				
		N08-17E	167	(50.9)	
	2670				
		N07-26E	139	(42.4)	
	2671				A point on ridge. Elevation 5,400 feet.
		N24-01E	192	(58.5)	
2672		N43-08E	218	(66.4)	
2673		N55-13E	160	(48.8)	
2674		N54-58E	143	(43.6)	
2675		N33-22E	200	(61.0)	Along 5,400-foot elevation contour.
2676		N24-01E	221	(67.4)	
2677		N22-20E	139	(42.4)	
2678		N31-02E	155	(47.2)	
2679		N50-43E	85	(25.9)	
2680		N72-49E	102	(31.1)	
2681		N73-30E	56	(17.1)	
2682		N21-12E	230	(70.1)	
2683		N14-52E	249	(75.9)	
2684		N01-56W	178	(54.3)	
2685		N00-42E	164	(50.0)	
2686		N11-48W	93	(28.3)	
2687		N08-47E	98	(29.9)	
2688		N30-32E	116	(35.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2689				
		N46-28E	138	(42.1)	
	2690				
		N50-16E	92	(28.0)	
	2691				
		N34-08E	71	(21.6)	
	2692				
		N17-38E	201	(61.3)	
	2693				Along 5,400-foot elevation contour.
		N18-51E	300	(91.4)	
	2694				
		N20-29E	169	(51.5)	
	2695				
		N30-10E	149	(45.4)	
	2696				
		N24-43E	139	(42.4)	
	2697				
		N38-26E	80	(24.4)	
	2698				A point on East Section line of Sec. 17, T. 1 S., R. 41 E. Elevatin 5,400 feet.
		N01-24W	652	(198.7)	Along East Section line of said Sec. 17 and east Section line of Sec. 8, T. 1 S., R. 41 E.
	2699				A point on East Section line of said Sec. 8. Elevation 5,400 feet.
		N65-30W	87	(26.5)	
2700		N08-56W	161	(49.1)	
2701		N26-59W	247	(75.3)	
2702		N21-48W	242	(73.8)	Along 5,400-foot elevation contour.
2703		N11-16W	256	(78.0)	
2704		N11-43W	197	(60.0)	
2705		N16-18W	221	(67.4)	
2706		N26-25W	169	(51.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. MORIAH Map No. 5	2707				
		N01-19W	174	(53.0)	
	2708				
		N18-52E	127	(38.7)	
	2709				
		N01-01W	226	(68.9)	
	2710				
		N25-36W	160	(48.8)	Along 5,400-foot elevation contour.
	2711				
		N21-02W	209	(63.7)	
	2712				
		N48-39W	266	(81.1)	
	2713				
		N50-08W	324	(98.8)	
	2714				
		N60-53W	282	(86.0)	
	2715				
		N59-06W	148	(45.1)	
	2716				A point on westerly break of Minam River. Elevation 5,400 feet.
		N31-13W	154	(46.9)	
	2717				
		N31-29W	439	(133.8)	
	2718				
		N31-09W	464	(141.4)	
	2719				
		N30-22W	398	(121.3)	
	2720				Northwesterly along the bluffs NW Mt. Moriah.
		N37-30W	217	(66.1)	
	2721				
		N61-01W	159	(48.5)	
	2722				
		N74-45W	171	(52.1)	
	2723				
		N79-55W	383	(116.7)	
	2724				
		N77-40W	220	(67.1)	
	2725				
		N77-00W	133	(40.5)	
	2726				
		N59-42W	89	(27.1)	
	2727				A point on ridge. Elevation 5,180 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MINAM Map No. 1		N47-50W	115	(35.1)	
	2728	N24-20W	160	(48.8)	
	2729	N02-36E	242	(73.8)	
	2730	N15-47E	246	(75.0)	
	2731	N05-51E	363	(110.6)	
	2732	N01-52E	307	(93.6)	
	2733	N01-56W	266	(81.1)	Along ridge.
	2734	N07-10W	193	(58.8)	
	2735	N05-53W	127	(38.7)	
	2736	N08-04W	114	(34.7)	
	2737	N06-56E	182	(55.5)	
	2738	N17-41E	287	(87.5)	
	2739	N16-59E	99	(30.2)	
	2740	N17-04W	290	(88.4)	
	2741	N25-36W	319	(97.2)	
	2742	N12-51W	256	(78.0)	
	2743	N03-36W	255	(77.7)	
	2744	N03-37W	206	(62.8)	
	2745	N12-05E	220	(67.1)	
	2746	N18-05E	258	(78.6)	
	2747	N25-40E	229	(69.8)	
	2748	N23-25E	309	(94.2)	
	2749	N18-57E	246	(75.0)	
	2750				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MINAM Map No. 1	2751	N04-05E	168	(51.2)	
	2752	N09-08W	176	(53.6)	Along ridge.
	2753	N15-59W	214	(65.2)	
		N31-04W	103	(31.4)	
	2754				A point on north line (Willamette Base Line) of Sec. 5, T. 1 S., R. 41 E. On Ridge.
	2755	N87-28E	2925	(891.5)	North line of said Section 5. The NE Section corner of said Sec. 5.
		N86-55E	5212	(1588.6)	Along the north Section line of Sec. 4, T. 1 S., R. 41 E.
	2756				The NE Section corner of said Sec. 4, T. 1 S., R. 41 E.
		N87-06E	5022	(1530.7)	Along the north Section line of Sec. 3, T. 1 S., R. 41 E.
	1				The point of beginning.