


ROCK CREEK WILDERNESS

Siuslaw National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Rock Creek Wilderness on the Siuslaw National Forest as entered into the National Wilderness Preservation System by the Act of June 26, 1984.

Signed 1-20-87
(Date)


for JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Rock Creek Wilderness is as shown on the map dated September, 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-328. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Rock Creek Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

ROCK CREEK WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon State Plane coordinate grid system, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
HECETA HEAD NE Map #1	1		1/4 corner of Sections 14 & 15 T15S, R12W, W.M. Latitude 44-15- 10.76 North, Longitude 124-06- 10.76 West, Oregon grid coordinates north zone X=1,056,296 Y=236,927
		N02-01E 626 (190.8)	Along West line of said Section 14
	2		SN 1/64 corner said Secs. 14 & 15
		N84-57W 2622 (799.2)	E-W centerline S 1/2 of NE 1/4 of said Section 15
	3		CSN 1/64 corner of said Section 15
		N04-03E 1518 (462.7)	Along N-S centerline said sec. 15
	4		A point 300 feet Southerly of Rock Creek on the N-S centerline of said Section 15
		N52-45E 152 (46.3)	
	5		
		N40-24E 221 (67.4)	
	6		
		N55-29E 194 (59.1)	
	7		
		S86-36E 118 (36.0)	Paralleling Rock Creek, 300 feet Southerly of the ordinary high waterline of the South bank of Rock Creek
	8		
		N89-16E 78 (23.8)	
	9		
		N62-33E 230 (70.1)	
	10		
		N70-28E 248 (75.6)	
	11		
		N70-46E 203 (61.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	12				
		N40-44E	181	(55.2)	
	13				
		N40-56E	229	(69.8)	
	14				Paralleling Rock Creek, 300 feet Southerly of ordinary high water line of the South bank of Rock Cr.
		N56-14E	196	(59.7)	
	15				
		N63-06E	153	(46.6)	
	16				
		N70-15E	151	(46.0)	
	17				A point 300 feet South of ordinary high waterline of South bank Rock Creek bearing N38-30W, 1150 feet from the SE Section corner of Section 10, T16S, R12W, W.M.
		N00-30W	116	(35.4)	
	18				A line bearing generally N-S crossing Rock Creek
		N08-16W	229	(69.8)	
	19				
		N38-13W	102	(31.1)	
	20				
		N68-03W	72	(21.9)	
	21				A point 400 feet Northerly of Rock Creek Campground Road
		S69-06W	118	(36.0)	
	22				
		S77-57W	211	(64.3)	
	23				
		S80-17W	190	(57.9)	
	24				Paralleling USFS Rock Creek Campground Road, 400 feet Northerly of centerline
		S50-06W	143	(43.6)	
	25				
		S46-16W	129	(39.3)	
	26				
		S65-27W	190	(57.9)	
	27				
		S70-19W	261	(79.6)	
	28				
		S65-06W	123	(37.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	29				
		N86-36W	84	(25.6)	Paralleling USFS Rock Creek Campground Road, 400 feet Northerly of centerline
	30	N02-03W	28	(8.5)	
	31				A point on a spur ridge 400 feet Northerly of centerline of USFS Rock Creek Campground Road
		N23-26E	189	(57.6)	
	32				Ascending spur ridge
		N27-42E	136	(41.5)	
	33				A point 100 feet South of center line of the USFS Road No.1055
		N57-48E	191	(58.2)	
	34				
		N59-30E	254	(77.4)	
	35				
		N40-38E	177	(53.9)	
	36				
		N18-41E	150	(45.7)	
	37				
		N01-00E	180	(54.9)	
	38				
		N71-53E	58	(17.7)	
	39				
		S84-45E	186	(56.7)	
	40				
		N83-26E	192	(58.5)	
	41				Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
		N56-33E	131	(39.9)	
	42				
		N79-32E	121	(36.9)	
	43				
		S72-52E	180	(54.9)	
	44				
		N89-33E	128	(39.0)	
	45				
		N53-17E	152	(46.3)	
	46				
		N48-37E	336	(102.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
HECETA	47			
HEAD NE		N44-07E	231 (70.4)	
Map #1	48	N45-37E	133 (40.5)	
	49	S87-37E	144 (43.9)	
	50	S54-08E	205 (62.5)	
	51	S70-22E	289 (88.1)	
	52	S82-00E	302 (92.0)	
	53	N80-20E	226 (68.9)	
	54	N59-46E	230 (70.1)	
	55	N68-15E	192 (58.5)	
	56	S83-46E	111 (33.8)	
	57	S16-06E	101 (30.8)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	58	S48-31E	127 (38.7)	
	59	N86-40E	120 (36.6)	
	60	S86-22E	220 (67.1)	
	61	S89-35E	138 (42.1)	
	62	N87-46E	128 (39.0)	
	63	N41-47E	189 (57.6)	
	64	N17-25E	197 (60.0)	
	65	N10-50W	96 (29.3)	
	66	N44-16E	221 (67.4)	
	67	N42-59E	141 (43.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA	68				
HEAD NE		N46-50E	199	(60.7)	
Map #1	69	N25-26E	158	(48.2)	
	70	N08-14E	77	(23.5)	
	71	N14-11E	94	(28.7)	
	72	N32-33E	56	(17.1)	
	73	N52-53E	139	(42.4)	
	74	N38-23E	98	(29.9)	
	75	N87-15E	125	(38.1)	
	76	N63-46E	79	(24.1)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	77	N23-58E	98	(29.9)	
	78	N68-16E	159	(48.5)	
	79	N70-58E	92	(28.0)	
	80	S39-48E	78	(23.8)	
	81	S19-29E	69	(21.0)	
	82	S55-20E	114	(34.7)	
	83	S17-54E	68	(20.7)	
	84	S23-26E	131	(39.9)	
	85	S59-20E	131	(39.9)	
	86	N89-35E	138	(42.1)	
	87	N58-07E	150	(45.7)	
	88	N51-11E	164	(50.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	89				
		N41-20E	77	(23.5)	
	90	N69-21E	74	(22.6)	
	91	N57-52E	92	(28.0)	
	92	N31-47E	133	(40.5)	
	93	N02-01W	114	(34.7)	
	94	N50-16W	108	(32.9)	
	95	N36-36W	213	(64.9)	
	96	N13-37E	98	(29.9)	
	97	N33-21E	140	(42.7)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	98	N37-13E	167	(50.9)	
	99	N29-08E	199	(60.7)	
	100	N12-17E	150	(45.7)	
	101	N23-42E	152	(46.3)	
	102	N11-01E	340	(103.6)	
	103	N35-28W	98	(29.9)	
	104	N23-07W	186	(56.7)	
	105	N03-22W	102	(31.1)	
	106	N01-00E	122	(37.2)	
	107	N54-47E	125	(38.1)	
	108	N09-48E	141	(43.0)	
	109	N31-11E	178	(54.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	110				
		N54-39E	249	(75.9)	
	111				
		N67-04E	85	(25.9)	
	112				
		S67-49E	170	(51.8)	
	113				
		S65-09E	269	(82.0)	
	114				
		S01-00E	185	(56.4)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	115				
		N87-18E	106	(32.3)	
	116				
		S59-07E	119	(36.3)	
	117				
		S18-57E	71	(21.6)	
	118				
		S40-26E	106	(32.3)	
	119				
		S62-38E	128	(39.0)	
	120				
		S51-36E	142	(43.3)	
	121				
		S37-44E	145	(44.2)	
	122				
		S06-43W	171	(52.1)	
	123				
		S07-19W	189	(57.6)	
	124				
		S28-21E	158	(48.2)	
	125				
		S68-08E	153	(46.6)	
	126				
		S86-24E	159	(48.5)	
	127				
		N29-45E	153	(46.6)	
	128				
		N30-34E	147	(44.8)	
	129				
		N45-37E	262	(79.9)	
	130				
		N79-18E	221	(67.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	131				
		N75-55E	292	(89.0)	
	132				
		N63-54E	168	(51.2)	
	133				
		S72-44E	108	(32.9)	
	134				
		S74-29E	205	(62.5)	
	135				
		S72-20E	280	(85.3)	
	136				
		S79-40E	240	(73.2)	
	137				
		S80-50E	226	(68.9)	
	138				
		S74-45E	80	(24.4)	Paralleling USFS Road No. 1055, 100 feet Southerly and Easterly of centerline
	139				
		N56-48E	128	(39.0)	
	140				
		N63-48E	138	(42.1)	
	141				
		S69-54E	131	(39.9)	
	142				
		S56-53E	137	(41.8)	
	143				
		S47-45E	132	(40.2)	
	144				
		S63-02E	130	(39.6)	
	145				
		N74-27E	119	(36.3)	
	146				
		N39-23E	123	(37.5)	
	147				
		N14-46E	94	(28.7)	
	148				
		S26-34W	11	(3.4)	
<hr/>					
	149				Point on spur ridge 100 feet Easterly of centerline of USFS Road No. 1055
<hr/>					
		N11-12W	103	(31.4)	
	150				
		N16-18W	68	(20.7)	Ascend

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
HECETA	151			
HEAD NE		N57-46E	109 (33.2)	Ascend
Map #1	152			Point on a spur ridge 100 feet southerly of centerline of USFS Road No. 1055
		S67-59E	101 (30.8)	
	153	S83-58E	209 (63.7)	
	154	N81-31E	203 (61.9)	
	155	N74-19E	204 (62.2)	
	156	N60-29E	278 (84.7)	
	157	N78-14E	319 (97.2)	
	158	N83-26E	332 (101.2)	
	159	S71-34E	158 (48.2)	
	160	S16-14E	82 (25.0)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	161	S15-53E	135 (41.1)	
	162	S41-24E	101 (30.8)	
	163	S73-54E	101 (30.8)	
	164	S65-45E	166 (50.6)	
	165	S79-27E	164 (50.0)	
	166	N72-42E	145 (44.2)	
	167	N74-42E	277 (84.4)	
	168	N28-46E	139 (42.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	169				
		N76-21E	72	(21.9)	
	170				
		S59-20E	169	(51.5)	
	171				
		N72-27E	225	(68.6)	
	172				
		S79-19E	162	(49.4)	
	173				
		S75-26E	235	(71.6)	
	174				
		S40-36E	148	(45.1)	
	175				
		S55-02E	150	(45.7)	
	176				
		N89-38E	160	(48.8)	
	177				
		N66-54E	163	(49.7)	
	178				
		S64-12E	133	(40.5)	
	179				
		S64-39E	168	(51.2)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	180				
		N88-41E	218	(66.4)	
	181				
		N79-24E	174	(53.0)	
	182				
		S72-15E	157	(47.9)	
	183				
		S64-26E	181	(55.2)	
	184				
		S21-12E	177	(53.9)	
	185				
		S35-29E	265	(80.8)	
	186				
		S42-53E	248	(75.6)	
	187				
		S55-07E	161	(49.1)	
	188				
		S85-34E	142	(43.3)	
	189				
		N69-36E	204	(62.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	190				
		N46-21E	149	(45.4)	
	191				
		N79-18E	92	(28.0)	
	192				
		S66-48E	206	(62.8)	
	193				
		S65-58E	233	(71.0)	
	194				
		S52-03E	254	(77.4)	
	195				
		S78-51E	202	(61.6)	
	196				
		S89-44E	222	(67.7)	
	197				
		S81-05E	155	(47.2)	
	198				
		S67-30E	139	(42.4)	
	199				
		S09-31E	151	(46.0)	
	200				
		S12-18E	136	(41.5)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	201				
		S32-33E	112	(34.1)	
	202				
		S05-20E	107	(32.6)	
	203				
		S36-57E	141	(43.0)	
	204				
		S33-47E	171	(52.1)	
	205				
		S45-34E	143	(43.6)	
	206				
		S66-09E	151	(46.0)	
	207				
		N82-25E	235	(71.6)	
	208				
		00-00E	164	(50.0)	
	209				
		S74-14E	265	(80.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	210				
		S72-24E	175	(53.3)	
	211				
		S89-19E	167	(50.9)	
	212				
		S82-47E	143	(43.6)	
	213				
		S61-49E	142	(43.3)	
	214				
		S56-24E	164	(50.0)	
	215				
		S70-41E	163	(49.7)	
	216				
		N79-07E	265	(80.8)	
	217				
		N76-46E	157	(47.9)	
	218				
		S73-03E	171	(52.1)	
	219				
		S62-36E	213	(64.9)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	220				
		S76-25E	243	(74.1)	
	221				
		N64-31E	212	(64.6)	
	222				
		N67-39E	134	(40.8)	
	223				
		S82-04E	123	(37.5)	
	224				
		S73-28E	95	(29.0)	
	225				
		N71-16E	177	(53.9)	
	226				
		N69-33E	126	(38.4)	
	227				
		S88-33E	435	(132.6)	
	228				
		S88-19E	374	(114.0)	
	229				
		S83-34E	214	(65.2)	
	230				
		S55-11E	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA	231				
HEAD NE		S51-01E	189	(57.6)	
Map #1	232	S70-30E	222	(67.7)	
	233	S79-30E	154	(46.9)	
	234	N75-25E	75	(22.9)	
	235	S62-33E	202	(61.6)	
	236	S65-54E	301	(91.7)	
	237	S88-49E	146	(44.5)	
	238	N75-06E	195	(59.4)	
	239	N80-52E	145	(44.2)	
	240	S65-33E	181	(55.2)	
	241	S51-16E	272	(82.9)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	242	S31-53E	396	(120.7)	
	243	S19-39E	375	(114.3)	
	244	S13-25E	224	(68.3)	
	245	S45-00W	68	(20.7)	
	246	S53-24W	208	(63.4)	
	247	S11-40W	223	(68.0)	
	248	S00-12W	290	(88.4)	
	249	S04-00E	244	(74.4)	
	250	S37-44E	224	(68.3)	
	251	S51-58E	333	(101.5)	
	252	S54-21E	431	(131.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	253				
		S67-49E	368	(112.2)	
	254				
		S62-06E	286	(87.2)	
	255				
		S66-44E	124	(37.8)	
	256				
		N78-11E	132	(40.2)	
	257				
MAPLETON NW Map #2		N61-23E	175	(53.3)	
	258				
		N69-53E	76	(23.2)	
	259				
		N01-00E	110	(33.5)	
	260				
		S77-30E	254	(77.4)	Paralleling USFS Road No. 1055, 100 feet Southerly of centerline
	261				
		S85-45E	203	(61.9)	
	262				
		S89-48E	298	(90.8)	
	263				
		N79-04E	206	(62.8)	
	264				
		N66-08E	428	(130.5)	
	265				
		N70-22E	286	(87.2)	
	266				
		N50-10E	228	(69.5)	
	267				
		N54-18E	158	(48.2)	
	268				
		N85-35E	312	(95.1)	
	269				
		N86-11E	376	(114.6)	
	270				
		N72-17E	151	(46.0)	
	271				
		N55-28E	226	(68.9)	
	272				
		N44-07E	274	(83.5)	
	273				
		N54-02E	203	(61.9)	
	274				
		N53-34E	185	(56.4)	
	275				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MAPLETON		N78-13E	117 (35.7)	
NW	276			
Map #2		N86-31E	214 (65.2)	
	277			
		S89-14E	300 (91.4)	
	278			
		N64-09E	321 (97.8)	
	279			
		N72-23E	354 (107.9)	
	280			
		N83-33E	303 (92.4)	
	281			
		N86-46E	159 (48.5)	
	282			
		S73-11E	404 (123.1)	
	283			
		S62-55E	444 (135.3)	
	284			Paralleling USFS Road No. 1055,
		S66-45E	271 (82.6)	100 feet Southerly of centerline
	285			
		S66-05E	232 (70.7)	
	286			
		S86-09E	104 (31.7)	
	287			
		N41-19E	121 (36.9)	
	288			
		N69-19E	161 (49.1)	
	289			
		S56-11E	124 (37.8)	
	290			
		S47-51E	213 (64.9)	
	291			
		S55-55E	205 (62.5)	
	292			
		S74-32E	165 (50.3)	
	293			
		N72-43E	189 (57.6)	
	294			
		N83-12E	152 (46.3)	
	295			
		S55-43E	240 (73.2)	
	296			
		S50-18E	276 (84.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #2	297	S58-18E	280	(85.3)	
	298	S67-53E	231	(70.4)	
	299	S65-12E	160	(48.8)	
	300	S35-07E	223	(68.0)	
	301	S30-01E	342	(104.2)	
	302	S14-02E	210	(64.0)	
	303	S00-32W	108	(32.9)	
	304	S57-24W	132	(40.2)	
	305	S69-29W	200	(61.0)	
	306	S83-44W	247	(75.3)	Paralleling USFS Road No.1055, 100 feet Northerly of centerline
	307	S71-30W	255	(77.7)	
	308	S54-41W	176	(53.6)	
	309	S01-00W	251	(76.5)	
	310	S40-46W	230	(70.1)	
	311	S63-26W	197	(60.0)	
	312	S72-11W	294	(89.6)	
	313	S57-23W	267	(81.4)	
	314	S44-08W	280	(85.3)	
	315	S37-41W	183	(55.8)	
	316	S20-54W	95	(29.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

MAPLETON	-----				
NW	317				A point on a spur ridge 100 feet
Map #2					West of centerline of USFS Road No.
					1055

	318	S15-13W	141	(43.0)	
		S25-43E	152	(46.3)	
	319	S50-20E	53	(16.2)	Descend
	320	S07-46E	44	(13.4)	
	321	S45-55W	45	(13.7)	

	322				A point 100 feet Northerly of
					centerline of USFS Road No. 1055624

	323	S87-57W	224	(68.3)	
		S57-04W	403	(122.8)	
	324	S63-15W	284	(86.6)	
	325	S53-16W	256	(78.0)	
	326	S59-13W	109	(33.2)	
	327	S80-57W	70	(21.3)	
	328	S89-28W	106	(32.3)	
	329	N80-02W	133	(40.5)	Paralleling USFS Road No. 1055624,
	330	S73-50W	255	(77.7)	100 feet Northerly of centerline
	331	S78-41W	107	(32.6)	
	332	N73-28W	190	(57.9)	
	333	N53-38W	202	(61.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #2	334	N01-00W	171	(52.1)	
	335	N46-52W	195	(59.4)	Paralleling USFS Road No. 1055624, 100 feet Northerly of centerline.
	336	N77-14W	131	(39.9)	
	337	S71-28W	189	(57.6)	
	338	S71-05W	151	(46.0)	
	339	S16-21W	139	(42.4)	
	340				A point 100 feet Westerly of centerline of USFS Road No. 1055624
		S17-54W	68	(20.7)	
	341	S40-14W	85	(25.9)	
	342	N86-52W	164	(50.0)	Descend
	343	N87-37W	120	(36.6)	
	344				1/4 corner of Sections 14 and 15 T16S, R11W, W.M.
		N87-35W	1377	(419.7)	Along E-W centerline of said Section 15
	345				CE 1/16 corner said Section 15
		S03-03W	2331	(710.5)	Along N-S centerline of SE 1/4 of said Section 15
	346				A point on N-S centerline of the SE 1/4 of said Section 15, 100 feet North of centerline of USFS Road No. 1055624
		S63-15W	564	(171.9)	Paralleling USFS Road No. 1055624, 100 feet Northerly of centerline

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
MAPLETON NW Map #2	347			A point on South line of said Section 15, 100 feet Northerly of centerline of USFS Road No. 1055624
	N87-08W	1258	(383.4)	Along South line of said Section 15
	348			1/4 corner of Sections 15 and 22 T16S, R11W, W.M.
	N88-38W	587	(178.9)	Along South line of said Section 15
HECETA HEAD NE Map #1	349	N86-46W	867 (264.3)	
	350			A point on the South line of said Section 15 on the ordinary high waterline of East bank of Big Cr.
	351	S03-17E	332 (101.2)	
	352	S04-06W	238 (72.5)	
	353	S08-31E	257 (78.3)	Along the ordinary high waterline of the East bank of Big Creek
	354	S01-35E	180 (54.9)	
	355	S03-53E	206 (62.8)	
	356	S03-23E	322 (98.1)	
		S05-32E	228 (69.5)	
	357			A point 100 feet North of center- line of USFS Road No. 57, on the ordinary high waterline of the West bank of Big Creek
	358	S71-58W	184 (56.1)	
	359	S58-55W	176 (53.6)	
	360	S52-22W	149 (45.4)	
		S76-41W	135 (41.1)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline

QUAD SHEET NAME	ANGLE BEARING BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	361 N63-00W	119	(36.3)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	362 N58-16W	89	(27.1)	
	363 S82-39W	156	(47.5)	
	364 S41-44W	248	(75.6)	
	365 S50-30W	266	(81.1)	
	366 S38-04W	105	(32.0)	
	367 S12-40W	132	(40.2)	
	368 S34-38W	67	(20.4)	
	369			A point on the E-W center line of Section 21, T16S, R11W, W.M., 100 feet Westerly of USFS Road No. 57
	N86-56W	1120	(341.4)	Along centerline of said Section 21
	370			CE 1/16 corner of said Section 21
	N02-28E	1281	(390.4)	Along N-S centerline of the NE 1/4 of said Section 21
	371			NE 1/16 corner of said Section 21
	N86-56W	3953	(1204.9)	Along E-W centerline of North 1/2 of said Section 21
	372			N 1/16 corner of Sections 20 and 21 T16S, R11W, W.M.
	S01-59W	1334	(406.6)	Along East line of said Section 20
	373			1/4 corner of said Sections 20 & 21
	S04-18W	334	(101.8)	Along East line of said Section 20

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	374			A point on the East line of said Section 20, 100 feet North of centerline of USFS Road No.57
	N81-59W	201	(61.3)	
375	N62-22W	168	(51.2)	
376	N82-41W	180	(54.9)	
377	N57-04W	105	(32.0)	
378	N85-31W	153	(46.6)	
379	S78-10W	215	(65.5)	
380	N69-09W	112	(34.1)	
381	S80-29W	175	(53.3)	
382	S48-41W	209	(63.7)	
383	S54-50W	141	(43.0)	
384	S66-24W	130	(39.6)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
385	S29-14W	96	(29.3)	
386	S57-48W	128	(39.0)	
387	N62-42W	105	(32.0)	
388	N61-29W	184	(56.1)	
389	N70-56W	171	(52.1)	
390	N83-34W	143	(43.6)	
391	S88-43W	134	(40.8)	
392	S51-58W	99	(30.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	393				
		S46-10W	69	(21.0)	Paralleling USFS Road No. 57,
	394				100 feet Northerly of centerline
		N87-53W	54	(16.5)	
	395				A point on the N-S centerline of
					said Section 20, 100 feet North of
					centerline of USFS Road No. 57
		N03-23E	610	(185.9)	Along N-S centerline of said
					Section 20
	396				Center 1/4 corner of said Sec. 20
		N86-23W	2106	(641.9)	Along E-W centerline of said
					Section 20
	397				A point on the E-W centerline of
					said Section 20, 100 feet Northerly
					of centerline of USFS Road No. 57
		N61-38W	613	(186.8)	Paralleling USFS Road No. 57, 100
					feet Northerly of centerline
	398				A point on the West line of said
					Section 20, 100 feet North of
					centerline of USFS Road No. 57
		N02-52E	1080	(329.2)	Along West line of said Section 20
	399				N 1/16 corner of Sections 19 and 20
					T16S, R11W, W.M.
		N86-57W	1334	(406.6)	Along E-W centerline of NE 1/4 of
					said Section 19
	400				NE 1/16 corner of said Section 19
		S02-30W	710	(216.4)	Along N-S centerline of NE 1/4 of
					said Section 19

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
HECETA HEAD NE Map #1	401		A point on the N-S centerline of the NE 1/4 of said Section 19, 100 feet North of centerline of USFS Road No. 57
	S74-39W	53 (16.2)	
402	N77-21W	110 (33.5)	
403	N64-17W	90 (27.4)	
404	S76-34W	116 (35.4)	
405	S78-21W	168 (51.2)	
406	N01-00W	127 (38.7)	
407	N21-15W	116 (35.4)	
408	N41-27W	80 (24.4)	
409	N44-06W	135 (41.1)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
410	N28-21W	158 (48.2)	
411	N38-01W	140 (42.7)	
412	N59-35W	126 (38.4)	
413	N57-20W	46 (14.0)	
414	N10-07W	131 (39.9)	
415	N34-30W	78 (23.8)	
416	N73-08W	103 (31.4)	
417	S73-08W	103 (31.4)	
418	N78-21W	99 (30.2)	
419	N80-03W	116 (35.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	420	S85-07W	82	(25.0)	
	421	N85-46W	108	(32.9)	
	422	N67-47W	130	(39.6)	
	423	N63-59W	93	(28.3)	
	424	S72-54W	109	(33.2)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	425	N84-20W	132	(40.2)	
	426	S73-09W	114	(34.7)	
	427	S85-13W	216	(65.8)	
	428	N80-11W	106	(32.3)	
	429				A point on the East line of Section 13, T16S, R12W, W.M., 100 feet North of centerline of USFS Road No. 57
		N00-05W	688	(209.7)	Along East line of said Section 13
	430				S 1/16 corner on East line of said Section 13
		N77-10W	383	(116.7)	Along the E-W centerline of the SE 1/4 of said Section 13
	431				NW corner of tax Lot 300 on E-W centerline of SE 1/4 of said Section 13
		S03-19W	810	(246.9)	Along the West line of tax lot 300 in said Section 13
	432				A point on the West line of tax lot 300 in said Section 13, 100 feet Northerly of centerline of USFS Road No. 57

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1		S56-25W	161	(49.1)	
	433	S84-41W	486	(148.1)	
	434	N87-28W	700	(213.4)	
	435	S84-57W	500	(152.4)	
	436	S89-31W	356	(108.5)	
	437	N77-53W	167	(50.9)	
	438	S69-27W	68	(20.7)	
	439	S50-48W	147	(44.8)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	440	N87-50W	106	(32.3)	
	441	N55-23W	137	(41.8)	
	442	N48-29W	116	(35.4)	
	443	S87-35W	166	(50.6)	
	444	N64-08W	183	(55.8)	
	445	N75-17W	102	(31.1)	
	446	S69-45W	90	(27.4)	
	447	N69-27W	103	(31.4)	
	448	S78-35W	101	(30.8)	
	449	S51-48W	173	(52.7)	
	450	S63-51W	125	(38.1)	
	451	N77-05W	210	(64.0)	
	452	N60-15W	97	(29.6)	
	453	N62-53W	94	(28.7)	
	454				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1		N07-54W	138	(42.1)	
	455	N00-48E	144	(43.9)	
	456	N24-09W	181	(55.2)	
	457	N29-29W	79	(24.1)	
	458	N41-27W	205	(62.5)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	459	N46-00W	161	(49.1)	
	460	N66-58W	130	(39.6)	
	461	S80-20W	137	(41.8)	
	462	S55-47W	306	(93.3)	
	463				A point on the South line of Section 14, T16S, R12W, W.M., 100 feet Northerly of centerline of Road No.57
		N89-30W	464	(141.4)	Along South line of said Section 14
	464				A point on the South line of said Section 14, 100 feet Northerly of centerline of USFS Road No.57
		N39-59W	121	(36.9)	
	465	N48-11W	127	(38.7)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	466	N68-36W	104	(31.7)	
	467	N30-21W	129	(39.3)	
	468	N84-13W	159-	(48.5)	
	469	S64-49W	277	(84.4)	
	470	S57-34W	114	(34.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	471				
		S89-01W	58	(17.7)	
	472				
		N30-45W	92	(28.0)	
	473				
		N61-25W	140	(42.7)	
	474				
		N67-16W	147	(44.8)	
	475				
		N46-53W	151	(46.0)	
	476				
		N19-15W	155	(47.2)	
	477				
		N49-54W	149	(45.4)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	478				
		N72-18W	473	(144.2)	
	479				
		N80-25W	390	(118.9)	
	480				
		S84-15W	150	(45.7)	
	481				
		S55-34W	127	(38.7)	
	482				
		S57-42W	148	(45.1)	
	483				
		S70-23W	170	(51.8)	
	484				
		S82-11W	154	(46.9)	
	485				
		N80-32W	49	(14.9)	
	486				
		S51-04W	100	(30.5)	
	487				
		S21-07W	142	(43.3)	
	488				
		S60-31W	106	(32.3)	
	489				
		S88-35W	122	(37.2)	
	490				
		N70-23W	200	(61.0)	
	491				
		N43-13W	159	(48.5)	
	492				
		N31-08W	180	(54.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	493				
		N73-05W	155	(47.2)	
	494				
		N80-06W	262	(79.9)	
	495				
		S79-11W	181	(55.2)	Paralleling USFS Road No. 57, 100 feet Northerly of centerline
	496				
		S65-40W	160	(48.8)	
	497				
		S62-13W	148	(45.1)	
	498				
		S88-31W	116	(35.4)	
	499				A point on the N-S centerline of the SE 1/4 SE 1/4 of Section 15, T16S, R12W, W.M., 100 feet Northerly of centerline of USFS Road No. 57
		N04-03E	736	(224.3)	Along the N-S centerline of the SE 1/4 SE 1/4 of said Section 15
	500				CESE 1/64 corner of said Section 15
		N83-43W	639	(194.8)	Along the E-W centerline of the SE 1/4 of said Section 15
	501				SE 1/16 corner of said Section 15
		N04-50E	1317	(401.4)	Along West line of NE 1/4 SE 1/4 of said Section 15
	502				CE 1/16 corner of said Section 15
		S84-51E	625	(190.5)	Along E-W centerline of said Section 15
	503				CEE 1/64 corner of said Section 15
		S03-22W	289	(88.1)	Along N-S centerline of NE 1/4 of SE 1/4 of said Section 15
	504				CNNESE 1/256 corner of said Section 15

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
HECETA HEAD NE Map #1	S83-14E	662	(201.8)	Along E-W center line of NE 1/4 NE 1/4 SE 1/4 of said Section 15
	505			NNS 1/256 corner of said Sections 14 and 15
	S88-20E	1268	(386.5)	Along E-W centerline of N 1/2 NW 1/4 SW 1/4 of said Section 14
	506			CNNSW 1/256 corner of said Section 14
	N02-17E	352	(107.3)	Along N-S centerline of the SW 1/4 of said Section 14
	507			CW 1/16 corner of said Section 14
HECETA HEAD NE Map #1	N01-00W	1228	(374.3)	Along E-W centerline of said Section 14
	1			1/4 corner of Sections 14 and 15 T16S, R12W, W.M., the P.O.B.