


THREE SISTERS WILDERNESS ADDITIONS

Willamette and Deschutes National Forests

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Three Sisters Wilderness Additions on the Willamette and Deschutes National Forests as entered into the National Wilderness Preservation System by the Act of June 26, 1984.

Signed 11-20-87  
(Date)

  
JAMES F. TORRENCE  
Regional Forester

### Definition of Intent

The legal description of the Three Sisters Wilderness Additions is as shown on the map dated September 1986 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-328. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Three Sisters Wilderness Additions is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

\* \* \* \* \*

THREE SISTERS WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon State Plane coordinate grid system, North Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
THREE FINGER JACK SE MAP NO. 1	1			A point on the south right-of-way line of Oregon Highway 242, also called USFS Road No. 1000, as described in the Three Sisters Wilderness Boundary description dated 6/10/1965, which is S81°E., 0.26 mile from Dee Wright Observatory, elevation 5306 ft., Latitude 44°-15'-36.00" North, Longitude 121°-47'-40.12" West, Oregon Grid Coordinates North Zone X=1,660,857, Y=219,094.
		N79-42E	179 (54.6)	
	2	S89-01E	174 (53.0)	Along the south right-of-way line of said Highway.
	3			A point on the south right-of-way line of said Highway and 300 feet westerly from centerline of USFS Road No. 1000.900, which leads to Lava Camp Lake.
		S81-28E	101 (30.8)	
	4	S36-17E	117 (35.7)	
	5	S42-43E	159 (48.5)	Paralleling USFS Road No. 1000.900 and southeasterly running spur, 300 feet southerly from centerline.
	6	S71-07E	164 (50.0)	
	7	S78-36E	126 (38.4)	
	8	N72-31E	246 (75.0)	
	9	N85-17E	389 (118.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
THREE FINGER JACK MAP NO. 1	10				
	11	N76-18E	211	(64.3)	
	12	S89-37E	148	(45.1)	
	13	S71-34E	63	(19.2)	
	14	S46-32E	211	(64.3)	
	15	S66-11E	158	(48.2)	Paralleling USFS Road No. 1000.900 and southeasterly running spur, 300 feet southerly from centerlines.
	16	S66-34E	65	(19.8)	
	17	N65-19E	122	(37.2)	
	18	S87-33E	210	(64.0)	
	19	N87-33E	164	(50.0)	
	20	N87-54E	164	(50.0)	
	21	N79-18E	167	(50.9)	
	22	N60-12E	151	(46.0)	
	23	N43-56E	114	(34.7)	
	24	N10-38E	200	(61.0)	
		N03-54E	132	(40.2)	
-----					
	25				A point 300 feet easterly from the most easterly centerline point of USFS Road No. 1000.900.
-----					
	26	N00-58E	594	(181.1)	
	27	N01-52E	800	(243.8)	Northerly.
	28	N00-17E	823	(250.9)	
		N05-32E	228	(69.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THREE FINGER JACK SE MAP NO. 1	29				A point 500 feet southeasterly from and perpendicular to Oregon Highway 242.
		N17-56E	71	(21.6)	
	30	N43-32E	55	(16.8)	
	31	N44-04E	216	(65.8)	
	32	N41-12E	597	(182.0)	
	33	N40-28E	528	(160.9)	Paralleling Oregon Highway 242, 500 feet southeasterly from centerline.
	34	N31-50E	239	(72.8)	
	35	N21-35E	253	(77.1)	
	36	N03-22E	204	(62.2)	
	37	N12-58E	183	(55.8)	
	38	N16-00E	141	(43.0)	
	39	N43-10E	177	(53.9)	
	40	N57-53E	171	(52.1)	
	41	N49-31E	162	(49.4)	
	42	N29-45E	331	(100.9)	
	43	N27-09E	307	(93.6)	
	44	N36-55E	231	(70.4)	
	45	N26-58E	126	(38.4)	
	46	N61-11E	68	(20.7)	
	47	S64-42E	161	(49.1)	
	48	S81-38E	344	(104.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THREE FINGER JACK SE MAP NO. 1	49				
	50	N84-10E	177	(53.9)	
	51	N67-20E	184	(56.1)	
	52	N57-26E	184	(56.1)	
	53	N36-22E	202	(61.6)	
	54	N30-49E	205	(62.5)	
	55	N34-52E	177	(53.9)	
	56	N17-16E	324	(98.8)	Paralleling Oregon Highway 242, 500 feet southeasterly from centerline.
	57	N07-29E	276	(84.1)	
	58	N03-01E	304	(92.7)	
	59	N06-20E	254	(77.4)	
	60	N08-52E	221	(67.4)	
	61	N17-20E	232	(70.7)	
	62	N33-58E	225	(68.6)	
	63	N48-40E	177	(53.9)	
	64	N54-24E	208	(63.4)	
	65	N57-26E	128	(39.0)	
	66	N51-46E	192	(58.5)	
	67	N40-14E	187	(57.0)	
	68	N42-28E	273	(83.2)	
	69	N28-48E	286	(87.2)	
	70	N26-52E	250	(76.2)	
	71	N19-48E	266	(81.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THREE FINGER JACK SE MAP NO. 1		N35-34E	237	(72.2)	
	72	N34-13E	212	(64.6)	
	73	N56-35E	176	(53.6)	
	74	N70-57E	263	(80.2)	
	75	N71-19E	293	(89.3)	
	76	N60-14E	248	(75.6)	
	77	N57-08E	175	(53.3)	Paralleling Oregon Highway 242, 500 feet southeasterly from centerline.
	78	N42-52E	151	(46.0)	
	79	N44-19E	119	(36.3)	
	80	N73-18E	125	(38.1)	
	81	N83-49E	167	(50.9)	
	82	N71-42E	131	(39.9)	
	83	N49-49E	277	(84.4)	
	84	N54-20E	201	(61.3)	
	85	N58-17E	185	(56.4)	
	86	N62-39E	196	(59.7)	
	87	N61-57E	155	(47.2)	
	88	N39-54E	239	(72.8)	
	89	N34-43E	249	(75.9)	
	90	N34-55E	117	(35.7)	
	91	N72-55E	187	(57.0)	
SISTERS SW MAP NO. 2	92	S78-45E	354	(107.9)	
	93	S85-03E	186	(56.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SISTERS SW MAP NO. 2	94				
		N75-55E	263	(80.2)	
	95				
		N71-12E	304	(92.7)	
	96				
		N61-07E	364	(110.9)	
	97				
		N50-12E	266	(81.1)	
	98				
		N46-49E	289	(88.1)	Paralleling Oregon Highway 242, 500 feet southeasterly from centerline.
	99				
		N36-30E	373	(113.7)	
	100				
		N47-22E	307	(93.6)	
	101				
		N42-38E	412	(125.6)	
	102				
		N42-35E	269	(82.0)	
	103				
		N45-00E	225	(68.6)	
	104				
		N57-53E	282	(86.0)	
	105				
		N67-08E	201	(61.3)	
	106				
		N64-01E	176	(53.6)	
	107				
		N63-37E	140	(42.7)	
	108				
		N56-12E	273	(83.2)	
	109				
		N53-51E	271	(82.6)	
	110				A point 500 feet southerly from and perpendicular to the centerline of said Highway and on the West line of Sec. 1, T. 15 S., R. 8 E.
		S00-38W	3304	(1007.1)	Along the West line of said Sec.1.
	111				The southwest corner of said Sec. 1.
		S89-05E	2689	(819.6)	Along the South line of said Sec. 1.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
SISTERS	112			The south 1/4 corner of said Sec. 1.
SW				
MAP NO. 2		S00-30W	15085 (4597.9)	Along the N-S centerlines of Secs. 12,
BROKEN TOP	113			13, 24, 25 and 36, T. 15 S., R. 8 E. W.M.
NW		S01-03W	11296 (3443.0)	
MAP NO. 3				
	114			South 1/4 corner of Sec. 36, T. 15 S., R. 8 E.
		S89-37E	2645 (806.2)	Along the south line of said Sec. 36.
	115			The southeast corner of said Sec. 36.
		S01-08W	10568 (3221.1)	Southerly.
	116			An angle point.
		S89-04E	2318 (706.5)	Easterly.
	117			The west 1/4 corner of said Sec. 18.
		S00-39W	2748 (837.6)	Along West line of said Sec.18.
	118			The southwest corner of said Sec. 18.
		S88-59E	2640 (804.7)	Along the south line of said Sec. 18.
	119			The south 1/4 corner of said Sec. 18.
		S01-22W	5280 (1609.3)	Along N-S centerline of Sec. 19, T. 16 S., R. 9 E., excluding that portion of the W 1/2, Sec. 19, northeasterly from the westerly edge of the road prism of USFS Road No. 1526.200.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
BROKEN TOP NW MAP NO. 3	120			The south 1/4 corner of said Sec. 19.
		S88-09E	2702 (823.6)	Along south line of said Sec. 19.
	121			The southeast corner of said Sec. 19.
		S01-40W	2875 (876.3)	Along the West line of Sec. 29, T. 16 S., R. 9 E.
	122			A point on the West line of said Sec. 29 in the North Fork of Squaw Creek.
		N56-24E	190 (57.9)	
	123	N01-00E	225 (68.6)	
	124	N70-51E	152 (46.3)	
	125	N82-24E	91 (27.7)	
	126	N42-36E	118 (36.0)	Descend along the centerline of North Fork Squaw Creek.
	127	00-00N	112 (34.1)	
	128	N09-14W	168 (51.2)	
	129	N13-52E	159 (48.5)	
	130	N19-39E	178 (54.3)	
	131	N21-40E	168 (51.2)	
	132	N38-37E	223 (68.0)	
	133	N53-02E	258 (78.6)	
	134	N59-56E	176 (53.6)	
	135	N88-23E	142 (43.3)	
	136	S84-17E	141 (43.0)	
	137	N73-28E	172 (52.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP NW MAP NO. 3	138				
		N60-26E	154	(46.9)	
	139				
		N54-08E	160	(48.8)	
	140				
		N48-11E	153	(46.6)	
	141				
		N81-56E	121	(36.9)	Descend along the centerline of the North Fork Squaw Creek.
	142				
		S84-37E	106	(32.3)	
	143				
		S86-31E	164	(50.0)	
	144				
		S83-46E	111	(33.8)	
	145				
		N75-33E	132	(40.2)	
	146				
		N70-38E	193	(58.8)	
	147				
		N74-19E	178	(54.3)	
	148				
		N76-25E	123	(37.5)	
	149				
		N78-22E	139	(42.4)	
	150				A point at the confluence of Squaw Creek and the North Fork of Squaw Creek.
		S09-11E	138	(42.1)	
	151				
		S04-13W	122	(37.2)	
	152				
		S34-17W	53	(16.2)	Ascend along the centerline of Squaw Creek.
	153				
		S59-45W	111	(33.8)	
	154				
		S66-06W	96	(29.3)	
	155				
		S28-42W	96	(29.3)	
	156				
		S04-58W	92	(28.0)	
	157				
		S65-13E	57	(17.4)	
	158				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP NW MAP NO. 3	159	S80-53E	107	(32.6)	
	160	S71-34E	70	(21.3)	
	161	S18-43W	65	(19.8)	
	162	S11-32W	100	(30.5)	
	163	S22-53E	98	(29.9)	Ascend along the centerline of Squaw Creek.
	164	S23-02E	174	(53.0)	
	165	S01-00E	215	(65.5)	
	166	S13-14E	70	(21.3)	
	167	S09-10W	63	(19.2)	
	168	S25-31W	98	(29.9)	
	169	S40-43W	113	(34.4)	
	170	S52-09W	256	(78.0)	
	171	S60-02W	188	(57.3)	
	172	S60-19W	214	(65.2)	
	173	S62-21W	142	(43.3)	
	174	S01-00W	85	(25.9)	
	175	S36-26W	104	(31.7)	
	176	S26-59W	121	(36.9)	
		S08-45E	158	(48.2)	
	177				An angle point in the centerline of Squaw Creek and on a line N88 <sup>0</sup> -44' W from a point 200 feet south of the most southerly edge of the parking lot at the end of USFS Road No. 1514.600.
		S88-44E	2720	(829.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP NW MAP NO. 3	178				A point in the centerline of Snow Creek and on a line S 88°-44' E from a point 200 feet south of the most southerly edge of the parking lot at the end of USFS Road No. 1514.600.
		S29-48W	119	(36.3)	
	179	S10-47E	128	(39.0)	
	180	S34-09E	139	(42.4)	
	181	S41-28E	115	(35.1)	
	182	S14-02E	136	(41.5)	Ascend along the centerline of Snow Creek.
	183	S14-45W	157	(47.9)	
	184	S14-19W	202	(61.6)	
	185	S11-03W	214	(65.2)	
	186	S19-15W	376	(114.6)	
	187	S36-09W	161	(49.1)	
	188	S22-36W	323	(98.5)	
	189	S01-00W	133	(40.5)	
	190	S03-07W	92	(28.0)	
	191	S17-28E	187	(57.0)	
	192	S25-31E	246	(75.0)	
	193	S31-14E	253	(77.1)	
	194	S21-04E	117	(35.7)	
	195	S01-00E	146	(44.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP NW MAP NO. 3	196				
		S48-30E	69	(21.0)	
	197	S00-38E	90	(27.4)	
	198	S21-39W	293	(89.3)	
	199	S49-14W	182	(55.5)	
	200	S37-29W	189	(57.6)	
	201	S48-14W	75	(22.9)	
	202	S13-18W	113	(34.4)	Ascend along the centerline of Snow Creek.
	203	S01-00W	228	(69.5)	
	204	S17-52W	355	(108.2)	
	205	S28-40W	171	(52.1)	
	206	S07-13W	167	(50.9)	
	207	S11-30E	231	(70.4)	
	208	S09-56E	284	(86.6)	
	209	S24-18E	204	(62.2)	
	210	S16-04E	260	(79.2)	
	211	S22-24E	160	(48.8)	
	212	S39-42E	138	(42.1)	
	213	S31-36E	168	(51.2)	
	214	S15-57E	116	(35.4)	
	215	S07-18E	165	(50.3)	
	216	S08-16E	251	(76.5)	
	217	S04-18E	333	(101.5)	
	218				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP NW MAP NO. 3	219	S11-45W	255	(77.7)	
	220	S18-36W	110	(33.5)	
	221	S01-56W	118	(36.0)	
	222	S18-48E	99	(30.2)	
	223	S07-51W	117	(35.7)	
	224	S17-37E	132	(40.2)	
	225	S21-15E	328	(100.0)	Ascend along the centerline of Snow Creek.
	226	S25-06E	174	(53.0)	
	227	S12-06E	57	(17.4)	
	228	S21-02W	84	(25.6)	
	229	S04-56W	58	(17.7)	
	230	S52-46E	63	(19.2)	
	231	S56-37E	105	(32.0)	
	232	S13-42E	84	(25.6)	
	233	S06-51E	252	(76.8)	
	234	S00-21W	502	(153.0)	
	235	S17-13W	193	(58.8)	
	236	S22-11W	387	(118.0)	
	237	S17-24W	298	(90.8)	
	238	S20-51W	90	(27.4)	
	239	S03-06E	166	(50.6)	
	240	S11-04E	271	(82.6)	
		S01-05W	266	(81.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
BROKEN TOP NW MAP NO. 3	241				
		S12-57W	179	(54.6)	
	242				
		S17-35E	212	(64.6)	
	243				
		S07-01E	254	(77.4)	
	244				
		S11-28E	292	(89.0)	
	245				
		S08-39E	299	(91.1)	
	246				
		S07-21E	250	(76.2)	
	247				
		S20-28E	152	(46.3)	Ascend along the centerline of Snow Creek.
BROKEN TOP SW MAP NO. 5	248				
		S23-41W	62	(18.9)	
	249				
		S20-09E	116	(35.4)	
	250				
		S22-16E	161	(49.1)	
	251				
		S08-00E	65	(19.8)	
	252				
		S12-05W	234	(71.3)	
	253				
		S01-11W	292	(89.0)	
	254				
		S08-53E	278	(84.7)	
	255				
		S09-04E	470	(143.3)	
	256				
		S06-56E	116	(35.4)	
	257				
		S20-56E	160	(48.8)	
	258				
		S20-39E	230	(70.1)	
	259				
		S19-51E	230	(70.1)	
	260				
		S43-36E	116	(35.4)	
	261				
		S32-05E	158	(48.2)	
	262				
		S20-17E	98	(29.9)	
	263				



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5		S04-11E	123	(37.5)	
	264	S12-19W	122	(37.2)	Ascend along the centerline of Snow Creek.
	265	S09-09W	120	(36.6)	
	266	S30-25W	126	(38.4)	
	267	S31-52W	227	(69.2)	
	268				
					A point in the centerline of Snow Creek, and 100 feet southerly of and perpendicular to the centerline of Snow Creek Ditch.
	269	S62-00E	89	(27.1)	
	270	S88-47E	188	(57.3)	
	271	N59-52E	143	(43.6)	
	272	N40-41E	150	(45.7)	
	273	N23-23E	169	(51.5)	Paralleling Snow Creek Ditch, 100 feet southerly of centerline.
	274	N13-31E	133	(40.5)	
	275	N18-36W	107	(32.6)	
	276	N50-33W	102	(31.1)	
	277	N42-16W	119	(36.3)	
	278	N27-09W	131	(39.9)	
	279	N14-58W	194	(59.1)	
	280	N10-52W	154	(46.9)	
	281	N02-42W	170	(51.8)	
	282	N03-52E	74	(22.6)	
	283	N32-21E	36	(11.0)	
		S78-56E	47	(14.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	284				
		S49-54E	99	(30.2)	
	285				
		S68-26E	308	(93.9)	
	286				
		S81-40E	200	(61.0)	
	287				
		N73-16E	191	(58.2)	
	288				
		N57-55E	79	(24.1)	
	289				
		N69-20E	178	(54.3)	
	290				
		N70-49E	219	(66.8)	Paralleling Snow Creek Ditch, 100 feet southerly of centerline.
	291				
		N68-12E	124	(37.8)	
	292				
		N24-40E	256	(78.0)	
	293				
		N07-33E	305	(93.0)	
	294				
		N07-03E	293	(89.3)	
	295				
		N08-37E	254	(77.4)	
	296				
		N11-50E	215	(65.5)	
	297				
		N35-11E	149	(45.4)	
	298				
		N77-35E	112	(34.1)	
	299				
		S80-56E	266	(81.1)	
	300				
		S55-12E	144	(43.9)	
	301				
		S50-23E	158	(48.2)	
	302				
		S58-20E	181	(55.2)	
	303				
		S73-24E	178	(54.3)	
	304				
		S83-20E	189	(57.6)	
	305				
		N88-31E	116	(35.4)	
	306				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5		N76-49E	66	(20.1)	
	307				
		S77-54E	43	(13.1)	
	308				
		S24-14E	66	(20.1)	
	309				
		S15-03E	123	(37.5)	
	310				
		00-00S	262	(79.9)	Paralleling Snow Creek Ditch, 100 feet southerly of centerline.
	311				
		S02-12E	78	(23.8)	
	312				
		S12-21E	107	(32.6)	
	313				
		S39-01E	149	(45.4)	
	314				
		S47-50E	186	(56.7)	
	315				
		S35-39E	226	(68.9)	
	316				
		S30-05E	146	(44.5)	
	317				
		S55-04E	89	(27.1)	
	318				
		S82-04E	123	(37.5)	
	319				
		S73-47E	147	(44.8)	
	320				A point on the West line of Sec. 10, T. 17 S., R. 9 E., which is 100 feet southerly from the centerline of Snow Creek Ditch.
		S00-45W	3416	(1041.2)	Along the West line of said Sec. 10.
	321				Northeast corner of Sec. 16, T. 17 S., R. 9 E., being a point on Three Sisters Wilderness Boundary as described 6/10/65.
		S00-31W	5292	(1613.0)	Along East line of said Sec. 16.
	322				The Southeast corner of said Sec. 16, being a point on the Three Sisters Wilderness Boundary as described 6/10/65.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5		S89-19E	5270	(1606.3)	Along the North line of Sec. 22, T. 17 S., R. 9 E.
	323				The Northeast corner of said Sec. 22.
		S00-02W	1391	(424.0)	Along the East line of said Sec. 22.
	324				The North 1/16 corner on the East line of said Sec. 22.
BROKEN TOP SE MAP NO. 6		N81-15E	210	(64.0)	Along the North 1/16 line of Sec 23, T. 17 S., R. 9 E.
	325	S88-44E	2483	(756.8)	
	326				The Center-North 1/16 corner of said Sec. 23.
		N01-21E	1320	(402.3)	Along the N-S centerline of said Sec. 23.
	327				The North 1/4 corner of said Sec. 23.
		S88-45E	2689	(819.6)	Along the North line of said Sec. 23.
	328				The Northwest corner of Sec. 24, T. 17 S., R. 9 E.
		S89-18E	1720	(524.3)	Along the North line of said Sec. 24.
	329				A point on the north line of said Sec. 24, which is 200 feet westerly from and perpendicular to the centerline of USFS Road No. 4600.370.
		S13-59W	248	(75.6)	
	330	S03-16W	228	(69.5)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	331	S01-58W	292	(89.0)	
	332	S08-26E	164	(50.0)	
	333				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SE MAP NO. 6		S23-40E	292	(89.0)	
	334	S48-24E	238	(72.5)	
	335	S46-15E	130	(39.6)	
	336	S64-56E	153	(46.6)	
	337	S55-18E	269	(82.0)	
	338	S50-55E	192	(58.5)	
	339	S42-07E	169	(51.5)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	340	S20-53E	140	(42.7)	
	341	S06-17E	119	(36.3)	
	342	S08-26W	109	(33.2)	
	343	S39-26W	241	(73.5)	
	344	S41-10W	232	(70.7)	
	345	S52-32W	210	(64.0)	
	346	S50-25W	135	(41.1)	
	347	S39-25W	211	(64.3)	
	348	S34-28W	244	(74.4)	
	349	S33-59W	267	(81.4)	
	350	S47-26W	234	(71.3)	
	351	S29-55W	245	(74.7)	
	352	S49-20W	290	(88.4)	
	353	S33-51W	413	(125.9)	
	354	S29-12W	351	(107.0)	
	355	S25-01W	381	(116.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
-----					
BROKEN TOP	356				
SE		S28-44W	295	(89.9)	
MAP NO. 6	357				
		S26-18W	289	(88.1)	
	358				
		S14-39W	249	(75.9)	
	359				
		S09-37W	192	(58.5)	
	360				
		S16-36E	227	(69.2)	
	361				
		S13-59E	273	(83.2)	
	362				
		S32-49E	201	(61.3)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	363				
		S26-10E	195	(59.4)	
	364				
		S17-14E	152	(46.3)	
	365				
		S36-46W	104	(31.7)	
	366				
		S51-53W	230	(70.1)	
	367				
		S49-07W	197	(60.0)	
	368				
		S33-31W	192	(58.5)	
	369				
		S15-48W	165	(50.3)	
	370				
		S01-37E	282	(86.0)	
	371				
		S23-10E	241	(73.5)	
	372				
		S51-58E	157	(47.9)	
	373				
		S35-12E	241	(73.5)	
	374				
		S14-19E	291	(88.7)	
	375				
		S09-04E	235	(71.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SE MAP NO. 6	376				
		S18-45E	293	(89.3)	
	377				
		S21-39E	73	(22.3)	
	378				
		S35-47E	53	(16.2)	
	379				
		S17-35W	106	(32.3)	
	380				
		S33-10W	334	(101.8)	
	381				
		S33-18W	328	(100.0)	
	382				
		S32-34W	141	(43.0)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	383				
		S21-53W	137	(41.8)	
	384				
		S05-43E	161	(49.1)	
	385				
		S16-07E	141	(43.0)	
	386				
		S15-39E	215	(65.5)	
	387				
		S22-37E	169	(51.5)	
	388				
		S28-14E	169	(51.5)	
	389				
		S22-34E	263	(80.2)	
	390				
		S08-04E	121	(36.9)	
	391				
		S06-01E	115	(35.1)	
	392				
		S32-35W	115	(35.1)	
	393				
		S33-41W	126	(38.4)	
	394				
		S39-00W	129	(39.3)	
	395				
		S38-40W	115	(35.1)	
	396				
		S17-45W	105	(32.0)	
	397				
		S14-24E	76	(23.2)	
	398				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SE MAP NO. 6	399	S18-48E	149	(45.4)	
	400	S37-06E	252	(76.8)	
	401	S01-00E	170	(51.8)	
	402	S79-12E	262	(79.9)	
	403	S56-23E	233	(71.0)	
	404	S73-31W	130	(39.6)	
	405	S53-48W	102	(31.1)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	406	S47-44W	119	(36.3)	
	407	S16-57W	110	(33.5)	
	408	S10-14W	73	(22.3)	
	409	S12-52E	130	(39.6)	
	410	S06-59E	99	(30.2)	
	411	S80-14W	283	(86.3)	
	412	S77-04W	304	(92.7)	
	413	S85-57W	410	(125.0)	
	414	N86-55W	130	(39.6)	
	415	N72-05W	140	(42.7)	
	416	N71-14W	392	(119.5)	
	417	N62-27W	543	(165.5)	
	418	N64-52W	306	(93.3)	
	419	N77-43W	230	(70.1)	
	420	S78-32W	211	(64.3)	
		S81-16W	323	(98.5)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SE MAP NO. 6	421				
		S84-43W	174	(53.0)	
	422				
		N80-14W	94	(28.7)	
	423				
		N74-33W	188	(57.3)	
	424				
		N43-26W	310	(94.5)	
	425				
		N52-47W	334	(101.8)	
	426				
		N57-03W	406	(123.7)	
	427				
		N54-57W	327	(99.7)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	428				
		N54-13W	243	(74.1)	
	429				
		N54-08W	205	(62.5)	
	430				
		N75-41W	299	(91.1)	
	431				
		N80-02W	318	(96.9)	
	432				
		N75-41W	400	(121.9)	
	433				
		S73-41W	128	(39.0)	
BROKEN TOP SW Map No. 5	434				
		N85-26W	100	(30.5)	
	435				
		N52-26W	197	(60.0)	
	436				
		N49-34W	142	(43.3)	
	437				
		N39-24W	145	(44.2)	
	438				
		N48-18W	159	(48.5)	
	439				
		N43-18W	166	(50.6)	
	440				
		N62-25W	125	(38.1)	
	441				
		N77-34W	130	(39.6)	
	442				
		S74-53W	142	(43.3)	
	443				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	444	S45-00W	161	(49.1)	
	445	S35-42W	206	(62.8)	
	446	S37-01W	153	(46.6)	
	447	S34-47W	116	(35.4)	
	448	S51-47W	60	(18.3)	
	449	S67-47W	77	(23.5)	
	450	N83-50W	74	(22.6)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	451	N52-33W	118	(36.0)	
	452	N70-27W	114	(34.7)	
	453	N88-42W	88	(26.8)	
	454	S72-18W	49	(14.9)	
	455	S39-07W	214	(65.2)	
	456	S32-58W	153	(46.6)	
	457	S27-43W	112	(34.1)	
	458	S05-16W	131	(39.9)	
	459	S13-10E	176	(53.6)	
	460	S17-04E	198	(60.4)	
	461	S30-41E	174	(53.0)	
	462	S17-45E	161	(49.1)	
	463	S20-25E	146	(44.5)	
	464	S08-03E	93	(28.3)	
	465	S22-02W	141	(43.0)	
		S21-34W	180	(54.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	466				
		S26-29W	294	(89.6)	
	467				
		S38-07W	83	(25.3)	
	468				
		S75-47W	77	(23.5)	
	469				
		N89-24W	190	(57.9)	
	470				
		N79-42W	101	(30.8)	
	471				
		S61-53W	83	(25.3)	
	472				
		S66-41W	308	(93.9)	Paralleling USFS Road No. 4600.370, 200 feet westerly and northerly from centerline.
	473				
		S62-41W	68	(20.7)	
	474				
		S28-31W	92	(28.0)	
	475				
		S15-37W	167	(50.9)	
	476				
		S21-42W	111	(33.8)	
	477				
		S41-08W	105	(32.0)	
	478				
		S57-47W	86	(26.2)	
	479				
		S82-29W	107	(32.6)	
	480				
		S83-24W	122	(37.2)	
	481				
		S69-51W	148	(45.1)	
	482				
		S63-39W	122	(37.2)	
	483				
		S41-25W	136	(41.5)	
	484				
		S56-19W	137	(41.8)	
	485				
		S54-44W	151	(46.0)	
	486				
		S49-35W	97	(29.6)	
	487				
		S69-27W	85	(25.9)	
	488				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	489	N79-55W	91	(27.7)	
	490	N53-44W	191	(58.2)	
	491	N72-44W	108	(32.9)	Paralleling USFS Road 4600.370, 200 feet southwesterly of centerline.
	492	N82-24W	91	(27.7)	
	493	S74-45W	148	(45.1)	
	494	S77-22W	119	(36.3)	
	495	S69-22W	182	(55.5)	
	496	S58-46W	187	(57.0)	
		S58-20W	267	(81.4)	
	497				A point 200 feet northwesterly from and perpendicular to the centerline of USFS Road No. 4600.370 and 1000 feet northerly from and perpendicular to the centerline of the northerly fork of the Middle Fork of Tumalo Creek.
	498	N56-00W	367	(111.9)	
	499	N72-28W	100	(30.5)	
	500	S88-16W	166	(50.6)	
	501	N71-47W	169	(51.5)	
502	502	N65-36W	213	(64.9)	Paralleling said creek, 1000 feet northerly and easterly from centerline.
503	503	N61-39W	158	(48.2)	
504	504	N67-31W	94	(28.7)	
505	505	N75-23W	95	(29.0)	
506	506	S73-30W	113	(34.4)	
507	507	S77-15W	258	(78.6)	
		S86-14W	182	(55.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	508				
		N74-42W	98	(29.9)	
	509				
		N63-26W	228	(69.5)	
	510				
		N39-46W	233	(71.0)	
	511				
		N42-49W	503	(153.3)	
	512				
		N48-55W	332	(101.2)	Paralleling said creek, 1000 feet northerly and easterly from centerline.
	513				
		N53-15W	192	(58.5)	
	514				
		N67-17W	173	(52.7)	
	515				
		N70-46W	228	(69.5)	
	516				
		S74-18W	159	(48.5)	
	517				
		00-00W	114	(34.7)	
	518				
		N68-12W	92	(28.0)	
	519				
		N38-36W	171	(52.1)	
	520				
		N63-26W	94	(28.7)	
	521				A point on the E-W centerline of Sec. 33, T. 17 S., R. 9 E., which is 1000 feet northeasterly from and perpendicular to the centerline of the above said creek.
		N85-40W	358	(109.1)	
	522				
		N85-49W	233	(71.0)	Along the E-W centerlines of said Sec. 33 and Sec. 32, T. 17 S., R. 9 E.
	523				
		N89-05W	5804	(1769.1)	
	524				A point on the E-W centerline of said Sec. 32, which is 500 feet easterly from the centerline of Crater Creek Ditch.
		N09-46W	719	(219.2)	Paralleling Crater Creek Ditch 500 feet easterly from centerline.
	525				
		N12-49W	514	(156.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	526				
		N21-21W	192	(58.5)	
	527				
		N30-31W	110	(33.5)	
	528				
		N42-59W	201	(61.3)	
	529				Paralleling Crater Creek Ditch, 500 feet northeasterly from centerline.
		N51-11W	223	(68.0)	
	530				
		N53-05W	211	(64.3)	
	531				
		N72-03W	110	(33.5)	
	532				
		S82-16W	245	(74.7)	
	533				
		S88-07W	152	(46.3)	
	534				
		N88-05W	60	(18.3)	
	535				A point in the centerline of Crater Creek, 500 feet upstream from the beginning of said ditch.
		S63-44W	84	(25.6)	
	536				
		S39-24W	145	(44.2)	
	537				
		S28-22W	170	(51.8)	
	538				
		S25-08W	125	(38.1)	
	539				
		S01-08E	101	(30.8)	Paralleling Crater Creek Ditch, 500 feet southwesterly from centerline.
	540				
		S13-07E	181	(55.2)	
	541				
		S35-39E	113	(34.4)	
	542				
		S50-27E	171	(52.1)	
	543				
		S64-30E	144	(43.9)	
	544				
		S77-07E	72	(21.9)	
	545				
		S75-02E	89	(27.1)	
	546				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	547	S38-40E	90	(27.4)	
	548	S15-40E	85	(25.9)	
	549	S08-34E	826	(251.8)	
	550	S07-55E	711	(216.7)	
	551	S10-49E	203	(61.9)	
	552	S24-41E	122	(37.2)	
	553	S52-53E	181	(55.2)	Paralleling Crater Creek Ditch, 500 feet southwesterly from centerline.
	554	S80-26E	168	(51.2)	
	555	N88-01E	116	(35.4)	
	556	S72-41E	81	(24.7)	
	557	S29-09E	60	(18.3)	
	558	S08-20W	83	(25.3)	
	559	S36-02W	163	(49.7)	
	560	S06-12W	93	(28.3)	
	561	S35-52E	102	(31.1)	
	562	S56-16E	373	(113.7)	
	563	S53-11E	229	(69.8)	
	564	S45-22E	111	(33.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	565	S06-01W	76	(23.2)	
	566	S46-12W	136	(41.5)	
	567	S46-37W	176	(53.6)	
	568	S37-16W	58	(17.7)	
	569	S28-15W	76	(23.2)	
	570	S25-30E	72	(21.9)	
	571	S41-59E	269	(82.0)	Paralleling Crater Creek Ditch, 500 feet southwesterly from centerline.
	572	S38-44E	253	(77.1)	
	573	S27-06E	145	(44.2)	
	574	S32-31E	82	(25.0)	
	575	S69-38E	170	(51.8)	
	576	S75-35E	185	(56.4)	
	577	S78-53E	114	(34.7)	
	578	N59-52E	108	(32.9)	
	579	N50-23E	158	(48.2)	
	580	N59-19E	106	(32.3)	
	581	N77-04E	76	(23.2)	
	582	S62-48E	123	(37.5)	
	583	S49-35E	168	(51.2)	
	584	S18-37E	100	(30.5)	
	585	S24-24E	107	(32.6)	
	586	S46-41E	432	(131.7)	
		S57-29E	324	(98.8)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	587				Paralleling Crater Creek Ditch, 500 feet
		S35-10E	236	(71.9)	southwesterly from the centerline.
	588				A point on the N-S centerline of Sec. 5,
					T. 18 S., R. 9 E., which is 500 feet
					southwesterly from and perpendicular to
					the centerline of Crater Creek Ditch.
		S00-16W	3829	(1167.1)	Along the N-S centerline of said Sec. 5.
	589				the south 1/4 corner of said Sec. 5.
		N89-11W	2652	(808.3)	Along the South line of said Sec. 5.
	590				The Southwest corner of said Sec. 5.
		N89-14W	2542	(774.8)	Along the North line of Sec. 7, T. 18 S.,
					R. 9 E.
	591				The north 1/4 corner of said Sec. 7.
		S01-36W	5956	(1815.4)	Along the N-S centerlines of said Sec. 7
					and Sec. 18, T. 18 S., R. 9 E.
	592				A point on the N-S centerline of said
					Sec. 18, which is 500 feet northerly from
					and perpendicular to the centerline of
					of Forest Highway 46.
		N72-03W	487	(148.4)	
	593				
		N76-55W	738	(224.9)	
	594				
		N83-10W	505	(153.9)	Paralleling Forest Highway 46, 500 feet
	595				northerly from centerline.
		N89-22W	632	(192.6)	
	596				
		S88-35W	324	(98.8)	
	597				
		S76-12W	293	(89.3)	
	598				
		S01-00W	426	(129.8)	
	599				
		S61-00W	179	(54.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	600				
		S52-58W	214	(65.2)	
	601				
		S45-21W	454	(138.4)	
	602				
		S57-40W	400	(121.9)	
	603				
		S65-06W	154	(46.9)	
	604				
		S84-47W	231	(70.4)	
	605				
		N79-54W	462	(140.8)	
	606				
		N78-07W	602	(183.5)	Paralleling Forest Highway 46, 500 feet northerly from centerline.
	607				
		N31-39W	772	(235.3)	
	608				
		N18-14W	435	(132.6)	
	609				
		N16-14W	354	(107.9)	
	610				
		N16-36W	227	(69.2)	
	611				
		N31-28W	278	(84.7)	
	612				
		N34-04W	257	(78.3)	
	613				
		N19-53W	212	(64.6)	
	614				
		N41-47W	402	(122.5)	
	615				
		N58-22W	248	(75.6)	
	616				
		N52-19W	461	(140.5)	
	617				
		N65-46W	341	(103.9)	
	618				
		N68-06W	697	(212.4)	
	619				
		N60-50W	464	(141.4)	
	620				
		N69-19W	258	(78.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	621				A point 500 feet northerly from and perpendicular to the centerline of said Forest Highway 46, and 500 feet easterly from the eastern edge of the Green Lakes Trailhead parking lot.
		N33-48W	135	(41.1)	
	622	N14-47W	278	(84.7)	
	623	N13-18W	304	(92.7)	
	624	N56-03W	125	(38.1)	A line paralleling and 500 feet from the northern edge of Green Lakes Trailhead parking lot.
	625	N66-57W	263	(80.2)	
	626	N82-29W	184	(56.1)	
	627	N79-03W	248	(75.6)	
	628	S85-28W	241	(73.5)	
	629	S83-51W	242	(73.8)	
	630	S66-16W	236	(71.9)	
	631				A point 500 feet northerly from and perpendicular to the centerline of Forest Highway 46, and 500 feet westerly from the western edge of said parking lot.
		N58-57W	120	(36.6)	
	632	N38-18W	321	(97.8)	
	633	N36-43W	378	(115.2)	Paralleling Forest Highway 46, 500 feet northwesterly from centerline.
	634	N54-18W	363	(110.6)	
	635	N75-11W	426	(129.8)	
	636	S81-18W	516	(157.3)	
	637	S61-39W	373	(113.7)	
	638	S54-27W	487	(148.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BROKEN TOP SW MAP NO. 5	639				
		S55-26W	273	(83.2)	
	640				
		S63-10W	193	(58.8)	
	641				
		S68-54W	136	(41.5)	
	642				
		N71-21W	172	(52.4)	
	643				
		N66-56W	59	(18.0)	
THREE SISTERS SE MAP NO. 4	644				
		N63-30W	394	(120.1)	
	645				
		N58-20W	267	(81.4)	Paralleling Forest Highway 46, 500 feet northwesterly from centerline.
	646				
		N43-57W	307	(93.6)	
	647				
		N42-42W	317	(96.6)	
	648				
		N39-02W	292	(89.0)	
	649				
		N45-12W	206	(62.8)	
	650				
		N44-02W	125	(38.1)	
	651				
		N65-28W	176	(53.6)	
	652				
		N68-36W	343	(104.5)	
	653				
		N58-57W	211	(64.3)	
	654				
		N59-38W	344	(104.9)	
	655				
		N45-55W	355	(108.2)	
	656				
		N51-37W	461	(140.5)	
	657				
		N54-20W	218	(66.4)	
	658				
		N82-19W	232	(70.7)	
	659				
		S79-08W	175	(53.3)	
	660				
		S77-36W	238	(72.5)	
	661				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THREE SISTERS SE MAP NO. 4	662	S59-31W	223	(68.0)	
	663	S60-44W	162	(49.4)	
	664	S40-18W	164	(50.0)	
	665	S37-50W	119	(36.3)	
	666	S35-32W	267	(81.4)	Paralleling Forest Highway 46, 500 feet northwesterly from centerline.
	667	S12-15W	156	(47.5)	
	668	S14-32W	112	(34.1)	
	669	S12-10W	119	(36.3)	
	670	S01-00W	80	(24.4)	
	671	S08-27W	75	(22.9)	
	672	S23-31W	278	(84.7)	
	673	S30-25W	514	(156.7)	
	674	S28-03W	623	(189.9)	
	675	S32-29W	1175	(358.1)	
	676	S32-57W	1171	(356.9)	
	677	S31-57W	796	(242.6)	
	678	S33-28W	1036	(315.8)	
	679	S34-40W	1013	(308.8)	
		S30-38W	467	(142.3)	
	680				A point 500 feet northwesterly from centerline of said Forest Highway and 500 feet northeasterly from the northwesterly edge of the Mirror Lakes Trailhead parking lot.
	681	S61-28W	195	(59.4)	Along a line paralleling and 500 feet from the edge of the Mirror Lakes Trailhead parking lot.
		S52-45W	178	(54.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THREE SISTERS SE MAP NO. 4	682				
		S48-55W	166	(50.6)	
	683				
		S51-03W	121	(36.9)	
	684				
		S31-14W	149	(45.4)	
	685				Along a line paralleling and 500 feet from the edge of Mirror Lakes Trailhead parking lot.
		S17-19W	161	(49.1)	
	686				
		S10-37E	114	(34.7)	
	687				
		S20-52E	126	(38.4)	
	688				
		S16-45E	118	(36.0)	
	689				
		S12-11E	90	(27.4)	
	690				
		S06-55W	141	(43.0)	
	691				A point 500 feet northwesterly from centerline of Forest Highway 46 and 500 feet southwesterly from the southwesterly edge of said parking lot.
		S20-48W	352	(107.3)	
692		S16-43W	348	(106.1)	
693		S17-55W	488	(148.7)	
694		S23-16W	699	(213.1)	
695		S19-27W	682	(207.9)	Paralleling Forest Highway 46, 500 feet northwesterly from centerline.
696		S25-01W	445	(135.6)	
697		S27-15W	480	(146.3)	
698		S26-31W	598	(182.3)	
699		S37-05W	544	(165.8)	
700		S39-31W	563	(171.6)	
701		S44-28W	681	(207.6)	
702		S40-08W	526	(160.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	703				
		S31-02W	539	(164.3)	
	704				
		S35-08W	796	(242.6)	
	705				
		S39-47W	692	(210.9)	
	706				
		S33-23W	362	(110.3)	
	707				
		S41-32W	351	(107.0)	
	708				
		S39-43W	383	(116.7)	
	709				
		S41-53W	312	(95.1)	Paralleling Forest Highway 46, 500 feet northwesterly from centerline.
	710				
		S37-20W	414	(126.2)	
	711				
		S27-40W	301	(91.7)	
	712				
		S21-28W	358	(109.1)	
	713				
		S17-32W	422	(128.6)	
	714				
		S10-26W	386	(117.7)	
	715				
		S07-34W	357	(108.8)	
	716				
		S22-10W	432	(131.7)	
	717				
		S27-13W	350	(106.7)	
	718				
		S29-17W	188	(57.3)	
	719				
		S38-17W	145	(44.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	720				
		S64-16W	92	(28.0)	Paralleling said Forest Highway, 500 feet northwesterly from centerline.
	721	S68-12W	32	(9.8)	
	722				A point 500 feet northwesterly from and perpendicular to the centerline of said Forest Highway 46, which is 500 feet northerly from northern edge of USFS Road No. 4600.471, Elk Lake Trailhead parking lot entry road.
	723	N57-42W	148	(45.1)	
	724	N25-34W	204	(62.2)	
	725	N39-06W	241	(73.5)	
	726	N56-27W	224	(68.3)	
	727	N73-44W	193	(58.8)	
	728	S81-40W	159	(48.5)	Paralleling the Elk Lake Trailhead road and its parking lot, 500 feet from the edge of road and parking lot.
	729	S63-26W	210	(64.0)	
	730	S55-55W	198	(60.4)	
	731	S22-33W	313	(95.4)	
	732	S23-45W	256	(78.0)	
	733	S09-59E	237	(72.2)	
	734	S21-12E	230	(70.1)	
	735	S49-34E	187	(57.0)	
	736	S60-34E	161	(49.1)	
	737	S65-49E	205	(62.5)	
	738	S78-16E	162	(49.4)	
	739	S85-29E	76	(23.2)	
		S77-36E	51	(15.5)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	740	S53-37E	24	(7.3)	Paralleling the Elk Lake Trailhead road and its parking lot, 500 feet from the edge of road and parking lot.
	741				A point 500 feet southerly from edge of USFS Road No. 4600.471, and 100 feet westerly from the centerline of the Powerline right-of-way.
		S01-57W	88	(26.8)	
	742	S14-16W	365	(111.3)	
	743	S16-09W	341	(103.9)	
	744	S09-05W	247	(75.3)	
	745	S03-11E	180	(54.9)	Paralleling said powerline right-of-way, 100 feet westerly of centerline.
	746	S01-00E	224	(68.3)	
	747	S15-09E	348	(106.1)	
	748	S24-20E	172	(52.4)	
	749	S26-56E	137	(41.8)	
	750	S13-31E	163	(49.7)	
	751	S01-39W	208	(63.4)	
	752	S07-46W	266	(81.1)	
	753	S14-24W	193	(58.8)	
	754	S25-57W	167	(50.9)	
	755	S29-42W	172	(52.4)	
	756	S40-14W	102	(31.1)	
	757	S27-45W	174	(53.0)	
	758	S01-14E	187	(57.0)	
	759	S17-51E	215	(65.5)	
	760				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	761	S05-44E	301	(91.7)	
	762	S11-13E	231	(70.4)	
	763	S11-44E	187	(57.0)	
	764	S15-23E	238	(72.5)	
	765	S11-41E	242	(73.8)	
	766	S01-43E	234	(71.3)	
	767	S06-10E	186	(56.7)	Paralleling said powerline right-of-way, 100 feet westerly of centerline.
	768	S02-22W	290	(88.4)	
	769	S11-15W	205	(62.5)	
	770	S10-57E	126	(38.4)	
	771	S10-52E	180	(54.9)	
	772	S23-25E	244	(74.4)	
	773	S23-31E	346	(105.5)	
	774	S34-46E	398	(121.3)	
	775	S33-58E	354	(107.9)	
	776	S35-46E	198	(60.4)	
	777	S46-38E	149	(45.4)	
	778	S65-44E	78	(23.8)	
	779	S00-46E	74	(22.6)	
	780	S06-19E	291	(88.7)	
	781	S08-14E	377	(114.9)	
	782	S14-28E	384	(117.0)	
	783	S14-02E	383	(116.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	784	S14-25E	257	(78.3)	Paralleling powerline right-of-way, 100 feet westerly of centerline.
		S18-16E	217	(66.1)	
	785				A point 100 feet westerly from the centerline of said powerline right-of- way, which is 500 feet northwesterly of the northwestern edge of the Six Lakes Trailhead parking lot.
	786	S16-49W	135	(41.1)	
	787	S07-48W	170	(51.8)	
	788	S05-28E	137	(41.8)	Paralleling the Six Lakes Trailhead parking lot, 500 feet from the edge.
	789	S20-55E	132	(40.2)	
	790	S19-23E	154	(46.9)	
	791	S43-20E	146	(44.5)	
	792	S76-26E	205	(62.5)	
	793	S75-10E	106	(32.3)	
		S74-28E	194	(59.1)	
	794				A point 100 feet westerly from the centerline of said powerline right-of- way, which is 500 feet southwesterly of the edge of Six Lakes Trailhead parking lot.
	795	S37-07E	181	(55.2)	
	796	S36-26E	313	(95.4)	
	797	S36-47E	292	(89.0)	Paralleling powerline right-of-way, 100 feet westerly from centerline.
	798	S28-24E	223	(68.0)	
	799	S30-54E	331	(100.9)	
	800	S33-13E	436	(132.9)	
		S33-39E	392	(119.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	801				
		S30-38E	504	(153.6)	
	802				
		S41-12E	342	(104.2)	
	803				
		S35-11E	340	(103.6)	
	804				
		S31-29E	345	(105.2)	
	805				
		S32-43E	326	(99.4)	
	806				
		S35-01E	481	(146.6)	
	807				
		S37-12E	453	(138.1)	Paralleling powerline right-of-way, 100 feet westerly from centerline.
	808				
		S29-54E	353	(107.6)	
	809				
		S39-07E	331	(100.9)	
	810				
		S26-13E	299	(91.1)	
	811				
		S16-50E	238	(72.5)	
	812				
		S15-40E	289	(88.1)	
	813				
		S12-16E	165	(50.3)	
	814				
		S07-40E	157	(47.9)	
	815				
		S10-23E	339	(103.3)	
	816				
		S06-46E	374	(114.0)	
	817				
		S00-10W	329	(100.3)	
	818				
		S03-48E	347	(105.8)	
	819				
		S00-47W	220	(67.1)	
	820				
		S02-29E	184	(56.1)	
	821				
		S19-00W	95	(29.0)	
	822				
		S24-19W	148	(45.1)	
	823				
		S21-12W	230	(70.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ELK LAKE MAP NO. 7	824				
		S19-53W	188	(57.3)	
	825				
		S18-37W	194	(59.1)	
	826				
		S11-06W	161	(49.1)	Paralleling powerline right-of-way, 100 feet westerly from centerline.
	827				
		S06-36W	122	(37.2)	
	828				
		S19-00E	190	(57.9)	
	829				
		S09-37E	126	(38.4)	
	830				
		S30-40E	231	(70.4)	
	831				A point on the East line of Sec. 17, T. 19 S., R. 8 E., which is 100 feet southwesterly from centerline of said powerline right-of-way.
		S01-32W	1980	(603.5)	Along the east line of said Sec. 17.
	832				The Northeast corner of Sec. 20, T. 19 S., R. 8 E.
		S01-06W	5275	(1607.8)	Along the East line of said Sec. 20.
	833				The Northeast corner of Sec. 29, T. 19 S., R. 8 E.
		S00-08W	1346	(410.3)	Along the East line of said Sec. 29.
	834				The North 1/16 corner on the East line of said Sec. 29.
		N88-10W	5301	(1615.7)	Along the North 1/16 line of said Sec. 29.
	835				The North 1/16 corner on the West line of said Sec. 29.
		N00-58E	1366	(416.4)	Along the West line of said Sec. 29.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
ELK LAKE MAP NO. 7	836			The Northeast corner of Sec. 30, T. 19 S., R. 8 E.
		N88-50W	5353 (1631.6)	Along the North line of said Sec. 30.
	837			The Northwest corner of said Sec. 30, being a point on the Three Sisters Wilderness Boundary as described 6/10/65.
	838	S01-10W	5327 (1623.7)	Along the West lines of Secs. 30 and 31, T. 19 S., R. 8 E., and
	839	S00-53W	5317 (1620.6)	Secs. 6 and 7, T. 20 S., R. 8 E., W.M. on the Three Sisters Wilderness Boundary as described 6/10/65.
CRANE PRAIRIE RESERVIOR MAP NO. 10	840	S02-55E	1476 (449.9)	
	841	S01-24E	4095 (1248.2)	
		S01-32E	5582 (1701.4)	
IRISH MOUNTAIN MAP NO. 9	842			The Southwest corner of said Sec. 7.
	843	N89-05W	5488 (1672.7)	
	844	N89-08W	5334 (1625.8)	
	845	N89-24W	2080 (634.0)	Westerly along the Three Sisters Wilderness Boundary as described 6/10/65.
	846	N88-49W	3205 (976.9)	
		N88-59W	5337 (1626.7)	
	847			A point which is 1.91 miles, N 19°-51' W of the outlet of Deer Lake, and 3.37 miles, S 88° E of the Triangulation Station Irish Mountain on the Three Sisters Wilderness Boundary as described 6/10/65.
		S00-59E	5492 (1674.0)	Southerly along the Three Sisters Wilderness Boundary as described 6/10/65.
	848			A point which is 0.98 mile, N 37°-30' W of the outlet of Deer Lake, and 3.6 miles, S 71°-30' E of the Triangulation Station Irish Mountain, being a point on the Three Sisters Wilderness Boundary as described 6/10/65.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9		S01-18E	5533	(1686.5)	
	849	S01-17E	5361	(1634.0)	Southerly.
	850	S01-20E	2790	(850.4)	
	851				A point 200 feet northerly from and perpendicular to the centerline of USFS Road No. 4630.600.
		N72-10W	509	(155.1)	
	852	N75-17W	224	(68.3)	
	853	S83-00W	320	(97.5)	
	854	S74-46W	266	(81.1)	
	855	S72-23W	241	(73.5)	Paralleling USFS Road No. 4630.600, 200 feet northerly from centerline.
	856	S70-54W	189	(57.6)	
	857	S86-22W	142	(43.3)	
	858	N76-04W	129	(39.3)	
	859	N73-30W	113	(34.4)	
	860	N43-41W	93	(28.3)	
	861	N18-43W	65	(19.8)	
	862	N61-33W	55	(16.8)	
	863	N74-11W	62	(18.9)	
	864	S85-36W	78	(23.8)	
	865	S48-12W	89	(27.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9	866				
		S54-56W	70	(21.3)	
	867				
		N68-39W	162	(49.4)	
	868				
		N66-02W	227	(69.2)	
	869				
		N75-51W	229	(69.8)	
	870				
		N89-34W	264	(80.5)	
	871				
		N77-40W	122	(37.2)	
	872				
		N60-25W	136	(41.5)	Paralleling USFS Road No. 4630.600, 200 feet northerly from centerline.
	873				
		N46-32W	106	(32.3)	
	874				
		N27-03W	266	(81.1)	
	875				
		N31-42W	120	(36.6)	
	876				
		N56-11W	266	(81.1)	
	877				
		N70-07W	288	(87.8)	
	878				
		N69-24W	134	(40.8)	
	879				
		N73-01W	264	(80.5)	
	880				
		N80-21W	101	(30.8)	
	881				
		N45-56W	174	(53.0)	
	882				
		N52-27W	218	(66.4)	
	883				
		N55-31W	101	(30.8)	
	884				
		N61-30W	199	(60.7)	
	885				
		N49-32W	134	(40.8)	
	886				
		N36-13W	301	(91.7)	
	887				
		N18-26W	196	(59.7)	
	888				
		N14-26W	172	(52.4)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 7	889				
		N14-58W	120	(36.6)	
	890				
		N18-26W	70	(21.3)	
	891				
		N59-56W	88	(26.8)	
	892				
		N64-31W	119	(36.3)	
	893				
		N45-51W	191	(58.2)	
	894				
		N35-15W	234	(71.3)	
	895				
		N50-26W	246	(75.0)	Paralleling USFS Road No. 4630.600, 200 feet northerly from centerline.
	896				
		N60-12W	294	(89.6)	
	897				
		N63-38W	403	(122.8)	
	898				
		N67-58W	357	(108.8)	
	899				
		N65-44W	56	(17.1)	
	900				
		N41-32W	94	(28.7)	
	901				
		N47-02W	160	(48.8)	
	902				
		N71-34W	44	(13.4)	
	903				
		S83-53W	84	(25.6)	
	904				
		S71-55W	151	(46.0)	
	905				
		S70-08W	265	(80.8)	
	906				
		S70-08W	241	(73.5)	
	907				
		S87-49W	184	(56.1)	
	908				
		N89-39W	164	(50.0)	
	909				
		N81-23W	167	(50.9)	
	910				
		N58-38W	192	(58.5)	
	911				
		N78-49W	258	(78.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9	912				
		N81-08W	285	(86.9)	
	913				
		S87-16W	84	(25.6)	
	914				
		S65-16W	84	(25.6)	
	915				
		S81-33W	129	(39.3)	
	916				
		S72-32W	130	(39.6)	
	917				
		S86-41W	224	(68.3)	
	918				
		N88-16W	198	(60.4)	Paralleling USFS Road No. 4630.600, 200 feet northerly from centerline.
	919				
		N50-25W	165	(50.3)	
	920				
		N63-26W	94	(28.7)	
	921				
		N85-21W	86	(26.2)	
	922				
		N46-27W	112	(34.1)	
	923				
		N55-32W	143	(43.6)	
	924				
		N84-29W	239	(72.8)	
	925				
		N64-39W	189	(57.6)	
	926				
		N68-40W	269	(82.0)	
	927				
		N38-11W	167	(50.9)	
	928				
		N17-30W	273	(83.2)	
	929				
		N38-53W	119	(36.3)	
	930				
		N58-09W	165	(50.3)	
	931				
		N59-24W	247	(75.3)	
	932				
		N50-38W	216	(65.8)	
	933				
		N59-22W	265	(80.8)	
	934				
		N68-18W	105	(32.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9	935				
		N78-36W	359	(109.4)	
	936				
		N82-58W	694	(211.5)	Paralleling USFS Road No. 4630.600, 200 feet northerly from centerline.
	937				
		S79-23W	179	(54.6)	
	938				
		N81-42W	49	(14.9)	
	939				A point on the high water line of the southeastern most bank of Irish Lake, which is 200 feet northerly from and perpendicular to the centerline of USFS Road No. 4630.600.
		N63-26W	103	(31.4)	
940		N54-49W	75	(22.9)	
941		N88-32W	78	(23.8)	
942		S79-15W	102	(31.1)	
943		S59-56W	44	(13.4)	Along the high water line of the south bank of Irish Lake.
944		S22-40W	86	(26.2)	
945		S04-33W	88	(26.8)	
946		S58-24W	61	(18.6)	
947		S84-32W	94	(28.7)	
948		S75-58W	91	(27.7)	
949		S62-08W	79	(24.1)	
950		N85-33W	90	(27.4)	
951		N71-34W	63	(19.2)	
952		S80-11W	53	(16.2)	
953		S46-33W	79	(24.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9	954				
		S25-09W	108	(32.9)	
	955				
		S43-54W	74	(22.6)	
	956				
		S79-34W	77	(23.5)	Along the high water line of the south bank of Irish Lake.
	957				
		N78-31W	65	(19.8)	
	958				
		N22-27W	50	(15.2)	
	959				
		N03-57E	58	(17.7)	
	960				
		N26-34E	83	(25.3)	
	961				
		N54-18E	39	(11.9)	
	962				A point on the high water line of the west bank of Irish Lake which is 200 feet northerly of the edge of the Pacific Crest Trail parking lot.
		N04-34W	50	(15.2)	
	963				
		S83-15W	77	(23.5)	
	964				
		S74-37W	226	(68.9)	
	965				
		S76-35W	246	(75.0)	
	966				
		S86-37W	270	(82.3)	
	967				
		S79-27W	311	(94.8)	Paralleling said parking lot, 200 feet from the edge and paralleling USFS Road No. 4630.600, 200 feet northerly of centerline.
	968				
		S64-40W	271	(82.6)	
	969				
		S62-29W	162	(49.4)	
	970				
		S35-03W	233	(71.0)	
	971				
		S32-13W	204	(62.2)	
	972				
		S53-18W	196	(59.7)	
	973				
		S57-55W	218	(66.4)	
	974				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9		S66-26W	300	(91.4)	
	975	S69-30W	220	(67.1)	Paralleling USFS Road No. 4630.600, 200 feet northerly from centerline.
	976	S69-32W	152	(46.3)	
	977				
					A point on the boundary between the Deschutes National Forest and the Willamette National Forest said point is 200 feet Northerly of and perpendicular to the centerline of USFS Road No. 5898.517.
	978	S34-42W	79	(24.1)	
	979	S17-09W	98	(29.9)	
	980	S67-51W	151	(46.0)	
	981	S75-29W	116	(35.4)	
	982	N56-25W	143	(43.6)	Paralleling USFS Road No. 5898.517, 200 feet northerly of the centerline.
	983	N67-29W	89	(27.1)	
	984	S78-17W	84	(25.6)	
	985	S63-41W	106	(32.3)	
	986	S55-32W	143	(43.6)	
	987	S86-52W	128	(39.0)	
	988	N87-46W	256	(78.0)	
	989	N66-41W	245	(74.7)	
		N53-11W	219	(66.8)	
990					A point which is 200 feet Northerly of and perpendicular to the centerline of USFS Road No. 5898.517 at the intersection with USFS Road No. 5898.514.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9		N26-29W	309	(94.2)	
	991	N30-52W	292	(89.0)	
	992	N49-07W	226	(68.9)	
	993	N58-14W	222	(67.7)	
	994	N64-33W	184	(56.1)	
	995	N84-48W	166	(50.6)	
	996	S82-30W	245	(74.7)	Paralleling USFS Road No. 5898.517, 200 feet northerly of the centerline.
	997	N67-33W	348	(106.1)	
	998	N60-34W	456	(139.0)	
	999	N64-58W	352	(107.3)	
	1000	N56-15W	236	(71.9)	
	1001	N59-04W	311	(94.8)	
	1002	N57-02W	197	(60.0)	
	1003	N59-07W	119	(36.3)	
	1004	N66-02W	79	(24.1)	
	1005	S88-53W	204	(62.2)	
	1006	N82-43W	237	(72.2)	
	1007	S87-52W	188	(57.3)	
	1008	S72-16W	282	(86.0)	
	1009	S64-10W	248	(75.6)	
	1010	S72-24W	304	(92.7)	
	1011	S70-52W	308	(93.9)	
	1012	S58-09W	267	(81.4)	
	1013	S74-41W	87	(26.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 9	1014				
		N89-20W	86	(26.2)	
	1015	S62-37W	343	(104.5)	
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1016	S62-11W	326	(99.4)	
	1017	S85-14W	253	(77.1)	
	1018	N78-26W	175	(53.3)	
	1019	N62-25W	76	(23.2)	
	1020	N86-32W	66	(20.1)	Paralleling USFS Road No. 5898.517, 200 feet northerly of the centerline.
	1021	S82-34W	116	(35.4)	
	1022	N88-45W	46	(14.0)	
	1023	S58-17W	105	(32.0)	
	1024	S64-34W	68	(20.7)	
	1025	S89-21W	88	(26.8)	
	1026	S84-36W	74	(22.6)	
	1027	S34-53W	80	(24.4)	
	1028	S57-47W	86	(26.2)	
	1029	S65-04W	78	(23.8)	
	1030	S86-59W	76	(23.2)	
	1031	S89-30W	116	(35.4)	
	1032	N80-15W	130	(39.6)	
	1033	N63-07W	80	(24.4)	
	1034	N71-34W	111	(33.8)	
	1035	N87-37W	96	(29.3)	
	1036	S87-18W	106	(32.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1037				
		N86-06W	88	(26.8)	
	1038				
		N80-44W	93	(28.3)	
	1039				
		N80-08W	257	(78.3)	
	1040				
		N81-15W	224	(68.3)	
	1041				
		N75-41W	146	(44.5)	
	1042				
		N44-15W	109	(33.2)	
	1043				
		N51-33W	130	(39.6)	Paralleling USFS Road No. 5898.517, 200 feet northerly of the centerline.
	1044				
		N70-06W	247	(75.3)	
	1045				
		N67-30W	139	(42.4)	
	1046				
		N60-04W	114	(34.7)	
	1047				
		N42-50W	131	(39.9)	
	1048				
		N29-15W	86	(26.2)	
	1049				
		N53-14W	109	(33.2)	
	1050				
		N64-01W	221	(67.4)	
	1051				
		N57-41W	277	(84.4)	
	1052				
		N77-02W	312	(95.1)	
	1053				
		N67-56W	205	(62.5)	
	1054				
		N68-22W	250	(76.2)	
	1055				
		N51-43W	97	(29.6)	
	1056				
		N65-46W	219	(66.8)	
	1057				
		N88-31W	116	(35.4)	
	1058				
		N84-45W	175	(53.3)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1059				
		N87-03W	175	(53.3)	
	1060				
		S86-37W	135	(41.1)	
	1061				
		N80-37W	117	(35.7)	
	1062				
		N70-41W	124	(37.8)	
	1063				
		N77-43W	127	(38.7)	
	1064				
		N51-24W	152	(46.3)	
	1065				
		N56-42W	202	(61.6)	Paralleling USFS Road No. 5989.517, 200 feet northerly of the centerline.
	1066				
		N70-46W	137	(41.8)	
	1067				
		N72-43W	141	(43.0)	
	1068				
		N43-04W	168	(51.2)	
	1069				
		N38-13W	162	(49.4)	
	1070				
		N45-00W	72	(21.9)	
	1071				
		N65-25W	65	(19.8)	
	1072				
		N78-20W	129	(39.3)	
	1073				
		N53-45W	112	(34.1)	
	1074				
		N57-10W	131	(39.9)	
	1075				
		N47-19W	122	(37.2)	
	1076				
		N05-09W	100	(30.5)	
	1077				
		N20-46W	155	(47.2)	
	1078				
		N24-56W	157	(47.9)	
	1079				
		N50-30W	170	(51.8)	
	1080				
		N60-49W	137	(41.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1081				
		N83-55W	151	(46.0)	
	1082				
		N87-56W	166	(50.6)	
	1083				
		S77-44W	118	(36.0)	
	1084				
		S54-41W	147	(44.8)	
	1085				
		S53-26W	154	(46.9)	Paralleling USFS Road No. 5898.517, 200 feet northerly of the centerline.
	1086				
		S33-41W	69	(21.0)	
	1087				
		S66-22W	52	(15.8)	
	1088				
		S85-39W	79	(24.1)	
	1089				
		N51-14W	176	(53.6)	
	1090				
		N49-36W	159	(48.5)	
	1091				
		N42-08W	113	(34.4)	
-----					
	1092				A point which is 200 feet Easterly of and perpendicular to USFS Trail 3575 and 200 feet Northerly of and perpendicular to USFS Road No. 5898.517.
-----					
		N84-20W	142	(43.3)	
	1093				
		N87-17W	190	(57.9)	
	1094				
		S84-48W	110	(33.5)	
	1095				
		S85-12W	107	(32.6)	
	1096				
		S86-38W	68	(20.7)	Along a line 200 feet northerly of the northerly edge of improvements at Taylor Burn Campground.
	1097				
		00-00W	68	(20.7)	
	1098				
		N58-55W	85	(25.9)	
	1099				
		N55-54W	78	(23.8)	
	1100				
		N53-22W	49	(14.9)	
	1101				
		S88-56W	108	(32.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1102				
		S66-18W	134	(40.8)	Along a line 200 feet northerly of the northerly edge of improvements at Taylor Burn Campground.
	1103	S23-54W	86	(26.2)	
	1104	S12-54W	98	(29.9)	
	1105				A point which is 200 feet Westerly of and perpendicular to the centerline at the end of USFS Road No. 5898.517.
		S03-24W	118	(36.0)	Paralleling USFS Road 5898.517, 200 feet westerly of the westerly edge of campground improvements.
	1106	S02-07E	162	(49.4)	
	1107	S12-04E	120	(36.6)	
	1108	S09-19E	136	(41.5)	
	1109				A point on the south edge of USFS Trail 3553, which is 200 feet westerly of the edge of campground improvements.
		S43-32W	138	(42.1)	Along the left (southerly) edge of USFS trail 3553. Along the common boundary with Waldo Lake Wilderness.
	1110	S70-32W	141	(43.0)	
	1111	N77-06W	134	(40.8)	
	1112	S85-24W	149	(45.4)	
	1113	S86-55W	130	(39.6)	
	1114	S64-09W	108	(32.9)	
	1115	S51-53W	147	(44.8)	
	1116	S51-43W	266	(81.1)	
	1117	S80-36W	165	(50.3)	
	1118	N85-32W	141	(43.0)	
	1119	N60-39W	202	(61.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1120				
		N54-56W	279	(85.0)	
	1121				
		N51-20W	173	(52.7)	
	1122				
		N39-03W	157	(47.9)	
	1123				
		N31-26W	84	(25.6)	
	1124				
		N08-58W	77	(23.5)	
	1125				
		N50-23W	188	(57.3)	
	1126				
		N23-20W	222	(67.7)	Along the left edge of USFS Trail 3553.
	1127				Along the common boundary with Waldo Lake
		N35-47W	106	(32.3)	Wilderness.
	1128				
		N70-08W	88	(26.8)	
	1129				
		N81-25W	127	(38.7)	
	1130				
		S71-05W	74	(22.6)	
	1131				
		S31-10W	95	(29.0)	
	1132				
		S03-28W	99	(30.2)	
	1133				
		S18-44E	121	(36.9)	
	1134				
		S23-12E	137	(41.8)	
	1135				
		S30-54E	165	(50.3)	
	1136				
		S31-42E	175	(53.3)	
	1137				
		S40-18E	147	(44.8)	
	1138				
		S37-15E	121	(36.9)	
	1139				
		S29-03E	124	(37.8)	
	1140				
		S17-29E	133	(40.5)	
	1141				
		S38-59E	81	(24.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1142				
		S10-18E	56	(17.1)	
	1143				
		S27-22W	96	(29.3)	
	1144				
		N61-35W	139	(42.4)	
	1145				
		N47-28W	231	(70.4)	
	1146				
		N41-57W	239	(72.8)	
	1147				
		N40-55W	198	(60.4)	
	1148				
		N54-34W	200	(61.0)	Along the left edge of USFS Trail 3553.
	1149				Along the common boundary with Waldo Lake
		N45-19W	257	(78.3)	Wilderness.
	1150				
		N48-39W	200	(61.0)	
	1151				
		N40-24W	123	(37.5)	
	1152				
		N33-41W	79	(24.1)	
	1153				
		S72-03W	110	(33.5)	
	1154				
		S29-01W	126	(38.4)	
	1155				
		S12-11W	128	(39.0)	
	1156				
		S10-09E	97	(29.6)	
	1157				
		S36-08E	124	(37.8)	
	1158				
		S57-18E	96	(29.3)	
	1159				
		S28-42E	108	(32.9)	
	1160				
		S16-32E	134	(40.8)	
	1161				
		N67-16W	160	(48.8)	
	1162				
		N40-58W	201	(61.3)	
	1163				
		N39-06W	124	(37.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1164	N52-14W	129	(39.3)	
	1165	N79-26W	60	(18.3)	
	1166	S17-43W	102	(31.1)	
	1167	N38-35W	120	(36.6)	
	1168	N42-43W	106	(32.3)	
	1169	N31-12W	83	(25.3)	
	1170	S79-16W	177	(53.9)	Along the left edge of USFS Trail 3553.
	1171	N47-40W	122	(37.2)	Along the common boundary with Waldo Lake Wilderness.
	1172	N52-22W	105	(32.0)	
	1173	N03-09W	145	(44.2)	
	1174	N59-52W	129	(39.3)	
	1175	N67-35W	105	(32.0)	
	1176	N24-32W	214	(65.2)	
	1177	N37-43W	67	(20.4)	
	1178	S67-23W	78	(23.8)	
	1179	S60-05W	122	(37.2)	
	1180	S66-14W	119	(36.3)	
	1181	S65-45W	100	(30.5)	
	1182	S71-07W	120	(36.6)	
	1183	N81-29W	149	(45.4)	
	1184	N47-42W	150	(45.7)	
	1185	N33-32W	210	(64.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1186				
		N33-20W	175	(53.3)	
	1187				
		N30-42W	192	(58.5)	
	1188				
		N23-54W	173	(52.7)	
	1189				
		N27-56W	149	(45.4)	
	1190				
		N54-56W	57	(17.4)	Along the left edge of USFS Trail 3553.
	1191				Along the common boundary with Waldo Lake
		N73-40W	103	(31.4)	Wilderness.
	1192				
		S59-26W	147	(44.8)	
	1193				
		S67-58W	141	(43.0)	
	1194				
		N88-55W	212	(64.6)	
	1195				
		S77-20W	132	(40.2)	
	1196				
		S65-20W	149	(45.4)	
	1197				
		S67-06W	154	(46.9)	
	1198				
		S53-40W	192	(58.5)	
	1199				
		S76-53W	106	(32.3)	
	1200				
		N17-56W	179	(54.6)	
	1201				A point on the left (southerly) edge of USFS Trail 3553 at intersection with USFS Trail 3567.
		N78-29E	160	(48.8)	
	1202				
		N70-21E	89	(27.1)	
	1203				
		N47-54E	112	(34.1)	Along the left (westerly) edge of USFS
	1204				Trail 3567. Along the common boundary
		N18-06E	109	(33.2)	with Waldo Lake Wilderness.
	1205				
		N06-20E	100	(30.5)	
	1206				
		N03-11E	216	(65.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1207				
		N07-37E	143	(43.6)	
	1208				
		N13-30E	129	(39.3)	
	1209				
		N18-26E	73	(22.3)	
	1210				
		N61-09E	135	(41.1)	
	1211				
		N68-47E	110	(33.5)	
	1212				
		N26-08E	120	(36.6)	
	1213				
		N00-29E	118	(36.0)	Along the left edge of USFS Trail 3567.
	1214				Along the common boundary with Waldo Lake
		N13-26W	116	(35.4)	Wilderness.
	1215				
		N08-11W	140	(42.7)	
	1216				
		N03-52W	148	(45.1)	
	1217				
		N01-00E	252	(76.8)	
	1218				
		N02-40E	300	(91.4)	
	1219				
		N05-57E	367	(111.9)	
	1220				
		N17-08E	224	(68.3)	
	1221				
		N16-07W	141	(43.0)	
	1222				
		N04-20E	199	(60.7)	
	1223				
		N00-43E	242	(73.8)	
	1224				
		N01-35E	72	(21.9)	
	1225				
		N11-09W	140	(42.7)	
	1226				
		N29-27W	98	(29.9)	
	1227				
		N01-00W	168	(51.2)	
	1228				
		N46-05W	187	(57.0)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1229				
		N25-21W	168	(51.2)	
	1230				
		N30-58W	175	(53.3)	
	1231				
		N13-56W	141	(43.0)	
	1232				
		N09-38W	167	(50.9)	
	1233				
		N09-45W	224	(68.3)	
	1234				
		N19-04E	226	(68.9)	
	1235				
		N34-53E	185	(56.4)	Along the left edge of USFS Trail 3567.
	1236				Along the common boundary with Waldo Lake
		N08-23W	165	(50.3)	wilderness.
	1237				
		N15-34W	190	(57.9)	
	1238				
		N27-37W	194	(59.1)	
	1239				
		N10-51W	197	(60.0)	
	1240				
		N01-55W	239	(72.8)	
	1241				
		N06-40W	267	(81.4)	
	1242				
		N12-30W	245	(74.7)	
	1243				
		N18-00W	252	(76.8)	
	1244				
		N13-41W	359	(109.4)	
	1245				
		N08-56W	264	(80.5)	
	1246				
		N03-55E	190	(57.9)	
	1247				
		N23-18E	71	(21.6)	
	1248				
		S88-32E	78	(23.8)	
	1249				
		S40-51E	127	(38.7)	
	1250				
		S30-45E	135	(41.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1251				
		N37-34E	98	(29.9)	
	1252				
		S71-27E	157	(47.9)	
	1253				
		S17-50E	121	(36.9)	
	1254				
		S77-36E	144	(43.9)	
	1255				
		S89-39E	166	(50.6)	
	1256				
		S72-10E	91	(27.7)	
	1257				
		S50-35E	94	(28.7)	Along the left edge of USFS Trail 3567.
	1258				Along the common boundary with Waldo Lake
		S62-28E	160	(48.8)	Wilderness.
	1259				
		S66-19E	62	(18.9)	
	1260				
		S01-00E	57	(17.4)	
	1261				
		S52-12E	73	(22.3)	
	1262				
		S06-35W	105	(32.0)	
	1263				
		S39-29E	140	(42.7)	
	1264				
		S44-05E	89	(27.1)	
	1265				
		S03-08E	128	(39.0)	
	1266				
		S37-30E	108	(32.9)	
	1267				
		S77-21E	50	(15.2)	
	1268				
		S04-42E	208	(63.4)	
	1269				
		S49-30E	126	(38.4)	
	1270				
		S04-13E	95	(29.0)	
	1271				
		00-00E	100	(30.5)	
	1272				
		S15-19E	76	(23.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1273				
		S54-19E	135	(41.1)	
	1274				
		N87-34E	118	(36.0)	
	1275				
		N75-04E	78	(23.8)	
	1276				
		N05-25W	413	(125.9)	
	1277				
		N00-07W	497	(151.5)	
	1278				
		N03-44W	460	(140.2)	
	1279				
		N08-42E	112	(34.1)	Along the left edge of USFS Trail 3567.
	1280				Along the common boundary with Waldo Lake
		S41-05E	103	(31.4)	Wilderness.
	1281				
		N20-17E	98	(29.9)	
	1282				
		S27-51E	120	(36.6)	
	1283				
		N03-38E	269	(82.0)	
	1284				
		N05-39E	294	(89.6)	
	1285				
		N18-05E	316	(96.3)	
	1286				
		N18-52E	331	(100.9)	
	1287				
		N12-24E	475	(144.8)	
	1288				
		N18-09E	189	(57.6)	
	1289				
		N23-06E	319	(97.2)	
	1290				
		N22-43E	140	(42.7)	
	1291				
		N07-10E	176	(53.6)	
	1292				
		N48-11W	102	(31.1)	
	1293				
		N88-19W	102	(31.1)	
	1294				
		N79-28W	115	(35.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1295				
		N32-31W	229	(69.8)	
	1296				
		N18-34W	286	(87.2)	
	1297				
		N12-07W	281	(85.6)	
	1298				
		N03-45W	107	(32.6)	
	1299				
		N58-29E	88	(26.8)	
	1300				
		N83-40E	72	(21.9)	
	1301				
		S80-04E	122	(37.2)	Along the left edge of USFS Trail 3567.
	1302				Along the common boundary with Waldo Lake
		N71-57E	94	(28.7)	Wilderness.
	1303				
		N29-31E	156	(47.5)	
	1304				
		N06-05E	349	(106.4)	
	1305				
		N03-03W	301	(91.7)	
	1306				
		N33-57W	251	(76.5)	
	1307				
		N23-45W	164	(50.0)	
	1308				
		N02-36W	220	(67.1)	
	1309				
		N02-44W	252	(76.8)	
	1310				
		N16-50W	249	(75.9)	
	1311				
		N28-19W	160	(48.8)	
	1312				
		N11-00W	110	(33.5)	
	1313				
		N01-33E	184	(56.1)	
	1314				
		N39-21W	273	(83.2)	
	1315				
		N29-30W	315	(96.0)	
	1316				
		N20-58W	193	(58.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN NE MAP NO. 8	1317				
		N17-56W	256	(78.0)	
	1318				
		N14-35E	226	(68.9)	Along the left edge of USFS Trail 3567.
	1319				Along the common boundary with Waldo Lake
		N06-02E	305	(93.0)	Wilderness.
	1320				
		N07-49E	257	(78.3)	
	1321				
		N13-48E	180	(54.9)	
	1322				
		N13-14E	105	(32.0)	
	1323				The intersection of the left edge USFS Trail 3567 with Skookum Creek.
		N24-09E	95	(29.0)	
	1324				
		N34-15E	114	(34.7)	Ascend Skookum Creek. Along the common
	1325				boundary with Waldo Lake Wilderness.
		N39-40E	152	(46.3)	
	1326				A point in Skookum Creek which is 200 feet northerly of and perpendicular to USFS Trail 3567.
		N01-00E	114	(34.7)	
	1327				
		N73-48E	122	(37.2)	
	1328				
		N85-32E	295	(89.9)	
	1329				
		N71-41E	442	(134.7)	
	1330				
		N83-06E	275	(83.8)	Ascend Skookum Creek.
	1331				
		N68-37E	154	(46.9)	
	1332				
		N68-19E	268	(81.7)	
	1333				
		N56-25E	293	(89.3)	
	1334				
		N69-46E	312	(95.1)	
	1335				
		N83-01E	395	(120.4)	
	1336				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1337	N87-10E	262	(79.9)	
	1338	S88-09E	370	(112.8)	
	1339	S84-41E	270	(82.3)	
	1340	S88-28E	112	(34.1)	
	1341	S72-49E	318	(96.9)	
	1342	S88-34E	120	(36.6)	
	1343	N71-11E	143	(43.6)	Ascend Skookum Creek.
	1344	N52-56E	113	(34.4)	
	1345	N69-03E	151	(46.0)	
	1346	N83-09E	184	(56.1)	
	1347	S76-14E	151	(46.0)	
	1348	S87-28E	136	(41.5)	
	1349	N84-14E	288	(87.8)	
	1350	N77-12E	316	(96.3)	
	1351	N01-00E	322	(98.1)	
	1352	N80-18E	308	(93.9)	
	1353	N83-58E	143	(43.6)	
	1354	S73-41E	128	(39.0)	
	1355	S65-45E	144	(43.9)	
	1356	N86-47E	196	(59.7)	
	1357	S76-49E	180	(54.9)	
	1358	N78-28E	195	(59.4)	
	1359	S87-20E	408	(124.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1360	N78-52E	264	(80.5)	
	1361	N68-52E	208	(63.4)	
	1362	S83-38E	189	(57.6)	
	1363	S78-01E	414	(126.2)	
	1364	S87-18E	234	(71.3)	
	1365	N86-37E	288	(87.8)	
	1366	S75-11E	285	(86.9)	Ascend Skookum Creek.
	1367	S75-01E	321	(97.8)	
	1368	S83-44E	257	(78.3)	
	1369	S77-33E	255	(77.7)	
	1370	N80-48E	250	(76.2)	
	1371	N81-03E	238	(72.5)	
	1372	N82-29E	145	(44.2)	
	1373	S79-48E	294	(89.6)	
	1374	N83-30E	115	(35.1)	
	1375	N58-05E	269	(82.0)	
	1376	N52-20E	304	(92.7)	
	1377	N70-25E	206	(62.8)	
	1378	N77-01E	223	(68.0)	
	1379	N88-15E	359	(109.4)	
	1380	S76-03E	319	(97.2)	
	1381	S81-25E	536	(163.4)	
		S76-42E	339	(103.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MOUNTAIN SE MAP NO. 8	1382				
		S79-52E	335	(102.1)	
	1383				
		S67-51E	180	(54.9)	
	1384				
		S51-14E	176	(53.6)	Ascend Skookum Creek.
	1385				
		S36-52E	215	(65.5)	
	1386				
		S47-56E	166	(50.6)	
	1387				Point in Skookum Creek, which is on previously described Three Sisters Wilderness boundary (June 10, 1965) which is N00-15E of a point which is 1.94 miles S53-45W of Triangulation Station Irish Mt., 1.76 miles, S59-15E of the outlet of Otter Lake and 1.54 miles N29-00E of the west end of Helen Lake.