


WALDO LAKE WILDERNESS

Willamette National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Waldo Lake Wilderness on the Willamette National Forest as entered into the National Wilderness Preservation System by the Act of June 26, 1984.

Signed 11-20-87
(Date)


JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Waldo Lake Wilderness is as shown on the map dated September 1986 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-328. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Waldo Lake Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

WALDO LAKE WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon State Plane coordinate grid system, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION

WALDO LAKE				

CHUCKSNEY MTN. SW MAP NO. 5	1			Confluence of the North Fork of the Middle Fork Willamette River and Fisher Creek, approximate elevation 2540 feet, Latitude 43-52-20.62 North, Longitude 122-09-36.44 West, NW1/4SE1/4 Section 36, T.19S., R.5E., WM, Oregon grid coordinates South Zone X=1,562,244, Y=808,217.

		N58-38E	96	(29.3)
	2			
		N37-04E	174	(53.0)
	3			
		N14-14E	211	(64.3)
	4			
		N12-13E	137	(41.8)
	5			
		N27-34E	102	(31.1) Ascending North Fork of the Middle Fork Willamette River.
	6			
		N47-15E	90	(27.4)
	7			
		N82-57E	277	(84.4)
	8			
		N86-53E	312	(95.1)
	9			
		N79-24E	250	(76.2)
	10			
		N81-32E	292	(89.0)

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	11				
	12	N84-50E	211	(64.3)	
	13	N79-30E	165	(50.3)	
	14	N76-19E	161	(49.1)	
CHUCKSNEY MTN. NW MAP NO. 1	15	N69-10E	219	(66.8)	
	16	N72-37E	137	(41.8)	
	17	N51-27E	157	(47.9)	
	18	N67-27E	128	(39.0)	Ascending North Fork of the Middle Fork Willamette River.
	19	N84-07E	127	(38.7)	
	20	S83-43E	101	(30.8)	
	21	N82-27E	167	(50.9)	
	22	N82-58E	147	(44.8)	
	23	S88-00E	172	(52.4)	
	24	N79-48E	192	(58.5)	
	25	S86-07E	103	(31.4)	
	26	S70-58E	150	(45.7)	
	27	S63-16E	160	(48.8)	
	28	S67-19E	132	(40.2)	
	29	S78-31E	136	(41.5)	
	30	N85-09E	106	(32.3)	
	31	N88-23E	142	(43.3)	
	32	N76-25E	213	(64.9)	
	33	N88-22E	246	(75.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NW MAP NO. 1		S77-14E	208	(63.4)	
	34	S77-21E	219	(66.8)	
	35	S70-56E	257	(78.3)	
	36	S75-04E	171	(52.1)	
	37	S88-55E	212	(64.6)	
	38	N63-14E	124	(37.8)	
	39	N72-49E	159	(48.5)	Ascending North Fork of the Middle Fork Willamette River.
	40	S78-35E	106	(32.3)	
	41	S65-20E	149	(45.4)	
	42	S61-57E	155	(47.2)	
	43	N66-48W	38	(11.6)	
CHUCKSNEY MTN. SW MAP NO. 5	44	S74-06E	164	(50.0)	
	45	S73-32E	212	(64.6)	
	46	S73-05E	155	(47.2)	
	47	S37-22E	117	(35.7)	
	48	S32-18E	103	(31.4)	
	49	S17-24E	157	(47.9)	
	50	S17-31E	176	(53.6)	
	51	S35-44E	132	(40.2)	
	52	S55-28E	93	(28.3)	
	53	S64-38E	128	(39.0)	
	54	S79-42E	257	(78.3)	
	55	N87-07E	278	(84.7)	
	56				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5		N77-42E	249	(75.9)	
	57	N66-48E	206	(62.8)	
	58	N65-30E	99	(30.2)	
	59	S80-32E	116	(35.4)	
	60	N87-57E	140	(42.7)	
	61	N89-36E	144	(43.9)	
	62	N76-46E	140	(42.7)	
	63	N56-12E	138	(42.1)	
	64	N45-00E	139	(42.4)	
	65	N59-53E	187	(57.0)	
	66	N44-16E	219	(66.8)	
	67	N50-22E	166	(50.6)	
	68	N57-33E	153	(46.6)	
CHUCKSNEY MTN. SE MAP NO. 4	69	N48-07E	130	(39.6)	
	70	N01-00E	395	(120.4)	
	71	N56-59E	215	(65.5)	
	72	N34-01E	241	(73.5)	
	73	N31-05E	250	(76.2)	
CHUCKSNEY MTN. NE MAP NO. 2	74	N31-10E	396	(120.7)	
	75	N45-54E	135	(41.1)	
	76	N22-26E	267	(81.4)	
	77	N29-01E	157	(47.9)	
	78	N38-17E	73	(22.3)	
	79				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NE MAP NO. 2		N41-36E	238	(72.5)	
	80	N43-05E	253	(77.1)	
	81	N35-12E	220	(67.1)	
	82	N43-26E	207	(63.1)	
	83	N20-40E	187	(57.0)	
	84	N04-23E	197	(60.0)	
	85	N13-41E	118	(36.0)	Ascending North Fork of the Middle Fork Willamette River.
	86	N38-23E	98	(29.9)	
	87	N66-35E	171	(52.1)	
	88	N77-33E	237	(72.2)	
	89	N70-34E	270	(82.3)	
	90	N80-57E	293	(89.3)	
	91	S89-41E	182	(55.5)	
	92	N01-00E	140	(42.7)	
	93	N53-46E	162	(49.4)	
	94	N48-22E	217	(66.1)	
	95	N39-34E	179	(54.6)	
	96	N40-59E	81	(24.7)	
	97	N80-45E	218	(66.4)	
	98	N79-07E	265	(80.8)	
	99	N75-04E	310	(94.5)	
	100	N78-52E	259	(78.9)	
	101	N74-10E	209	(63.7)	
	102				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NE MAP NO. 2		N69-27E	427	(130.1)	
	103	N51-14E	156	(47.5)	
	104	N37-44E	145	(44.2)	
	105	N64-55E	156	(47.5)	
	106	N84-11E	276	(84.1)	
	107	S77-23E	265	(80.8)	
	108	S71-58E	184	(56.1)	Ascending North Fork of the Middle Fork Willamette River.
	109	S01-00E	164	(50.0)	
	110	S85-50E	110	(33.5)	
	111	N77-49E	128	(39.0)	
	112	N69-15E	141	(43.0)	
	113	N77-59E	269	(82.0)	
	114	S88-25E	218	(66.4)	
	115	S89-29E	338	(103.0)	
	116	N86-29E	212	(64.6)	
	117	N81-04E	71	(21.6)	
	118	N66-48E	84	(25.6)	
	119	N51-20E	147	(44.8)	
	120	N59-27E	71	(21.6)	
	121	N85-09E	118	(36.0)	
	122	S37-46E	90	(27.4)	
	123	S48-13E	227	(69.2)	
	124	S42-32E	164	(50.0)	
	125				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NE MAP NO. 2	126	S42-05E	125	(38.1)	
	127	S59-58E	74	(22.6)	
	128	N79-53E	114	(34.7)	
	129	N71-34E	114	(34.7)	
	130	S73-10E	79	(24.1)	
	131	S17-28E	57	(17.4)	
	132	S14-02E	87	(26.5)	Ascending North Fork of the Middle Fork Willamette River.
	133	S26-10E	191	(58.2)	
	134	S01-00E	243	(74.1)	
	135	S44-32E	171	(52.1)	
	136	S52-38E	117	(35.7)	
	137	S85-22E	148	(45.1)	
	138	S73-51E	151	(46.0)	
	139	S63-34E	186	(56.7)	
	140	S31-29E	172	(52.4)	
	141	S27-05E	149	(45.4)	
	142	S11-37E	149	(45.4)	
	143	S05-00E	138	(42.1)	
	144	S12-51W	58	(17.7)	
	145	S13-24E	65	(19.8)	
	146	S64-34E	68	(20.7)	
	147	S72-35E	124	(37.8)	
	148	S76-43E	130	(39.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NE MAP NO. 2		S83-57E	133	(40.5)	
	149	N83-20E	95	(29.0)	
	150	N53-49E	83	(25.3)	
	151	N76-54E	88	(26.8)	
	152	N68-21E	68	(20.7)	
	153	N79-16E	59	(18.0)	
	154	N80-18E	77	(23.5)	Ascending North Fork of the Middle Fork Willamette River.
	155	S77-32E	88	(26.8)	
	156	N81-04E	71	(21.6)	
	157	S75-58E	78	(23.8)	
	158	S54-37E	85	(25.9)	
	159	S30-04E	66	(20.1)	
	160	S07-15E	111	(33.8)	
	161	S12-11W	142	(43.3)	
	162	S02-14E	154	(46.9)	
	163	S09-10E	94	(28.7)	
	164	S16-51E	138	(42.1)	
	165	S17-06E	122	(37.2)	
	166	S18-44E	125	(38.1)	
	167	S37-10E	156	(47.5)	
	168	S49-00E	142	(43.3)	
	169	S45-00E	126	(38.4)	
	170	S59-58E	96	(29.3)	
	171				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NE MAP NO. 2	172	N87-44E	76	(23.2)	
	173	S73-58E	83	(25.3)	
	174	S84-07E	68	(20.7)	
	175	S45-00E	86	(26.2)	
	176	S23-34E	120	(36.6)	Ascending North Fork of the Middle Fork Willamette River.
	177	S33-28E	71	(21.6)	
	178	S69-19E	105	(32.0)	
	179	N90-00E	134	(40.8)	
	180	S85-22E	186	(56.7)	
	181	S85-47E	176	(53.6)	
	182	N68-03E	72	(21.9)	
	183	S85-04E	81	(24.7)	
		S68-53E	47	(14.3)	
	184				The confluence of the North Fork of the Middle Fork Willamette River with an unnamed tributary.
	185	N57-38E	84	(25.6)	Ascending unnamed tributary of the North Fork of the Middle Fork Willamette River.
		N51-26E	88	(26.8)	
	186				A point in said unnamed stream which is 200 feet Westerly of and perpendicular to the centerline of USFS Road 1900.00, at said roads intersection with a short spur ridge.
	187	S71-53E	113	(34.4)	
	188	S36-36E	126	(38.4)	Paralleling USFS spur road, 200 feet Westerly of centerline.
	189	S16-23E	159	(48.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. NE MAP NO. 2		S16-02E	174	(53.0)	
	190	S20-26E	109	(33.2)	
	191	S10-30E	126	(38.4)	Paralleling USFS spur road, 200 feet Westerly of centerline.
	192	S15-50E	70	(21.3)	
	193	S19-23E	57	(17.4)	
	194	S31-33E	67	(20.4)	
	195	S66-48E	84	(25.6)	
	196				A point which is 200 feet Westerly of and perpendicular to the centerline of a USFS spur road, and is 200 feet Southerly of the end of said spur road.
		N80-10E	76	(23.2)	
	197	S76-42E	57	(17.4)	
CHUCKSNEY MTN. SE MAP NO. 4	198	N79-46E	135	(41.1)	Ascend.
	199	N81-12E	144	(43.9)	
	200	N81-57E	107	(32.6)	
	201				A point which is 400 feet Easterly of and perpendicular to the tread of USFS Trail #3567.
		S08-57E	199	(60.7)	
	202	S03-11E	234	(71.3)	
	203	S10-26E	127	(38.7)	Paralleling USFS Trail #3567, 400 feet Easterly of the centerline.
	204	S18-35W	242	(73.8)	
	205	S16-27W	265	(80.8)	
	206	S01-00W	180	(54.9)	
	207	S06-51W	176	(53.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY	208				
MTN. SE		S28-47W	104	(31.7)	
MAP NO. 4	209	S05-47W	149	(45.4)	
	210	S04-14E	108	(32.9)	
	211	S20-54E	59	(18.0)	
	212	S45-00E	52	(15.8)	
	213	S25-25E	112	(34.1)	
	214	S16-23E	106	(32.3)	Paralleling USFS Trail #3567, 400 feet Easterly of the centerline.
	215	S21-10E	100	(30.5)	
	216	S38-48E	131	(39.9)	
	217	S64-02E	171	(52.1)	
	218	S31-10E	95	(29.0)	
	219	S60-20E	91	(27.7)	
	220	S60-48E	117	(35.7)	
	221	S01-00E	162	(49.4)	
	222	S33-25E	116	(35.4)	
	223	S18-22E	276	(84.1)	
	224	S16-58E	223	(68.0)	
	225	S20-33E	179	(54.6)	
	226	S08-50E	254	(77.4)	
	227	S26-10E	191	(58.2)	
	228	S32-22E	217	(66.1)	
	229	S35-37E	165	(50.3)	
	230	S33-35E	150	(45.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	231				
	232	S07-23W	163	(49.7)	
	233	S12-21E	271	(82.6)	
	234	S12-54E	246	(75.0)	
	235	S07-23E	350	(106.7)	
	236	S11-30E	291	(88.7)	Paralleling USFS Trail #3567, 400 feet Easterly of the centerline.
	237	S11-34E	299	(91.1)	
	238	S07-47E	207	(63.1)	
	239	S13-03E	212	(64.6)	
	240	S26-44E	158	(48.2)	
	241	S52-26E	115	(35.1)	
	242	S71-50E	138	(42.1)	
	243	S83-06E	217	(66.1)	
	244	S81-15E	158	(48.2)	
	245	S72-31E	133	(40.5)	
		S56-05E	70	(21.3)	
	246				Point in Skookum Creek, which is 400 feet Northerly of and perpendicular to USFS Trail #3567 which point is on the common boundary between the Three Sisters Wild- erness and Waldo Lake Wilderness.
	247	S39-25W	153	(46.6)	Descend Skookum Creek, along said common boundary.
	248	S34-15W	114	(34.7)	
		S24-09W	95	(29.0)	
	249				A point in Skookum Creek at the USFS Trail #3567 crossing, which point is on said common boundary.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	250	S13-22W	104	(31.7)	
	251	S13-48W	180	(54.9)	
	252	S07-36W	257	(78.3)	
	253	S06-01W	306	(93.3)	
	254	S14-54W	226	(68.9)	
	255	S18-09E	257	(78.3)	
	256	S20-58E	193	(58.8)	Along the right edge of USFS Trail #3567, which is the said common boundary.
	257	S29-30E	315	(96.0)	
	258	S39-21E	273	(83.2)	
	259	S01-33W	184	(56.1)	
	260	S11-00E	110	(33.5)	
	261	S28-49E	160	(48.8)	
	262	S16-50E	249	(75.9)	
	263	S02-29E	253	(77.1)	
	264	S02-52E	220	(67.1)	
	265	S23-45E	164	(50.0)	
	266	S34-04E	250	(76.2)	
	267	S03-14E	301	(91.7)	
	268	S06-05W	349	(106.4)	
	269	S29-50W	157	(47.9)	
	270	S71-11W	93	(28.3)	
	271	N80-04W	122	(37.2)	
	272	S83-40W	72	(21.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	273	S58-29W	88	(26.8)	
	274	S03-47E	106	(32.3)	
	275	S12-04E	282	(86.0)	
	276	S18-38E	285	(86.9)	
	277	S32-31E	229	(69.8)	
	278	S79-28E	115	(35.1)	
	279	S88-19E	102	(31.1)	Along the right edge of USFS Trail #3567, which is the said common boundary.
	280	S48-33E	103	(31.4)	
	281	S07-29W	177	(53.9)	
	282	S22-20W	139	(42.4)	
	283	S23-16W	319	(97.2)	
	284	S17-52W	189	(57.6)	
	285	S12-24W	475	(144.8)	
	286	S18-43W	330	(100.6)	
	287	S18-05W	316	(96.3)	
	288	S05-39W	294	(89.6)	
	289	S03-38W	269	(82.0)	
	290	N27-51W	120	(36.6)	
	291	S20-29W	97	(29.6)	
	292	N41-27W	103	(31.4)	
	293	S08-42W	112	(34.1)	
	294	S03-44E	460	(140.2)	
	295	S00-14E	496	(151.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	296	S05-25E	413	(125.9)	
	297	S74-09W	77	(23.5)	
	298	S87-36W	119	(36.3)	
	299	N54-19W	135	(41.1)	
	300	N15-19W	76	(23.2)	
	301	N90-00W	100	(30.5)	
	302	N04-13W	95	(29.0)	Along the right edge of USFS Trail #3567, which is the common boundary.
	303	N49-30W	126	(38.4)	
	304	N04-42W	208	(63.4)	
	305	N77-36W	51	(15.5)	
	306	N37-05W	108	(32.9)	
	307	N03-08W	128	(39.0)	
	308	N44-32W	88	(26.8)	
	309	N39-33W	141	(43.0)	
	310	N07-12E	104	(31.7)	
	311	N52-03W	75	(22.9)	
	312	N58-19W	55	(16.8)	
	313	N65-29W	63	(19.2)	
	314	N62-57W	161	(49.1)	
	315	N50-12W	94	(28.7)	
	316	N72-10W	91	(27.7)	
	317	N89-39W	166	(50.6)	
	318	N77-36W	144	(43.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	319	N18-17W	121	(36.9)	
	320	N71-20W	156	(47.5)	
	321	S37-34W	98	(29.9)	
	322	N30-45W	135	(41.1)	
	323	N41-11W	128	(39.0)	
	324	N88-32W	78	(23.8)	
	325	S22-15W	71	(21.6)	Along the right edge of USFS Trail #3567, which is the said common boundary.
	326	S03-56W	189	(57.6)	
	327	S08-56E	264	(80.5)	
	328	S13-41E	359	(109.4)	
	329	S18-00E	252	(76.8)	
	330	S12-44E	245	(74.7)	
	331	S06-40E	267	(81.4)	
	332	S01-55E	238	(72.5)	
	333	S10-51E	197	(60.0)	
	334	S27-13E	195	(59.4)	
	335	S15-52E	190	(57.9)	
	336	S08-23E	165	(50.3)	
	337	S35-04W	184	(56.1)	
	338	S19-04W	226	(68.9)	
	339	S09-45E	224	(68.3)	
	340	S09-38E	167	(50.9)	
	341	S14-20E	141	(43.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	342	S30-58E	175	(53.3)	
	343	S25-21E	168	(51.2)	
	344	S46-05E	187	(57.0)	
	345	S01-00E	168	(51.2)	
	346	S29-27E	98	(29.9)	
	347	S11-09E	140	(42.7)	
	348	S01-35W	72	(21.9)	Along the right edge of USFS Trail #3567, which is the said common boundary.
	349	S00-28W	242	(73.8)	
	350	S04-39W	198	(60.4)	
	351	S16-00E	141	(43.0)	
	352	S17-08W	224	(68.3)	
	353	S05-47W	367	(111.9)	
	354	S02-40W	300	(91.4)	
	355	S01-00W	252	(76.8)	
	356	S03-52E	148	(45.1)	
	357	S08-39E	140	(42.7)	
	358	S13-26E	116	(35.4)	
	359	S00-29W	118	(36.0)	
	360	S25-56W	121	(36.9)	
	361	S69-16W	110	(33.5)	
	362	S61-09W	135	(41.1)	
	363	S18-11W	74	(22.6)	
	364	S13-30W	129	(39.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4		S07-40W	142	(43.3)	
	365	S03-11W	216	(65.8)	
	366	S05-43W	100	(30.5)	Along the right edge of USFS Trail #3567, which is the said common boundary.
	367	S18-46W	109	(33.2)	
	368	S47-10W	112	(34.1)	
	369	S70-34W	90	(27.4)	
	370	S78-29W	160	(48.8)	
	371	S18-20E	178	(54.3)	
	372				A point on the right (southerly) edge of USFS Trail #3553 at intersection with USFS Trail #3567, which point is the common boundary between Waldo Lake Wild- erness and Three Sisters Wilderness.
		N77-25E	106	(32.3)	
	373	N53-40E	192	(58.5)	
	374	N66-57E	153	(46.6)	
	375	N65-09E	150	(45.7)	
	376	N77-14E	131	(39.9)	Along the right edge of USFS Trail #3553, which is said common boundary.
	377	S88-55E	212	(64.6)	
	378	N68-07E	142	(43.3)	
	379	N59-14E	147	(44.8)	
	380	S73-40E	103	(31.4)	
	381	S54-56E	57	(17.4)	
	382	S28-16E	150	(45.7)	
	383	S23-54E	173	(52.7)	
	384	S30-36E	191	(58.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	385				
		S33-25E	176	(53.6)	
	386	S33-19E	209	(63.7)	
	387	S47-57E	151	(46.0)	
	388	S81-29E	149	(45.4)	
	389	N70-30E	120	(36.6)	
	390	N65-45E	100	(30.5)	
	391	N66-40E	119	(36.3)	Along the right edge of USFS Trail #3553, which is said common boundary.
	392	N59-41E	123	(37.5)	
	393	N67-40E	79	(24.1)	
	394	S37-03E	66	(20.1)	
	395	S24-39E	213	(64.9)	
	396	S67-05E	105	(32.0)	
	397	S60-05E	130	(39.6)	
	398	S03-11E	144	(43.9)	
	399	S52-02E	104	(31.7)	
	400	S47-19E	122	(37.2)	
	401	N79-00E	178	(54.3)	
	402	S30-36E	82	(25.0)	
	403	S42-43E	106	(32.3)	
	404	S38-57E	121	(36.9)	
	405	N17-11E	102	(31.1)	
	406	S79-37E	61	(18.6)	
	407	S52-14E	129	(39.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	408				
		S38-44E	123	(37.5)	
	409	S41-22E	201	(61.3)	
	410	S67-16E	160	(48.8)	
	411	N17-04W	133	(40.5)	
	412	N28-14W	108	(32.9)	
	413	N57-18W	96	(29.3)	
	414	N36-08W	124	(37.8)	Along the right edge of USFS Trail #3553, which is said common boundary.
	415	N10-44W	97	(29.6)	
	416	N12-11E	128	(39.0)	
	417	N29-01E	126	(38.4)	
	418	N72-03E	110	(33.5)	
	419	S34-06E	78	(23.8)	
	420	S40-06E	124	(37.8)	
	421	S49-03E	200	(61.0)	
	422	S45-19E	257	(78.3)	
	423	S54-34E	200	(61.0)	
	424	S40-55E	198	(60.4)	
	425	S41-46E	239	(72.8)	
	426	S47-28E	231	(70.4)	
	427	S62-09E	139	(42.4)	
	428	N27-39E	95	(29.0)	
	429	N11-19W	56	(17.1)	
	430	N38-26W	80	(24.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY	431				
MTN. SE		N17-53W	133	(40.5)	
MAP NO. 4	432	N28-39W	123	(37.5)	
	433	N37-38W	121	(36.9)	
	434	N40-18W	147	(44.8)	
	435	N31-52W	174	(53.0)	
	436	N30-26W	166	(50.6)	
	437	N23-45W	137	(41.8)	Along the right edge of USFS Trail #3553, which is said common boundary.
	438	N18-44W	121	(36.9)	
	439	N04-00E	100	(30.5)	
	440	N30-39E	94	(28.7)	
	441	N71-05E	74	(22.6)	
	442	S81-25E	127	(38.7)	
	443	S70-08E	88	(26.8)	
	444	S35-47E	106	(32.3)	
	445	S23-34E	223	(68.0)	
	446	S50-12E	187	(57.0)	
	447	S09-42E	77	(23.5)	
	448	S31-26E	84	(25.6)	
	449	S39-03E	157	(47.9)	
	450	S51-20E	173	(52.7)	
	451	S54-56E	279	(85.0)	
	452	S60-45E	201	(61.3)	
	453	S85-10E	143	(43.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

CHUCKSNEY MTN. SE MAP NO. 4	454				
		N80-15E	165	(50.3)	
	455				
		N51-35E	265	(80.8)	
	456				
		N51-53E	147	(44.8)	
	457				
		N64-09E	108	(32.9)	Along the right edge of USFS Trail #3553, which is said common boundary.
	458				
		N86-56E	131	(39.9)	
	459				
		N85-22E	148	(45.1)	
	460				
		S77-31E	134	(40.8)	
	461				
		N70-55E	141	(43.0)	
	462				
		N43-32E	138	(42.1)	

	463				A point on the South edge of USFS Trail #3553 which is the common boundary between Waldo Lake Wilderness and Three Sisters Wilderness.

		N72-57E	170	(51.8)	
	464				
		S83-29E	106	(32.3)	
	465				
		N78-21E	99	(30.2)	Ascend along the right edge of USFS Trail #3553.
	466				
		N38-07E	83	(25.3)	
	467				
		N27-20E	100	(30.5)	
	468				
		N77-46E	61	(18.6)	
	469				
		S84-17E	30	(9.1)	

	470				A point on the right (southerly) edge of USFS Trail #3553 which is 200 feet Southerly of and perpendicular to the centerline of USFS Road 5898.517.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	471	N82-22E	83	(25.3)	
	472	N80-09E	123	(37.5)	
	473	N80-42E	111	(33.8)	
	474	S76-46E	105	(32.0)	
	475	S55-00E	183	(55.8)	Parallelling USFS Road 5898.517, 200 feet Southerly of and perpendicular to the centerline of any improvements at the Taylor Burn Guard Station.
	476	S35-26E	128	(39.0)	
	477	S52-33E	118	(36.0)	
	478	S72-55E	160	(48.8)	
	479	S87-24E	154	(46.9)	
	480	N89-33E	126	(38.4)	
	481	N63-11E	104	(31.7)	
	482	N41-43E	123	(37.5)	
	483	N38-33E	88	(26.8)	
	484	N49-24E	92	(28.0)	
		N66-07E	77	(23.5)	
	485				A point which is 200 feet Southerly of and perpendicular to USFS Road 5898.517.
	486	N90-00E	72	(21.9)	
	487	S45-00E	69	(21.0)	
	488	S17-28E	113	(34.4)	Paralleling USFS Road 5898.517, 200 feet Southerly of centerline.
	489	S09-23E	123	(37.5)	
	490	S11-23E	147	(44.8)	
	491	S29-42E	147	(44.8)	
		S47-10E	150	(45.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	492				
	493	S60-54E	111	(33.8)	
	494	S83-21E	60	(18.3)	
	495	S60-05E	84	(25.6)	
	496	S60-53E	90	(27.4)	
	497	S77-22E	119	(36.3)	
	498	N75-00E	58	(17.7)	
	499	S40-20E	70	(21.3)	Paralleling USFS Road 5898.517, 200 feet Southerly of centerline.
	500	S44-10E	194	(59.1)	
	501	S48-25E	166	(50.6)	
	502	S64-17E	180	(54.9)	
	503	S66-00E	189	(57.6)	
	504	S55-38E	234	(71.3)	
	505	S74-06E	299	(91.1)	
	506	S71-48E	157	(47.9)	
	507	S88-12E	222	(67.7)	
	508	S83-32E	213	(64.9)	
	509	S87-57E	140	(42.7)	
	510	S87-53E	108	(32.9)	
	511	S62-36E	182	(55.5)	
	512	S62-02E	275	(83.8)	
	513	S71-11E	282	(86.0)	
	514	S69-27E	188	(57.3)	
		S72-51E	254	(77.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY	515				
MTN. SE		S56-53E	82	(25.0)	
MAP NO. 4	516				
		S37-28E	210	(64.0)	
	517				
		S53-08E	230	(70.1)	
	518				
		S60-07E	217	(66.1)	
	519				
		S72-20E	142	(43.3)	
	520				
		S61-52E	115	(35.1)	
	521				
		S43-03E	145	(44.2)	Paralleling USFS Road 5898.517, 200 feet Southerly of centerline.
	522				
		S62-54E	97	(29.6)	
	523				
		S77-08E	283	(86.3)	
	524				
		S76-06E	300	(91.4)	
	525				
		S81-38E	371	(113.1)	
	526				
		S88-20E	206	(62.8)	
	527				
		N82-52E	97	(29.6)	
	528				
		S63-40E	113	(34.4)	
	529				
		S76-41E	135	(41.1)	
	530				
		S84-46E	143	(43.6)	
	531				
		N86-38E	204	(62.2)	
	532				
		N64-31E	188	(57.3)	
	533				
		N51-45E	132	(40.2)	
	534				
		N76-50E	97	(29.6)	
	535				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4		N75-04E	109	(33.2)	
	536	N56-19E	83	(25.3)	
	537	S86-07E	118	(36.0)	
	538	S66-11E	84	(25.6)	
	539	S79-42E	112	(34.1)	
	540	N85-43E	80	(24.4)	
	541	S83-25E	79	(24.1)	Paralleling USFS Road 5898.517, 200 feet Southerly of centerline.
	542	N73-18E	94	(28.7)	
	543	N63-06E	225	(68.6)	
	544	N82-05E	116	(35.4)	
IRISH MOUNTAIN MAP NO. 3	545	N62-14E	107	(32.6)	
	546	N37-13E	198	(60.4)	
	547	N57-25E	115	(35.1)	
	548	N73-14E	87	(26.5)	
	549	N80-13E	118	(36.0)	
	550	N73-56E	130	(39.6)	
	551	N60-15E	121	(36.9)	
	552	N44-15E	54	(16.5)	
	553	N68-23E	57	(17.4)	
	554	N77-28E	92	(28.0)	
	555	N68-12E	124	(37.8)	
	556	N69-09E	211	(64.3)	
	557	N76-18E	203	(61.9)	
	558	N01-00E	190	(57.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 3	559				
		N79-07E	212	(64.6)	
	560				
		S86-56E	280	(85.3)	
	561				
		S80-16E	249	(75.9)	
	562				
		S80-29E	206	(62.8)	
	563				
		S54-58E	118	(36.0)	Paralleling USFS Road 5898.517, 200 feet Southerly of centerline.
	564				
		S50-40E	186	(56.7)	
	565				
		S63-26E	168	(51.2)	
	566				
		S67-01E	207	(63.1)	
	567				
		S56-43E	230	(70.1)	
	568				
		S55-07E	294	(89.6)	
	569				
		S63-32E	265	(80.8)	
	570				
		S59-37E	168	(51.2)	
	571				
		S72-33E	167	(50.9)	
	572				
		N73-55E	108	(32.9)	
	573				
		N80-36E	165	(50.3)	
	574				
		S76-45E	266	(81.1)	
	575				
		S61-38E	200	(61.0)	
	576				
		S37-18E	216	(65.8)	
	577				
		S34-29E	240	(73.2)	
	578				
		S23-08E	239	(72.8)	

	579				A point which is 200 feet Westerly of and perpendicular to the intersection of centerline of USFS Road 5898.514 and USFS Road 5898.517.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 3		S31-04W	444	(135.3)	
	580	S36-54W	401	(122.2)	
	581	S31-26W	253	(77.1)	
	582	S46-56W	356	(108.5)	
	583	S61-03W	269	(82.0)	
	584	S54-14W	207	(63.1)	
	585	S61-09W	292	(89.0)	Paralleling USFS Road 5898.514, 200 feet Westerly of centerline.
	586	S47-06W	328	(100.0)	
	587	S47-16W	393	(119.8)	
	588	S49-32W	179	(54.6)	
	589	S68-26W	139	(42.4)	
	590	S67-26W	321	(97.8)	
	591	S64-39W	189	(57.6)	
	592	S52-31W	151	(46.0)	
	593	S37-16W	200	(61.0)	
	594	S29-01W	157	(47.9)	
	595	S54-31W	107	(32.6)	
	596	S40-19W	130	(39.6)	
	597	S83-47W	157	(47.9)	
	598	S87-39W	170	(51.8)	
	599	S87-02W	174	(53.0)	
	600	S56-14W	214	(65.2)	
	601	S47-25W	368	(112.2)	
	602	S54-17W	289	(88.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 3	603				
		S48-54W	301	(91.7)	
	604				
		S49-53W	258	(78.6)	
	605				
		S41-31W	198	(60.4)	
	606				
		S36-24W	123	(37.5)	
	607				
		S09-16W	143	(43.6)	
	608				
		S22-21W	116	(35.4)	
	609				
CHUCKSNEY MTN. SE MAP NO. 4		S63-11W	104	(31.7)	Paralleling USFS Road 5898.514, 200 feet Westerly of centerline.
	610				
		S67-58W	136	(41.5)	
	611				
		S64-28W	148	(45.1)	
	612				
		S80-27W	102	(31.1)	
	613				
		S71-12W	248	(75.6)	
	614				
		S62-34W	206	(62.8)	
	615				
		S56-07W	165	(50.3)	
	616				
		S45-17W	144	(43.9)	
	617				
		S38-26W	154	(46.9)	
	618				
		S32-36W	132	(40.2)	
	619				
		S03-18E	156	(47.5)	
	620				
		S14-02E	132	(40.2)	
	621				
		S26-22E	133	(40.5)	
	622				
		S26-20E	108	(32.9)	
	623				
		S08-34W	148	(45.1)	
	624				
		S22-49W	116	(35.4)	
	625				
		S04-37E	124	(37.8)	
	626				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4		S33-29E	152	(46.3)	
	627	S48-49E	149	(45.4)	
	628	S54-21E	122	(37.2)	
	629	S50-29E	126	(38.4)	
	630	S59-39E	129	(39.3)	
	631	S53-24E	257	(78.3)	
	632	S40-38E	204	(62.2)	Paralleling USFS Road 5898.514, 200 feet Westerly of centerline.
	633	S52-45E	278	(84.7)	
	634	S41-56E	265	(80.8)	
	635	S30-56E	270	(82.3)	
IRISH MOUNTAIN MAP NO. 3	636	S35-48E	234	(71.3)	
	637	S12-46E	317	(96.6)	
	638	S03-05E	315	(96.0)	
	639	S00-31E	219	(66.8)	
	640	S07-34W	228	(69.5)	
	641	S00-19W	184	(56.1)	
	642	S04-46E	157	(47.9)	
	643	S17-25W	177	(53.9)	
	644	S29-21W	202	(61.6)	
	645	S27-30W	136	(41.5)	
	646	S07-10W	160	(48.8)	
	647	S01-45W	164	(50.0)	
	648	S15-51E	267	(81.4)	
	649	S22-16E	203	(61.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 3	650				
		S01-00E	219	(66.8)	
	651				
		S21-32E	275	(83.8)	
	652				
		S20-56E	232	(70.7)	
	653				
		S14-13E	151	(46.0)	
	654				
		S11-23W	167	(50.9)	
	655				
		S12-30W	282	(86.0)	
	656				
		S21-13W	202	(61.6)	Paralleling USFS Road 5898.514, 200 feet Westerly of centerline.
	657				
		S29-37W	109	(33.2)	
	658				
		S13-18E	113	(34.4)	
	659				
		S07-37E	158	(48.2)	
	660				
		S00-00W	146	(44.5)	
	661				
		S22-45W	202	(61.6)	
	662				
		S28-19W	204	(62.2)	
	663				
		S45-49W	99	(30.2)	
	664				
		S10-20W	162	(49.4)	
	665				
		S01-30E	190	(57.9)	
	666				
		S06-45E	366	(111.6)	
	667				
		S15-11E	229	(69.8)	
	668				
		S03-22E	102	(31.1)	
	669				
		S32-42W	113	(34.4)	
	670				
		S24-10W	139	(42.4)	
	671				
		S10-28E	132	(40.2)	
	672				
		S27-26E	148	(45.1)	
	673				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
IRISH MOUNTAIN MAP NO. 3		S24-03E	133	(40.5)	
	674	S20-37E	108	(32.9)	
	675	S25-22W	107	(32.6)	
	676	S24-50W	207	(63.1)	Paralleling USFS Road 5898.514, 200 feet Westerly of centerline.
	677	S35-01W	155	(47.2)	
	678	S48-14W	138	(42.1)	
	679	S45-14W	177	(53.9)	
	680	S63-47W	145	(44.2)	
	681	S54-41W	88	(26.8)	
	682	S79-24W	125	(38.1)	
	683	S31-22W	123	(37.5)	
	684	S40-48W	222	(67.7)	
CHUCKSNEY MTN. SE MAP NO. 4	685				A point which is 200 feet Northerly of and perpendicular to the centerline of USFS Road 5898.515.
		N80-13W	177	(53.9)	
	686	N87-24W	287	(87.5)	
	687	S84-11W	266	(81.1)	Paralleling USFS Road 5898.515, 200 feet Northerly of the centerline and any improvements at North Waldo Campground.
	688	S74-11W	187	(57.0)	
	689	S68-42W	190	(57.9)	
	690	S54-38W	152	(46.3)	
	691	S42-56W	157	(47.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	692			A point which is 200 feet Northerly of and perpendicular to the centerline of USFS Road 5898.515 and any improvements at North Waldo Campground which is 100 feet Northeasterly of and perpendicular to the tread of USFS Trail #3590.
	693	N36-52W	255 (77.7)	
	694	N50-24W	218 (66.4)	
	695	N62-30W	245 (74.7)	
	696	N69-53W	334 (101.8)	
	697	S86-53W	202 (61.6)	Paralleling USFS Trail #3590, 100 feet Northerly of centerline.
	698	S80-21W	209 (63.7)	
	699	N89-13W	218 (66.4)	
	700	N67-02W	292 (89.0)	
	701	N68-40W	206 (62.8)	
	702	N67-38W	189 (57.6)	
	703	S86-16W	199 (60.7)	
	704	S78-30W	231 (70.4)	
	705	S84-41W	270 (82.3)	
	706	S73-30W	159 (48.5)	
	707	S53-36W	123 (37.5)	
	708	S34-03W	179 (54.6)	
	709	S34-16W	163 (49.7)	
	710	S45-20W	124 (37.8)	
	711	N71-46W	176 (53.6)	
		N67-36W	142 (43.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	712				
		N78-34W	86	(26.2)	
	713	S88-09W	124	(37.8)	
	714	N81-31W	163	(49.7)	
	715	N68-50W	186	(56.7)	
	716	N68-37W	129	(39.3)	
	717	S86-44W	140	(42.7)	
	718	S75-05W	159	(48.5)	Paralleling USFS Trail #3590, 100 feet Northerly of centerline.
	719	S81-36W	151	(46.0)	
	720	N74-10W	271	(82.6)	
	721	N55-18W	221	(67.4)	
	722	N01-00W	137	(41.8)	
	723	S88-27W	148	(45.1)	
	724	S73-47W	115	(35.1)	
	725	S64-11W	103	(31.4)	
	726	S30-06W	203	(61.9)	
	727	S43-34W	199	(60.7)	
	728	S52-40W	101	(30.8)	
	729	S65-58W	172	(52.4)	
	730	S82-42W	126	(38.4)	
	731	N71-44W	207	(63.1)	
	732	N69-27W	256	(78.0)	
	733	N65-12W	291	(88.7)	
	734	N53-25W	242	(73.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	735				
		N46-55W	233	(71.0)	
	736				
		N47-37W	139	(42.4)	
	737				
		N64-32W	70	(21.3)	
	738				
		S86-30W	98	(29.9)	
	739				
		S77-23W	147	(44.8)	
	740				
		N87-32W	209	(63.7)	
	741				
		N63-07W	246	(75.0)	Paralleling USFS Trail #3590, 100 feet Northerly of centerline.
	742				
		N57-42W	241	(73.5)	
	743				
		N57-16W	250	(76.2)	
	744				
		N59-11W	277	(84.4)	
	745				
		N70-43W	297	(90.5)	
	746				
		N71-47W	243	(74.1)	
	747				
		N80-10W	281	(85.6)	
	748				
		N83-59W	219	(66.8)	
	749				
		N89-44W	214	(65.2)	
	750				
		S77-10W	221	(67.4)	
	751				
		S69-15W	141	(43.0)	
	752				
		S45-11W	224	(68.3)	
	753				
		S41-07W	157	(47.9)	
	754				
		S62-43W	107	(32.6)	
	755				
		N87-08W	120	(36.6)	
	756				
		N67-03W	149	(45.4)	
	757				
		N33-54W	231	(70.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	758				
	759	N27-14W	426	(129.8)	
	760	N30-28W	276	(84.1)	
	761	N43-55W	225	(68.6)	
	762	N44-24W	134	(40.8)	
	763	N16-34W	88	(26.8)	
	764	N04-46W	144	(43.9)	
	765	N13-30W	184	(56.1)	Paralleling USFS Trail #3590, 100 feet Northerly of centerline.
	766	N19-18W	188	(57.3)	
	767	N29-11W	88	(26.8)	
	768	N66-21W	150	(45.7)	
	769	N84-02W	202	(61.6)	
	770	N89-31W	120	(36.6)	
	771	S77-20W	91	(27.7)	
	772	S21-35W	190	(57.9)	
	773	S15-20W	193	(58.8)	
	774	S10-14W	135	(41.1)	
	775	S30-30W	104	(31.7)	
	776	S37-12W	104	(31.7)	
	777	S43-38W	59	(18.0)	
	778	S14-07W	172	(52.4)	
	779	S17-05E	160	(48.8)	
	780	S14-41E	150	(45.7)	
		S43-39E	180	(54.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY	781				
MTN. SE		S40-09E	150	(45.7)	
MAP NO. 4	782				
		S11-28E	141	(43.0)	
	783				
		S12-38E	188	(57.3)	
	784				
		S12-17E	150	(45.7)	
	785				
		S23-29E	208	(63.4)	
	786				
		S27-32E	184	(56.1)	
	787				
		S21-16E	160	(48.8)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	788				
		S07-27E	224	(68.3)	
	789				
		S10-03E	178	(54.3)	
	790				
		S03-32W	162	(49.4)	
	791				
		S28-09W	178	(54.3)	
	792				
		S21-51W	191	(58.2)	
	793				
		S44-42W	266	(81.1)	
	794				
		S36-31W	264	(80.5)	
	795				
		S25-22W	299	(91.1)	
	796				
		S20-53W	362	(110.3)	
	797				
		S07-05W	203	(61.9)	
	798				
		S07-35W	250	(76.2)	
	799				
		S00-50E	274	(83.5)	
	800				
		S39-20E	186	(56.7)	
	801				
		S45-00E	187	(57.0)	
	802				
		S48-01E	188	(57.3)	
	803				
		S68-55E	192	(58.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	804				
		S85-34E	155	(47.2)	
	805				
		N89-18E	82	(25.0)	
	806				
		S56-03E	122	(37.2)	
	807				
		S27-57E	166	(50.6)	
	808				
		S28-30E	119	(36.3)	
	809				
		S24-23E	70	(21.3)	
	810				
		S05-54W	117	(35.7)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	811				
		S10-37W	81	(24.7)	
	812				
		S38-34E	101	(30.8)	
	813				
		S31-36E	137	(41.8)	
	814				
		S17-52E	95	(29.0)	
	815				
		S02-39E	130	(39.6)	
	816				
		S06-08W	159	(48.5)	
	817				
		S02-31W	182	(55.5)	
	818				
		S09-17W	105	(32.0)	
WALDO LAKE NE MAP NO. 7	819				
		S17-04W	106	(32.3)	
	820				
		S26-34W	49	(14.9)	
	821				
		S51-06W	73	(22.3)	
	822				
		N84-27W	72	(21.9)	
	823				
		N72-33W	167	(50.9)	
	824				
		N71-23W	103	(31.4)	
	825				
		N61-14W	58	(17.7)	
	826				
		S68-58W	70	(21.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO	827				
LAKE NE		S35-24W	93	(28.3)	
MAP NO. 7	828				
		S00-31W	110	(33.5)	
	829				
		S11-09E	135	(41.1)	
	830				
		S20-23W	75	(22.9)	
	831				
		S18-26W	98	(29.9)	
	832				
		S18-53W	120	(36.6)	
	833				
		S19-56W	85	(25.9)	Paralleling USFS TRail #3590, 100 feet Northerly of centerline.
	834				
		S15-31W	56	(17.1)	
	835				
		S08-14E	77	(23.5)	
	836				
		S08-37E	67	(20.4)	
	837				
		S11-07E	57	(17.4)	
	838				
		S07-07E	48	(14.6)	
	839				
		S18-47W	53	(16.2)	
	840				
		N65-54W	42	(12.8)	
	841				
		N70-48W	143	(43.6)	
	842				
		N61-25W	165	(50.3)	
	843				
		N60-21W	150	(45.7)	
	844				
		N86-51W	91	(27.7)	
	845				
		N64-06W	78	(23.8)	
	846				
		N85-14W	108	(32.9)	
	847				
		N84-05W	107	(32.6)	
	848				
		S75-07W	132	(40.2)	
	849				
		S87-37W	168	(51.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	850				
		N88-27W	148	(45.1)	
	851				
		N86-58W	132	(40.2)	
	852				
		N77-54W	100	(30.5)	
	853				
		N86-36W	84	(25.6)	
	854				
		N74-56W	135	(41.1)	
	855				
		N79-33W	105	(32.0)	
	856				
		N80-33W	103	(31.4)	Paralleling USFS Trail #3590, 100 feet Northerly of centerline.
	857				
		S68-06W	105	(32.0)	
	858				
		S58-46W	110	(33.5)	
	859				
		S55-50W	68	(20.7)	
	860				
		S51-47W	60	(18.3)	
	861				
		N76-24W	64	(19.5)	
	862				
		N64-36W	110	(33.5)	
	863				
		N01-00W	157	(47.9)	
	864				
		N67-01W	136	(41.5)	
	865				
		N75-23W	143	(43.6)	
	866				
		N64-25W	79	(24.1)	
	867				
		N23-20W	119	(36.3)	
	868				
		N17-56W	107	(32.6)	
	869				
		N27-55W	209	(63.7)	
	870				
		N37-22W	160	(48.8)	
	871				
		N33-47W	167	(50.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	872				
		N40-33W	109	(33.2)	
	873				
		N19-45E	41	(12.5)	
CHUCKSNEY MTN. SE MAP NO. 4	874				
		N39-43W	169	(51.5)	
	875				
		N37-57W	202	(61.6)	
	876				
		N50-25W	202	(61.6)	
	877				
		N76-45W	196	(59.7)	
	878				
		S77-47W	161	(49.1)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	879				
		S47-26W	183	(55.8)	
	880				
		S34-20W	149	(45.4)	
	881				
		S02-44E	168	(51.2)	
WALDO LAKE NE MAP NO. 7	882				
		S01-57W	88	(26.8)	
	883				
		S20-23W	149	(45.4)	
	884				
		S25-30W	170	(51.8)	
	885				
		S34-27W	147	(44.8)	
	886				
		S28-58W	202	(61.6)	
	887				
		S26-34W	163	(49.7)	
	888				
		S13-41W	118	(36.0)	
	889				
		S10-18E	89	(27.1)	
	890				
		S27-19E	102	(31.1)	
	891				
		S33-50E	106	(32.3)	
	892				
		S25-01E	83	(25.3)	
	893				
		S04-27W	90	(27.4)	
	894				
		S26-46W	127	(38.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	895				
		S39-52W	126	(38.4)	
	896				
		S51-07W	119	(36.3)	
	897				
		S51-20W	51	(15.5)	
	898				
		S14-33W	107	(32.6)	
	899				
		S02-09W	294	(89.6)	
	900				
		S05-00W	332	(101.2)	
	901				
		S00-30W	338	(103.0)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	902				
		S01-07E	206	(62.8)	
	903				
		S09-28W	103	(31.4)	
	904				
		S26-08W	182	(55.5)	
	905				
		S22-23W	184	(56.1)	
	906				
		S25-08W	125	(38.1)	
	907				
		S05-03W	102	(31.1)	
	908				
		S03-49E	210	(64.0)	
	909				
		S00-38E	272	(82.9)	
	910				
		S08-08W	198	(60.4)	
	911				
		S06-30W	229	(69.8)	
	912				
		S14-06W	205	(62.5)	
	913				
		S08-55W	206	(62.8)	
	914				
		S03-49W	210	(64.0)	
	915				
		S01-35E	218	(66.4)	
	916				
		S02-15E	204	(62.2)	
	917				
		S15-26E	218	(66.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	918				
		S16-05E	224	(68.3)	
	919				
		S24-06E	176	(53.6)	
	920				
		S43-33E	167	(50.9)	
	921				
		S53-36E	170	(51.8)	
	922				
		S13-36E	64	(19.5)	
	923				
		S11-14W	139	(42.4)	
	924				
		S06-36E	165	(50.3)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	925				
		S10-33E	104	(31.7)	
	926				
		S04-50W	143	(43.6)	
	927				
		S15-53W	135	(41.1)	
	928				
		S07-42W	149	(45.4)	
	929				
		S20-47E	116	(35.4)	
	930				
		S03-31E	114	(34.7)	
	931				
		S22-30W	139	(42.4)	
	932				
		S30-58W	134	(40.8)	
	933				
		S21-24W	134	(40.8)	
	934				
		S10-50W	191	(58.2)	
	935				
		S18-26W	145	(44.2)	
	936				
		S14-07W	160	(48.8)	
	937				
		S08-14W	168	(51.2)	
	938				
		S06-48E	177	(53.9)	
	939				
		S01-00W	86	(26.2)	
	940				
		S15-11E	256	(78.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	941				
		S21-04E	234	(71.3)	
	942				
		S22-09E	249	(75.9)	
	943				
		S29-59E	240	(73.2)	
	944				
		S31-18E	200	(61.0)	
	945				
		S34-31E	268	(81.7)	
	946				
		S33-32E	203	(61.9)	
	947				
		S33-33E	114	(34.7)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	948				
		S15-07E	104	(31.7)	
	949				
		S13-19E	78	(23.8)	
	950				
		S00-46E	224	(68.3)	
	951				
		S02-02W	366	(111.6)	
	952				
		S05-43E	161	(49.1)	
	953				
		S12-16E	165	(50.3)	
	954				
		S14-27E	200	(61.0)	
	955				
		S28-39E	111	(33.8)	
	956				
		S75-04E	62	(18.9)	
	957				
		N73-10E	79	(24.1)	
	958				
		N22-50E	41	(12.5)	
	959				
		S77-54E	100	(30.5)	
	960				
		S58-41E	167	(50.9)	
	961				
		S39-52E	111	(33.8)	
	962				
		S08-57E	148	(45.1)	
	963				
		S19-02E	153	(46.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	964				
		S06-27E	169	(51.5)	
	965				
		S09-54E	128	(39.0)	
	966				
		S15-30E	123	(37.5)	
	967				
		S46-55E	85	(25.9)	
	968				
		S74-51E	50	(15.2)	
	969				
		S34-51E	68	(20.7)	
	970				
		S18-35E	116	(35.4)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	971				
		S32-42E	80	(24.4)	
	972				
		S55-53E	75	(22.9)	
	973				
		S26-51E	91	(27.7)	
	974				
		S31-13E	160	(48.8)	
	975				
		S31-51E	190	(57.9)	
	976				
		S31-32E	155	(47.2)	
	977				
		S44-25E	139	(42.4)	
	978				
		S39-26E	58	(17.7)	
	979				
		S67-15E	67	(20.4)	
	980				
		S63-26E	60	(18.3)	
	981				
		S71-34E	44	(13.4)	
	982				
		S26-34E	56	(17.1)	
	983				
		S02-26E	118	(36.0)	
	984				
		S05-25E	95	(29.0)	
	985				
		S04-42E	134	(40.8)	
	986				
		S01-22W	126	(38.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	987				
		S32-18W	103	(31.4)	
	988				
		S32-14W	240	(73.2)	
	989				
		S35-55W	157	(47.9)	
	990				
		S41-33W	106	(32.3)	
	991				
		S49-09W	49	(14.9)	
	992				
		S77-40W	197	(60.0)	
	993				
		S67-21W	138	(42.1)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	994				
		S60-20W	166	(50.6)	
	995				
		S39-27W	124	(37.8)	
	996				
		S42-44W	143	(43.6)	
	997				
		S53-41W	103	(31.4)	
	998				
		S30-17W	145	(44.2)	
	999				
		S33-05W	79	(24.1)	
1000					
		S39-04W	109	(33.2)	
1001					
		S41-27W	103	(31.4)	
1002					
		S26-43W	174	(53.0)	
1003					
		S27-40W	187	(57.0)	
1004					
		S49-21W	224	(68.3)	
1005					
		S55-02W	162	(49.4)	
1006					
		S63-04W	141	(43.0)	
1007					
		S69-24W	151	(46.0)	
1008					
		S70-27W	179	(54.6)	
1009					
		S56-27W	118	(36.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1010				
		S48-16W	149	(45.4)	
	1011	S43-13W	183	(55.8)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	1012	S39-16W	149	(45.4)	
	1013	S45-22W	112	(34.1)	
	1014				A point which is 100 feet Westerly of and perpendicular to USFS Trail #3590, and 800 feet Northerly of the Klov Dahl Bay Tunnel.
		S37-04W	118	(36.0)	
	1015	S35-08W	198	(60.4)	
	1016	S21-53W	121	(36.9)	
	1017	S01-00W	145	(44.2)	Descend.
	1018	S14-29W	124	(37.8)	
	1019	S19-17W	64	(19.5)	
	1020	S03-49W	30	(9.1)	
	1021				A point in the Klov Dahl Bay outlet stream which point is 200 feet downstream from the outlet.
		S02-27E	70	(21.3)	
	1022	S14-51E	137	(41.8)	
	1023	S24-18E	170	(51.8)	Ascend.
	1024	S30-51E	185	(56.4)	
	1025	S23-17E	172	(52.4)	
	1026	S25-53E	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1027				A point which is 100 feet Westerly of and perpendicular to USFS Trail #3590 and 800 feet Southerly of the Klov Dahl Bay Tunnel
		S36-18E	140	(42.7)	
	1028	S29-48E	143	(43.6)	
	1029	S26-13E	75	(22.9)	
	1030	S07-33E	99	(30.2)	
	1031	S04-13E	122	(37.2)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	1032	S11-03E	130	(39.6)	
	1033	S33-16E	111	(33.8)	
	1034	S64-43E	80	(24.4)	
	1035	S70-10E	103	(31.4)	
	1036	N89-12E	72	(21.9)	
	1037	S53-50E	64	(19.5)	
	1038	S21-26E	85	(25.9)	
	1039	S19-14E	182	(55.5)	
	1040	S07-44E	223	(68.0)	
	1041	S09-45E	201	(61.3)	
	1042	S31-21E	156	(47.5)	
	1043	S40-20E	113	(34.4)	
	1044	N87-41E	74	(22.6)	
	1045	N87-01E	96	(29.3)	
	1046	N74-29E	56	(17.1)	
	1047	S01-00E	94	(28.7)	
	1048				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		S34-29E	101	(30.8)	
	1049	S15-13E	118	(36.0)	
	1050	S04-51E	106	(32.3)	
	1051	S07-07E	73	(22.3)	
	1052	S21-32W	123	(37.5)	
	1053	S31-57W	100	(30.5)	
	1054	S45-00W	82	(25.0)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	1055	S18-37W	103	(31.4)	
	1056	S06-17W	128	(39.0)	
	1057	S00-23W	152	(46.3)	
	1058	S09-56E	98	(29.9)	
	1059	S40-49E	87	(26.5)	
	1060	S37-14E	63	(19.2)	
	1061	S00-29E	118	(36.0)	
	1062	S14-13E	77	(23.5)	
	1063	S34-17E	80	(24.4)	
	1064	S63-26E	119	(36.3)	
	1065	S57-19E	252	(76.8)	
	1066	S33-18E	80	(24.4)	
	1067	S06-49E	93	(28.3)	
	1068	S32-42W	80	(24.4)	
	1069	S13-44W	185	(56.4)	
	1070	S08-38E	227	(69.2)	
	1071				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		S24-28E	183	(55.8)	
	1072	S19-56E	229	(69.8)	
	1073	S32-23E	269	(82.0)	
	1074	S30-42E	192	(58.5)	
	1075	S40-28E	99	(30.2)	
	1076	S33-15E	108	(32.9)	
	1077	S09-56E	122	(37.2)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	1078	S01-55W	120	(36.6)	
	1079	S02-42W	148	(45.1)	
	1080	S17-01E	154	(46.9)	
	1081	S14-09E	241	(73.5)	
	1082	S04-24W	52	(15.8)	
	1083	S19-14W	182	(55.5)	
	1084	S05-29W	230	(70.1)	
	1085	S08-17E	167	(50.9)	
	1086	S08-23E	158	(48.2)	
	1087	S06-56E	216	(65.8)	
	1088	S00-32W	106	(32.3)	
	1089	S03-07E	110	(33.5)	
	1090				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1091	S47-24E	84	(25.6)	
	1092	S56-46E	104	(31.7)	
	1093	S71-58E	133	(40.5)	
	1094	S86-01E	158	(48.2)	
	1095	N87-41E	222	(67.7)	
	1096	N85-34E	116	(35.4)	
	1097	S64-11E	69	(21.0)	Paralleling USFS Trail #3590, 100 feet Westerly of centerline.
	1098	S41-29E	92	(28.0)	
	1099	S26-22E	128	(39.0)	
	1100	S19-26E	144	(43.9)	
	1101	S33-41E	112	(34.1)	
	1102	S46-36E	76	(23.2)	
	1103	S65-30E	99	(30.2)	
	1104	S66-40E	119	(36.3)	
	1105	S25-51E	108	(32.9)	
	1106	S14-13E	151	(46.0)	
	1107	S31-16E	98	(29.9)	
	1108	S67-59E	197	(60.0)	
	1109	N56-32E	71	(21.6)	
	1110	N80-41E	130	(39.6)	
	1111	S87-44E	126	(38.4)	
	1112	N84-52E	78	(23.8)	
	1113	N78-28E	200	(61.0)	
	1114	N59-19E	143	(43.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N58-06E	178	(54.3)	
	1115	N55-50E	166	(50.6)	
	1116	N60-18E	147	(44.8)	
	1117	N46-32E	106	(32.3)	
	1118	N16-13E	90	(27.4)	
	1119	N05-19E	173	(52.7)	
	1120	N05-03E	148	(45.1)	Paralleling USFS Trail #3590, 100 feet Easterly of centerline.
	1121	N20-06E	175	(53.3)	
	1122	N41-09E	169	(51.5)	
	1123	N45-39E	186	(56.7)	
	1124	N61-09E	213	(64.9)	
	1125	N45-37E	194	(59.1)	
	1126	N66-48E	99	(30.2)	
	1127	N19-16E	218	(66.4)	
	1128	N30-31E	201	(61.3)	
	1129	N45-49E	149	(45.4)	
	1130	N20-57E	137	(41.8)	
	1131	N19-13E	207	(63.1)	
	1132	N12-24E	154	(46.9)	
	1133	N30-06E	239	(72.8)	
	1134	N29-14E	442	(134.7)	
	1135	N32-05E	345	(105.2)	
	1136	N36-34E	232	(70.7)	
	1137	N46-31E	266	(81.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7 ~	1138				
		N48-32E	137	(41.8)	
	1139				
		N65-33E	109	(33.2)	
	1140				
		N71-48E	154	(46.9)	
	1141				
		S77-50E	119	(36.3)	
	1142				
		S83-16E	111	(33.8)	Paralleling USFS Trail #3590, 100 feet Easterly of centerline.
	1143				
		S70-39E	100	(30.5)	
	1144				
		S74-27E	101	(30.8)	
	1145				
		N89-27E	104	(31.7)	
	1146				
		N70-21E	74	(22.6)	
	1147				
		N30-19E	123	(37.5)	
	1148				
		N44-26E	71	(21.6)	
	1149				
		N41-25E	45	(13.7)	

	1150				A point 100 feet Southeasterly of and perpendicular to centerline of USFS Trail #3590.

		N89-17E	80	(24.4)	
	1151				
		S80-23E	239	(72.8)	
	1152				
		S69-43E	225	(68.6)	Ascend.
	1153				
		S62-18E	250	(76.2)	
	1154				
		S47-46E	308	(93.9)	
	1155				
		S40-27E	259	(78.9)	
	1156				
		S26-28E	251	(76.5)	
	1157				
		S20-38E	238	(72.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1158				A point on a spur ridge, elevation 5,600 feet.
		S10-14E	158	(48.2)	
	1159	S05-13W	176	(53.6)	
	1160	S02-27W	234	(71.3)	
	1161	S09-28W	335	(102.1)	
	1162	S15-44W	255	(77.7)	Ascend spur ridge.
	1163	S20-28W	240	(73.2)	
	1164	S32-20W	129	(39.3)	
	1165	S42-41W	176	(53.6)	
	1166	S35-48W	128	(39.0)	
	1167	S28-08W	146	(44.5)	
	1168	S18-20W	172	(52.4)	
	1169	S02-21W	122	(37.2)	
	1170	S00-00W	164	(50.0)	
	1171	S03-21W	154	(46.9)	
	1172	S13-41W	233	(71.0)	
	1173	S16-08W	259	(78.9)	
	1174	S30-22W	182	(55.5)	
	1175	S24-48W	131	(39.9)	
	1176	S49-49W	353	(107.6)	
	1177	S40-14W	341	(103.9)	
	1178	S51-45W	216	(65.8)	
	1179	S47-11W	297	(90.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1180	S37-47W	349	(106.4)	
	1181	S36-52W	240	(73.2)	
	1182	S38-28W	180	(54.9)	
	1183	S17-21W	151	(46.0)	
	1184	S09-57W	133	(40.5)	Ascend spur ridge.
	1185	S22-01W	192	(58.5)	
	1186	S25-57W	210	(64.0)	
	1187	S31-07W	186	(56.7)	
	1188	S31-11W	184	(56.1)	
	1189	S40-02W	261	(79.6)	
	1190	S32-23W	327	(99.7)	
	1191	S42-58W	358	(109.1)	
	1192	S45-58W	209	(63.7)	
	1193	S52-45W	152	(46.3)	
	1194	S44-37W	209	(63.7)	
	1195	S32-10W	115	(35.1)	
	1196	S34-39W	83	(25.3)	
	1197	S16-31W	123	(37.5)	
	1198	S08-33W	215	(65.5)	
	1199	S05-33W	299	(91.1)	
1200	Top of Mt. Ray, elevation 7,002 feet.				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1201	S55-12W	100	(30.5)	
	1202	S79-42W	190	(57.9)	
	1203	S75-33W	373	(113.7)	
	1204	S77-28W	221	(67.4)	
	1205	S89-12W	142	(43.3)	
	1206	N70-45W	155	(47.2)	
	1207	N63-04W	208	(63.4)	Along the ridge between Mt. Ray and Fuji Mtn.
	1208	N68-30W	207	(63.1)	
	1209	N01-00W	213	(64.9)	
	1210	N69-24W	134	(40.8)	
	1211	N67-04W	85	(25.9)	
	1212	S78-05W	203	(61.9)	
	1213	S70-40W	242	(73.8)	
	1214	S70-26W	209	(63.7)	
	1215	S77-32W	176	(53.6)	
	1216	S84-06W	214	(65.2)	
	1217	S79-55W	120	(36.6)	
	1218	S56-00W	156	(47.5)	
	1219	S39-46W	170	(51.8)	
	1220	S38-15W	108	(32.9)	
	1221	S40-46W	115	(35.1)	
	1222	S43-32W	110	(33.5)	
		S85-40W	66	(20.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1223				Top of an unnamed mountain, approximate elevation 6,360 feet.
		N84-01W	125	(38.1)	
	1224	N72-32W	187	(57.0)	
	1225	N58-54W	374	(114.0)	
	1226	N60-17W	292	(89.0)	
	1227	N68-28W	352	(107.3)	Along the ridge between Mt. Ray and Fuji Mtn.
	1228	N64-37W	280	(85.3)	
	1229	N60-37W	155	(47.2)	
	1230	N79-50W	108	(32.9)	
	1231	N67-44W	340	(103.6)	
	1232	N78-12W	254	(77.4)	
	1233	N84-08W	283	(86.3)	
	1234	S87-35W	260	(79.2)	
	1235	S88-14W	194	(59.1)	
	1236	N82-09W	198	(60.4)	
	1237	N78-12W	279	(85.0)	
	1238	N73-34W	272	(82.9)	
	1239	N87-24W	154	(46.9)	
	1240	N86-49W	144	(43.9)	
	1241	S85-43W	120	(36.6)	
	1242	S79-30W	126	(38.4)	
	1243	S76-17W	89	(27.1)	
	1244	S25-35W	104	(31.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1245				
	1246	S20-55W	277	(84.4)	
		S35-53W	196	(59.7)	
	1247				
		S49-54W	199	(60.7)	
	1248				
		S64-58W	168	(51.2)	
	1249				
		S75-23W	119	(36.3)	
	1250				
		S73-18E	115	(35.1)	
	1251				
		S77-24W	96	(29.3)	Along the ridge between Mt. Ray and Fuji Mtn.
	1252				
		S50-15W	124	(37.8)	
	1253				
		S42-55W	195	(59.4)	
	1254				
		S35-38W	213	(64.9)	
	1255				
		S17-04W	317	(96.6)	
	1256				
		S16-57W	233	(71.0)	
	1257				
		S22-20W	158	(48.2)	
	1258				
		S12-04W	191	(58.2)	
	1259				
		S01-34W	182	(55.5)	
	1260				
		S04-00W	200	(61.0)	
	1261				
		S03-46W	76	(23.2)	
	1262				
		S38-43W	181	(55.2)	
	1263				
		S48-29W	256	(78.0)	
	1264				
		S46-55W	296	(90.2)	
	1265				
		S68-52W	336	(102.4)	
	1266				
		S76-39W	264	(80.5)	
	1267				
		N83-51W	205	(62.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

WALDO	1268				
LAKE NE		S81-02W	340	(103.6)	
MAP NO. 7	1269				
		N86-05W	453	(138.1)	
	1270				
		N81-47W	203	(61.9)	
	1271				
		N72-50W	142	(43.3)	
	1272				
		N45-55W	177	(53.9)	Along the ridge between Mt. Ray and Fuji Mtn.
	1273				
		N51-44W	157	(47.9)	
	1274				
		N01-00W	116	(35.4)	
	1275				
		N89-16W	78	(23.8)	
	1276				
		S69-02W	179	(54.6)	
	1277				
		S81-09W	273	(83.2)	
	1278				
		S76-54W	177	(53.9)	
	1279				
		S84-34W	232	(70.7)	
	1280				
		S86-15W	214	(65.2)	
	1281				
		N77-14W	208	(63.4)	
	1282				
		N77-58W	235	(71.6)	
	1283				
		N68-36W	184	(56.1)	
	1284				
		N60-46W	221	(67.4)	
	1285				
		N67-02W	100	(30.5)	
	1286				
		N60-49W	88	(26.8)	

	1287				Top of Fuji Mountain, elevation 7,144 feet.

		N56-28W	103	(31.4)	
	1288				
		N53-57W	155	(47.2)	Descend spur ridge.
	1289				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N43-34W	170	(51.8)	
	1290	N44-22W	127	(38.7)	
	1291	N14-35W	151	(46.0)	
	1292	N12-30W	171	(52.1)	Descend spur ridge.
	1293	N16-51W	138	(42.1)	
	1294	N32-50W	168	(51.2)	
	1295	N48-24W	119	(36.3)	
	1296	N41-01W	61	(18.6)	
	1297	N25-37W	81	(24.7)	
	1298	N19-49W	183	(55.8)	
	1299	N18-10W	138	(42.1)	
	1300	N19-13W	70	(21.3)	
	1301				Point on spur ridge. Elevation 6,400 feet.
		N73-40E	60	(18.3)	
	1302	N80-02E	75	(22.9)	
	1303	S67-29E	89	(27.1)	
	1304	S68-58E	125	(38.1)	
	1305	S63-54E	111	(33.8)	Along the 6,400 foot contour.
	1306	S59-15E	92	(28.0)	
	1307	S62-53E	94	(28.7)	
	1308	S69-15E	71	(21.6)	
	1309	N60-15E	64	(19.5)	
	1310	N88-54E	52	(15.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1311				
	1312	S57-55E	79	(24.1)	
	1313	S54-22E	74	(22.6)	
	1314	S86-59E	38	(11.6)	
	1315	N31-50E	34	(10.4)	
	1316	N03-26W	50	(15.2)	
	1317	N02-19E	74	(22.6)	
	1318	N20-19E	58	(17.7)	Along the 6,400 foot contour.
	1319	N33-53E	84	(25.6)	
	1320	N50-12E	70	(21.3)	
	1321	N38-09E	36	(11.0)	
	1322	N04-10E	96	(29.3)	
	1323	N04-27E	154	(46.9)	
	1324	N04-11E	164	(50.0)	
	1325	N13-35E	94	(28.7)	
	1326	N01-30E	38	(11.6)	
	1327	N37-30W	92	(28.0)	
	1328	N37-28W	97	(29.6)	
	1329	N41-11W	74	(22.6)	
	1330	N07-46W	44	(13.4)	
	1331	N19-51E	38	(11.6)	
	1332	N63-26E	60	(18.3)	
	1333	S86-25E	64	(19.5)	
		N68-01E	56	(17.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1334				
		N43-16E	47	(14.3)	
	1335				
		N03-11W	54	(16.5)	
	1336				
		N23-47E	156	(47.5)	
	1337				
		N19-15E	133	(40.5)	
	1338				
		N32-42E	96	(29.3)	Along the 6,400 foot contour.
	1339				
		N01-34W	146	(44.5)	
	1340				
		N10-21W	117	(35.7)	
	1341				
		N05-28E	94	(28.7)	
	1342				
		N24-53E	76	(23.2)	
	1343				
		N05-32W	125	(38.1)	
	1344				
		N21-48W	81	(24.7)	
	1345				
		N14-02E	45	(13.7)	
	1346				
		N04-29E	51	(15.5)	
	1347				A point on ridge, elevation 6,400 feet.
		N46-56W	146	(44.5)	
1348					
		N45-12W	194	(59.1)	
1349					
		N60-49W	137	(41.8)	
1350					
		N45-48W	102	(31.1)	Along ridge.
1351					
		N37-19W	228	(69.5)	
1352					
		N24-36W	221	(67.4)	
1353					
		N19-02W	270	(82.3)	
1354					
		N05-46W	199	(60.7)	
1355					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N00-47E	146	(44.5)	
	1356	N01-01E	170	(51.8)	
	1357	N00-49W	70	(21.3)	
	1358	N19-09W	76	(23.2)	
	1359	N24-37W	197	(60.0)	
	1360	N27-10W	215	(65.5)	
	1361	N27-06W	143	(43.6)	Along ridge.
	1362	N17-11W	159	(48.5)	
	1363	N16-08W	166	(50.6)	
	1364	N34-20W	172	(52.4)	
	1365	N35-04W	254	(77.4)	
	1366	N30-34W	301	(91.7)	
	1367	N29-19W	298	(90.8)	
	1368	N22-16W	293	(89.3)	
	1369	N23-14W	208	(63.4)	
	1370	N29-11W	137	(41.8)	
	1371	N37-35W	372	(113.4)	
	1372	N41-33W	164	(50.0)	
	1373	N27-26W	208	(63.4)	
	1374	N25-53W	261	(79.6)	
	1375	N19-05W	278	(84.7)	
	1376	N22-09W	244	(74.4)	
	1377	N20-08W	203	(61.9)	
	1378				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N22-46W	277	(84.4)	
	1379	N29-26W	206	(62.8)	
	1380	N28-54W	275	(83.8)	
	1381	N26-46W	258	(78.6)	
	1382	N34-23W	299	(91.1)	Along ridge.
	1383	N29-25W	261	(79.6)	
	1384	N23-35W	215	(65.5)	
	1385	N17-57W	266	(81.1)	
	1386	N11-11W	175	(53.3)	
	1387	N04-28W	270	(82.3)	
	1388	N06-01E	76	(23.2)	
	1389	N07-18E	39	(11.9)	
	1390	N12-06E	57	(17.4)	
	1391	Point on ridge, elevation 5,200 feet.			
		S83-40E	72	(21.9)	
	1392	N87-01E	96	(29.3)	
	1393	N79-45E	96	(29.3)	
	1394	N80-46E	81	(24.7)	Along the 5,200 foot contour.
	1395	N54-02E	63	(19.2)	
	1396	N09-17E	105	(32.0)	
	1397	N08-27W	232	(70.7)	
	1398	N13-17W	74	(22.6)	
	1399	N16-19W	146	(44.5)	
	1400				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1401	N02-12W	156	(47.5)	Along the 5200 foot contour.
		N08-42E	99	(30.2)	
	1402				Point of intersection with a spur ridge.
	1403	N02-17W	200	(61.0)	
		N01-41E	272	(82.9)	
	1404				
	1405	N19-05E	278	(84.7)	Descend spur ridge.
		N14-48E	219	(66.8)	
	1406				
	1407	N04-29E	153	(46.6)	
		N02-03W	195	(59.4)	
	1408				A point on spur ridge. Elevation 4,400 feet.
	1409	N09-49W	317	(96.6)	
		N09-41W	250	(76.2)	
	1410				
	1411	N04-18W	240	(73.2)	
		N03-08W	274	(83.5)	Descend.
	1412				
	1413	N01-37E	320	(97.5)	
		N15-02E	208	(63.4)	
	1414				
	1415	N05-35E	277	(84.4)	
		N08-12E	119	(36.3)	
	1416				
		N20-46E	93	(28.3)	
	1417				A point which is 200 feet Southerly of and perpendicular to the confluence of Black Creek and an unnamed tributary.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N23-26E	65	(19.8)	
	1418	N47-58E	82	(25.0)	
	1419	N88-17E	100	(30.5)	
	1420	S65-20E	108	(32.9)	Ascending parallel to Black Creek, 200 feet Southerly of the thread of the stream.
	1421	S53-13E	139	(42.4)	
	1422	S49-37E	202	(61.6)	
	1423	S63-04E	139	(42.4)	
	1424	S76-54E	221	(67.4)	
	1425	S89-44E	216	(65.8)	
	1426	S87-01E	134	(40.8)	
	1427	S82-17E	194	(59.1)	
	1428	N89-40E	168	(51.2)	
	1429	N75-41E	101	(30.8)	
	1430	N62-08E	79	(24.1)	
	1431				A point 200 feet Southerly of and perpen- dicular to Black Creek, which is Southerly of the Southeast corner of an evident timber size class change. (Harvest unit plantation).
		N30-50E	72	(21.9)	
	1432	N04-52E	236	(71.9)	
	1433	N05-59E	211	(64.3)	
	1434	N00-56W	122	(37.2)	Along the edge of an evident timber size class change.
	1435	N10-43W	75	(22.9)	
	1436	N12-56W	76	(23.2)	
	1437	N34-53W	121	(36.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1438				A point at the Northeast corner of an evident timber size class change.
		N55-42W	130	(39.6)	
	1439	N57-42W	125	(38.1)	
	1440	N66-55W	140	(42.7)	Along the edge of an evident timber size class change.
	1441	N32-28W	91	(27.7)	
	1442	N28-53W	66	(20.1)	
	1443	N25-10W	92	(28.0)	
	1444				A point on edge of an evident timber size class change on a spur ridge.
		N03-54E	176	(53.6)	
	1445	N15-54E	416	(126.8)	
	1446	N11-12E	412	(125.6)	
	1447	N08-32E	418	(127.4)	
	1448	N02-53E	397	(121.0)	Ascend spur ridge.
	1449	N01-50E	282	(86.0)	
	1450	N02-05W	220	(67.1)	
	1451	N13-58E	199	(60.7)	
	1452	N41-36E	167	(50.9)	
	1453	N67-46E	196	(59.7)	
	1454	N77-44E	235	(71.6)	
	1455	S88-46E	324	(98.8)	
	1456	N86-51E	182	(55.5)	
	1457	N77-57E	182	(55.5)	
	1458	N74-38E	94	(28.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1459				Top of a knoll, approximate elevation 5,640 feet.
		N64-47E	153	(46.6)	
	1460	N54-59E	347	(105.8)	
	1461	N37-46E	242	(73.8)	
	1462	N41-07E	313	(95.4)	Northeasterly.
	1463	N33-31E	288	(87.8)	
	1464	N25-30E	388	(118.3)	
	1465	N35-10E	302	(92.0)	
	1466	N25-47E	458	(139.6)	
	1467	N34-33E	386	(117.7)	
	1468	N45-00E	160	(48.8)	
	1469	N19-11E	73	(22.3)	
	1470				A point which is at the Southeast corner of an evident timber size class change; said point is approximately 400 feet Easterly of and perpendicular to the cen- terline of the end point of USFS Road 2422.269.
	1471	N28-58E	182	(55.5)	Along the edge of an evident timber size class change (harvest unit plantation), which line approximately parallels USFS Road 2422.269, 400 feet Easterly of centerline.
	1472	N20-44E	260	(79.2)	
	1473	N20-40E	227	(69.2)	
		N10-12E	51	(15.5)	
	1474				A point which is at the Northeast corner of an evident timber size class change, said point is approximately 400 feet Easterly of the centerline of USFS Road 2422.269, where said road bears Westerly.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N04-01E	171	(52.1)	
	1475	N00-59E	232	(70.7)	
	1476	N06-26E	250	(76.2)	Along the Western edge of two small ponds.
	1477	N26-15E	240	(73.2)	
	1478	N56-41E	251	(76.5)	
	1479	N58-54E	209	(63.7)	
	1480	N54-56E	172	(52.4)	
	1481	N31-19E	114	(34.7)	
	1482				A point which is at the Southeast corner of an evident timber size class change; said point is approximately 600 feet Southeasterly of the end point of USFS Road 2422.000.
		N00-30E	116	(35.4)	
	1483	N03-52W	74	(22.6)	Along the edge of an evident timber size class change.
	1484	N08-32W	142	(43.3)	
	1485	N14-16W	179	(54.6)	
	1486	N29-06W	121	(36.9)	
	1487	N32-41W	63	(19.2)	
	1488				A point on the edge of an evident timber size class change which is 200 feet Northerly of and perpendicular to the centerline of USFS Road 2422.000. Said point is near the Northeast corner of an evident timber size class change.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7		N44-35W	98	(29.9)	
	1489	N56-29W	96	(29.3)	
	1490	N79-54W	74	(22.6)	
	1491	N89-29W	220	(67.1)	Paralleling USFS Road 2422.000, 200 feet Northerly of centerline.
	1492	N88-33W	278	(84.7)	
	1493	N89-22W	182	(55.5)	
	1494	N77-40W	66	(20.1)	
	1495	N47-59W	176	(53.6)	
	1496	N54-16W	281	(85.6)	
	1497	N65-12W	248	(75.6)	
	1498	N69-11W	290	(88.4)	
	1499	N80-13W	300	(91.4)	
	1500				A point 200 feet Northerly of and perpen- dicular to centerline of USFS Road 2422.000 on USFS Trail #3560.
		N86-42W	278	(84.7)	
	1501	N79-40W	251	(76.5)	
	1502	N86-52W	164	(50.0)	
	1503	S74-39W	212	(64.6)	Ascend ridge.
	1504	S76-02W	182	(55.5)	
	1505	S74-23W	123	(37.5)	
	1506	S83-41W	264	(80.5)	
	1507	N86-38W	238	(72.5)	
	1508	N62-14W	193	(58.8)	
	1509				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1510	N57-50W	156	(47.5)	
		N63-58W	48	(14.6)	Ascend ridge.
	1511				Summit of the knoll approximately 900 feet Southerly of the summit of Cupit Mary Mountain, approximate elevation 6,120 feet.
	1512	S74-03W	51	(15.5)	
	1513	S38-08W	189	(57.6)	
	1514	S53-52W	344	(104.9)	
	1515	S59-49W	304	(92.7)	
	1516	S71-06W	272	(82.9)	Along a major ridge.
	1517	S64-04W	201	(61.3)	
	1518	S79-28W	345	(105.2)	
	1519	S80-28W	272	(82.9)	
	1520	S67-12W	307	(93.6)	
	1521	S69-12W	298	(90.8)	
	1522	S72-29W	276	(84.1)	
	1523	S68-12W	178	(54.3)	
	1524	S75-30W	180	(54.9)	
	1525	S81-40W	117	(35.7)	
	1526	S87-59W	170	(51.8)	
	1527	N76-46W	244	(74.4)	
	1528	N70-16W	222	(67.7)	
	1529	N53-52W	202	(61.6)	
		N42-46W	218	(66.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NE MAP NO. 7	1530				
		N34-07W	296	(90.2)	
	1531	N27-53W	175	(53.3)	Along a major ridge.
	1532	N15-40W	144	(43.9)	
WALDO LAKE NW MAP NO. 6	1533				A point on broad Westerly face of said ridge (Koch Mountain.) Elevation 6,000 feet.
		N09-16W	143	(43.6)	
	1534	N00-55E	372	(113.4)	
	1535	N02-24E	381	(116.1)	
	1536	N02-33E	270	(82.3)	
	1537	N00-21W	166	(50.6)	Along the ridge between Ranger Creek and Salmon Creek.
	1538	N24-54W	169	(51.5)	
	1539	N36-03W	223	(68.0)	
	1540	N36-26W	579	(176.5)	
	1541	N24-29W	480	(146.3)	
	1542	N18-57W	564	(171.9)	
	1543	N19-47W	629	(191.7)	
	1544	N15-15W	437	(133.2)	
	1545	N17-53W	551	(167.9)	
	1546	N21-20W	638	(194.5)	
	1547	N28-09W	600	(182.9)	
	1548	N32-51W	420	(128.0)	
	1549	N35-35W	488	(148.7)	
	1550				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE NW MAP NO. 6		N38-37W	439	(133.8)	
	1551	N26-12W	281	(85.6)	Along the ridge between Ranger Creek and Salmon Creek.
	1552	N21-38W	62	(18.9)	
	1553				A point on said ridge. Elevation 5,400 feet.
CHUCKSNEY MTN. SW MAP NO. 5	1554	N06-43E	103	(31.4)	
	1555	N35-41E	231	(70.4)	
	1556	N49-57E	320	(97.5)	
	1557	N44-17E	338	(103.0)	Descend minor spur ridge.
	1558	N56-58E	242	(73.8)	
	1559	N27-23E	220	(67.1)	
	1560	N34-22E	475	(144.8)	
	1561	N29-34E	324	(98.8)	
	1562	N31-13E	193	(58.8)	
		N31-02E	138	(42.1)	
	1563				A point on said minor spur ridge. Elevation 4,400 feet.
	1564	N38-21E	208	(63.4)	
	1565	N44-32E	342	(104.2)	Descend.
	1566	N45-34E	217	(66.1)	
		N44-30E	164	(50.0)	
	1567				A point in toe of spur ridge in Salmon Creek.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	1568	N57-52E	235	(71.6)	
	1569	N67-17E	233	(71.0)	
	1570	N60-12E	278	(84.7)	
	1571	N44-22E	255	(77.7)	
	1572	N56-32E	71	(21.6)	Ascend spur ridge.
CHUCKSNEY MTN. SE MAP NO. 4	1573	N48-59E	357	(108.8)	
	1574	N53-38E	226	(68.9)	
	1575	N59-02E	367	(111.9)	
	1576	N57-49E	284	(86.6)	
	1577	N45-21E	114	(34.7)	
		N19-11E	146	(44.5)	
	1578				Crest of a ridge, elevation 4,922 feet.
	1579	N52-23E	77	(23.5)	
1580		N57-09E	94	(28.7)	Along ridge.
		N49-35E	97	(29.6)	
1581					An angle point on ridge.
		N01-04E	5074	(1546.6)	
1582					An angle point in outlet of unnamed spring.
1583		S89-09E	68	(20.7)	
		N86-16E	46	(14.0)	Ascend outlet.
1584					An unnamed spring.
		N51-27E	1474	(449.3)	
1585					An angle point on spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4		N27-35W	201	(61.3)	
	1586	N32-03W	290	(88.4)	
	1587	N37-42W	150	(45.7)	
	1588	N25-33W	253	(77.1)	
	1589	N10-17W	196	(59.7)	
	1590	N26-59W	185	(56.4)	
	1591	N31-54W	178	(54.3)	Descend spur ridge.
	1592	N36-00W	213	(64.9)	
	1593	N27-52W	238	(72.5)	
	1594	N27-49W	184	(56.1)	
	1595	N22-05W	189	(57.6)	
	1596	N02-01E	198	(60.4)	
	1597	N00-27W	258	(78.6)	
	1598	N06-25W	179	(54.6)	
	1599	N13-48W	289	(88.1)	
	1600	N25-05W	156	(47.5)	
	1601	N03-54W	250	(76.2)	
	1602	N04-53W	235	(71.6)	
	1603	N02-12E	156	(47.5)	
	1604	N25-35E	315	(96.0)	
	1605	N30-49E	205	(62.5)	
	1606	N29-21E	212	(64.6)	
	1607	N19-20E	224	(68.3)	
	1608				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	1609	N10-34E	213	(64.9)	
	1610	N01-09E	250	(76.2)	
	1611	N21-52W	180	(54.9)	Descend spur ridge.
	1612	N29-10W	295	(89.9)	
	1613	N52-23W	215	(65.5)	
	1614	N56-47W	204	(62.2)	
		N55-52W	176	(53.6)	
	1615				Confluence of Furnish Creek and an unnamed tributary.
		N02-19E	2293	(698.9)	
	1616				Top of a knoll, elevation 5,336 feet.
	1617	S77-07E	242	(73.8)	
	1618	S76-25E	217	(66.1)	
	1619	S84-55E	350	(106.7)	Descend.
	1620	S89-27E	310	(94.5)	
	1621	N84-29E	312	(95.1)	
	1622	N87-52E	350	(106.7)	
	1623	S85-20E	185	(56.4)	
		N81-11E	59	(18.0)	
	1624				A point which is 200 feet Southerly of and perpendicular to the centerline at the end of USFS Road 2417.000.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO 4	1625	S63-38E	131	(39.9)	
	1626	S67-28E	146	(44.5)	Paralleling USFS Road 2417.000, 200 feet Southerly of centerline.
	1627	S80-17E	261	(79.6)	
	1628	S81-32E	285	(86.9)	
	1629	S85-38E	486	(148.1)	
	1630	S88-19E	238	(72.5)	
		N89-19E	422	(128.6)	
	1631				A point which is 200 feet Southerly of and perpendicular to the centerline of USFS Road 2417.000, where said road bears Northerly.
		N90-00E	428	(130.5)	
1632		N88-36E	370	(112.8)	Ascend.
1633		S89-42E	388	(118.3)	
1634					A point which is at the Southwest corner of an evident timber size class change (harvest unit plantation).
1635		N84-44E	261	(79.6)	
1636		N89-15E	76	(23.2)	Ascend along the edge of an evident timber size class change.
1637		N59-22E	120	(36.6)	
		N23-19E	189	(57.6)	
1638					A point which is at the Southeast corner of an evident timber size class change.
1639		N01-29E	308	(93.9)	
1640		N04-09W	304	(92.7)	Along the edge of an evident timber size class change, then ascend.
1641		N09-33W	295	(89.9)	
		N00-35W	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	1642				A point which is 200 feet Easterly of and perpendicular to the centerline of USFS Road 2417.256.
	1643	N14-25W	325	(99.1)	
	1644	N24-44W	421	(128.3)	
	1645	N39-28W	345	(105.2)	Paralleling USFS Road 2417.256, 200 feet Easterly of centerline.
	1646	N41-16W	250	(76.2)	
	1647	N28-26W	372	(113.4)	
	1648	N28-56W	345	(105.2)	
		N26-34W	284	(86.6)	
	1649				A point which is 200 feet Easterly of and perpendicular to the intersection of centerlines of USFS Road 2417.256 and USFS Road 2417.000
	1650	N17-34W	63	(19.2)	
	1651	N08-20W	324	(98.8)	
	1652	N08-28W	238	(72.5)	
	1653	N31-35W	466	(142.0)	Paralleling USFS Road 2417.000, 200 feet Northeasterly of centerline.
	1654	N36-46W	419	(127.7)	
	1655	N45-41W	355	(108.2)	
	1656	N38-45W	371	(113.1)	
	1657	N55-51W	282	(86.0)	
	1658	N64-17W	270	(82.3)	
	1659	N65-04W	251	(76.5)	
	1660	N75-53W	172	(52.4)	
		N81-33W	75	(22.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	1661				A point which is 200 feet Northeasterly of and perpendicular to the centerline of USFS Road 2417.000, and 200 feet Easterly and perpendicular to the centerline of USFS Road 2417.254 at the intersection of said roads.
	1662	N17-46W	190	(57.9)	
	1663	N23-00W	230	(70.1)	
	1664	N05-48E	59	(18.0)	
	1665	N52-05E	132	(40.2)	
	1666	N63-26E	92	(28.0)	Paralleling USFS Road 2417.254, 200 feet Easterly and Northerly of centerline.
	1667	N44-37E	211	(64.3)	
	1668	N26-34E	195	(59.4)	
	1669	N01-00E	213	(64.9)	
	1670	N07-52W	212	(64.6)	
	1671	N15-33W	157	(47.9)	
	1672	N37-20W	175	(53.3)	
	1673	N48-45W	238	(72.5)	
	1674	N63-56W	102	(31.1)	
	1675	N71-09W	306	(93.3)	
	1676	N78-34W	348	(106.1)	
	1677	N81-44W	244	(74.4)	
	1678	N76-37W	169	(51.5)	
	1679	N72-50W	129	(39.3)	
	1680	N51-52W	290	(88.4)	
		N55-39W	340	(103.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SE MAP NO. 4	1681				
		N64-36W	266	(81.1)	
	1682				
		N58-34W	211	(64.3)	Paralleling USFS Road 2417.254, 200 feet Easterly and Northerly of centerline.
	1683				
		N60-21W	208	(63.4)	
	1684				A point which is 200 feet Northerly of and perpendicular to the centerline of USFS Road 2417.254, and is 200 feet Westerly of the end of said road.
		S66-01W	209	(63.7)	Descend.
	1685				A point on USFS Trail #3553.
		N42-02W	82	(25.0)	
CHUCKSNEY MTN. SW MAP NO. 5	1686				
		N44-26W	141	(43.0)	
	1687				
		N53-08W	130	(39.6)	
	1688				
		N80-08W	140	(42.7)	
	1689				
		N85-32W	128	(39.0)	Along USFS Trail #3553.
	1690				
		N83-40W	145	(44.2)	
	1691				
		N83-01W	49	(14.9)	
	1692				
		N88-03W	236	(71.9)	
	1693				
		S87-33W	420	(128.0)	
	1694				
		N82-59W	246	(75.0)	
	1695				
		N83-05W	174	(53.0)	
	1696				
		N82-06W	145	(44.2)	
	1697				
		S69-08W	149	(45.4)	
	1698				
		S71-47W	80	(24.4)	
	1699				
		N54-13W	159	(48.5)	
	1700				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	1701	N41-55W	184	(56.1)	
	1702	N43-40W	91	(27.7)	
	1703	N76-29W	163	(49.7)	
	1704	N77-37W	135	(41.1)	
	1705	N24-16W	134	(40.8)	
	1706	N17-17W	141	(43.0)	
	1707	N25-49W	69	(21.0)	Along USFS Trail #3553.
	1708	N64-39W	42	(12.8)	
	1709	N87-17W	274	(83.5)	
	1710	S88-54W	362	(110.3)	
	1711	S83-31W	328	(100.0)	
	1712	S89-34W	262	(79.9)	
	1713	S75-58W	214	(65.2)	
	1714	S67-43W	90	(27.4)	
	1715	S53-50W	97	(29.6)	
	1716	N61-43W	150	(45.7)	
	1717	N79-19W	162	(49.4)	
	1718	N75-22W	186	(56.7)	
	1719	N75-26W	52	(15.8)	
	1720	N28-06W	100	(30.5)	
	1721	N52-43W	84	(25.6)	
	1722	N75-06W	97	(29.6)	
	1723	N72-48W	132	(40.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	1724	N56-06W	235	(71.6)	
	1725	N43-21W	147	(44.8)	
	1726	N61-54W	217	(66.1)	
	1727	N67-03W	121	(36.9)	
	1728	N64-54W	245	(74.7)	Along USFS Trail #3553.
	1729	N60-15W	56	(17.1)	
	1730	N19-03W	175	(53.3)	
	1731	N33-05W	79	(24.1)	
	1732	N56-24W	164	(50.0)	
	1733	N59-24W	247	(75.3)	
	1734	N62-38W	222	(67.7)	
	1735	N69-07W	280	(85.3)	
	1736	N85-56W	197	(60.0)	
	1737	N81-42W	194	(59.1)	
		N85-39W	92	(28.0)	
	1738				A point on USFS Trail #3553 which is 200 feet Easterly of and perpendicular to the centerline of USFS Road 2419.362.
	1739	N17-13W	105	(32.0)	
	1740	N08-36W	241	(73.5)	
	1741	N01-38W	280	(85.3)	Paralleling USFS Road 2419.362, 200 feet Easterly of centerline.
	1742	N00-10W	328	(100.0)	
	1743	N00-26E	132	(40.2)	
	1744	N19-01W	126	(38.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	1745	N25-29W	191	(58.2)	Paralleling USFS Road 2419.362, 200 feet Easterly of centerline.
		N31-41W	135	(41.1)	
	1746				A point on ridge which is 200 feet Easterly of and perpendicular to the centerline of Road 2419.362.
	1747	N31-49W	93	(28.3)	
	1748	N07-03W	204	(62.2)	
	1749	N10-51E	149	(45.4)	
	1750	N15-08E	165	(50.3)	
	1751	N15-11E	73	(22.3)	Along ridge.
	1752	N11-49W	88	(26.8)	
	1753	N32-35W	260	(79.2)	
	1754	N35-08W	165	(50.3)	
		N21-25W	164	(50.0)	
	1755				A point on ridge which is 200 feet Easterly of and perpendicular to the centerline of USFS Road 2419.361.
	1756	N01-01E	224	(68.3)	
	1757	N06-08E	243	(74.1)	
	1758	N02-03W	196	(59.7)	Paralleling USFS Road 2419.361, 200 feet Easterly of centerline.
	1759	N10-21W	211	(64.3)	
		N00-31E	224	(68.3)	
	1760				A point which is 200 feet Easterly of and perpendicular to the centerline at the end point of USFS Road 2419.361.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	1761	N02-22E	242	(73.8)	
	1762	N01-42W	406	(123.7)	
	1763	N04-12W	301	(91.7)	Ascend ridge.
	1764	N16-22W	280	(85.3)	
	1765	N12-13W	137	(41.8)	
		N15-37E	71	(21.6)	
	1766	Top of a knoll, elevation 5,688 feet.			
	1767	N11-13E	128	(39.0)	
	1768	N42-50E	300	(91.4)	
	1769	N42-24E	344	(104.9)	
	1770	N30-29E	268	(81.7)	Along ridge.
	1771	N21-40E	498	(151.8)	
	1772	N18-51E	350	(106.7)	
	1773	N24-57E	382	(116.4)	
	1774	N20-06E	338	(103.0)	
	1775	N23-27E	246	(75.0)	
		N19-12E	94	(28.7)	
	1776	Top of a knoll, approximate elevation 5,540 feet.			
	1777	N78-22E	104	(31.7)	
	1778	N80-50E	220	(67.1)	
	1779	N83-08E	494	(150.6)	Descend spur ridge.
	1780	N78-35E	399	(121.6)	
		N77-09E	400	(121.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5	1781				
	1782	N80-30E	321	(97.8)	
	1783	N79-13E	171	(52.1)	
	1784	N75-26E	103	(31.4)	
	1785	N64-35E	247	(75.3)	
	1786	N56-11E	237	(72.2)	Descend spur ridge.
	1787	N57-50E	366	(111.6)	
	1788	N57-38E	398	(121.3)	
	1789	N63-46E	464	(141.4)	
	1790	N62-11E	493	(150.3)	
	1791	N52-06E	257	(78.3)	
	1792	N31-50E	239	(72.8)	
	1793	N19-53E	288	(87.8)	
	1794	N18-36E	323	(98.5)	
	1795	N27-28E	453	(138.1)	
	1796	N41-39E	411	(125.3)	
	1797	N34-43E	416	(126.8)	
		N39-44E	332	(101.2)	
	1798				A point in Fisher Creek at toe of said spur ridge.
	1799	N19-10W	125	(38.1)	
	1800	N56-55W	209	(63.7)	
	1801	N60-01W	308	(93.9)	Descend Fisher Creek.
	1802	N53-30W	153	(46.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5		N31-25W	280	(85.3)	
	1803	N29-25W	324	(98.8)	
	1804	N33-59W	485	(147.8)	
	1805	N37-06W	453	(138.1)	
	1806	N40-08W	292	(89.0)	
	1807	N26-27W	422	(128.6)	
	1808	N30-43W	352	(107.3)	Descending Fisher Creek.
	1809	N49-47W	288	(87.8)	
	1810	N67-14W	222	(67.7)	
	1811	N79-39W	295	(89.9)	
	1812	S85-38W	170	(51.8)	
	1813	S66-28W	68	(20.7)	
	1814	N54-23W	156	(47.5)	
	1815	N59-33W	245	(74.7)	
	1816	N66-31W	208	(63.4)	
	1817	N85-24W	112	(34.1)	
	1818	N49-06W	168	(51.2)	
	1819	N01-00W	276	(84.1)	
	1820	N71-50W	334	(101.8)	
	1821	N76-58W	195	(59.4)	
	1822	N88-25W	108	(32.9)	
	1823	S89-26W	100	(30.5)	
	1824	S81-35W	144	(43.9)	
	1825				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHUCKSNEY MTN. SW MAP NO. 5		S81-47W	91	(27.7)	
	1826	N85-14W	193	(58.8)	
	1827	S84-28W	332	(101.2)	
	1828	N62-46W	76	(23.2)	
	1829	N34-55W	206	(62.8)	
	1830	N48-11W	216	(65.8)	
	1831	N52-12W	259	(78.9)	Descend Fisher Creek.
	1832	N69-34W	272	(82.9)	
	1833	N62-41W	237	(72.2)	
	1834	N76-34W	254	(77.4)	
	1835	N78-59W	230	(70.1)	
	1836	N88-05W	150	(45.7)	
	1837	N37-40W	188	(57.3)	
	1838	N29-41W	206	(62.8)	
	1839	N52-18W	178	(54.3)	
	1840	N59-02W	146	(44.5)	
	1841	N67-35W	210	(64.0)	
	1842	N55-13W	160	(48.8)	
	1843	N52-46W	94	(28.7)	
	1844	N80-32W	116	(35.4)	
	1845	N69-52W	64	(19.5)	
	1846	N26-34W	69	(21.0)	

1		Point of beginning.			
