ALPINE LAKES WINDERNESS

Mt. Baker-Snoqualmie and Wenatchee National Forests

I hereby certify that the legal description and map herewith represent the location of the boundary of the Alpine Lakes Wilderness on the Mt. Baker-Snoqualmie and Wenatchee National Forests as covered into the National Wilderness Preservation System by Act of July 12, 1976.

SIGNED Leon M Kopecky 7/2/79
for Regional Forester Date

NATIONAL WILDERNESS PRESERVATION SYSTEM

ALPINE LAKES WINDERNESS

Mt. Baker-Snoqualmie and Wenatchee National Forests

I hereby certify that the legal description and map herewith represent the location of the boundary of the Alpine Lakes Wilderness on the Mt. Baker-Snoqualmie and Wenatchee National Forests as covered into the National Wilderness Preservation System by Act of July 12, 1976.

SIGNED [illegible] 7/2/79
for Regional Forester Date

TABLE OF CONTENTS

Page	Contents
1	Wilderness - Net & Gross Acres
2	Alpine Lakes Area - Gross Acres
3	Certification Sheet
4	Definition of Intent
5	*Boundary Description - Wilderness Area
58	*Boundary Description - Intended Wilderness Area
89	*Boundary Description - Management Unit Area

*There is one complete set of quad maps for the entire Alpine Lakes Area included. Each of the three descriptions refers to this set of quad sheets by number.

ALPINE LAKES WILDERNESS AREA - ACRES

National Forest and Other Ownership

ADMINISTRATIVE	King	Snohomish	COUNTY Chelan	Kittitas	Total
Wenatchee NF (East Side)					
Cle Elum RD					
National Forest				59,668	59,668
Other Ownership				238	238
TOTAL				59,906	59,906
Ellensburg RD					
National Forest					-0-
Other Ownership					-0-
TOTAL					-0-
Leavenworth RD					
National Forest			110,583		110,583
Other Ownership			1,208		1,208
Total			111,791		111,791
Lake Wenatchee RD					
National Forest			115,116		115,116
Other Ownership			-0-		-0-
TOTAL	-0-	-0-	126,907	59,906	186,813
Mt. Baker-Snoqualmie NF (West Side)					
North Bend RD					
National Forest	55,135				55,135
Other Ownership	75				75
TOTAL	55,210				55,210
Skykomish RD					
National Forest	64,816				64,816
Other Ownership	95				95
TOTAL	64,911				64,911
Mt. Baker-Snoqualmie NF					
National Forest	119,951				119,951
Other Ownership	170				170
TOTAL	120,121				120,121
Wilderness Totals					
Wentachee NF					
National Forest			125,699	59,668	185,367
Other Ownership			1,208	238	1,446
Subtotal	-0-	-0-	126,907	59,906	186,813
Mt. Baker-Snoqualmie NF					
National Forest	119,951				119,951
Other Ownership	170				170
Subtotal	120,121	-0-	-0-	-0-	120,121
TOTALS:					
National Forest	119,951	-0-	125,699	59,668	305,318
Other Ownership	170	-0-	1,208	238	1,616
TOTAL	120,121	-0-	126,907	59,906	306,934

ALPINE LAKES WILDERNESS AREA - ACRES

Gross Acres for Wilderness, Intended Wilderness and Management Unit

ADMINISTRATIVE	King	Snohomish	COUNTY Chelan	Kittitas	Total
WILDERNESS					
East Side - Wenatchee NF Cle Elum RD				59,906	59,906
Ellensburg RD					
Leavenworth RD			111,791		111,791
Lake Wenatchee RD			15,116		15,116
Subtotal			126,907	59,906	186,813
West Side - Mt. Baker-Snoqualmie NF North Bend RD	55,210				55,210
Skykomish RD	64,911				64,911
Subtotal	120,121				120,121
TOTAL ACRES FOR WILDERNESS	120,121		126,907	59,906	306,934
INTENDED WILDERNESS					
Parcel 1 - Chiwaukum Lake Wenatchee RD			2,087		2,087
Leavenworth RD			30,446		30,446
Parcel 2 - Eightmile Leavenworth RD			8,159		8,159
Parcel 3 - Snow Creek Leavenworth RD			1,939		1,939
Parcel 4 - Ingalls Creek Leavenworth RD			5,089		5,089
Parcel 5 - Waptus Cle Elum RD				12,729	12,729
Parcel 6 - Pratt Lake North Bend RD	16,369				16,369
Parcel 7 - Taylor River North Bend RD	2,488				2,488
Parcel 8 - Sunday Creek North Bend RD	6,227				6,227
Parcel 9 - Tunnel Creek Skykomish RD	893				893
TOTAL FOR INTENDED WILDERNESS	25,977		47,720	12,729	86,426
MANAGEMENT UNIT					
East Side - Wenatchee NF Cle Elum RD			347	146,623	146,970
Ellensburg RD			33,247	103,326	136,573
Leavenworth RD			71,719		71,719
Lake Wenatchee RD			43,759		43,759
Subtotal			149,072	249,949	399,021
West Side - Mt. Baker-Snoqualmie NF North Bend RD	99,564				99,564
Skykomish RD	45,332	3,238			48,570
Subtotal	144,896	3,238			148,134
TOTAL FOR MANAGEMENT UNIT	144,896	3,238	149,072	249,949	547,155
TOTAL FOR AREA	290,994	3,238	323,699	322,584	940,515

NATIONAL WILDERNESS PRESERVATION SYSTEM

ALPINE LAKES WINDERNESS

Mt. Baker-Snoqualmie and Wenatchee National Forests

I hereby certify that the legal description and map herewith represent the location of the boundary of the Alpine Lakes Wilderness on the Mt. Baker-Snoqualmie and Wenatchee National Forests as covered into the National Wilderness Preservation System by Act of July 12, 1976.

SIGNED Leon J. Kosperky 7/2/79
for Regional Forester Date

Definition of Intent

The legal description of the Alpine Lakes Wilderness Area and the Alpine Lakes Intended Wilderness Area is as shown on the map, dated June 1976, on file in the office of the Chief, Forest Service, and as generally described in Public Law No. 94-357 1976. The approximate courses of the map boundaries are identified in the following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread, and calls to a ridge shall be to the crest. Section, Township, and Range lines and Section corners as established by the United States Public Land Survey, shall determine the actual location of those portions of the boundary so described.

Section subdivision lines and corners will be as established under the rules of the United States Public Land Survey.

Data Acquisition

The data base for the Alpine Lakes Wilderness Area and the Alpine Lakes Intended Wilderness Area Boundaries is a series of quadrangle maps published by the U. S. Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with the Hewlett-Packard 9820 digitizer. The data is published as the attached metes and bounds descriptions.

ALPINE LAKES WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances referenced in the following description are based on the Washington State plane grid system with appropriate zone noted in the description. Mining claim boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
4	1			Summit of Arrowhead Mountain, elevation 6030 feet, Latitude 47° 57' 53", Longitude 120° 57' 55", NE¼,NW¼ of Section 15, T. 26 N., R. 15 E. Willamette Meridian, Washington. Grid coordinates: Washington North Zone: X = 1967765.114 Y = 276479.500
		N. 70° 45' E.	611 (186)	Descending a spur ridge.
		N. 33° 30' E.	359 (110)	
	2			A point on the section line dividing sections 10 and 15, T. 26 N., R. 15 E.
		N. 90° 00' E.	13,234 (4,034)	Along the section line dividing sections 10 and 15, sections 11 and 14, and sections 12 and 13, T. 26 N., R. 15 E.
	3			Corner common to sections 12 and 13, T. 26 N., R. 15 E. and sections 7 and 18, T. 26 N., R. 16 E., a point of intersection with the Intended Wilderness Boundary.
		S. 00° 15' W.	3,388 (1,033)	Along the range line dividing sections 13, and 18, sections 24 and 19, sections 25 and 30, and sections 36 and 31, T. 26 N., R. 15 E. and R. 16 E.
13		S. 00° 30' W.	17,597 (5,364)	
	4			The southeast corner of section 36, T. 26 N., R. 15 E.
		S. 89° 45' W.	891 (271)	Along the township line between T. 26 N., T. 25 N. and R. 16 E., dividing sections 36 and 6.
	5			Corner common to section 1, T. 25 N., R. 15 E. and section 6, T. 25 N., R. 16 E.
		S. 00° 00' W.	27,959 (8,522)	Along the range line, T. 25 N., R. 15 E., and R. 16 E., dividing sections 1 and 6, sections 12 and 7, sections 13 and 18, sections 24 and 19, sections 25 and 30, and sections 36 and 31.
22		S. 00° 30' E.	3,713 (1,132)	
	6			Intersection of the range line with the 3,400 foot contour line, a point of intersection with the Intended Wilderness Boundary.
		S. 88° 15' W.	1,448 (441)	
		N. 86° 30' W.	1,275 (389)	
		N. 77° 30' W.	233 (71)	
		N. 70° 15' W.	1,716 (523)	
		N. 75° 15' W.	1,109 (338)	Along the 3,400 foot contour line.
		N. 66° 00' W.	1,490 (454)	
		N. 81° 15' W.	544 (166)	
		S. 68° 45' W.	642 (196)	
		N. 42° 00' W.	372 (113)	
		N. 04° 30' E.	633 (193)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	7			Intersection of the 3,400 foot contour line with Grindstone Creek, Section 35, T. 25 N., R. 15 E.
		S. 28° 30' W.	539 (164)	Following down Grindstone Creek.
		S. 65° 45' W.	547 (168)	
	8			Intersection of Grindstone Creek with the 3,000 foot contour line, section 35, T. 25 N., R. 15 E.
		S. 42° 45' W.	1,133 (345)	Descending the bench of the creek, crossing Icicle Creek and up a minor draw.
		S. 34° 30' W.	1,714 (523)	
	9			Intersection of the draw with the 3,000 foot contour line, section 3, T. 24 N., R. 15 E.
		N. 42° 00' E.	121 (37)	
		S. 53° 15' E.	280 (85)	
		S. 18° 30' E.	793 (242)	
		S. 57° 30' E.	1,116 (340)	
		S. 10° 00' W.	259 (79)	
		N. 77° 30' E.	225 (69)	
		S. 61° 00' E.	998 (304)	
		S. 85° 15' E.	811 (247)	Along the 3,000 foot contour line.
		S. 15° 00' E.	296 (90)	
		N. 43° 00' E.	223 (68)	
		N. 89° 30' E.	950 (290)	
		S. 83° 00' E.	1,060 (323)	
		S. 80° 00' E.	1,509 (460)	
		S. 57° 30' E.	339 (103)	
		S. 65° 15' E.	442 (135)	
		S. 49° 45' E.	442 (135)	
		S. 67° 15' E.	465 (142)	
		S. 28° 00' E.	366 (111)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 53° 00' E.	539 (164)	
		S. 17° 45' W.	619 (189)	
		S. 01° 00' W.	304 (93)	Along the 3,000 foot contour line.
		N. 33° 30' E.	1,215 (370)	
		N. 81° 15' E.	2,230 (680)	
		N. 86° 15' E.	1,040 (317)	
	10			Intersection of the 3,000 foot contour line with the range line dividing section 1, T. 24 N., R. 15 E. and section 6, T. 24 N., R. 16 E.
		S. 00° 00' E.	9,273 (2,826)	Along the range line, T. 24 N., R. 15 E. and R. 16 E. dividing sections 1 and 6 and sections 12 and 7.
	11			A point of intersection of the range line with the Intended Wilderness Boundary; corner common to sections 12 and 13, T. 24 N., R. 15 E. and sections 18 and 7, T. 24 N., R. 16 E.
		S. 00° 00' W.	21,122 (6,438)	Along the range line, T. 24 N., R. 15 E. and R. 16 E. dividing sections 13 and 18, sections 24 and 19, sections 25 and 30, and sections 36 and 31.
	12			Corner common to section 36, T. 24 N., R. 15 E., section 1, T. 23 N., R. 15 E., section 6, T. 23 N., R. 16 E., and section 31, T. 24 N., R. 16 E.
		S. 89° 45' E.	6,958 (2,120)	Along the township line T. 24 N. and T. 23 N., R. 16 E. dividing sections 31 and 6, sections 32 and 5, sections 33 and 4, and sections 34 and 3.
23		S. 90° 00' E.	13,962 (4,256)	
	13			A point of intersection of the township line T. 24 N. and T. 23 N., R. 16 E. with the Intended Wilderness Boundary; corner common to sections 34 and 35, T. 24 N., R. 16 E., and sections 2 and 3, T. 23 N., R. 16 E.
		S. 90° 00' E.	8,378 (2,554)	Along the township line T. 24 N. and T. 23 N., R. 16 E. dividing sections 35 and 2 and sections 36 and 1.
	14			Intersection of the township line T. 24 N. and T. 23 N., R. 16 E., with a point on a prominent ridge.
		N. 20° 00' E.	574 (175)	Descending a prominent ridge.
		N. 34° 30' E.	1,505 (459)	
	15			A point on a prominent ridge; approximate elevation is 6,280 feet, section 36, T. 24 N., R. 16 E.
		N. 90° 00' E.	6,383 (1,946)	Along a straight traverse to the corner common to section 31, T. 24 N., R. 17 E., and section 6, T. 23 N., R. 17 E. then along the township line.
	16			A point of intersection of the township line T. 24 N. and T. 23 N., R. 17 E. with the Intended Wilderness Boundary; corner common to sections 6 and 5, T. 23 N., R. 17 E.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 00° 00' E.	5,066 (1,544)	Along the section line dividing sections 6 and 5, T. 23 N., R. 17 E.
	17			Corner common to sections 6, 5, 7, and 8, T. 23 N., R. 17 E.
		N. 88° 45' E.	1,097 (334)	Along the section line dividing sections 5 and 8, sections 4 and 9, and sections 3 and 10, T. 23 N., R. 17 E.
24		S. 89° 30' E.	10,095 (3,077)	
	18			A point on a prominent ridge in the Stuart Range; approximate elevation is 5,800 feet, a point of intersection with the Intended Wilderness Boundary. Intersection with the line dividing sections 3 and 10, T. 23 N., R. 17 E.
		S. 28° 45' W.	206 (63)	
		S. 08° 15' E.	565 (172)	
		S. 38° 45' W.	796 (243)	
		S. 21° 00' W.	1,607 (490)	
		S. 13° 45' W.	1,154 (352)	
34		S. 14° 00' W.	885 (270)	
		S. 01° 15' E.	1,136 (346)	Along the divide between Snow Creek and Peshastin Creek, the crest of the Stuart Range.
		S. 16° 45' W.	1,022 (311)	
		S. 14° 30' W.	866 (264)	
		S. 17° 15' E.	271 (83)	
		S. 51° 00' W.	338 (117)	
		S. 48° 30' W.	212 (65)	
		S. 14° 30' W.	474 (144)	
		S. 59° 45' W.	715 (218)	
		S. 49° 45' W.	990 (302)	
		S. 66° 30' W.	759 (231)	
		S. 89° 45' W.	319 (97)	
		S. 33° 00' W.	1,095 (334)	
		S. 33° 45' W.	890 (271)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	19			Intersection with the section line dividing sections 20 and 21, T. 23 N., R. 17 E, a point of intersection with the Intended Wilderness Boundary.
		S. 00° 15' E.	3,967 (1,209)	Along the section line dividing sections 20 and 21, T. 23 N., R. 17 E.
	20			Corner common to sections 20, 21, 28, and 29, T. 23 N., R. 17 E.
		N. 89° 45' W.	4,027 (1,227)	Along the section line dividing sections 20 and 29, T. 23 N., R. 17 E.
33		N. 89° 45' W.	1,197 (365)	
	21			Corner common to sections 20, 19, 30, and 29, T. 23 N., R. 17 E.
		S. 00° 00' E.	5,382 (1,640)	Along the section line dividing sections 29 and 30, T. 23 N., R. 17 E.
	22			Corner common to sections 29, 30, 31, and 32, T. 23 N., R. 17 E.
		S. 90° 00' W.	5,143 (1,568)	Along the section line dividing sections 30 and 31, T. 23 N., R. 17 E.
	23			Corner common to sections 30 and 31, on the range line, T. 23 N., R. 17 E.
		S. 00° 15' E.	5,262 (1,604)	Along the range line, T. 23 N., R. 16 E. and R. 17 E., dividing sections 25 and 31 and sections 36 and 31.
	24			Intersection of the township line, T. 23 N. and T. 22 N., with the range line R. 16 E. and R. 17 E., corner common to sections 31 and 1.
		S. 89° 15' E.	1,575 (480)	Along the township line dividing section 31, T. 23 N., R. 17 E. and section 1, T. 22 N., R. 17 E.
	25			Intersection of the township line with a point on a ridge; approximate elevation is 5,600 feet
		S. 02° 45' E.	1,755 (535)	
		S. 26° 45' E.	998 (304)	Along an ascending, steep ridge.
		S. 50° 45' E.	778 (237)	
	26			A point on the Three Brothers Ridge, section 6, T. 22 N., R. 17 E.; approximate elevation is 6,880 feet. Intersection with Intended Wilderness Boundary.
		S. 37° 45' W.	738 (225)	
		S. 56° 45' W.	780 (238)	
		S. 16° 30' W.	542 (165)	
		S. 47° 30' W.	508 (155)	
		S. 68° 45' W.	511 (156)	Along a prominent ridge (Three Brothers).
		S. 48° 45' W.	891 (271)	
		S. 44° 15' W.	958 (292)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 56° 15' W.	547 (167)	Along a prominent ridge (Three Brothers).
		S. 79° 30' W.	1,517 (462)	
	27			Corner common to sections 2, 1, 12, and 11, T. 22 N., R. 16 E.
		N. 90° 00' W.	3,090 (942)	Along the section line dividing sections 2 and 11, T. 22 N., R. 16 E.
	28			Intersection of the section line with a point on a promiment ridge, the county boundary line between Chelan and Kittitas Counties.
		N. 24° 15' W.	1,392 (424)	
		N. 64° 00' W.	312 (95)	
		S. 55° 30' W.	431 (131)	
		S. 36° 45' W.	427 (130)	
		S. 62° 00' W.	784 (239)	
		S. 80° 30' W.	1,049 (320)	
		N. 74° 00' W.	769 (235)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.
		N. 81° 30' W.	747 (228)	
		N. 64° 45' W.	2,639 (804)	
		S. 47° 00' W.	1,185 (361)	
		S. 31° 45' W.	780 (238)	
		S. 50° 00' W.	1,005 (306)	
		S. 01° 00' W.	678 (207)	
		S. 26° 30' W.	695 (212)	
		S. 48° 30' W.	1,583 (482)	
		N. 63° 00' W.	900 (274)	
		N. 66° 15' W.	919 (280)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 48° 15' W.	917 (280)	
		N. 58° 15' W.	780 (238)	
		N. 37° 15' W.	670 (204)	
		N. 42° 45' W.	804 (245)	
		N. 62° 00' W.	705 (215)	
		S. 56° 00' W.	691 (211)	
		S. 58° 15' W.	697 (213)	
		S. 17° 00' W.	523 (159)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.
		S. 50° 45' W.	638 (195)	
		S. 72° 00' W.	731 (223)	
		N. 55° 30' W.	1,388 (423)	
* * * * * * * * * * * * * * * * *				BEGINNING OF WASHINGTON SOUTH ZONE.
32		N. 38° 30' W.	1,136 (346)	
		N. 58° 45' W.	1,693 (516)	
		N. 29° 45' W.	1,227 (374)	
		N. 52° 00' W.	1,383 (422)	
		S. 42° 15' W.	722 (220)	
		N. 89° 15' W.	460 (140)	
		S. 86° 15' W.	521 (159)	
		N. 74° 30' W.	1,095 (334)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.
		S. 74° 30' W.	645 (197)	
		S. 53° 15' W.	755 (230)	
		N. 79° 45' W.	365 (111)	
		N. 55° 30' W.	721 (220)	
		N. 47° 30' W.	750 (229)	
		N. 70° 30' W.	992 (302)	
		N. 60° 00' W.	367 (112)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 39° 00' W.	596 (182)	
		N. 45° 30' W.	1,555 (474)	
		N. 06° 15' W.	503 (153)	
		N. 11° 00' E.	670 (204)	
		N. 21° 00' W.	323 (98)	
		N. 06° 30' E.	1,406 (428)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.
		N. 23° 15' W.	590 (180)	
		N. 15° 45' E.	2,070 (631)	
		N. 55° 30' W.	432 (132)	
		N. 74° 45' W.	475 (145)	
		N. 45° 00' W.	1,003 (306)	
		N. 32° 30' W.	837 (255)	
		N. 01° 45' W.	1,420 (433)	
		N. 22° 30' E.	215 (66)	
		N. 49° 45' W.	908 (277)	
		N. 83° 45' W.	1,686 (514)	
		N. 73° 15' W.	1,227 (374)	
		N. 77° 45' W.	1,509 (460)	
		N. 68° 15' W.	278 (85)	
		N. 40° 45' W.	453 (138)	
		N. 19° 45' E.	613 (187)	
		N. 09° 30' E.	910 (277)	
		N. 32° 45' E.	943 (287)	
		N. 04° 15' E.	320 (98)	
		N. 41° 45' E.	609 (186)	
		N. 32° 15' E.	610 (186)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 37° 00' W.	328 (100)	
		N. 44° 15' W.	876 (267)	
		N. 20° 30' W.	386 (118)	
		N. 58° 45' W.	394 (120)	
		N. 76° 45' W.	553 (168)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.
		N. 32° 45' W.	1,413 (431)	
		N. 48° 00' W.	665 (203)	
		N. 07° 30' W.	283 (86)	
		N. 19° 45' E.	487 (148)	
		N. 34° 15' W.	244 (74)	
		N. 05° 45' W.	181 (55)	
		N. 80° 45' W.	545 (166)	
		N. 68° 45' W.	341 (104)	
		N. 51° 15' W.	1,423 (434)	
		N. 56° 15' W.	549 (167)	
	29			Intersection of the crest ridge with the section line dividing sections 15 and 16, T. 23 N., R. 15 E.
		N. 01° 00' E.	4,256 (1,297)	Along the section line dividing sections 15 and 16 and sections 10 and 9, T. 23 N., R. 15 E.
* * * * * * * * * * * * * * * *				BEGINNING OF WASHINGTON NORTH ZONE.
22		N. 00° 30' E.	1,874 (571)	Along the section line dividing sections 15 and 16 and sections 10 and 9, T. 23 N., R. 15 E.
	30			Corner common to sections 9, 10, 3, and 4, T. 23 N., R. 15 E.
		S. 90° 00' W.	6,379 (1,944)	Along the section line dividing sections 4 and 9 and sections 5 and 8, T. 23 N., R. 15 E.
	31			Intersection of the section line with the crest of the Wenatchee Mountains and the county boundary line dividing Chelan and Kittitas Counties.
		N. 01° 30' W.	818 (249)	
		N. 28° 00' E.	339 (103)	
		N. 50° 45' E.	567 (173)	
		N. 03° 45' W.	300 (91)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 26° 30' E.	535 (163)	
		N. 25° 15' W.	1,169 (356)	
		N. 37° 30' W.	427 (130)	
		N. 48° 00' W.	565 (172)	
		N. 11° 15' W.	407 (124)	Along the crest of the Wenatchee Mountains following the county boundary line dividing Chelan and Kittitas Counties.
		N. 02° 00' W.	559 (170)	
		N. 77° 30' W.	1,185 (361)	
	32			Intersection of the crest ridge with the township line T. 23 N., and T. 24 N., R. 15 E., dividing sections 32 and 5.
21		N. 89° 45' W.	4,492 (1,369)	Along the township line dividing sections 32 and 31, T. 24 N., R. 15 E., and sections 5 and 6, T. 23 N., R. 15 E.
	33			Corner common to section 31, T. 24 N., R. 15 E. and section 6, T. 23 N., R. 15 E.
		S. 01° 00' E.	341 (104)	Along the range line. T. 23 N., R. 14 E. and R. 15 E. dividing sections 36 and 6.
	34			Corner at the intersection of the township line T. 24 N. and T. 23 N. and the range line R. 14 E. and R. 15 E., common to section 36, T. 24 N., R. 14 E. and section 1, T. 23 N., R. 14 E.
		N. 89° 45' W.	10,507 (3,202)	Along the township line, T. 24 N. and T. 23 N., R. 14 E. dividing sections 36 and 1 and sections 35 and 2.
	35			Corner common to sections 35 and 34, T. 24 N., R. 14 E. and 2 and 3, T. 23 N., R. 14 E. Intersection with the 3,600 foot contour line.
		N. 34° 45' W.	1,084 (330)	
		N. 75° 00' W.	146 (44)	
		N. 38° 45' W.	1,143 (348)	
		N. 32° 15' W.	963 (293)	Along the 3,600 foot contour line.
		N. 24° 15' W.	153 (45)	
		N. 35° 15' W.	1,140 (347)	
	36			Intersection of the 3,600 foot contour line with the line bisecting the center and the north quarter corner of the section 34, T. 24 N., R. 14 E.
		N. 00° 15' W.	1,564 (477)	Along the line bisecting the center and the north quarter corner of section 34, T. 24 N., R. 14 E.
	37			North quarter corner of section 34, T. 24 N., R. 14 E.
		N. 89° 00' W.	562 (171)	Along the section line dividing sections 27 and 34, T. 24 N., R. 14 E.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	38			A point on the section line dividing sections 27 and 34, T. 24 N., R. 14 E.
		N. 29° 15' W.	933 (284)	A straight traverse across a steep slope above the Cle Elum River.
	39			A point in the SE¼SW¼, section 27, T. 24 N., R. 14 E.; approximate elevation is 3,800 feet.
		S. 63° 45' W.	798 (243)	A straight traverse down a steep slope.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	40			Intersection with the 3,600 foot contour line.
		N. 44° 45' W.	693 (212)	
		N. 36° 45' W.	718 (219)	
		N. 46° 00' W.	255 (78)	
		N. 45° 15' W.	1,262 (385)	
		N. 01° 00' W.	120 (37)	Along the 3,600 foot contour line.
		N. 33° 30' W.	595 (181)	
		N. 42° 30' W.	1,392 (424)	
		N. 83° 45' W.	323 (99)	
		N. 42° 15' W.	1,279 (390)	
		N. 27° 30' W.	179 (55)	
	41			Intersection of the 3,600 foot contour line with Skeeter Creek, section 21, T. 24 N., R. 14 E.
		S. 39° 15' W.	341 (104)	
		S. 09° 00' E.	709 (216)	Down Skeeter Creek.
		S. 21° 30' W.	890 (271)	
	42			Confluence of Skeeter Creek with the Cle Elum River.
		S. 71° 30' W.	463 (141)	Crossing the river bench to the toe of the hill.
	43			The 3,400 foot contour line, SW¼NW¼, section 28, T. 24 N., R. 14 E.
		S. 35° 45' E.	806 (246)	
		S. 22° 45' E.	216 (66)	
		S. 28° 30' E.	520 (159)	
		S. 42° 30' E.	2,144 (654)	Along the 3,400 foot contour line.
		S. 67° 00' E.	197 (60)	
		S. 42° 15' E.	1,279 (390)	
		S. 39° 30' E.	899 (274)	
		S. 42° 15' E.	909 (277)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	44			Intersection of the 3,400 foot contour line with the section line dividing sections 33 and 34, T. 24 N., R. 14 E.
		S. 01° 00' E.	802 (244)	Along the section line dividing sections 33 and 34, T. 24 N., R. 14 E.
	45			The quarter corner between sections 33 and 34, T. 24 N., R. 14 E.
		N. 89° 00' E.	682 (208)	Along the E-W center line of section 34, T. 24 N., R. 14 E.
	46			Intersection of the E-W center line with the 3,400 foot contour line.
		S. 32° 00' E.	701 (214)	
		S. 42° 30' E.	241 (74)	
		S. 34° 15' E.	840 (256)	Along the 3,400 foot contour line.
		S. 27° 30' E.	717 (219)	
		S. 30° 00' E.	619 (189)	
	47			Intersection of the 3,400 foot contour line with the township line, T. 24 N. and T. 23 N. dividing section, 34, T. 24 N., R. 14 E. and section 3, T. 23 N., R. 14 E.
		S. 89° 45' W.	4,551 (1,387)	Along the township line, T. 24 N. and T. 23 N., R. 14 E. dividing sections 34 and 3 and sections 33 and 4.
	48			Intersection of the township line, T. 24 N. and T. 23 N., R. 14 E. with the Intended Wilderness Boundary
		N. 90° 00' W.	8,321 (2,536)	Along the township line, T. 24 N. and T. 23 N., R. 14 E. dividing sections 33 and 4 and sections 32 and 5.
	49			Corner common to sections 32 and 31, T. 24 N., R. 14 E. and sections 5 and 6, T. 23 N., R. 14 E.
		S. 01° 00' E.	5,232 (1,595)	Along the section line dividing sections 5 and 6, T. 23 N., R. 14 E.
	50			Corner common to sections 5, 6, 7, and 8, T. 23 N., R. 14 E.
20		N. 89° 30' W.	5,238 (1,596)	Along the section line dividing sections 6 and 7, T. 23 N., R. 14 E.
	51			Corner common to sections 6 and 7 on the range line T. 23 N., R. 14 E. and R. 13 E.
		S. 01° 15' W.	1,683 (513)	Along the range line, T. 23 N., R. 14 E. and R. 13 E. dividing sections 7 and 12, sections 18 and 13, sections 19 and 24, sections 30 and 25, and sections 31 and 36.
* * * * * * * * * * * * * * * * *				BEGINNING OF WASHINGTON SOUTH ZONE.
30		S. 00° 30' W.	24,614 (7,502)	Along the range line, T. 23 N., R. 14 E. and R. 13 E. dividing sections 7 and 12, sections 18 and 13, sections 19 and 24, sections 30 and 25, and sections 31 and 36.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	52			Corner common to section 31, T. 23 N., R. 14 E., section 36, T. 23 N., R. 13 E., section 1, T. 22 N., R. 13 E. and section 6, T. 22 N., R. 14 E. Intersection with the Intended Wilderness Boundary.
		N. 88° 30' W.	1,794 (547)	Along the township line, T. 23 N. and T. 22 N., R. 13 E. dividing sections 36 and 1.
	53			Intersection of township line, T. 23 N. and T. 22 N., R. 13 E. with Polallie Ridge; approximate elevation is 5,200 feet.
		N. 61° 30' W.	945 (288)	
		N. 37° 30' W.	865 (264)	
		N. 20° 30' W.	492 (150)	
		N. 38° 30' W.	878 (268)	
		N. 49° 30' W.	595 (181)	
		N. 65° 45' W.	455 (139)	Along Polallie Ridge.
		N. 36° 30' W.	952 (290)	
		N. 35° 15' W.	642 (196)	
		N. 46° 15' W.	705 (215)	
		N. 29° 30' W.	1,019 (310)	
		N. 18° 00' W.	1,286 (392)	
		N. 12° 00' E.	629 (192)	
	54			A point on Polallie Ridge, NW¼SE¼, section 26, T. 23 N., R. 13 E.
		N. 79° 45' W.	868 (265)	
		S. 89° 00' W.	618 (188)	Down a descending minor draw.
		N. 81° 15' W.	1,046 (319)	
	55			A point on Tired Creek, NW¼SW¼, section 26, T. 23 N., R. 13 E.
		N. 15° 00' W.	1,079 (329)	
		N. 04° 15' W.	1,341 (409)	
		N. 21° 30' W.	625 (191)	Up an ascending spur ridge above Tired Creek.
		N. 06° 45' E.	601 (183)	
		N. 08° 15' W.	1,252 (381)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	56			A point on the spur ridge, NW¼SW¼, section 23, T. 23 N., R. 13 E.; approximate elevation is 5,360 feet.
		N. 44° 00' W.	366 (112)	
		N. 86° 15' W.	818 (249)	Down a descending spur ridge.
		S. 64° 30' W.	357 (109)	
	57			A point on the spur ridge, NE¼SE¼, section 22, T. 23 N., R. 13 E.; approximate elevation is 4,920 feet.
		S. 70° 00' W.	833 (254)	
		S. 59° 15' W.	304 (93)	
		S. 73° 30' W.	397 (121)	
		S. 69° 30' W.	1,799 (548)	Down a descending, prominent, deep draw.
		S. 64° 30' W.	1,114 (340)	
		S. 88° 15' W.	1,257 (383)	
	58			Confluence of a deep draw with Cooper River.
		S. 60° 00' W.	349 (106)	
		S. 04° 15' W.	339 (103)	
		S. 36° 00' E.	498 (152)	
		S. 12° 30' E.	512 (156)	
		S. 38° 00' E.	538 (164)	
		S. 57° 30' E.	420 (128)	Along Cooper River.
		S. 07° 15' W.	180 (55)	
		S. 86° 30' W.	260 (79)	
		S. 16° 15' W.	227 (69)	
		S. 58° 30' E.	786 (240)	
		S. 11° 30' E.	184 (56)	
		S. 63° 15' W.	428 (130)	
		S. 06° 15' W.	440 (134)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	59			A point on a sharp bend of Cooper River, downstream from Delate Creek; NE¼SE¼, section 28, T. 23 N., R. 13 E.
		S. 66° 30' W.	919 (280)	Up a minor draw.
		S. 58° 15' W.	995 (303)	
	60			The top of a minor draw, SW¼SE¼, section 28, T. 23 N., R. 13 E.; approximate elevation is 3,560 feet.
		S. 51° 15' W.	1,656 (505)	Up the face of a steep slope.
	61			A point on a prominent ridge, NE¼NW¼, section 33, T. 23 N., R. 13 E.; approximate elevation is 4,840 feet.
		N. 63° 15' W.	731 (223)	
		N. 83° 30' W.	621 (189)	
		N. 61° 00' W.	339 (103)	
		N. 76° 45' W.	469 (143)	
		N. 89° 00' W.	419 (128)	
		N. 80° 15' W.	524 (160)	Along a prominent ridge, the divide between Delate Creek and Mineral Creek and Cooper River.
		S. 72° 15' W.	1,242 (378)	
		S. 10° 30' W.	1,193 (364)	
		S. 77° 00' W.	986 (301)	
		S. 59° 15' W.	1,172 (357)	
		S. 39° 30' W.	255 (78)	
	62			A point on the 5,600 foot contour line, SW¼NW¼, section 32, T. 23 N., R. 13 E.
29		S. 63° 45' W.	956 (291)	Along the 5,600 foot contour line.
		S. 19° 30' W.	594 (181)	
	63			A point on Chikamin Ridge at the top of a steep avalanche chute.
		S. 27° 30' W.	2,118 (646)	
		S. 14° 45' W.	1,633 (498)	Down a steep avalanche chute.
		S. 07° 15' E.	1,289 (393)	
	64			The confluence of a steep avalanche chute with Mineral Creek.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 24° 45' W.	2,423 (738)	Up an ascending, steep, rounded ridge between two prominent avalanche chutes.
	65			A point on a spur ridge off Box Ridge, SE¼SW¼, section 6, T. 22 N., R. 13 E.; approximate elevation is 4,520 feet.
		S. 73° 00' W.	626 (191)	
		S. 68° 00' W.	753 (230)	Up an ascending, steep, rocky ridge.
		S. 14° 15' E.	494 (151)	
	66			A prominent, rocky point on Box Ridge, NW¼NW¼, section 7, T. 20 N., R. 13 E.; approximate elevation is 6,040 feet.
		S. 83° 15' W.	523 (159)	
		S. 10° 45' E.	549 (167)	
		S. 10° 00' W.	670 (204)	Along Box Ridge.
		S. 21° 45' E.	709 (218)	
	67			A point on Box Ridge, SW¼NW¼, section 7, T. 22 N., R. 13 E.; approximate elevation is 5,120 feet.
		S. 41° 15' W.	1,387 (423)	Down a steep slope.
	68			The top of a major water course, NW¼SW¼, section 7, T. 22 N., R. 13 E.; approximate elevation is 4,280 feet.
		S. 67° 00' W.	1,236 (377)	
		S. 75° 45' W.	247 (75)	
		N. 79° 45' W.	223 (68)	
		N. 63° 30' W.	357 (109)	Down a steep, prominent watercourse.
		S. 57° 45' W.	754 (230)	
		S. 10° 30' W.	1,199 (365)	
	69			Intersection of the watercourse with the 3,000 foot contour line.
		N. 71° 15' W.	2,894 (882)	A straight traverse up a steep slope.
	70			A point on a ridge dividing Box Canyon Creek and West Fork Box Canyon Creek, NE¼NE¼, section 14, T. 22 N., R. 12 E.
		N. 50° 30' W.	596 (182)	Along the ridge.
	71			Intersection of the ridge with the section line dividing sections 11 and 14, T. 22 N., R. 12 E.
		N. 89° 30' W.	4,716 (1,437)	Along the section line dividing sections 11 and 14, T. 22 N., R. 12 E.
	72			Corner common to sections 11, 10, 15, and 14, T. 22 N., R. 12 E.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 01° 15' W.	5,237 (1,596)	Along the section line dividing sections 15 and 14, T. 22 N., R. 12 E.
	73			Corner common to sections 15 and 14, on the section line dividing sections 15 and 22, T. 22 N., R. 12 E.
		S. 89° 45' E.	102 (31)	Along the section line dividing sections 14 and 22, T. 22 N., R. 12 E.
	74			Corner common to sections 22 and 23 on the section line dividing sections 14 and 22, T. 22 N., R. 12 E.
		S. 00° 30' W.	5,455 (1,663)	Along the section line dividing sections 22 and 23, T. 22 N., R. 12 E.
	75			Corner common to sections 22, 23, 26, and 27, T. 22 N., R. 12 E.
		N. 89° 00' W.	5,516 (1,681)	Along the section line dividing sections 22 and 27, T. 22 N., R. 12 E.
	76			Corner common to sections 22 and 27, T. 22 N., R. 12 E. on the range line, T. 22 N., R. 12 E. and R. 11 E.
		N. 01° 00' E.	5,915 (1,803)	Along the range line, T. 22 N., R. 12 E. and R. 11 E. dividing sections 22 and 24, sections 22 and 13, and sections 15 and 13.
	77			Intersection of the range line T. 22 N., R. 12 E. and R. 11 E. with the East ¼ corner, section 13, T. 22 N., R. 11 E.
		N. 89° 15' W.	5,255 (1,602)	Across the center of section 13, T. 22 N., R. 11 E.
	78			West ¼ corner, section 13, T. 22 N., R. 11 E.
		N. 01° 00' E.	10,572 (3,222)	Along the section line dividing sections 13 and 14, sections 12 and 11 and sections 1 and 2, T. 22 N., R. 11 E.
	79			The ¼ corner common to sections 1 and 2, T. 22 N., R. 11 E.
		N. 20° 45' W.	171 (52)	
		N. 87° 15' W.	1,140 (348)	Across Gold Creek and up a gradual avalanche chute.
		N. 55° 15' W.	488 (149)	
		N. 72° 30' W.	524 (160)	
	80			A point on a rounded ridge at the 3,280 foot contour line section 2, T. 22 N., R. 11 E.
		N. 02° 15' W.	1,100 (335)	
		N. 23° 15' W.	1,021 (311)	Up a steep, rounded ridge.
		N. 41° 45' W.	962 (293)	
	81			Kendall Peak, elevation 5,441 feet, section 35, T. 23 N., R. 11 E.
		N. 06° 45' W.	865 (264)	
		N. 01° 00' E.	919 (280)	
		N. 59° 15' W.	932 (284)	Along a prominent ridge north of Kendall Peak Lakes.
28		N. 57° 15' W.	260 (79)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 73° 00' W.	732 (223)	Along a prominent ridge north of Kendall Peak Lakes.
		S. 77° 45' W.	368 (112)	
	82			A point on the ridge, the intersection with the county boundary line dividing King and Kittitas Counties.
		S. 34° 15' W.	1,611 (491)	Along a descending spur ridge, following the county boundary line dividing King and Kittitas Counties.
		S. 70° 15' W.	701 (214)	
		N. 75° 15' W.	721 (220)	
		S. 66° 45' W.	1,198 (365)	
		S. 52° 15' W.	583 (178)	
		N. 78° 15' W.	407 (124)	
		N. 82° 45' W.	503 (153)	
		S. 66° 00' W.	482 (147)	
	83			Intersection of the King/Kittitas County boundary line with the section line dividing sections 33 and 34, T. 23 N., R. 11 E.
		N. 00° 15' E.	2,016 (614)	Along the section line dividing sections 33 and 34, T. 23 N., R. 11 E.
	84			The ¼ corner common to sections 33 and 34, T. 23 N., R. 11 E.
		N. 88° 15' W.	859 (262)	Along the E-W centerline of section 33, T. 23 N., R. 11 E.
	85			Intersection of the E-W centerline of section 33 and a prominent spur ridge off of Guye Peak.
		N. 10° 00' W.	994 (303)	Up a steep then gradual spur ridge.
		N. 44° 45' W.	847 (258)	
	86			Guye Peak, elevation 5,168 feet.
		N. 09° 00' W.	1,234 (376)	Along a prominent ridge.
		N. 33° 15' W.	504 (154)	
		N. 11° 30' W.	388 (118)	
		N. 30° 00' W.	394 (120)	
	87			Intersection with the east line of the patented Mommoth Lode Mineral Survey No. 49. Line 4-3
		N. 51° 45' E.	639 (195)	Along Mammoth Lode Mineral Survey No. 49.
	88			Corner No. 1 of the patented Orifeno Mine Mineral Survey No. 87.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 44° 45' E.	395 (120)	Along the Orifeno Mine Mineral Survey No. 87. Line 1-2
	89			Corner No. 2 of the Orifeno Mine Mineral Survey No. 87.
		N. 47° 45' E.	1,412 (431)	Along the Orifeno Mine Mineral Survey No. 87. Line 2-3
	90			Corner No. 3 of the Orifeno Mine Mineral Survey No. 87.
		N. 38° 45' W.	1,362 (415)	Along the Orifeno Mine Mineral Survey No. 87, the patented Mammoth Lode Mineral Survey No. 47, and the patented Industry Lode Mineral Survey No. 51.
	91			Corner No. 3 of the Industry Lode Mineral Survey No. 51.
		N. 09° 15' E.	384 (117)	Across the toe of a steep, rounded spur ridge.
		N. 42° 45' E.	325 (99)	
	92			The base of a steep, rounded spur ridge, NE¼NE¼, section 28, T. 23 N., R. 11 E.
		N. 24° 00' W.	1,796 (547)	Up a steep, rounded spur ridge.
	93			A high point on Snoqualmie Mountain approximate elevation is 6,160 feet.
		S. 64° 15' W.	866 (264)	Along a steep, prominent ridge.
	94			A point on the ridge.
		S. 75° 30' W.	620 (189)	Along a prominent ridge.
		N. 58° 00' W.	305 (93)	
	95			Summit of Snoqualmie Mountain, elevation 6,278 feet.
		S. 62° 00' W.	545 (166)	Along a prominent ridge.
		N. 69° 30' W.	404 (123)	
		S. 73° 45' W.	562 (171)	
		N. 59° 15' W.	393 (120)	
	96			A point on the section line dividing sections 29 and 28, T. 23 N., R. 11 E.
		N. 00° 15' E.	180 (55)	Along the section line dividing sections 29 and 28, T. 23 N., R. 11 E.
	97			Corner common to sections 20, 21, 28, and 29, T. 23 N., R. 11 E.
		N. 89° 30' W.	9,477 (2,888)	Along the section line dividing sections 20 and 29, and sections 19 and 30, T. 23 N., R. 11 E.
	98			Corner common to sections 19 and 30 on the range line, T. 23 N., R. 11 E. and R. 10 E.; a point of intersection of the section line with the Intended Wilderness Boundary.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 00° 45' E.	11,372 (3,466)	Along the range line, T. 23 N., R. 11 E. and R. 10 E. dividing sections 24 and 19, sections 13 and 19, sections 13 and 18, sections 12 and 18, and sections 12 and 7.
	99			Intersection of the 3,000 foot contour line with the range line, T. 23 N., R. 11 E. and R. 10 E.; a point of intersection with the Intended Wilderness Boundary.
		N. 69° 15' E.	941 (287)	Along the 3,000 foot contour line.
		S. 36° 45' E.	626 (191)	
		S. 33° 15' E.	504 (153)	
		S. 13° 00' E.	431 (131)	
		S. 78° 45' E.	426 (130)	
		S. 56° 00' E.	288 (89)	
		S. 77° 30' E.	286 (87)	
		S. 37° 15' E.	327 (100)	
		S. 68° 00' E.	215 (65)	
		S. 44° 45' E.	169 (52)	
		S. 54° 00' E.	343 (105)	
		S. 02° 00' E.	499 (152)	
	100			A point on the 3,000 foot contour line at the top of a minor draw, SE¼NE¼, section 18, T. 23 N., R. 11 E.
		N. 88° 45' E.	718 (219)	Down a minor draw, crossing the section line dividing sections 18 and 17, T. 23 N., R. 11 E.
		N. 78° 45' E.	794 (242)	
	101			Confluence of the draw with Rock Creek; approximate elevation is 2,080 feet.
		S. 54° 15' E.	758 (231)	Up an ascending steep face.
		S. 81° 00' E.	807 (246)	
	102			A point on the 3,000 foot contour line on a prominent ridge, SE¼NW¼, section 17, T. 23 N., R. 11 E.
		S. 52° 00' E.	782 (238)	Along the 3,000 foot contour line.
		S. 56° 00' E.	935 (285)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 20° 45' E.	278 (85)	
		S. 89° 45' E.	519 (158)	
		S. 57° 30' E.	637 (194)	
		S. 58° 15' E.	537 (164)	
		S. 13° 15' E.	595 (181)	
		S. 21° 30' E.	752 (229)	
		N. 83° 00' E.	624 (190)	
		N. 35° 30' E.	902 (275)	
		N. 52° 30' E.	227 (69)	
		N. 78° 15' E.	286 (87)	Along the 3,000 foot contour line.
		S. 80° 30' E.	626 (191)	
		S. 66° 30' E.	608 (185)	
		S. 24° 00' E.	679 (207)	
		S. 73° 45' E.	290 (89)	
		N. 55° 30' E.	559 (170)	
		N. 41° 30' E.	820 (250)	
		N. 84° 15' E.	943 (287)	
		S. 69° 45' E.	234 (71)	
		N. 79° 30' E.	853 (260)	
		S. 43° 15' E.	635 (194)	
		N. 78° 45' E.	591 (180)	
		N. 32° 00' E.	493 (150)	
		N. 76° 45' E.	842 (257)	
		N. 87° 30' E.	819 (250)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 56° 45' E.	404 (123)	
		N. 57° 30' E.	404 (123)	Along the 3,000 foot contour line.
		N. 84° 45' E.	401 (122)	
	103			Intersection of the 3,000 foot contour line with the section line dividing sections 14 and 15, T. 23 N., R. 11 E.
		N. 00° 45' E.	2,953 (900)	Along the section line dividing sections 14 and 15, T. 23 N., R. 11 E.
	104			A point on the section line on a prominent, moderate ridge dividing Burntboot Creek and the Middle Fork Snoqualmie River drainages.
		N. 73° 15' E.	1,148 (350)	
29		N. 81° 15' E.	709 (216)	
		N. 57° 30' E.	1,744 (531)	
		N. 72° 00' E.	1,224 (373)	
		N. 86° 30' E.	1,581 (482)	Up a prominent ridge that divides the Burntboot Creek and the Middle Fork Snoqualmie River drainages.
		N. 74° 15' E.	770 (235)	
		N. 55° 45' E.	659 (201)	
		N. 80° 00' E.	1,057 (322)	
		N. 52° 15' E.	1,022 (312)	
		N. 69° 00' E.	1,505 (459)	
	105			Intersection of the ridge with the section line dividing section 12, T. 23 N., R. 11 E., and section 10, T. 23 N., R. 12 E.
		N. 00° 15' W.	1,018 (310)	Along the range line T. 23 N., R. 11 E. and R. 12 E. dividing sections 12 and 10, sections 1 and 10, sections 1 and 3, and sections 36 and 34, T. 24 N., R. 11 E. and R. 12 E.
19		N. 00° 45' E.	7,787 (2,373)	
	106			Intersection of the range line, T. 23 N., R. 11 E. and R. 12 E. with the south line of the patented Tracy Lode Mineral Survey No. 915.
		S. 73° 15' E.	1,166 (355)	Along the Tracy Lode Mineral Survey No. 915. Line 4-3
	107			Corner No. 3 of the Tracy Lode Mineral Survey No. 915.
		N. 15° 00' E.	1,136 (346)	Along the Tracy Lode Line 3-2 and Katie Belle Lode Line 3-2 Mineral Survey No. 915.
	108			Corner No. 2 of the patented Katie Belle Lode Mineral Survey No. 915.
		N. 73° 15' W.	1,394 (425)	Along the Katie Belle Lode Mineral Survey No. 915. Line 2-1

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	109			Corner No. 1 of the Katie Belle Mineral Survey No. 915.
		N. 15° 15' E.	641 (195)	Along the Star Lode Mineral Survey No. 915. Line 4-3
	110			Corner No. 3 of the patented Star Lode Mineral Survey No. 915.
		N. 75° 15' W.	578 (176)	Along the Star Lode Mineral Survey No. 915. Line 3-2
	111			Corner No. 2 of the Star Lode Mineral Survey No. 915.
		S. 16° 00' W.	685 (209)	Along the Star Lode Mineral Survey No. 915. Line 2-1
	112			The U.S.L.M. No. 2 on the westline of Star Lode Mineral Survey No. 915.
		S. 64° 30' W.	2,838 (865)	A straight traverse down a steep slope east of Hardscrabble Creek.
	113			Corner No. 1 of the patented Monte Cristo No. 3 Lode Mineral Survey No. 923.
		N. 69° 45' W.	1,209 (369)	Along the Monte Cristo No. 3 Lode Line 1-4 and the patented U and I No. 1 Lode Mineral Survey No. 923. Line 1-4
	114			Corner No. 4 of the patented U and I No. 1 Lode Mineral Survey No. 923.
		S. 20° 15' W.	1,380 (421)	Along the U and I No. 1 Lode Line 4-3 and the U and I No. 2 Lode Mineral Survey No. 923.
	115			Intersection with the township line, T. 24 N., and T. 23 N., R. 11 E. dividing section 36, T. 24 N., R. 11 E. and section 1, T. 23 N., R. 11 E.
		S. 41° 00' W.	497 (152)	
		S. 58° 15' W.	3,015 (919)	
		S. 80° 15' W.	652 (199)	Along a prominent ridge.
		S. 68° 15' W.	781 (238)	
		S. 50° 15' W.	710 (216)	
* * * * * * * * * * * * * * * * * *				BEGINNING OF WASHINGTON NORTH ZONE.
18		S. 55° 15' W.	1,451 (442)	Along a prominent ridge.
		S. 65° 00' W.	1,280 (390)	Hand calculated bearings and distances.
		S. 83° 00' W.	450 (137)	
		S. 42° 00' W.	1,335 (407)	
		S. 58° 45' W.	495 (151)	
		S. 61° 45' W.	457 (139)	Along a prominent ridge.
		S. 76° 30' W.	1,239 (378)	
		N. 89° 30' W.	1,182 (360)	
		N. 39° 30' W.	654 (199)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 72° 00' W.	672 (205)	Along a prominent ridge.
	116			Mt. Price, elevation 5,587 feet, section 4, T. 23 N., R. 11 E.
		S. 55° 45' W.	561 (171)	
		S. 68° 45' W.	324 (99)	
		S. 83° 15' W.	1,091 (333)	
		N. 69° 45' W.	894 (272)	Along a prominent ridge.
		N. 76° 00' W.	1,298 (396)	
		N. 29° 30' W.	718 (219)	
		N. 21° 45' E.	1,269 (387)	
	117			A prominent high point on the main ridge, section 5, T. 23 N., R. 11 E.; approximate elevation is 5,040 feet.
		N. 71° 45' W.	1,052 (321)	
		S. 85° 00' W.	423 (129)	
		N. 73° 45' W.	666 (203)	Down a descending spur ridge.
		N. 47° 30' W.	511 (156)	
		N. 19° 30' W.	469 (143)	
	118			A point on the spur ridge; approximate elevation is 3,960 feet, section 5, T. 23 N., R. 11 E.
		N. 59° 30' W.	763 (233)	
		N. 60° 00' W.	691 (211)	Down a steep, rounded ridge.
		N. 77° 30' W.	676 (206)	
		N. 61° 45' W.	520 (158)	
	119			A point on the section line dividing sections 5 and 6, T. 23 N., R. 11 E.; approximate elevation is 2,440 feet.
		N. 01° 15' E.	1,764 (538)	Along the section line dividing sections 5 and 6, T. 23 N., R. 11 E. and sections 32 and 31, T. 24 N., R. 11 E.
	120			Intersection of the section line dividing sections 32 and 31, T. 24 N., R. 11 E., with the 2,400 foot contour line.
		S. 83° 45' W.	343 (105)	
		N. 78° 00' W.	409 (125)	Along the 2,400 foot contour line.
		N. 57° 45' W.	495 (151)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 36° 15' W.	501 (153)	
		N. 78° 00' W.	102 (31)	
		N. 55° 45' W.	795 (242)	
		N. 83° 45' W.	403 (123)	
		N. 89° 30' W.	501 (153)	
		N. 53° 30' W.	273 (83)	Along the 2,400 foot contour line.
		N. 78° 45' W.	428 (131)	
		N. 13° 30' W.	330 (101)	
		N. 62° 45' W.	90 (27)	
		S. 78° 00' W.	185 (56)	
		N. 26° 00' W.	269 (82)	
		N. 77° 00' W.	185 (56)	
		N. 26° 00' W.	134 (41)	
		N. 53° 30' W.	273 (83)	
		N. 23° 45' W.	439 (134)	
		N. 17° 15' E.	418 (128)	
	121			A point on the 2,400 foot contour line, SE¼NW¼ section 31, T. 24 N., R. 11 E.
		N. 16° 15' W.	482 (146)	Across the slope.
	122			A point on a watercourse, intersection with the 2,000 foot contour line, section 31, T. 24 N., R. 11 E.
		N. 89° 30' W.	761 (232)	
		N. 29° 00' W.	1,059 (323)	
		N. 35° 30' W.	645 (197)	
		N. 11° 45' W.	472 (144)	
		S. 35° 30' W.	245 (75)	Along the 2,000 foot contour line
		N. 89° 30' W.	261 (79)	
		S. 61° 30' W.	206 (63)	
		N. 54° 00' W.	1,379 (420)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 29° 15' W.	323 (98)	
		N. 78° 00' W.	307 (93)	
		N. 58° 30' W.	584 (178)	
		N. 51° 30' W.	1,142 (348)	
		N. 26° 00' W.	403 (123)	Along the 2,000 foot contour line.
		N. 67° 15' E.	153 (47)	
		N. 49° 00' E.	241 (74)	
		N. 26° 00' W.	269 (82)	
		S. 87° 15' W.	341 (104)	
		S. 88° 45' W.	642 (196)	
		N. 46° 00' W.	553 (168)	
		N. 74° 15' W.	457 (139)	
	123			Intersection of the 2,000 foot contour line with a point on the section line dividing sections 23 and 24, T. 24 N., R. 10 E., a point of intersection with the Intended Wilderness Boundary.
		N. 01° 15' E.	4,609 (1,405)	Along the section line dividing sections 23 and 24, T. 24 N., R. 10 E.
	124			Corner common to sections 23, 24, 13, and 14, T. 24 N., R. 10 E.
		S. 89° 30' E.	5,290 (1,612)	Along the section line dividing sections 13 and 24, T. 24 N., R. 10 E.
	125			Corner common to sections 13 and 24, T. 24 N., R. 10 E. on the range line, T. 24 N., R. 10 E. and R. 11 E.
		N. 00° 15' E.	8,837 (2,694)	Along the range line, T. 24 N., R. 10 E. and R. 11 E., dividing sections 13 and 19, sections 13 and 18, sections 12 and 18, and sections 12 and 7.
	126			A point on the range line dividing sections 12, T. 24 N., R. 10 E. and 7, T. 24 N., R. 11 E., a point of intersection with the Intended Wilderness Boundary.
		N. 00° 30' E.	461 (140)	Along the range line, T. 24 N., R. 10 E. and R. 11 E., dividing sections 12 and 7.
	127			A point on the range line, T. 24 N., R. 10 E. and R. 11 E. dividing sections 12 and 7 at the 1,800 foot contour line.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 86° 00' E.	1,025 (312)	
		N. 83° 00' E.	768 (234)	
		S. 74° 45' E.	1,512 (461)	
		S. 89° 30' E.	361 (110)	
		S. 62° 00' E.	654 (199)	Along the 1,800 foot contour line.
		S. 16° 00' E.	628 (191)	
		S. 48° 30' E.	1,222 (372)	
		S. 39° 00' E.	1,196 (364)	
		S. 37° 00' E.	986 (301)	
		N. 66° 30' E.	789 (241)	
	128			Intersection of the 1,800 foot contour line with the Taylor River, section 17, T. 24 N., R. 11 E.
		N. 88° 15' E.	1,043 (318)	Up the Taylor River.
	129			Confluence of the Taylor River with a steep, minor watercourse.
		N. 22° 45' E.	692 (211)	Up a steep minor watercourse.
		N. 48° 00' E.	326 (99)	
	130			Intersection of a steep, minor watercourse with the 2,400 foot contour line, section 17, T. 24 N., R. 11 E.
		N. 71° 00' W.	507 (155)	
		N. 38° 30' W.	698 (213)	
		N. 33° 00' W.	867 (264)	
		N. 60° 15' W.	206 (63)	
		N. 65° 00' W.	242 (74)	Along the 2,400 foot contour line.
		N. 24° 00' W.	1,058 (323)	
		N. 47° 00' W.	950 (290)	
		N. 27° 15' W.	771 (235)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 57° 00' W.	261 (80)	
		N. 28° 45' W.	368 (112)	
		N. 17° 45' W.	507 (155)	
		N. 05° 15' E.	483 (147)	
		S. 74° 00' W.	983 (300)	
		N. 87° 30' W.	581 (177)	
		S. 89° 00' W.	782 (238)	Along the 2,400 foot contour line.
		N. 78° 00' W.	1,207 (368)	
		N. 71° 00' W.	570 (174)	
		S. 56° 00' W.	389 (119)	
		S. 80° 00' W.	326 (99)	
		N. 67° 15' W.	476 (145)	
	131			Intersection of the 2,400 foot contour line with the range line, T. 24 N., R. 10 E., and R. 11 E.
		N. 00° 30' E.	842 (257)	Along the range line, T. 24 N., R. 10 E. and R. 11 E., dividing sections 1 and 7 and sections 1 and 6.
	132			A point on the range line, T. 24 N., R. 10 E. and R. 11 E., a point of intersection with the Intended Wilderness Boundary.
		N. 00° 15' E.	2,665 (812)	Along the range line, T. 24 N., R. 10 E. and R. 11 E. dividing sections 1 and 6.
	133			Corner common to sections 1, T. 24 N., R. 11 E. and 6, T. 24 N., R. 10 E. on the range line.
		N. 89° 30' W.	7,214 (2,199)	
17		N. 89° 15' W.	3,225 (983)	
		N. 90° 00' W.	2,190 (668)	Along the township line, T. 24 N. and T. 23 N., R. 10 E.
		N. 89° 15' W.	3,066 (934)	
		N. 89° 00' W.	12,541 (3,823)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	134			Corner common to sections 36, T. 25 N., R. 9 E. and 31, T. 25 N., R. 10 E. on the township line.
		N. 00° 15' E.	5,276 (1,608)	
		N. 00° 45' E.	3,822 (1,165)	Along the range line, T. 25 N., R. 10 E. and R. 11 E. dividing sections 31 and 36, sections 30 and 25, and sections 19 and 24.
8		N. 01° 00' E.	6,680 (2,036)	
	135			Corner common to sections 18 and 19, T. 25 N., R. 10 E. and sections 13 and 24, T. 25 N., R. 9 E., a point of Intersection with the Intended Wilderness Boundary.
		N. 01° 00' E.	3,960 (1,207)	Along the range line, T. 25 N., R. 10 E. and R. 9 E. dividing sections 13 and 18.
	136			Intersection of the range line, T. 25 N., R. 10 E. and R. 9 E., with a prominent ridge; approximate elevation is 3,800 feet.
		S. 49° 45' E.	1,022 (311)	
		S. 61° 15' E.	1,002 (305)	
		S. 55° 30' E.	993 (303)	
		S. 36° 45' E.	300 (91)	Along a prominent ridge.
		S. 24° 45' E.	617 (188)	
		S. 63° 30' E.	626 (191)	
		S. 29° 00' E.	618 (188)	
		S. 08° 00' E.	707 (215)	
	137			Intersection of the prominent ridge with the section line dividing sections 18 and 19, T. 25 N., R. 10 E.
		S. 89° 45' E.	3,619 (1,103)	Along the section line dividing sections 18 and 19 and sections 17 and 20, T. 25 N., R. 10 E.
	138			Intersection of the section line dividing sections 17 and 20, T. 25 N., R. 10 E. with the 2,480 foot contour line.
		S. 39° 45' E.	625 (190)	
		S. 18° 30' E.	190 (58)	
		S. 45° 00' E.	170 (52)	
		S. 00° 00' E.	160 (49)	Along the 2,480 foot contour line.
		S. 14° 00' E.	330 (101)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 90° 00' E.	180 (55)	
		S. 28° 30' E.	251 (76)	
		S. 57° 15' E.	333 (101)	
		S. 27° 30' E.	563 (172)	
		S. 90° 00' E.	360 (110)	
		S. 32° 00' E.	827 (252)	
		N. 61° 00' E.	412 (126)	Along the 2,480 foot contour line.
		N. 37° 30' E.	656 (200)	
		N. 55° 45' E.	460 (140)	
		S. 79° 00' E.	529 (161)	
		S. 63° 00' E.	1,324 (403)	
		N. 75° 00' E.	310 (95)	
		S. 60° 00' E.	761 (232)	
		S. 61° 00' E.	206 (63)	
		S. 62° 00' E.	385 (117)	
		S. 46° 45' E.	934 (285)	
		S. 40° 15' E.	341 (104)	
		S. 66° 45' E.	305 (93)	
		S. 47° 30' E.	623 (190)	
		S. 41° 45' E.	779 (237)	
		S. 66° 15' E.	349 (106)	
		S. 37° 30' E.	756 (230)	
		S. 34° 15' E.	993 (303)	
17		S. 28° 15' E.	927 (283)	
		S. 02° 15' E.	499 (152)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 26° 30' E.	312 (95)	Along the 2,480 foot contour line.
		S. 18° 30' W.	315 (96)	
	139			Intersection of the 2,480 foot contour line with Cougar Creek, section 27, T. 25 N., R. 10 E.
		N. 89° 15' E.	1,535 (468)	Up the face of a slope.
	140			A point on a prominent ascending ridge at the 3,000 foot contour line.
		S. 87° 15' E.	818 (249)	
		S. 72° 30' E.	397 (121)	
18		S. 70° 45' E.	1,040 (317)	Along the 3,000 foot contour line.
		S. 59° 00' E.	585 (178)	
		S. 68° 30' E.	603 (184)	
		S. 54° 15' E.	1,035 (316)	
		S. 38° 00' E.	586 (179)	
	141			Intersection of the 3,000 foot contour line with the section line dividing sections 26 and 35, T. 25 N., R. 10 E.
		S. 88° 30' E.	3,310 (1,009)	Along the section line dividing sections 26 and 35, and sections 25 and 36, T. 25 N., R. 10 E.
	142			A point on the section line dividing sections 25 and 36, T. 25 N., R. 10 E. at the 3,400 foot contour line.
		N. 29° 15' W.	1,105 (337)	
		N. 21° 45' W.	972 (296)	
		N. 42° 45' W.	1,178 (359)	
		N. 30° 45' W.	468 (143)	
		N. 57° 00' W.	668 (203)	
		N. 40° 00' W.	342 (104)	Along the 3,400 foot contour line.
		N. 64° 15' W.	511 (156)	
9		N. 69° 30' W.	1,047 (319)	
		N. 62° 45' W.	2,627 (801)	
8		N. 54° 15' W.	416 (127)	
		N. 42° 30' W.	382 (116)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 23° 45' W.	438 (134)	
		N. 49° 45' W.	312 (95)	
		N. 37° 15' W.	228 (69)	Along the 3,400 foot contour line.
		N. 47° 15' W.	594 (181)	
		N. 18° 00' W.	442 (135)	
		N. 29° 15' W.	332 (98)	
		N. 00° 30' E.	280 (85)	
	143			Intersection of the 3,400 foot contour line with a point on a spur ridge above Bear Creek, section 22, T. 25 N., R. 10 E.
		N. 67° 00' W.	627 (191)	Down a descending rounded ridge.
		S. 88° 30' W.	1,200 (366)	
	144			Intersection of the rounded ridge with the 2,840 foot contour line, SE¼NW¼, section 22, T. 25 N., R. 10 E.
		N. 25° 15' E.	286 (87)	
		N. 19° 00' E.	442 (135)	
		N. 76° 00' W.	863 (263)	
		N. 48° 15' W.	666 (203)	
		N. 50° 30' W.	1,492 (455)	
		N. 59° 15' W.	833 (254)	Along the 2,840 foot contour line.
		N. 72° 45' W.	209 (64)	
		N. 33° 15' W.	144 (44)	
		N. 54° 00' W.	172 (52)	
		N. 21° 15' W.	108 (33)	
		N. 61° 00' W.	250 (76)	
		S. 79° 45' W.	325 (99)	
		N. 74° 00' W.	373 (114)	
		S. 81° 45' W.	263 (80)	
		N. 69° 00' W.	683 (208)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 41° 30' W.	779 (237)	
		N. 72° 30' W.	272 (83)	Along the 2,840 foot contour line.
		N. 58° 30' W.	350 (107)	
	145			A point on the 2,840 foot contour line, NW¼SW¼, section 16, T. 25 N., R. 10 E.
		N. 28° 00' E.	1,645 (501)	Up a southwest slope, of Prospectors Ridge.
	146			A point on Prospectors Ridge, SE¼NW¼, section 16, T. 25 N., R. 10 E. Approximate elevation is 3,840 feet.
		N. 13° 45' E.	1,212 (369)	Descending the northeast slope of Prospectors Ridge.
	147			A point on Illinois Creek, NE¼NW¼, section 16, T. 25 N., R. 10 E.
		N. 39° 45' E.	1,833 (559)	Up an ascending spur ridge.
		N. 30° 30' E.	1,478 (450)	
	148			A point on a prominent ridge; approximate elevation is 4,360 feet.
		N. 59° 30' W.	1,200 (366)	Along a prominent ridge.
		N. 37° 15' W.	1,112 (339)	
	149			A high point on the ridge, elevation 4,218 feet.
		N. 40° 45' E.	1,177 (359)	
		N. 22° 15' E.	1,292 (394)	Down a prominent, descending spur ridge.
		N. 16° 00' E.	975 (297)	
	150			A point on the 2,600 foot contour line, SW¼SE¼, section 4, T. 25 N., R. 10 E.
		S. 83° 15' E.	724 (221)	
		S. 80° 30' E.	385 (117)	
		N. 85° 15' E.	221 (67)	
		S. 72° 30' E.	481 (146)	Along the 2,680 foot contour line.
		S. 72° 30' E.	1,024 (312)	
		S. 62° 00' E.	563 (172)	
		S. 53° 30' E.	544 (166)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 52° 00' E.	856 (261)	
		S. 57° 45' E.	494 (150)	
		S. 39° 15' E.	468 (143)	
		S. 47° 45' E.	779 (237)	Along the 2,680 foot contour line.
		S. 57° 00' E.	521 (159)	
		S. 43° 30' E.	749 (220)	
		S. 63° 00' E.	358 (109)	
	151			Intersection of the 2,680 foot contour line with the section line dividing sections 10 and 11, T. 25 N., R. 10 E.
		N. 00° 30' E.	8,016 (2,443)	Along the section line dividing sections 10 and 11 and sections 2 and 3, T. 25 N., R. 10 E.
		N. 00° 30' E.	1,519 (463)	
	152			Corner common to sections 2 and 3, T. 25 N., R. 10 E. on the township line, T. 25 N. and T. 26 N., R. 10 E.
		S. 89° 30' E.	280 (85)	Along the township line, T. 25 N., and T. 26 N., R. 10 E. and R. 11 E., dividing sections 34 and 12, sections 35 and 2, sections 35 and 1, sections 36 and 1, sections 36 and 6, and sections 31 and 6.
9		S. 89° 30' E.	15,450 (4,709)	
	153			Intersection of the township line with the west line of the patented Florence Lode Mineral Survey No. 749.
		S. 27° 30' E.	681 (208)	Along the Florence and Mitchell Lode Mineral Survey No. 749. Line 2-3
	154			Corner No. 3 of the patented Mitchell Lode Mineral Survey No. 749.
		N. 65° 00' E.	511 (156)	Along the Mitchell Lode Mineral Survey No. 749. Line 3-4
	155			Corner No. 2 of the patented Oliver Lode Mineral Survey No. 749.
		S. 34° 00' E.	634 (193)	Along the Oliver Lode Mineral Survey No. 749. Line 2-3
	156			Corner No. 3 of the Oliver Lode Mineral Survey No. 749.
		N. 59° 00' E.	1,413 (431)	Along the Oliver Lode Mineral Survey No. 749. Line 3-4
	157			Corner No. 4 of the Oliver Lode Mineral Survey No. 749.
		N. 25° 45' W.	179 (55)	Along the Oliver Lode Mineral Survey No. 749. Line 4-1
	158			Intersection of the boundary of patented Oliver Lode Mineral Survey No. 749 with the township line, T. 25 N. and T. 26 N., R. 11 E. dividing sections 5 and 32.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 89° 30' E.	5,050 (1,539)	Along the township line, T. 25 N. and T. 26 N., R. 11 E. dividing sections 5 and 32.
	159			Corner common to sections 32 and 33, T. 26 N., R. 11 E. and sections 4 and 5, T. 25 N., R. 11 E.
		S. 00° 15' W.	10,320 (3,146)	Along the section line dividing sections 4 and 5, sections 8 and 9, and sections 16 and 17, T. 25 N., R. 11 E.
	160			Intersection of the section line dividing sections 16 and 17, T. 25 N., R. 11 E. with the 2,400 foot contour line.
		S. 57° 15' W.	984 (300)	
		N. 53° 00' W.	373 (114)	
		S. 22° 30' W.	216 (66)	
		S. 53° 30' W.	529 (161)	
		N. 62° 45' W.	269 (82)	
		S. 15° 45' W.	311 (95)	
		S. 67° 45' W.	718 (219)	
		S. 32° 00' W.	423 (129)	
		S. 53° 30' W.	930 (283)	Along the 2,400 foot contour line.
		S. 49° 15' W.	696 (212)	
		S. 57° 45' W.	956 (291)	
		S. 47° 15' W.	524 (160)	
		S. 68° 00' W.	261 (79)	
		S. 50° 30' W.	341 (104)	
		S. 67° 00' W.	350 (107)	
		S. 45° 45' W.	255 (78)	
		S. 76° 45' W.	248 (76)	
		S. 41° 00' W.	341 (104)	
		S. 80° 45' W.	346 (105)	
		N. 78° 30' W.	428 (131)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 69° 30' W.	387 (118)	
		S. 12° 45' E.	598 (182)	
		S. 21° 15' W.	342 (104)	
		S. 35° 30' W.	317 (97)	
		S. 27° 15' W.	269 (82)	Along the 2,400 foot contour line.
		S. 40° 00' W.	285 (87)	
		S. 27° 15' W.	385 (109)	
		S. 38° 15' W.	329 (100)	
		S. 04° 45' W.	281 (86)	
		S. 30° 30' W.	162 (49)	
		S. 21° 15' W.	342 (104)	
		S. 35° 30' W.	317 (97)	
		S. 06° 30' E.	323 (98)	
		S. 40° 00' W.	285 (87)	
		S. 00° 45' W.	220 (67)	
		S. 07° 30' E.	283 (86)	
		S. 29° 15' W.	502 (153)	
		S. 13° 00' W.	1,026 (313)	
	161			Intersection of the 2,400 foot contour line with a prominent watercourse, NE¼SW¼, section 30, T. 25 N., R. 11 E.
		S. 72° 00' E.	336 (102)	
		S. 47° 00' E.	298 (91)	Down a prominent watercourse.
		N. 62° 30' E.	296 (90)	
	162			Confluence of the watercourse with the West Fork Miller River, Section 30, T. 25 N., R. 11 E.
		N. 24° 45' E.	592 (180)	
		N. 08° 15' E.	768 (234)	
		N. 20° 15' E.	298 (91)	Along the 2,200 foot contour line.
		N. 19° 00' E.	380 (116)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 38° 00' E.	858 (261)	
		N. 23° 15' E.	261 (79)	
		N. 32° 45' E.	189 (58)	
		N. 14° 45' E.	248 (76)	
		N. 56° 15' E.	850 (259)	Along the 2,200 foot contour line.
		N. 53° 30' E.	529 (161)	
		N. 36° 45' E.	273 (83)	
		N. 76° 45' E.	248 (76)	
		N. 50° 45' E.	470 (143)	
		N. 64° 00' E.	179 (55)	
		N. 56° 00' E.	317 (97)	
		N. 82° 15' E.	405 (124)	
		N. 71° 00' E.	532 (162)	
		N. 20° 15' E.	298 (91)	
		N. 38° 15' E.	329 (100)	
		S. 68° 45' E.	171 (52)	
		N. 61° 00' E.	162 (49)	
		S. 67° 30' E.	216 (66)	
		N. 45° 45' E.	1,049 (320)	
		N. 58° 15' E.	261 (80)	
		N. 49° 30' E.	426 (130)	
		N. 55° 45' E.	561 (171)	
		N. 86° 15' E.	261 (80)	
		N. 34° 15' E.	289 (88)	
		N. 53° 15' E.	1,186 (362)	
		S. 89° 15' E.	220 (67)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 43° 15' E.	326 (99)	
		N. 81° 30' E.	507 (155)	
		N. 21° 00' W..	216 (66)	
		N. 62° 15' E.	798 (243)	
		N. 50° 45' E.	811 (247)	
		N. 49° 00' E.	241 (74)	Along the 2,200 foot contour line.
		N. 73° 30' E.	273 (83)	
		N. 35° 00' E.	461 (141)	
		N. 67° 45' E.	413 (126)	
		S. 82° 45' E.	524 (160)	
		N. 50° 00' E.	185 (56)	
		S. 87° 00' E.	501 (153)	
		S. 55° 00' E.	534 (163)	
		S. 43° 30' E.	949 (289)	
		S. 25° 45' E.	448 (137)	
		S. 62° 45' E.	358 (109)	
		S. 21° 45' E.	368 (112)	
		S. 02° 00' E.	421 (128)	
		S. 36° 15' E.	100 (31)	
		S. 84° 30' E.	241 (74)	
		S. 15° 30' E.	647 (197)	
		S. 18° 30' E.	551 (168)	
		S. 35° 15' E.	273 (83)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 04° 15' W.	321 (98)	
		S. 55° 45' E.	217 (66)	
		S. 14° 00' E.	476 (145)	Along the 2,200 foot contour line.
		S. 14° 45' W.	248 (76)	
		S. 48° 00' E.	454 (138)	
		S. 33° 00' E.	361 (110)	
		S. 19° 30' E.	406 (124)	
	163			A point on the 2,200 foot contour line, NE¼SW¼, section 22, T. 25 N., R. 11 E.
		N. 86° 00' E.	483 (147)	
10		S. 89° 45' E.	441 (134)	Down a rounded slope.
	164			A point on the west bank of the East Fork Miller River, NW¼SE¼, section 22, T. 25 N., R. 11 E.
		S. 10° 45' W.	224 (68)	
		S. 37° 15' W.	200 (61)	
		S. 10° 15' E.	326 (99)	
		S. 09° 30' W.	508 (155)	
		S. 01° 45' E.	562 (171)	
		S. 42° 15' W.	270 (82)	Along the West bank of the East Fork Miller River.
		S. 16° 45' W.	355 (108)	
9		S. 18° 00' W.	716 (218)	
		S. 02° 45' E.	402 (122)	
		S. 13° 15' W.	618 (188)	
		S. 01° 45' W.	702 (214)	
		S. 16° 30' W.	501 (153)	
		S. 03° 15' W.	381 (116)	
		S. 08° 30' E.	527 (161)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 52° 30' W.	557 (170)	
		S. 20° 00' W.	469 (143)	
		N. 89° 45' W.	521 (159)	
		S. 38° 00' W.	457 (139)	
		S. 04° 30' E.	503 (153)	
		S. 22° 00' W.	432 (132)	Along the West bank of the East Fork Miller River.
18		S. 57° 45' W.	334 (102)	
		S. 21° 15' W.	171 (52)	
		S. 05° 45' E.	182 (55)	
		S. 33° 00' W.	523 (160)	
		S. 45° 30' W.	483 (147)	
		N. 89° 15' W.	201 (61)	
		S. 50° 00' W.	185 (56)	
		S. 07° 30' E.	852 (260)	
		S. 25° 15' W.	530 (162)	
		S. 52° 00' W.	257 (78)	
		S. 02° 45' W.	542 (165)	
		S. 08° 45' E.	122 (37)	
		S. 11° 00' W.	224 (68)	
		S. 31° 45' E.	451 (137)	
		S. 05° 30' E.	383 (117)	
		S. 38° 00' E.	257 (78)	
		S. 46° 45' W.	724 (221)	
		S. 19° 00' W.	190 (58)	
		S. 37° 00' E.	329 (100)	
		S. 49° 30' E.	784 (239)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 54° 30' E.	245 (75)	
		S. 50° 00' E.	442 (135)	Along the West bank of the East Fork Miller River.
		S. 59° 45' E.	324 (99)	
		S. 60° 15' E.	413 (126)	
	165			Intersection of the East Fork Miller River with the township line, T. 24½ N. and T. 24 N., R. 11 E. dividing sections 3 and 34.
		S. 89° 15' E.	682 (208)	Along the township line, T. 24½ N. and T. 24 N., R. 11 E. dividing sections 3 and 34.
	166			Corner common to sections 34 and 35, T. 24½ N., R. 11 E. and sections 2 and 3, T. 24 N., R. 11 E.
		N. 01° 15' W.	602 (184)	Along the section line dividing sections 34 and 35, T. 24 ½ N., R. 11 E.
	167			Intersection of the section line dividing sections 34 and 35, T. 24½ N., R. 11 E. with the 2,600 foot contour line.
		N. 43° 00' W.	554 (169)	
		N. 33° 00' W.	579 (176)	
		N. 07° 45' E.	324 (99)	
		N. 29° 00' E.	296 (90)	
		N. 06° 15' E.	403 (123)	
		N. 09° 15' W.	469 (143)	Along the 2,600 foot contour line.
		N. 00° 30' E.	181 (55)	
		N. 26° 15' E.	601 (183)	
		N. 50° 45' E.	157 (48)	
		S. 89° 15' E.	181 (55)	
		N. 23° 15' W.	198 (60)	
		N. 22° 30' E.	216 (66)	
		N. 38° 15' E.	329 (100)	
		N. 23° 15' E.	261 (80)	
		N. 15° 15' W.	146 (45)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 20° 00' E.	425 (130)	
		N. 15° 15' E.	394 (120)	Along the 2,600 foot contour line.
		N. 40° 00' E.	285 (87)	
		N. 74° 15' E.	502 (153)	
* * * * * * * * * * * * * * * * *				BEGINNING OF WASHINGTON SOUTH ZONE.
19		N. 67° 30' E.	152 (46)	
		N. 11° 00' W.	389 (118)	
		N. 05° 45' E.	462 (141)	Along the 2,600 foot contour line.
		N. 19° 15' E.	190 (58)	
* * * * * * * * * * * * * * * * *				BEGINNING OF WASHINGTON NORTH ZONE.
10		N. 35° 30' E.	245 (75)	
		N. 22° 00' E.	495 (151)	
		N. 10° 30' E.	346 (105)	
		N. 04° 45' E.	281 (86)	
		N. 54° 45' E.	445 (136)	
		N. 74° 45' E.	292 (89)	
		N. 60° 45' E.	323 (98)	
		N. 02° 15' W.	401 (122)	
		N. 16° 30' E.	438 (133)	Along the 2,600 foot contour line.
		N. 30° 45' E.	278 (85)	
		N. 24° 30' E.	197 (60)	
		N. 72° 15' E.	380 (116)	
		N. 29° 45' W.	395 (120)	
		N. 15° 15' E.	394 (120)	
		N. 45° 45' E.	227 (69)	
		N. 03° 30' E.	381 (116)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 01° 30' E.	1,302 (397)	
		N. 50° 00' E.	739 (225)	
		N. 46° 15' W.	411 (125)	
		N. 09° 45' E.	507 (155)	
		N. 17° 45' W.	317 (97)	
		N. 05° 15' E.	241 (74)	Along the 2,600 foot contour line.
		N. 29° 45' E.	619 (189)	
		N. 32° 45' E.	828 (252)	
		N. 57° 45' E.	1,000 (305)	
		N. 37° 00' W.	557 (170)	
		N. 38° 00' W.	513 (156)	
		N. 12° 00' W.	637 (194)	
		N. 18° 15' W.	678 (207)	
		N. 08° 30' W.	507 (155)	
		N. 01° 15' W.	1,183 (361)	
	168			Intersection of the 2,600 foot contour line with a steep watercourse, section 14, T. 25 N., R. 11 E.
		N. 85° 15' E.	423 (129)	
		N. 74° 30' E.	793 (242)	Up an ascending, steep watercourse.
		S. 69° 45' E.	298 (91)	
		S. 58° 00' E.	539 (164)	
	169			The confluence of a steep watercourse with a steep draw, SE¼SW¼, section 14, T. 25 N., R. 11 E.
		N. 73° 45' E.	1,528 (466)	
		N. 70° 15' E.	1,388 (423)	Up a steep draw.
		N. 79° 30' E.	1,348 (411)	
	170			Intersection of a steep draw with the 4,800 foot contour line off the top of Maloney Ridge, section 13, T. 25 N., R. 11 E.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 88° 00' E.	842 (257)	
		S. 81° 15' E.	850 (259)	
		S. 62° 45' E.	582 (178)	
		S. 77° 15' E.	287 (87)	Down a descending spur ridge.
		N. 78° 00' E.	369 (113)	
		N. 64° 45' E.	690 (210)	
		N. 80° 00' E.	652 (199)	
	171			Intersection of the spur ridge with the range line, T. 25 N., R. 11 E. and R. 12 E. dividing sections 13 and 18.
		S. 00° 45' W.	7,433 (2,266)	Along the range line, T. 25 N., R. 11 E. and R. 12 E., dividing sections 13 and 18 and sections 19 and 24.
	172			Intersection of the range line, T. 25 N., R. 11 E. and R. 12 E. with a watercourse, the drainage for Rock Lake.
		S. 89° 15' E.	180 (55)	
		N. 47° 45' E.	383 (117)	
		N. 80° 00' E.	550 (168)	
		S. 78° 30' E.	428 (131)	Down a steep watercourse.
		S. 65° 45' E.	1,355 (413)	
		S. 80° 00' E.	609 (186)	
		S. 75° 15' E.	248 (76)	
		S. 43° 00' E.	553 (168)	
		S. 19° 15' E.	235 (71)	
		S. 36° 15' E.	601 (183)	
	173			Confluence of a steep watercourse, with the West Fork Foss River.
		S. 15° 00' W.	724 (221)	Following the West Fork Foss River.
		S. 28° 15' W.	860 (262)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	174			A point on the West Fork Foss River, NW¼SE¼, section 30, T. 25 N., R. 12 E.
		S. 64° 45' E.	1,345 (410)	Crossing the river bench to the toe of a steep slope.
	175			A point on the 1,800 foot contour line, NE¼SE¼, section 30, T. 25 N., R. 12 E.
		N. 54° 45' E.	890 (271)	
		N. 38° 15' E.	329 (100)	Along the 1,800 foot contour line.
		N. 56° 00' E.	389 (119)	
	176			Intersection of the 1,800 foot contour line with a steep prominent watercourse.
		S. 53° 45' E.	345 (105)	
		S. 37° 15' E.	228 (70)	
		S. 30° 45' E.	656 (200)	
		S. 46° 15' E.	439 (134)	Up a steep, prominent watercourse, which lies between two ridges.
		S. 34° 15' E.	489 (149)	
		S. 61° 00' E.	592 (180)	
	177			A point on the watercourse at the base of a steep, minor draw, SW¼SE¼, section 24, T. 25 N., R. 12 E.
		N. 51° 00' E.	1,224 (373)	
		N. 60° 00' E.	512 (156)	
		N. 78° 15' E.	472 (144)	Up a steep, minor draw.
		S. 89° 15' E.	701 (214)	
	178			Intersection of the minor draw with a prominent ridge; approximate elevation is 4,440 feet.
		N. 00° 30' E.	401 (122)	
		N. 13° 30' W.	496 (151)	Along a prominent ridge.
		N. 35° 30' W.	545 (166)	
	179			A point on the prominent ridge at the top of a steep draw, SE¼NE¼, section 29, T. 25 N., R. 12 E.; approximate elevation is 4,200 feet.
		N. 46° 15' E.	1,318 (402)	Down a minor, steep draw.

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	180			A point on the 3,200 foot contour line, NW¼NW¼, section 28, T. 25 N., R. 12 E.
		N. 27° 15' E.	1,030 (314)	
		N. 27° 30' E.	1,147 (350)	Down a slope of a prominent ridge, crossing the bench of the East Fork Foss and then the River.
		N. 23° 30' E.	916 (279)	
	181			A small prominent knob on the eastern bench of the East Fork Foss River; approximate elevation is 2,040 feet.
		N. 44° 45' E.	2,791 (851)	Up a steep, poorly defined draw.
		N. 44° 15' E.	1,913 (583)	
	182			Corner common to sections 15, 16, 21, and 22, T. 25 N., R. 12 E.
		N. 00° 00' W.	5,370 (1,637)	Along the section line dividing sections 15 and 16, T. 25 N., R. 12 E.
	183			A point on Tonga Ridge at the corner common to sections 9, 10, 15, and 16, T. 25 N., R. 12 E.
		S. 64° 00' E.	466 (142)	
		S. 86° 30' E.	401 (122)	
		N. 79° 00' E.	593 (181)	
		S. 67° 00' E.	368 (112)	
		S. 83° 45' E.	201 (61)	
11		N. 85° 15' E.	624 (190)	
		N. 74° 15' E.	773 (236)	
		N. 74° 15' E.	983 (300)	
		N. 71° 15' E.	659 (201)	
		S. 67° 30' E.	755 (230)	Along Tonga Ridge.
		S. 13° 15' W.	185 (56)	
		S. 12° 15' E.	535 (163)	
		S. 40° 45' E.	724 (221)	
		S. 84° 45' E.	261 (80)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		S. 59° 15' E.	601 (183)	
		S. 76° 45' E.	841 (256)	
		S. 70° 15' E.	868 (265)	
		S. 26° 30' E.	1,443 (440)	
		S. 37° 45' E.	1,283 (391)	Along Tonga Ridge.
		S. 66° 45' E.	1,105 (337)	
		S. 72° 00' E.	1,825 (556)	
		N. 75° 45' E.	1,390 (424)	
		N. 70° 00' E.	622 (189)	
		N. 43° 15' E.	326 (99)	
	184			A high point on Tonga Ridge, elevation 5,596, section 13, T. 25 N., R. 12 E.
		S. 35° 15' E.	1,090 (332)	
		S. 23° 45' E.	242 (74)	Down a descending, minor draw.
		S. 53° 45' E.	172 (53)	
	185			Corner common to sections 13 and 24, T. 25 N., R. 12 E. and sections 18 and 19, T. 25 N., R. 13 E. on the range line.
		S. 00° 15' W.	5,250 (1,600)	Along the range line, T. 25 N., R. 12 E. and R. 13 E. dividing sections 19 and 24.
	186			Corner common to sections 24 and 25, T. 25 N., R. 12 E. and sections 19 and 30, T. 25 N., R. 13 E. on the range line.
		S. 89° 45' E.	2,184 (666)	Along the section line dividing sections 19 and 30, T. 25 N., R. 13 E.
	187			Intersection of the section line with a point on a prominent ridge; approximate elevation is 5,240 feet.
		N. 14° 45' E.	661 (201)	
		N. 18° 00' E.	608 (185)	
		N. 00° 30' W.	882 (269)	Down a steep spur ridge.
		N. 03° 30' E.	1,324 (404)	
		N. 20° 30' E.	532 (162)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	188			Intersection of the toe of the spur ridge with Fisher Creek; approximate elevation is 3,240 feet.
		N. 18° 15' E.	1,407 (429)	Across the bench of Fisher Creek.
	189			Intersection of the section line dividing sections 18 and 19, T. 25 N., R. 13 E. with the 3,400 foot contour line.
		N. 23° 00' E.	1,168 (356)	
		N. 08° 30' E.	1,355 (413)	
		N. 22° 30' W.	305 (93)	
		N. 11° 45' E.	633 (193)	
		N. 83° 15' W.	766 (233)	Along the 3,400 foot contour line.
		N. 15° 15' W.	292 (89)	
		N. 34° 00' W.	561 (171)	
		N. 08° 45' W.	366 (111)	
		N. 20° 30' W.	774 (236)	
	190			Intersection of the 3,400 foot contour line with the section line dividing sections 7 and 18, T. 25 N., R. 13 E.
		S. 89° 15' E.	361 (110)	Along the section line dividing sections 7 and 18, T. 25 N., R. 13 E.
	191			Intersection of the section line with the 3,200 foot contour line.
		N. 12° 00' W.	452 (138)	
		N. 02° 15' E.	862 (263)	
		N. 19° 45' W.	171 (52)	
		N. 48° 30' W.	185 (56)	
		N. 04° 30' E.	1,245 (379)	
		N. 11° 15' W.	963 (293)	
		N. 37° 30' W.	742 (226)	Along the 3,200 foot contour line.
		N. 61° 00' W.	977 (298)	
		N. 79° 15' W.	468 (143)	
		N. 45° 45' E.	595 (181)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 16° 45' E.	438 (133)	
		N. 06° 45' E.	1,148 (350)	Along the 3,200 foot contour line.
		N. 14° 30' W.	228 (70)	
		N. 33° 00' W.	217 (66)	
		N. 33° 45' W.	389 (119)	
		N. 27° 15' W.	341 (104)	
	192			Intersection of the 3,200 foot contour line with the township line, T. 25 N., and T. 26 N., R. 13 E. dividing sections 6 and 31.
		N. 89° 15' W.	701 (214)	Along the township line T. 25 N. and T. 26 N., R. 13 E. dividing sections 6 and 31.
	193			Corner common to section 31, T. 26 N., R. 13 E., section 6, T. 25 N., R. 13 E., section 1, T. 25 N., R. 12 E., and section 36, T. 26 N., R. 12 E.
		N. 01° 00' W.	5,333 (1,625)	Along the range line, T. 26 N., R. 12 E. and R. 13 E. dividing sections 31 and 36.
	194			Corner common to sections 30 and 31, T. 26 N., R. 13 E. and sections 25 and 36, T. 26 N., R. 12 E.
		S. 89° 15' E.	3,266 (996)	Along the section line dividing sections 30 and 31, T. 26 N., R. 13 E.
	195			Intersection of the section line with a prominent ridge.
		S. 41° 00' E.	1,263 (385)	
		S. 22° 15' E.	1,024 (312)	
		S. 33° 15' E.	678 (207)	Along a prominent ridge, the divide between Deception Creek and Surprise Creek.
		S. 37° 00' E.	786 (239)	
		S. 18° 00' E.	741 (226)	
	196			A point on the ridge, NW¼SW¼, section 32, T. 26 N., R. 13 E.; approximate elevation is 4,600 feet.
		N. 48° 00' E.	1,418 (432)	
		N. 56° 15' E.	1,167 (356)	Down a broad, rounded ridge between two minor draws.
		N. 66° 30' E.	1,076 (328)	
		N. 75° 00' E.	1,104 (336)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
	197			Intersection of the 2,400 foot contour line with Surprise Creek.
		N. 27° 15' E.	851 (259)	Along the 2,400 foot contour line.
		N. 37° 45' E.	902 (275)	
	198			Intersection of the 2,400 foot contour line with the section line dividing sections 29 and 32, T. 26 N., R. 13 E.
		S. 89° 15' E.	6,452 (1,967)	Along the section line dividing sections 28 and 33 and sections 27 and 34, T. 26 N., R. 13 E.
12		N. 90° 00' E.	4,151 (1,265)	
	199			Corner common to sections 26, 27, 34, and 35, T. 26 N., R. 13 E.
		S. 00° 15' E.	5,334 (1,626)	Along the section line dividing sections 34 and 35, T. 26 N., R. 13 E.
	200			Corner common to sections 34 and 35, T. 26 N., R. 13 E. and sections 2 and 3, T. 25 N., R. 13 E.
		N. 89° 45' E.	2,747 (837)	Along the township line, T. 25 N., T. 26 N., R. 13 E., dividing sections 2 and 35.
	201			Intersection of the section line and with the county boundary line dividing King and Chelan Counties.
		N. 37° 00' E.	429 (131)	Along the county boundary line dividing King and Chelan Counties, following the crest of the Cascade Mountains.
		N. 55° 30' E.	751 (229)	
		N. 30° 30' E.	863 (263)	
		N. 34° 15' E.	779 (237)	
		N. 04° 45' W.	523 (159)	
		N. 04° 15' W.	583 (178)	
		N. 44° 45' E.	567 (173)	
	202			A point of intersection of the crest with the Intended Wilderness Boundary, SE¼NE¼, section 35, T. 26 N., R. 13 E.
		S. 83° 00' E.	788 (240)	Along the county boundary line dividing King and Chelan Counties, following the crest of the Cascade Mountains.
		S. 66° 45' E.	503 (153)	
		S. 85° 30' E.	1,449 (442)	
		N. 32° 30' E.	667 (203)	
		N. 85° 00' E.	483 (147)	
		N. 55° 15' E.	923 (281)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 69° 00' E.	622 (190)	
		N. 56° 45' E.	406 (124)	
		S. 87° 15' E.	382 (116)	
		N. 12° 15' E.	1,211 (369)	Along the county boundary line dividing King and Chelan Counties, following the crest of the Cascade Mountains.
		N. 03° 45' W.	643 (196)	
		N. 00° 15' W.	1,003 (306)	
		N. 37° 45' W.	858 (262)	
		N. 24° 45' W.	772 (235)	
	203			A high point on the county boundary line, elevation 5,651 feet.
		N. 64° 45' E.	906 (276)	
		N. 45° 45' E.	893 (272)	Along a prominent ridge.
		N. 35° 15' E.	1,480 (451)	
	204			A point of intersection of the ridge with the Intended Wilderness Boundary, section 26, T. 26 N., R. 14 E.
		S. 71° 45' E.	2,074 (632)	
		S. 81° 45' E.	1,095 (334)	
		S. 89° 30' E.	1,404 (428)	
		N. 57° 30' E.	1,992 (607)	
		N. 33° 00' E.	695 (212)	
		N. 21° 00' E.	1,594 (486)	Along a prominent ridge, North of Whitepine Creek.
		N. 51° 45' E.	1,043 (318)	
		N. 26° 15' E.	852 (260)	
		N. 79° 30' E.	795 (242)	
		N. 55° 00' E.	706 (215)	
		N. 73° 30' E.	1,504 (458)	

QUAD SHEET NUMBER	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
		N. 56° 00' E.	578 (176)	
		N. 84° 45' E.	946 (288)	
		N. 56° 45' E.	957 (292)	
		N. 79° 00' E.	1,286 (392)	Along a prominent ridge, north of Whitepine Creek.
13		N. 83° 00' E.	664 (202)	
		N. 75° 00' E.	620 (189)	
		N. 67° 15' E.	930 (284)	
		N. 58° 30' E.	421 (128)	
		N. 34° 45' E.	559 (170)	
		N. 59° 15' E.	743 (226)	
		N. 39° 30' E.	440 (134)	
		N. 21° 15' E.	1,156 (352)	
		N. 54° 45' E.	415 (127)	
		N. 33° 45' E.	360 (110)	
4		N. 19° 45' E.	763 (233)	
		N. 65° 15' E.	526 (160)	
		N. 72° 45' E.	958 (292)	
		N. 54° 45' E.	2,919 (890)	
	1			The summit of Arrowhead Mountain, the point of beginning, containing 306,935 acres, more or less.