


GLACIER VIEW WILDERNESS

Gifford Pinchot National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Glacier View Wilderness on the Gifford Pinchot National Forest as entered into the National Wilderness Preservation System by the Act of July 3, 1984.

Signed 2-11-87
(Date)


JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Glacier View Wilderness is as shown on the map dated September, 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-339. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Glacier View Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 (Interactive Graphics Systems.) The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

GLACIER VIEW WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Washington State Plane coordinate grid system, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
MOUNT WOW	1		Summit of Glacier View, elevation 5450 feet, Latitude 46-49-08.23 North, Longitude 121-57-04.14 West, NE1/4 NW1/4 of Section 5, T.15 N., R.7 E., W.M., Washington grid coordinates south zone X= 1,636,715, Y= 545,175.
	2	N04-36W 312 (95.1) N00-44E 314 (95.7)	Descend a spur ridge.
	3		Intersection with North line of said Section 5.
		S88-56E 1671 (509.3)	Along the North line of said Section 5.
	4		A point on a spur ridge.
	5	N17-56E 292 (89.0) N19-11E 317 (96.6)	Ascend spur ridge.
	6	N19-52E 241 (73.5)	
	7	N18-47E 53 (16.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	8				A point on a spur ridge. Elevation 5000 feet.
	9	N10-12E	152	(46.3)	Ascend.
	10	N18-48E	146	(44.5)	
		N28-06E	134	(40.8)	
	11				A point on a spur ridge.
	12	S33-24E	162	(49.4)	Descend low spur ridge.
	13	S27-08E	224	(68.3)	
	14	S37-34E	148	(45.1)	
	15	S30-51E	174	(53.0)	
	16	S34-52E	149	(45.4)	
	17	S35-57E	211	(64.3)	
	18	S52-43E	168	(51.2)	
	19	S66-52E	216	(65.8)	
		S75-30E	180	(54.9)	
	20				A point on the cut bank on southerly edge of a spur road.
		S71-49E	74	(22.6)	Along the southerly edge of cut bank of spur road.
	21				Intersection with East line of Section 32, T.16 N., R.7 E., W.M.
		S02-28W	162	(49.4)	Along the East line of said Section 32.
	22				Southeast corner of said Section 32.
		S88-08E	5261	(1603.6)	Along the North line of Section 4, T.15 N., R.7 E., W.M.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MOUNT WOW	23			Northeast corner of said Section 4; West boundary of Mount Rainier National Park.
		S00-51W	20129 (6135.3)	Along the West boundary of Mount Rainier National Park.
	24			Intersection of unnamed creek.
		N64-20W	113 (34.4)	
25		N70-32W	123 (37.5)	
26		N78-48W	103 (31.4)	Descend unnamed creek.
27		N81-28W	101 (30.8)	
28		N55-15W	75 (22.9)	
	29			Intersection of unnamed creek and Goat Creek.
		N37-45W	168 (51.2)	
30		N40-29W	153 (46.6)	
31		N36-58W	126 (38.4)	Ascend.
32		N58-04W	81 (24.7)	
	33			A point on the northerly edge of a harvest unit.
		N87-08W	120 (36.6)	
34		S77-31W	116 (35.4)	
35		S78-08W	102 (31.1)	Along the northerly edge of a harvest unit.
36		N82-10W	139 (42.4)	
37		N75-09W	137 (41.8)	
38		N79-11W	112 (34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	39				
		N64-55W	52	(15.8)	
	40				
		S49-37W	88	(26.8)	
	41				Along the northerly edge of a harvest unit.
		S52-55W	108	(32.9)	
	42				
		S86-01W	129	(39.3)	
	43				
		S83-53W	113	(34.4)	
	44				
		S53-55W	87	(26.5)	
	45				
		S56-57W	123	(37.5)	
	46				
		S65-13W	115	(35.1)	
	47				
		S58-01W	204	(62.2)	
	48				
		S73-13W	121	(36.9)	
	49				
		N82-26W	129	(39.3)	

	50				Northwest corner of a harvest unit.

		N79-02W	163	(49.7)	
	51				
		N84-02W	183	(55.8)	
	52				Across unnamed creek.
		S87-13W	144	(43.9)	
	53				
		S88-24W	107	(32.6)	
	54				
		S63-26W	96	(29.3)	

	55				Most northerly point on edge of a harvest unit.

		S58-12W	118	(36.0)	
	56				Along the northerly edge of a harvest unit.
		S76-40W	100	(30.5)	

	57				A point on a spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW		N59-54W	138	(42.1)	
	58	N51-18W	206	(62.8)	
	59	N30-51W	185	(56.4)	
	60	N45-10W	238	(72.5)	
	61	N34-48W	216	(65.8)	
	62	N25-18W	161	(49.1)	
	63	N15-30W	123	(37.5)	Ascend a spur ridge.
	64	N06-44W	145	(44.2)	
	65	N03-07E	184	(56.1)	
	66	N05-36E	195	(59.4)	
	67	N07-19W	149	(45.4)	
	68	N29-36W	144	(43.9)	
	69	N31-18W	200	(61.0)	
	70	N31-41W	246	(75.0)	
	71	N31-55W	206	(62.8)	
	72	N38-55W	174	(53.0)	
	73	N35-30W	167	(50.9)	
	74	N10-52W	180	(54.9)	
	75	N10-59W	247	(75.3)	
	76	N01-37E	142	(43.3)	
	77	N14-02E	49	(14.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	78				Top of peak, approximate elevation 5350 feet.
	79	N15-44E	114	(34.7)	
	80	N33-22E	151	(46.0)	Along ridge top.
	81	N01-00E	126	(38.4)	
		N43-13E	183	(55.8)	
	82				A point on the ridge. Elevation 5200 feet.
	83	N16-21E	96	(29.3)	
	84	N04-59E	173	(52.7)	Descend.
	85	N06-04E	161	(49.1)	
	86	N05-03W	102	(31.1)	
		N08-50W	163	(49.7)	
	87				The creek outlet from Lake Christine.
	88	N11-13W	118	(36.0)	
	89	N05-21E	161	(49.1)	
	90	N07-44E	141	(43.0)	
	91	N07-07W	121	(36.9)	Ascend.
	92	N03-17W	122	(37.2)	
	93	N03-47W	106	(32.3)	
	94	N32-25E	88	(26.8)	
	95	N27-12E	123	(37.5)	
		N32-24E	62	(18.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	96				A point on the ridge. Elevation 5000 feet.
	97	N06-02W	105	(32.0)	
	98	N31-22W	123	(37.5)	
	99	N43-42W	187	(57.0)	Ascend ridge.
	100	N20-27W	134	(40.8)	
	101	N33-15W	219	(66.8)	
	102	N34-10W	166	(50.6)	
	103	N40-13W	161	(49.1)	
	104	N33-09W	176	(53.6)	
	105	N31-48W	211	(64.3)	
	106	N30-20W	156	(47.5)	
	107	N27-11W	83	(25.3)	
		N60-39W	37	(11.3)	
	108				Top of Mt. Beljica, approximate elevation 5475 feet.
	109	S71-46W	93	(28.3)	
	110	S55-13W	88	(26.8)	
	111	S73-56W	69	(21.0)	Descend spur ridge.
	112	N76-20W	76	(23.2)	
	113	N60-33W	71	(21.6)	
	114	N56-08W	92	(28.0)	
		N60-12W	151	(46.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	115				
		N81-40W	83	(25.3)	
	116				
		S83-40W	317	(96.6)	
	117				
		N65-05W	109	(33.2)	
	118				Descend spur ridge.
		N54-18W	118	(36.0)	
	119				
		N42-15W	207	(63.1)	
	120				
		N36-15W	93	(28.3)	
	121				
		N39-08W	318	(96.9)	
	122				
		N35-39W	244	(74.4)	
	123				
		N40-46W	191	(58.2)	
	124				
		N30-54W	165	(50.3)	
	125				
		N33-15W	181	(55.2)	
	126				A point on a ridge.
		N00-43W	80	(24.4)	
	127				
		N25-34E	155	(47.2)	
	128				
		N32-49E	234	(71.3)	Along ridge top.
	129				
		N34-34E	293	(89.3)	
	130				
		N13-51E	305	(93.0)	
	131				
		N08-31E	270	(82.3)	
	132				
		N05-01W	320	(97.5)	
	133				
		N02-59W	364	(110.9)	
	134				
		N16-18W	153	(46.6)	
	135				
		N00-26E	130	(39.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	136				
		N23-07E	171	(52.1)	
	137				
		N19-12E	237	(72.2)	
	138				
		N09-08W	170	(51.8)	
	139				
		N09-16W	186	(56.7)	
	140				
		N02-21W	171	(52.1)	
	141				
		N03-26E	200	(61.0)	
	142				
		N04-05W	239	(72.8)	Along ridge top.
	143				
		N16-45W	194	(59.1)	
	144				
		N17-46W	219	(66.8)	
	145				
		N24-06W	240	(73.2)	
	146				
		N18-23W	342	(104.2)	
	147				
		N18-12W	237	(72.2)	
	148				
		N16-07W	266	(81.1)	
	149				
		N18-44W	121	(36.9)	
	150				
		N03-13W	196	(59.7)	
	151				
		N09-21E	172	(52.4)	
	152				
		N11-40E	247	(75.3)	
	153				
		N10-23E	255	(77.7)	
	154				
		N01-24E	329	(100.3)	
	155				
		N08-37E	167	(50.9)	
	156				
		N08-58E	192	(58.5)	
	157				
		N02-33E	224	(68.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	158				
		N03-06E	258	(78.6)	
	159				
		N11-22E	177	(53.9)	
	160				
		N07-57W	181	(55.2)	
	161				
		N22-06W	218	(66.4)	
	162				Along ridge top.
		N12-01W	240	(73.2)	
	163				
		N19-42W	157	(47.9)	
	164				
		N09-18W	179	(54.6)	
	165				
		N10-56W	242	(73.8)	
	166				
		N05-46W	189	(57.6)	
	167				
		N14-21W	226	(68.9)	
	168				
		N06-13W	157	(47.9)	
	169				
		N09-07E	107	(32.6)	
	170				
		N25-34E	51	(15.5)	
	171				Top of peak, approximate elevation 5507 feet.
		N20-54E	191	(58.2)	
	172				
		N27-33E	236	(71.9)	
	173				
		N32-48E	177	(53.9)	
	174				
		N40-20E	139	(42.4)	Along ridge top.
	175				
		N04-20E	66	(20.1)	
	176				
		N20-49W	205	(62.5)	
	177				
		N26-50W	279	(85.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT WOW	178				
		N31-28W	193	(58.8)	
	179				
		N34-18W	209	(63.7)	
	180				
		N32-41W	206	(62.8)	Along ridge top.
	181				
		N36-17W	252	(76.8)	
	182				
		N32-12W	160	(48.8)	
	183				
		N24-56W	173	(52.7)	
	184				
		N22-42W	106	(32.3)	
	185				
		N09-40W	89	(27.1)	
	186				
		N02-07W	54	(16.5)	
	1				Point of Beginning.