

GOAT ROCKS WILDERNESS

Gifford Pinchot and Snoqualmie National Forests

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Goat Rocks Wilderness on the Gifford Pinchot and Snoqualmie (administered by Wenatchee) National Forest as entered into the National Wilderness Preservation System by the Acts of September 3, 1964 and July 3, 1984.

Signed

7/30/87  
(Date)

Richard A. Torrence  
JAMES F. TORRENCE  
Regional Forester

### Definition of Intent

The legal description of the Goat Rocks Wilderness is as shown on the map dated July, 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-339 and Public Law 88-577. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Goat Rocks Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with the Hewlett-Packard 9020 digitizer. The data is published as the attached metes and bounds description.

# GOAT ROCKS WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Washington State Plane coordinate grid system, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
JENNIES BUTTE Map #9	1		The Northwest corner of Section 4, T.11N., R.12E., W.M., Latitude 46-28-27.39 North, Longitude 121-19-56.09 West, Washington grid coor- dinates south zone X=1,790,319, Y=417,243.
	S00-45W	4896 (1492.3)	Along West line of said Section 4.
	2		Southwest corner of said Section 4 and Northwest corner of Section 9, T.11N., R.12., W.M.
	S07-54W	109 (33.2)	Along West line of Section 9, T.11N., R.12E., W.M.
	3		Point on Klickton Divide seperating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
	N23-57W	303 (92.4)	
4	N69-57W	248 (75.6)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
5	S89-47W	270 (82.3)	
6	N68-35W	698 (212.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
JENNIES BUTTE Map #9	7			
		S89-47W	262 (79.9)	
	8			
		S67-41W	229 (69.8)	
	9			
		N81-10W	150 (45.7)	
	10			
		S85-35W	351 (107.0)	
	11			
		N88-26W	110 (33.5)	
	12			
		S70-30W	237 (72.2)	Along Klickton Divide
	13			separating Yakima Indian
		N83-03W	83 (25.3)	Reservation (which is surveyed
	14			and monumented) and Snoqualmie
		S74-17W	539 (164.3)	National Forest (administered
	15			by Wenatchee National Forest).
		N64-02W	388 (118.3)	
	16			
		S77-48W	492 (150.0)	
	17			
		N80-23W	245 (74.7)	
	18			
		N52-53W	520 (158.5)	
	19			
		N36-44W	428 (130.5)	
	20			
		N05-40W	233 (71.0)	
	21			
		N56-13W	360 (109.7)	
	22			
		N38-18W	376 (114.6)	
	23			
		N52-13W	512 (156.1)	
	24			
		N32-44W	183 (55.8)	
	25			
		N48-50W	360 (109.7)	
	26			
		N82-26W	190 (57.9)	
	27			
		N89-43W	208 (63.4)	
	28			
		S84-26W	82 (25.0)	
	29			
		N74-50W	344 (104.9)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
JENNIES BUTTE Map #9	30				
		N65-10W	326	(99.4)	
	31				
		S60-44W	133	(40.5)	
	32				
		S78-59W	157	(47.9)	
	33				
		N75-33W	273	(83.2)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
	34				
		S03-49W	90	(27.4)	
	35				
		N90-00W	441	(134.4)	
	36				
		N41-03W	154	(46.9)	
	37				
		S66-35W	579	(176.5)	
	38				
		N89-40W	515	(157.0)	
WALUPT LAKE Map #8	39				
		S28-30W	438	(133.5)	
	40				
		N74-04W	412	(125.6)	
	41				
		N27-42W	338	(103.0)	
	42				
		N04-39W	161	(49.1)	
	43				
		N23-12W	61	(18.6)	
	44				
		N72-09W	153	(46.6)	
	45				
		S64-55W	311	(94.8)	
	46				
		N68-36W	482	(146.9)	
	47				
		S83-49W	576	(175.6)	
	48				The 121 Mile post on the Yakima Indian Reservation Boundary
		N33-10W	307	(93.6)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
	49				
		N30-48W	187	(57.0)	
	50				
		N36-17W	135	(41.1)	
	51				
		N48-57W	123	(37.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	52	N59-12W	121	(36.9)	
	53	N64-59W	149	(45.4)	
	54	N01-00W	104	(31.7)	
	55	N45-00W	171	(52.1)	
	56	N35-50W	253	(77.1)	
	57	N35-28W	205	(62.5)	
	58	N46-40W	194	(59.1)	
	59	N58-26W	210	(64.0)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
	60	N61-41W	337	(102.7)	
	61	N59-42W	254	(77.4)	
	62	N63-18W	203	(61.9)	
	63	N50-27W	171	(52.1)	
	64	N47-31W	323	(98.5)	
	65	N55-24W	368	(112.2)	
	66	N54-56W	197	(60.0)	
	67	N66-24W	285	(86.9)	
	68	N53-45W	130	(39.6)	
	69	N40-29W	162	(49.4)	
	70	N36-12W	171	(52.1)	
	71	N28-18W	221	(67.4)	
	72	N45-00W	163	(49.7)	
	73	N37-52W	239	(72.8)	
	74	N47-44W	654	(199.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	75				
		N45-00W	393	(119.8)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
	76	N42-39W	121	(36.9)	
	77	N39-57W	160	(48.8)	
	78	N20-26W	289	(88.1)	
	79	N22-28W	382	(116.4)	
	80				
					The 120 mile post monument on Yakima Indian Reservation Boundary.
		N70-19W	347	(105.8)	
81		N79-40W	173	(52.7)	
82		N77-23W	284	(86.6)	
83		N72-27W	103	(31.4)	
84		N65-33W	72	(21.9)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
85		N51-07W	119	(36.3)	
86		N55-46W	87	(26.5)	
87		N66-13W	166	(50.6)	
88		N43-48W	134	(40.8)	
89		N42-25W	188	(57.3)	
90		N27-57W	147	(44.8)	
91		N06-11W	121	(36.9)	
92		N05-32W	135	(41.1)	
93		N06-02E	105	(32.0)	
94		N16-58W	147	(44.8)	
95		N28-50W	180	(54.9)	
96		N29-20W	157	(47.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	97				
		N26-07W	173	(52.7)	
	98				
		N32-00W	132	(40.2)	
	99				
		N08-43W	125	(38.1)	
	100				
		N16-21E	96	(29.3)	
	101				
		N16-10E	104	(31.7)	
	102				
		N30-24E	140	(42.7)	
	103				
		N15-07E	104	(31.7)	
	104				
		N16-51W	69	(21.0)	
	105				Top of Gilbert Peak, approximate elevation 8,184 feet.
		N45-00W	100	(30.5)	
	106				
		N55-46W	148	(45.1)	
	107				
		N71-34W	193	(58.8)	
	108				
		N65-35W	322	(98.1)	
	109				
		N65-40W	138	(42.1)	
	110				
		N52-05W	275	(83.8)	
	111				
		N52-41W	307	(93.6)	
	112				
		N50-58W	292	(89.0)	
	113				
		N55-47W	151	(46.0)	
	114				The 119 Mile Post Monument on Yakima Indian Reservation Boundary.
		S50-31W	162	(49.4)	
	115				
		S63-43W	93	(28.3)	
	116				
		S81-21W	140	(42.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	117				
		S81-31W	115	(35.1)	
	118				
		N87-53W	270	(82.3)	
	119				
		N73-08W	69	(21.0)	
	120				
		N54-34W	64	(19.5)	Along Klickton Divide separating Yakima Indian Reservation (which is surveyed and monumented) and Snoqualmie National Forest (administered by Wenatchee National Forest).
	121				
		N45-26W	94	(28.7)	
	122				
		N41-45W	125	(38.1)	
	123				
		N50-50W	160	(48.8)	
	124				
		N54-22W	261	(79.6)	
	125				
		N75-29W	236	(71.9)	
	126				
		N67-42W	169	(51.5)	
	127				
		N75-10W	191	(58.2)	
	128				
		N68-37W	178	(54.3)	
	129				
		S76-41W	39	(11.9)	
-----					
	130				Point on the crest of the Cas- cade Mountain Range common to Gifford Pinchot National Forest and Yakima Indian Res- ervation and Snoqualmie National Forest (administered by Wenatchee National Forest).
-----					
		S76-41W	0	(.0)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
131		S45-00W	103	(31.4)	
132		S22-01W	147	(44.8)	
133		S21-04E	131	(39.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	134				
		S66-33W	214	(65.2)	
	135				
		S60-47W	502	(153.0)	
	136				
		S65-01W	275	(83.8)	
	137				
		S55-27W	296	(90.2)	
	138				
		S54-54W	169	(51.5)	
	139				
		S64-00W	135	(41.1)	
	140				
		S47-55W	97	(29.6)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	141				
		S18-16W	105	(32.0)	
	142				
		S22-54W	126	(38.4)	
	143				
		S26-44W	153	(46.6)	
	144				
		S31-13W	226	(68.9)	
	145				
		S47-10W	187	(57.0)	
	146				
		S51-12W	124	(37.8)	
	147				
		S57-07W	199	(60.7)	
	148				
		S53-34W	104	(31.7)	
	149				
		S06-07W	84	(25.6)	
	150				
		S09-17E	105	(32.0)	
	151				
		S00-19W	182	(55.5)	
	152				
		S13-11W	228	(69.5)	
	153				
		S15-59W	207	(63.1)	
	154				
		S39-28W	242	(73.8)	
	155				
		S48-35W	204	(62.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	156				
		S39-02W	218	(66.4)	
	157				
		S39-10W	195	(59.4)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	158				
		S48-02W	160	(48.8)	
	159				
		S31-04W	103	(31.4)	
	160				
		S26-50W	95	(29.0)	
	161				
		S08-37W	67	(20.4)	
	162				
		S03-15W	88	(26.8)	
	163				The 117 mile post monument on Yakima Indian Reservation Boundary.
		S13-25E	293	(89.3)	
164		S02-01E	142	(43.3)	
165		S06-58W	91	(27.7)	
166		S20-42W	96	(29.3)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
167		S27-00W	176	(53.6)	
168		S29-47W	183	(55.8)	
169		S28-01W	177	(53.9)	
170		S32-15W	122	(37.2)	
171		S06-17W	101	(30.8)	
172		S07-30E	77	(23.5)	
173		S12-13E	99	(30.2)	
174		S10-17E	185	(56.4)	
175		S01-00W	172	(52.4)	
176		S07-57E	137	(41.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	177				
		S07-23E	109	(33.2)	
	178				
		S30-28E	217	(66.1)	
	179				
		S34-46E	267	(81.4)	
	180				
		S26-25E	169	(51.5)	
	181				
		S39-08E	249	(75.9)	
	182				
		S47-36E	156	(47.5)	
	183				
		S54-46E	175	(53.3)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	184				
		S48-29E	210	(64.0)	
	185				
		S45-52E	185	(56.4)	
	186				
		S42-42E	211	(64.3)	
	187				
		S45-09E	258	(78.6)	
	188				
		S40-05E	289	(88.1)	
	189				
		S38-30E	175	(53.3)	
	190				
		S23-56E	185	(56.4)	
	191				
		S14-56E	279	(85.0)	
	192				
		S15-14E	175	(53.3)	
	193				
		S11-40E	129	(39.3)	
	194				
		S13-45E	97	(29.6)	
	195				
		S28-34E	90	(27.4)	
	196				
		S34-55E	117	(35.7)	
	197				
		S52-09E	222	(67.7)	
	198				
		S50-59E	326	(99.4)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	199				
		S34-38E	67	(20.4)	
	200	S04-53E	82	(25.0)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	201	S00-38E	90	(27.4)	
	202	S00-56E	246	(75.0)	
	203	S07-07E	290	(88.4)	
	204	S07-44E	342	(104.2)	
	205				The 116 Mile Post Monument on the Yakima Indian Reservation Boundary.
		S81-50E	254	(77.4)	
	206	S76-04E	266	(81.1)	
	207	S76-48E	280	(85.3)	
	208	S72-28E	222	(67.7)	
	209	S63-07E	248	(75.6)	
	210	S68-25E	294	(89.6)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	211	S55-00E	134	(40.8)	
	212	S21-56E	78	(23.8)	
	213	S00-00E	62	(18.9)	
	214	S22-37W	65	(19.8)	
	215	S08-37E	67	(20.4)	
	216	S18-40E	78	(23.8)	
	217	S63-01E	121	(36.9)	
	218	S72-04E	182	(55.5)	
	219	S70-35E	129	(39.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	220				
		S61-23E	75	(22.9)	
	221				
		S43-14E	69	(21.0)	
	222				
		S33-36E	172	(52.4)	
	223				
		S29-26E	206	(62.8)	
	224				
		S43-19E	144	(43.9)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	225				
		S74-03E	73	(22.3)	
	226				
		N69-50E	136	(41.5)	
	227				
		N61-12E	172	(52.4)	
	228				
		S84-03E	48	(14.6)	
	229				
		S42-08E	57	(17.4)	
	230				
		S45-37E	263	(80.2)	
	231				
		S59-02E	58	(17.7)	
	232				
		N70-31E	87	(26.5)	
	233				
		N72-03E	110	(33.5)	
	234				
		S80-59E	83	(25.3)	
	235				
		S34-51E	68	(20.7)	
-----					
	236				An angle point on the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
-----					
		S35-16W	192	(58.5)	
	237				
		S29-29W	140	(42.7)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	238				
		S23-26W	221	(67.4)	
	239				
		S31-46W	158	(48.2)	
	240				
		S13-24W	86	(26.2)	
	241				
		S01-17E	178	(54.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	242				
		S21-16W	141	(43.0)	
	243				
		S16-17W	210	(64.0)	
	244				
		S16-59W	199	(60.7)	
	245				
		S29-07W	90	(27.4)	
	246				
		S37-49W	96	(29.3)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	247				
		S52-29W	71	(21.6)	
	248				
		S32-14W	54	(16.5)	
	249				
		S03-30W	98	(29.9)	
	250				
		S01-58W	174	(53.0)	
	251				
		S08-33W	249	(75.9)	
	252				
		S05-43W	131	(39.9)	
	253				
		S00-00E	250	(76.2)	
	254				
		S10-03E	160	(48.8)	
	255				
		S11-42E	143	(43.6)	
	256				
		S13-17E	204	(62.2)	
-----					
	257				The 115 Mile Post Monument on the Yakima Indian Reservation Boundary.
-----					
		S38-28E	143	(43.6)	
	258				
		S60-28E	103	(31.4)	
	259				
		S49-41E	43	(13.1)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	260				
		S07-18E	79	(24.1)	
	261				
		S08-53E	246	(75.0)	
	262				
		S11-09E	269	(82.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	263				
		S13-55E	121	(36.9)	
	264	S35-29E	115	(35.1)	
	265	S23-59E	229	(69.8)	
	266	S14-48E	219	(66.8)	
	267	S15-12E	179	(54.6)	
	268	S18-43E	65	(19.8)	
	269	S38-17E	97	(29.6)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	270	S60-20E	91	(27.7)	
	271	S53-26E	149	(45.4)	
	272	S37-31E	71	(21.6)	
	273	S10-05E	91	(27.7)	
	274	S04-00E	100	(30.5)	
	275	S01-00E	135	(41.1)	
	276	S06-35E	79	(24.1)	
	277	S12-04W	225	(68.6)	
	278	S03-52W	74	(22.6)	
	279	S14-41E	87	(26.5)	
	280	S21-27E	246	(75.0)	
	281	S07-53E	168	(51.2)	
	282	S00-00E	164	(50.0)	
	283	S05-59W	125	(38.1)	
	284	S09-52E	93	(28.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	285				
		S31-39E	101	(30.8)	
	286				
		S27-50E	182	(55.5)	
	287				
		S17-36E	109	(33.2)	
	288				
		S21-36E	315	(96.0)	
	289				
		S23-25E	236	(71.9)	
	290				
		S31-27E	163	(49.7)	
	291				
		S26-34E	58	(17.7)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	292				
		S07-32E	69	(21.0)	
	293				
		S16-42W	63	(19.2)	
	294				
		S20-56W	160	(48.8)	
	295				
		S11-51W	63	(19.2)	
	296				
		S09-41E	125	(38.1)	
	297				
		S14-02E	136	(41.5)	
	298				
		S00-17E	206	(62.8)	
	299				
		S01-30W	152	(46.3)	
	300				
		S01-04E	160	(48.8)	
	301				
		S14-43E	122	(37.2)	
	302				
		S22-46E	142	(43.3)	
	303				
		S22-50E	82	(25.0)	
	304				
		S03-07E	92	(28.0)	
	305				
		S20-11W	72	(21.9)	
	306				
		S16-04W	123	(37.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	307				
		S35-08W	99	(30.2)	
	308				
		S25-55W	80	(24.4)	
	309				Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
		S12-16W	94	(28.7)	
	310				
		S01-43W	100	(30.5)	
	311				
		S01-35E	290	(88.4)	
	312				
		S04-02E	299	(91.1)	
	313				
		S08-54E	200	(61.0)	
	314				
		S11-19E	168	(51.2)	
	315				The 113 Mile Post Monument on the Yakima Indian Reservation Boundary.
		S31-40E	181	(55.2)	
316		S31-52E	227	(69.2)	
317		S53-12E	169	(51.5)	
318		S63-44E	167	(50.9)	
319		S77-45E	273	(83.2)	
320		S71-34E	63	(19.2)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
321		S43-44E	95	(29.0)	
322		S30-52E	316	(96.3)	
323		S21-28E	191	(58.2)	
324		S08-58E	212	(64.6)	
325		S09-02E	350	(106.7)	
326		S17-36E	284	(86.6)	
327		S24-05E	145	(44.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	328				
		S33-34E	136	(41.5)	
	329				
		S51-10E	158	(48.2)	
	330				
		S60-04E	313	(95.4)	
	331				
		S71-50E	487	(148.4)	
	332				
		S70-50E	174	(53.0)	
	333				
		S59-58E	126	(38.4)	
	334				
		S40-03E	148	(45.1)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	335				
		S39-59E	170	(51.8)	
	336				
		S31-23E	186	(56.7)	
	337				
		S23-51E	292	(89.0)	
	338				
		S16-06E	303	(92.4)	
	339				
		S20-17E	413	(125.9)	
	340				
		S25-49E	415	(126.5)	
	341				
		S22-33E	243	(74.1)	
	342				
		S30-34E	173	(52.7)	
	343				
		S42-05E	222	(67.7)	
	344				
		S31-50E	180	(54.9)	
	345				
		S54-04E	135	(41.1)	
	346				
		S73-53E	133	(40.5)	
	347				
		S70-26E	96	(29.3)	
	348				
		S57-50E	73	(22.3)	
	349				
		S28-49E	68	(20.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	350				
		S17-59E	120	(36.6)	
	351				
		S13-44E	139	(42.4)	
	352				
		S11-39E	233	(71.0)	
	353				
		S25-18E	143	(43.6)	
	354				
		S26-51E	182	(55.5)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	355				
		S30-12E	205	(62.5)	
	356				
		S27-39E	119	(36.3)	
	357				
		S23-02E	87	(26.5)	
	358				
		S19-39E	104	(31.7)	
	359				
		S38-17E	73	(22.3)	
	360				
		S64-27E	151	(46.0)	
	361				
		S49-26E	165	(50.3)	
	362				
		S53-54E	119	(36.3)	
	363				
		S31-21E	102	(31.1)	
	364				
		S19-47E	121	(36.9)	
	365				
		S23-04E	286	(87.2)	
-----					
	366				Top of peak, elevation 6290 feet, on the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
-----					
		S11-44W	133	(40.5)	
	367				Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
		S19-15W	243	(74.1)	
	368				
		S18-11W	359	(109.4)	
	369				



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8		S23-41W	142	(43.3)	
	370				
		S31-44W	89	(27.1)	
	371				
		S31-56W	272	(82.9)	
	372				
		S43-38W	178	(54.3)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	373				
		S31-32W	273	(83.2)	
	374				
		S44-09W	287	(87.5)	
	375				
		S37-27W	215	(65.5)	
	376				
		S43-29W	241	(73.5)	
	377				The 111 Mile Post Monument on the Yakima Indian Reservation Boundary.
		S45-41E	236	(71.9)	
	378				
		S55-37E	161	(49.1)	
	379				
		S36-00E	172	(52.4)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	380				
		S25-41E	145	(44.2)	
	381				
		S32-41E	143	(43.6)	
	382				
		S27-55E	132	(40.2)	
	383				
		S08-08E	156	(47.5)	
	384				
		S03-35E	144	(43.9)	
	385				
		S15-43W	66	(20.1)	
	386				
		S32-17W	45	(13.7)	
	387				
		S57-02W	44	(13.4)	
	388				
		S61-48W	220	(67.1)	
	389				
		S63-49W	68	(20.7)	
	390				
		S44-23W	66	(20.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	391			
		S19-17W	148 (45.1)	
	392			
		S19-22W	289 (88.1)	
	393			
		S15-15W	296 (90.2)	
	394			
		S17-04W	252 (76.8)	
	395			
		S17-25W	304 (92.7)	
	396			
		S16-44W	149 (45.4)	
	397			
		S28-37W	75 (22.9)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	398			
		S23-12W	46 (14.0)	
	399			
		S26-34E	74 (22.6)	
	400			
		S13-10E	206 (62.8)	
	401			
		S08-55E	245 (74.7)	
	402			
		S00-41E	84 (25.6)	
	403			
		S10-29W	55 (16.8)	
	404			
		S53-41W	103 (31.4)	
	405			
		S57-46W	109 (33.2)	
	406			
		S47-05W	78 (23.8)	
	407			
		S30-58W	58 (17.7)	
	408			
		S34-43W	218 (66.4)	
	409			
		S30-39W	63 (19.2)	
	410			
		S10-03E	97 (29.6)	
	411			
		S21-02E	111 (33.8)	
	412			
		S19-43E	184 (56.1)	
	413			

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKEPT Map #8		S10-18E	45 (13.7)	
	414	S17-28W	57 (17.4)	
	415	S18-26W	174 (53.0)	
	416	S25-46W	290 (88.4)	
	417	S26-09W	250 (76.2)	
	418	S36-02W	68 (20.7)	
	419	S05-35E	92 (28.0)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	420	S21-13E	72 (21.9)	
	421	S06-07E	84 (25.6)	
	422	S04-34W	50 (15.2)	
	423	S15-15W	46 (14.0)	
	424	S34-28W	62 (18.9)	
	425	S41-28W	207 (63.1)	
	426	S53-35W	275 (83.8)	
	427	S51-25W	127 (38.7)	
	428	S47-02W	160 (48.8)	
	429	S41-40W	122 (37.2)	
	430	S63-54W	109 (33.2)	
	431	N77-36W	51 (15.5)	
	432	N65-54W	83 (25.3)	
	433	N47-54W	112 (34.1)	
	434	N45-56W	86 (26.2)	
	435	N76-57W	212 (64.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	436				
		N78-50W	77	(23.5)	
	437				
		S74-13W	96	(29.3)	
	438				
		S67-27W	70	(21.3)	
	439				
		S57-37W	97	(29.6)	
	440				
		S55-00W	61	(18.6)	
	441				
		S75-04W	62	(18.9)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	442				
		N82-38W	171	(52.1)	
	443				
		N81-32W	95	(29.0)	
	444				
		N84-30W	52	(15.8)	
	445				
		S64-43W	80	(24.4)	
	446				
		S50-07W	95	(29.0)	
	447				
		S73-53W	94	(28.7)	
	448				
		N77-37W	168	(51.2)	
	449				
		N82-06W	182	(55.5)	
	450				
		N58-31W	57	(17.4)	
	451				
		N41-42W	135	(41.1)	
	452				
		N58-32W	79	(24.1)	
-----					
	453				The 109 Mile Post Monument on the Yakima Indian Reservation Boundary.
-----					
		N64-22W	301	(91.7)	
	454				Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
		N66-13W	221	(67.4)	
	455				
		N66-14W	320	(97.5)	
	456				
		N70-24W	188	(57.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	457				
		N60-39W	322	(98.1)	
	458				
		N71-46W	86	(26.2)	
	459				
		N83-36W	117	(35.7)	
	460				
		S82-52W	81	(24.7)	
	461				
		S76-39W	160	(48.8)	
	462				
		S81-37W	219	(66.8)	
	463				
		S86-32W	264	(80.5)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	464				
		S82-33W	216	(65.8)	
	465				
		N87-31W	276	(84.1)	
	466				
		N89-30W	116	(35.4)	
	467				
		N75-43W	109	(33.2)	
	468				
		N77-30W	245	(74.7)	
	469				
		N87-18W	254	(77.4)	
	470				
		N77-13W	244	(74.4)	
	471				
		N66-21W	167	(50.9)	
	472				
		N65-35W	167	(50.9)	
	473				
		N73-52W	173	(52.7)	
	474				
		N82-18W	112	(34.1)	
	475				
		S83-55W	75	(22.9)	
	476				
		S49-21W	140	(42.7)	
	477				
		S52-04W	161	(49.1)	
	478				
		S37-29W	76	(23.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	479			
		S29-36W	144 (43.9)	
	480			
		S41-01W	133 (40.5)	
	481			
		S26-14W	79 (24.1)	
	482			
		S56-19W	108 (32.9)	
	483			
		S75-21W	91 (27.7)	
	484			
		S81-59W	150 (45.7)	
	485			
		S88-08W	92 (28.0)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	486			
		N55-07W	121 (36.9)	
	487			
		N70-13W	121 (36.9)	
	488			
		N85-59W	114 (34.7)	
	489			
		N71-45W	99 (30.2)	
	490			
		N53-27W	106 (32.3)	
	491			
		N49-43W	138 (42.1)	
	492			
		S65-02W	81 (24.7)	
	493			
		S33-08W	199 (60.7)	
	494			
		S54-38W	76 (23.2)	
	495			
		S87-48W	78 (23.8)	
	496			
		N87-16W	42 (12.8)	
	497			
		N23-32W	110 (33.5)	
	498			
		N50-38W	50 (15.2)	
	499			
		S89-14W	74 (22.6)	
	500			
		N78-37W	157 (47.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	501			
		N78-36W	126 (38.4)	
	502			
		N70-11W	145 (44.2)	
	503			
		N52-10W	108 (32.9)	
	504			
		N27-10W	129 (39.3)	
	505			
		N08-11W	162 (49.4)	
	506			
		N56-59W	72 (21.9)	
	507			
		N75-58W	91 (27.7)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	508			
		S75-38W	85 (25.9)	
	509			
		S75-27W	163 (49.7)	
	510			
		S41-27W	80 (24.4)	
	511			
		S24-12W	98 (29.9)	
	512			
		S23-06W	74 (22.6)	
	513			
		N84-39W	64 (19.5)	
	514			
		N78-35W	106 (32.3)	
	515			
		S76-12W	122 (37.2)	
	516			
		S68-23W	176 (53.6)	
	517			
		S72-30W	156 (47.5)	
	518			
		N80-46W	81 (24.7)	
	519			
		N65-16W	98 (29.9)	
	520			
		N62-40W	198 (60.4)	
	521			
		N77-59W	110 (33.5)	
	522			
		S86-13W	106 (32.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	523				
		S68-38W	99	(30.2)	
	524				
		S53-56W	114	(34.7)	
	525				
		S85-21W	86	(26.2)	
	526				
		N57-43W	90	(27.4)	
	527				
		N35-02W	131	(39.9)	
	528				
		N19-54W	162	(49.4)	
	529				
		N16-35W	137	(41.8)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	530				
		N46-28W	55	(16.8)	
	531				
		S81-44W	63	(19.2)	
	532				
		S64-53W	71	(21.6)	
	533				
		S87-33W	70	(21.3)	
	534				
		S88-22W	70	(21.3)	
	535				
		N61-20W	73	(22.3)	
	536				
		N86-54W	74	(22.6)	
	537				
		S89-11W	70	(21.3)	
	538				
		S58-24W	61	(18.6)	
	539				
		S41-11W	53	(16.2)	
	540				
		N80-22W	54	(16.5)	
	541				
		N70-25W	110	(33.5)	
	542				
		N84-34W	42	(12.8)	
	543				
		S31-04W	91	(27.7)	
	544				
		S31-48W	211	(64.3)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	545				
		S42-06W	195	(59.4)	
	546				
		S61-20W	85	(25.9)	
	547				
		S52-46W	63	(19.2)	
	548				
		S09-28W	103	(31.4)	
	549				
		S08-37W	180	(54.9)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	550				
		S03-23E	152	(46.3)	
	551				
		S05-43W	90	(27.4)	
	552				
		S02-45W	104	(31.7)	
	553				
		S26-06W	273	(83.2)	
	554				
		S27-10W	386	(117.7)	
	555				
		S30-51W	257	(78.3)	
	556				
		S21-40W	84	(25.6)	
	557				
		S03-03W	75	(22.9)	
	558				
		S07-18E	118	(36.0)	
	559				
		S06-14E	193	(58.8)	
-----					
	560				A point on a ridge on the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
-----					
		N72-38W	496	(151.2)	
561					
		N51-02W	626	(190.8)	
562					
		N51-10W	105	(32.0)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
563					
		N72-06W	608	(185.3)	
564					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8		N32-36W	336	(102.4)	
	565	N73-49W	194	(59.1)	
	566	N48-01W	457	(139.3)	
	567	N84-29W	291	(88.7)	
	568	N39-58W	484	(147.5)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	569	N03-15E	583	(177.7)	
	570	N15-17W	178	(54.3)	
	571	N38-08W	308	(93.9)	
	572	N43-41W	184	(56.1)	
	573	N64-09W	144	(43.9)	
	574	N54-27W	702	(214.0)	
	575	S74-29W	168	(51.2)	
	576	N23-53W	516	(157.3)	
	577				
					The 105 Mile Post Monument on the Yakima Indian Reservation Boundary.
		N39-34W	276	(84.1)	
	578	N77-50W	237	(72.2)	
	579	S79-15W	525	(160.0)	
	580	S82-51W	225	(68.6)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	581	S80-50W	194	(59.1)	
	582	S65-40W	138	(42.1)	
	583	S71-08W	83	(25.3)	
	584	S87-16W	252	(76.8)	
	585	S89-27W	104	(31.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	586				
		S74-03W	102	(31.1)	
	587				
		S01-00W	85	(25.9)	
	588				
		S42-50W	187	(57.0)	
	589				
		S48-43W	174	(53.0)	
	590				
		S79-55W	91	(27.7)	
	591				
		S85-33W	90	(27.4)	
	592				
		N88-15W	164	(50.0)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	593				
		N85-27W	227	(69.2)	
	594				
		N88-59W	168	(51.2)	
	595				
		S79-16W	59	(18.0)	
	596				
		S50-01W	40	(12.2)	
	597				
		S42-54W	192	(58.5)	
	598				
		S37-56W	161	(49.1)	
	599				
		S34-23W	92	(28.0)	
	600				
		S53-22W	146	(44.5)	
	601				
		S64-27W	151	(46.0)	
	602				
		S58-33W	163	(49.7)	
	603				
		S61-57W	225	(68.6)	
	604				
		S66-21W	167	(50.9)	
	605				
		S85-36W	78	(23.8)	
	606				
		S69-39W	66	(20.1)	
	607				
		S46-10W	69	(21.0)	
	608				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8		S01-00W	85	(25.9)	
	609	S36-22W	137	(41.8)	
	610	S55-23W	86	(26.2)	
	611	S68-30W	71	(21.6)	
	612	S69-27W	77	(23.5)	
	613	S82-49W	240	(73.2)	Along the boundary between the Yakima Indian Reservation and the Gifford Pinchot National Forest.
	614	S76-57W	71	(21.6)	
	615	S53-08W	55	(16.8)	
	616	S51-09W	92	(28.0)	
	617	S30-11W	263	(80.2)	
	618	S19-59W	47	(14.3)	
	619	S07-34W	129	(39.3)	
	620	S07-33W	198	(60.4)	
	621	S22-43W	47	(14.3)	
	622	S33-01W	48	(14.6)	
	623	S83-17W	51	(15.5)	
	624				A point in a saddle on the Yakima Indian Reservation Boundary.
		N58-05W	465	(141.7)	Descend.
	625				A point. Elevation 4960 feet.
		N30-48E	115	(35.1)	Along the 4960 foot contour.
	626	N22-02E	91	(27.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	627			
		N29-40E	83 (25.3)	
	628			
		N16-02E	91 (27.7)	
	629			
		N06-16E	82 (25.0)	
	630			
		N05-37E	133 (40.5)	
	631			
		N02-36E	66 (20.1)	
	632			
		N14-02E	41 (12.5)	
	633			
		N28-33E	77 (23.5)	Along the 4960 foot contour.
	634			
		N22-11E	111 (33.8)	
	635			
		N16-42E	146 (44.5)	
	636			
		N03-02E	132 (40.2)	
	637			
		N06-23W	135 (41.1)	
	638			
		N16-29W	102 (31.1)	
	639			
		N22-57W	121 (36.9)	
	640			
		N26-34W	183 (55.8)	
	641			
		N34-24W	200 (61.0)	
	642			
		N21-09W	280 (85.3)	
	643			
		N27-07W	281 (85.6)	
	644			
		N32-20W	236 (71.9)	
	645			
		N31-46W	173 (52.7)	
	646			
		N40-07W	141 (43.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	647		A point perpendicular to and 200 feet southwesterly of the centerline of USFS Trail No. 121. Elevation 4960 feet.
	N69-10W	98 (29.9)	
648	N68-35W	225 (68.6)	
649	N63-19W	209 (63.7)	
650	N62-04W	243 (74.1)	
651	N40-05W	132 (40.2)	
652	N36-13W	195 (59.4)	Paralleling USFS Trail
653	N23-46W	266 (81.1)	No. 121, 200 feet
654	N26-57W	135 (41.1)	southwesterly of centerline.
655	N26-34W	63 (19.2)	
656	N66-12W	37 (11.3)	
657	N70-10W	103 (31.4)	
658	N77-49W	256 (78.0)	
659	N81-13W	236 (71.9)	
660	N86-28W	162 (49.4)	
661	N77-18W	187 (57.0)	
662	N65-11W	88 (26.8)	
663	N48-13W	152 (46.3)	
664	N34-05W	161 (49.1)	
665	N30-27W	152 (46.3)	
666	N11-00W	73 (22.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	667				
		N34-05W	41	(12.5)	
	668				
		N60-11W	111	(33.8)	
	669				
		N85-55W	56	(17.1)	
HAMILTON BUTTES Map #7	670				
		N86-33W	116	(35.4)	
	671				
		N74-35W	120	(36.6)	
	672				
		N72-58W	65	(19.8)	
	673				
		N74-07W	142	(43.3)	Paralleling USFS Trail
	674				No. 121, 200 feet
		N65-45W	122	(37.2)	southwesterly of centerline.
	675				
		N50-57W	136	(41.5)	
	676				
		N52-20W	100	(30.5)	
	677				
		N71-46W	176	(53.6)	
	678				
		S82-56W	130	(39.6)	
	679				
		S89-00W	172	(52.4)	
	680				
		N67-14W	88	(26.8)	
	681				
		N53-14W	119	(36.3)	
	682				
		N38-57W	94	(28.7)	
	683				
		N24-23W	82	(25.0)	
	684				
		N21-42E	395	(120.4)	
	685				
		N22-32E	438	(133.5)	
	686				
		N27-03E	367	(111.9)	
	687				
		N24-35E	375	(114.3)	
	688				
		N21-27E	186	(56.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	689				
		N20-49E	76	(23.2)	
	690				
		N11-19W	178	(54.3)	
	691				
		N26-48W	111	(33.8)	
	692				
		N18-46W	112	(34.1)	
	693				
		N08-58E	115	(35.1)	
	694				
		N30-44E	172	(52.4)	
	695				
		N32-17E	112	(34.1)	Paralleling USFS Trail No. 121, 200 feet southwesterly of centerline.
	696				
		N04-00W	157	(47.9)	
	697				
		N09-11W	138	(42.1)	
	698				
		N09-14E	125	(38.1)	
	699				
		N22-22E	189	(57.6)	
	700				
		N39-59E	162	(49.4)	
	701				
		N54-34E	64	(19.5)	
	702				
		N20-04E	55	(16.8)	
	703				
		N02-14W	128	(39.0)	
	704				
		N13-12E	149	(45.4)	
	705				
		N36-57E	146	(44.5)	
	706				
		N40-29E	108	(32.9)	
	707				
		N19-51E	153	(46.6)	
WALUPT LAKE Map #8	708				
		N37-52E	313	(95.4)	
	709				
		N24-41E	287	(87.5)	
	710				
		N19-09E	405	(123.4)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	711				
		N17-36E	350	(106.7)	
	712				
		N17-58E	194	(59.1)	
	713				Paralleling USFS Trail No. 121, 200 feet southwesterly of centerline.
		N06-32E	97	(29.6)	
	714				
		N01-19W	130	(39.6)	
	715				
		N07-29E	238	(72.5)	
	716				
		N10-03W	97	(29.6)	
	717				
		N01-00W	85	(25.9)	
	718				
		N48-13W	164	(50.0)	
	719				
		N46-25W	115	(35.1)	
	720				
		N19-35W	110	(33.5)	
-----					
	721				A point perpendicular to and 200 feet southwesterly of the centerline of Trail No. 121 on broad spur ridge.
-----					
		N08-37W	67	(20.4)	
	722				
		N21-40E	84	(25.6)	
	723				
		N34-53E	80	(24.4)	Descend.
	724				
		N37-16E	58	(17.7)	
	725				
		N07-21W	63	(19.2)	
	726				
		N16-04W	69	(21.0)	
	727				
		N45-00E	48	(14.6)	
-----					
	728				A point in a draw.
-----					
		N83-33E	62	(18.9)	
	729				Ascend draw.
		S89-36E	292	(89.0)	
	730				
		N85-57E	283	(86.3)	
	731				
		N87-37E	192	(58.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	732			A point in a draw. Elevation 3840 feet.
		N78-33E	81 (24.7)	
	733	N55-21E	83 (25.3)	Ascend.
	734	N45-00E	59 (18.0)	
	735	N33-59E	55 (16.8)	
	736			An Angle Point. Elevation 3880 feet.
		N02-20E	98 (29.9)	
	737	N00-28W	124 (37.8)	Along 3880 foot contour.
	738	N06-32W	97 (29.6)	
	739			An Angle Point. Elevation 3880 feet.
		N19-17E	106 (32.3)	
	740	N15-22E	94 (28.7)	Northeasterly.
	741	N35-04E	139 (42.4)	
	742	N43-00E	122 (37.2)	
	743			An Angle Point. Elevation 3880 feet.
		N88-02E	234 (71.3)	
	744	N86-49E	234 (71.3)	
	745	N85-36E	235 (71.6)	
	746	S89-16E	78 (23.8)	Along 3880 foot contour.
	747	S81-38E	69 (21.0)	
	748	S73-56E	69 (21.0)	
	749	S80-47E	75 (22.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	750				
		N75-40E	93	(28.3)	
	751				
		N64-59E	116	(35.4)	
	752				
		N72-39E	151	(46.0)	
	753				
		N85-04E	233	(71.0)	
	754				Along 3880 foot contour.
		N89-11E	282	(86.0)	
	755				
		S75-58E	82	(25.0)	
	756				
		S70-21E	178	(54.3)	
	757				
		S57-32E	169	(51.5)	
	758				A point in a draw. Elevation 3880 feet.
		S68-08E	164	(50.0)	
	759				
		S77-56E	177	(53.9)	
	760				
		S84-40E	151	(46.0)	
	761				Ascend draw.
		S64-38E	170	(51.8)	
	762				
		S67-32E	207	(63.1)	
	763				
		S61-56E	221	(67.4)	
	764				A point in a draw. Elevation 4000 feet.
		S69-12E	222	(67.7)	
	765				
		S66-12E	287	(87.5)	Ascend.
	766				
		S48-24E	143	(43.6)	
	767				
		S31-51E	121	(36.9)	
	768				
		S41-36E	155	(47.2)	
	769				
		S47-42E	120	(36.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	770				A point 200 feet southwesterly of edge of a rock pit at the end of USFS Road No. 2160055.
		S39-52E	111	(33.8)	
	771				
		S65-40E	138	(42.1)	
	772				Paralleling Rock Pit 200 feet southerly of edge of pit and
		S78-46E	149	(45.4)	paralleling USFS Road No.
	773				2160055, 200 feet southerly of
		N89-32E	124	(37.8)	centerline.
	774				
		N75-04E	93	(28.3)	
	775				A point perpendicular to and 200 feet southeasterly of the centerline of USFS Road No. 2160055, at switchback in road.
		N69-58E	102	(31.1)	
	776				
		S88-26E	110	(33.5)	
	777				Descend.
		S01-00E	115	(35.1)	
	778				
		S58-14E	123	(37.5)	
	779				
		S39-09E	111	(33.8)	
	780				A point 200 feet westerly of the ordinary high water line of Walupt Lake.
		S09-08E	170	(51.8)	
	781				
		S13-24W	173	(52.7)	
	782				
		S14-56E	93	(28.3)	
	783				Paralleling Walupt Lake, 200 feet westerly of the ordinary high water line.
		S13-59E	281	(85.6)	
	784				
		S11-49E	225	(68.6)	
	785				
		S70-21W	119	(36.3)	
	786				
		S39-14W	141	(43.0)	
	787				
		S23-38W	122	(37.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	788				
		S13-05W	102	(31.1)	
	789				
		S04-20E	212	(64.6)	
	790				
		S00-15E	232	(70.7)	
	791				
		S08-24E	178	(54.3)	
	792				
		S22-41E	158	(48.2)	
	793				
		S11-44E	211	(64.3)	Paralleling Walupt Lake, 200 feet westerly of the ordinary high water line.
	794				
		S03-24E	84	(25.6)	
	795				
		S52-36E	43	(13.1)	
	796				
		S77-34E	70	(21.3)	
	797				
		N77-50E	104	(31.7)	
	798				
		N88-38E	42	(12.8)	
	799				
		S22-37E	26	(7.9)	
	800				
		S34-01W	48	(14.6)	
	801				
		S44-26W	71	(21.6)	
	802				
		S19-03W	89	(27.1)	
	803				
		S01-05W	106	(32.3)	
	804				
		S21-55E	99	(30.2)	
	805				
		S50-26E	89	(27.1)	
	806				
		S61-23E	75	(22.9)	
	807				
		S77-15E	86	(26.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	808			A point in unnamed creek, 200 feet southwesterly of the ordinary high water line of Walupt Lake.
		S67-53E	104 (31.7)	
	809	S63-40E	108 (32.9)	
	810	S32-56E	85 (25.9)	
	811	S19-09E	76 (23.2)	
	812	S56-19E	29 (8.8)	
	813	S73-40E	60 (18.3)	Paralleling Walupt Lake, 200 feet southerly of the ordinary high water line.
	814	N81-34E	55 (16.8)	
	815	S83-53E	84 (25.6)	
	816	S73-41E	146 (44.5)	
	817	S75-05E	175 (53.3)	
	818	N87-37E	48 (14.6)	
	819	N82-34E	70 (21.3)	
	820	N75-45E	126 (38.4)	
	821			A point 200 feet southerly of the mean high water line of Walupt Lake.
		N01-05E	1918 (584.6)	
	822			An Angle Point in Walupt Lake.
		S89-08E	2649 (807.4)	
	823			An Angle Point in Walupt Lake.
		N01-04W	1018 (310.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8	824			A point equal distance between the ordinary high water line of Walupt Lake and the center- line of USFS Trail No. 101.
		N57-50W	115 (35.1)	
	825	N48-54W	135 (41.1)	
	826	N75-11W	90 (27.4)	
	827	N80-04W	122 (37.2)	Along a line equal distance between the ordinary high water line of Walupt Lake and the centerline of USFS Trail No. 101.
	828	N83-09W	159 (48.5)	
	829	N69-13W	178 (54.3)	
	830	N65-11W	412 (125.6)	
	831	N62-47W	435 (132.6)	
	832	N56-43W	118 (36.0)	
	833	N67-12W	204 (62.2)	
	834	N65-23W	170 (51.8)	
	835	N74-07W	121 (36.9)	
	836	N82-10W	279 (85.0)	
	837	N71-54W	270 (82.3)	
	838	N68-28W	245 (74.7)	
	839	N63-49W	66 (20.1)	
	840			A point equal distance between the ordinary high water line of Walupt Lake and the center- line of USFS Trail No. 101.
		N59-28W	91 (27.7)	
	841	N19-33W	81 (24.7)	
	842	N00-00W	66 (20.1)	Ascend.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8	843				
		N03-35W	112	(34.1)	Ascend.
	844	N00-00W	42	(12.8)	
	845				A point on the 4000 foot contour line.
		N31-18W	293	(89.3)	
	846	N32-46W	394	(120.1)	
	847	N16-51W	379	(115.5)	
	848	N20-56W	297	(90.5)	
	849	N23-06W	74	(22.6)	Along the 4000 foot contour.
	850	N60-25W	178	(54.3)	
	851	N60-54W	354	(107.9)	
	852	N61-15W	164	(50.0)	
	853	N80-13W	88	(26.8)	
	854	N83-17W	274	(83.5)	
	855	N70-37W	172	(52.4)	
	856	N64-45W	216	(65.8)	
	857	N61-18W	144	(43.9)	
	858	N60-09W	211	(64.3)	
	859	N49-05W	99	(30.2)	
	860	N43-50W	69	(21.0)	
	861				A point on the 4000 foot contour, on a spur ridge.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALUPT LAKE Map #8		S70-22W	211 (64.3)	
	862			
		S69-27W	256 (78.0)	Descend.
	863			
		S68-51W	194 (59.1)	
	864			
		S78-23W	184 (56.1)	
	865			A point in Walupt Creek. Elevation 3840 feet.
		N21-48W	86 (26.2)	
	866			
		N26-58W	64 (19.5)	
	867			
		N61-23W	50 (15.2)	
	868			
		S84-48W	66 (20.1)	
	869			
		S77-59W	221 (67.4)	Descend Walupt Creek.
	870			
		S72-28W	219 (66.8)	
	871			
		S65-28W	101 (30.8)	
	872			
		S48-15W	125 (38.1)	
	873			
		S44-37W	105 (32.0)	
	874			
		S49-54W	124 (37.8)	
	875			
		S54-04W	135 (41.1)	
	876			
		S59-15W	135 (41.1)	
	877			
		S69-05W	132 (40.2)	
	878			
		S68-36W	189 (57.6)	
	879			A point in Walupt Creek at the most southerly point of a bend.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALUPT LAKE Map #8		S84-23W	133	(40.5)	
	880				
		S73-04W	168	(51.2)	Ascend.
	881				
		S86-55W	186	(56.7)	
	882				
		S77-40W	164	(50.0)	
	883				A point perpendicular to and 200 feet northerly of the centerline of USFS Road No. 2160.
		S80-20W	274	(83.5)	
	884				
		S81-26W	201	(61.3)	
	885				Paralleling USFS Road No. 2160, 200 feet northerly of centerline.
		N89-14W	226	(68.9)	
	886				
		N86-33W	433	(132.0)	
	887				
		S86-02W	261	(79.6)	
	888				
		S80-14W	306	(93.3)	
	889				
		S73-28W	239	(72.8)	
	890				
		S71-28W	186	(56.7)	
	891				
		S73-24W	109	(33.2)	
	892				A point perpendicular to and 200 feet northerly of the centerline of USFS Road No. 2160.
		S64-42W	222	(67.7)	
	893				
		S69-12W	138	(42.1)	Descend.
	894				
HAMILTON BUTTES Map #7		S59-34W	93	(28.3)	
	895				
		S68-28W	158	(48.2)	
	896				
		S83-48W	46	(14.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	897				
		S79-34W	77	(23.5)	Descend.
	898	S45-19W	127	(38.7)	
	899				A point in a draw on the 3600 foot contour.
		S52-53W	139	(42.4)	
	900	S56-37W	158	(48.2)	
	901	S19-39W	74	(22.6)	Along the 3600 foot contour.
	902	S21-07W	47	(14.3)	
	903	S68-24W	52	(15.8)	
	904	S35-32W	95	(29.0)	
	905	S10-57W	95	(29.0)	
	906	S13-08W	31	(9.4)	
	907	S76-00W	335	(102.1)	
	908	S83-41W	227	(69.2)	
	909	N73-34W	81	(24.7)	
	910	S70-44W	88	(26.8)	
	911	N77-57W	77	(23.5)	
	912	N66-48W	221	(67.4)	
	913	N86-30W	98	(29.9)	
	914	S54-03W	112	(34.1)	
	915	S45-00W	141	(43.0)	
	916	S40-31W	245	(74.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	917				
		S44-53W	354	(107.9)	
	918				
		S51-02W	329	(100.3)	
	919				Along the 3600 foot contour.
		S48-16W	137	(41.8)	
	920				
		S24-16W	56	(17.1)	
	921				
		S01-00W	58	(17.7)	
	922				
		S09-49E	158	(48.2)	
	923				
		S13-52E	79	(24.1)	
	924				
		S28-15E	91	(27.7)	
	925				
		S08-16W	63	(19.2)	
	926				
		S37-29W	38	(11.6)	
	927				A point on a ridge. Elevation 3600 feet.
		S61-56W	85	(25.9)	
	928				
		S84-54W	359	(109.4)	
	929				Descend ridge.
		N87-56W	304	(92.7)	
	930				
		S89-26W	204	(62.2)	
	931				
		N86-54W	166	(50.6)	
	932				
		S65-31W	111	(33.8)	
	933				
		S83-15W	77	(23.5)	
	934				
		N65-09W	60	(18.3)	
	935				A point on a ridge.
		N74-42W	98	(29.9)	
	936				Across Cispus River.
		N46-45W	209	(63.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
HAMILTON BUTTES Map #7	937			
		N41-19W	308 (93.9)	
	938			
		N39-43W	153 (46.6)	
	939			Across Cispus River.
		N37-58W	115 (35.1)	
	940			
		N49-40W	70 (21.3)	
	941			
		N49-52W	67 (20.4)	
	942			
		N31-44W	114 (34.7)	
	943			
		N16-49W	145 (44.2)	
	944			
		N03-53W	206 (62.8)	
	945			
		N05-27E	200 (61.0)	
	946			
		N05-09W	111 (33.8)	
	947			A point on the 3320 foot contour.
		N44-27E	146 (44.5)	
	948			
		N30-27E	211 (64.3)	
	949			Along the 3320 foot contour.
		N21-59E	179 (54.6)	
	950			
		N05-54E	117 (35.7)	
	951			
		N23-26W	33 (10.1)	
	952			
		N76-43E	74 (22.6)	
	953			
		N61-48E	250 (76.2)	
	954			
		N57-53E	213 (64.9)	
	955			
		N48-04E	238 (72.5)	
	956			
		N40-02E	229 (69.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	957				
		N23-19E	197	(60.0)	
	958				
		N23-01E	79	(24.1)	
	959				Along the 3320 foot contour.
		N74-55E	173	(52.7)	
	960				
		N65-07E	228	(69.5)	
	961				
		N55-31E	457	(139.3)	
	962				
		N59-53E	267	(81.4)	
	963				
		N33-41E	7	(2.1)	
	964				
		N43-43E	126	(38.4)	
	965				
		N06-31E	70	(21.3)	
	966				
		N42-31W	33	(10.1)	
	967				A point on a ridge. Elevation 3320 feet.
		N51-10W	53	(16.2)	
	968				
		N32-28W	52	(15.8)	
	969				
		N08-49W	59	(18.0)	
	970				
		N20-06E	131	(39.9)	Ascend ridge.
	971				
		N27-19E	338	(103.0)	
	972				
		N24-13E	339	(103.3)	
	973				
		N23-04E	220	(67.1)	
	974				
		N33-01E	215	(65.5)	
	975				
		N37-15E	241	(73.5)	
	976				
		N40-17E	198	(60.4)	
	977				
		N42-24E	203	(61.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
HAMILTON BUTTES Map #7	978			A point Washington State Plane Coordinates, X=1,744,571 and Y=420,283.
		N00-40E	9080 (2767.6)	
	979			Intersect Goat Creek.
		N55-31W	182 (55.5)	
	980	N89-12W	72 (21.9)	
	981	S80-32W	91 (27.7)	
	982	N78-56W	47 (14.3)	
	983	N41-44W	50 (15.2)	Ascend Goat Creek.
	984	N16-53W	59 (18.0)	
	985	N63-26W	34 (10.4)	
	986	S86-11W	30 (9.1)	
	987	N71-17W	65 (19.8)	
	988	N69-12W	85 (25.9)	
	989	N39-35W	67 (20.4)	
	990	N18-48W	50 (15.2)	
	991	N16-09W	79 (24.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
HAMILTON BUTTES Map #7	992			A point in Goat Creek on the northeasterly edge of a harvest unit.
	993	N43-08W	370 (112.8)	Along the northeasterly edge of a harvest unit.
	994	N40-29W	279 (85.0)	
		N31-42W	280 (85.3)	
	995			The most northerly point of a harvest unit.
	996	N34-09W	379 (115.5)	
	997	N36-09W	331 (100.9)	
	998	N35-06W	292 (89.0)	Ascend.
	999	N41-21W	133 (40.5)	
	1000	N37-31W	71 (21.6)	
	1001	N64-24W	53 (16.2)	
	1002	N85-23W	62 (18.9)	
	1003	N77-49W	128 (39.0)	
		N77-13W	167 (50.9)	
	1004			A point 200 feet northerly of the edge of recreation improvements.
	1005	S81-24W	207 (63.1)	Paralleling recreation improvements, 200 feet northerly of the edge of improvements.
	1006	N89-39W	164 (50.0)	
		N89-39W	162 (49.4)	
	1007			A point 200 feet northerly of the edge of recreation improvements.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7		N79-02W	231	(70.4)	
	1008	N01-00W	134	(40.8)	Ascend.
	1009	N71-08W	210	(64.0)	
	1010	N56-29W	92	(28.0)	
	1011	N52-36W	283	(86.3)	
	1012				A point 200 feet northerly of the edge of recreation improvements.
		N44-37W	212	(64.6)	
	1013	N34-24W	204	(62.2)	
	1014	N35-53W	254	(77.4)	
	1015	N52-40W	148	(45.1)	Paralleling recreation improvements, 200 feet northerly of the edge of improvements.
	1016	N63-53W	170	(51.8)	
	1017	N63-38W	257	(78.3)	
	1018	N80-32W	18	(5.5)	
	1019	N67-52W	98	(29.9)	
	1020	N88-21W	174	(53.0)	
	1021	S74-36W	275	(83.8)	
	1022				A point perpendicular to and 200 feet northerly of the centerline of USFS Road No. 2150040.
		S80-48W	181	(55.2)	Paralleling USFS Road No. 2150040, 200 feet northerly of centerline.
	1023	S88-19W	170	(51.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	1024				
		N73-54W	263	(80.2)	Paralleling USFS Road No. 2150040, 200 feet northerly of centerline.
	1025	N71-34W	79	(24.1)	
	1026				A point perpendicular to and 200 feet northerly of the centerline of USFS Road No. 2150040 on a spur on a ridge.
		N14-12W	261	(79.6)	
	1027	N00-36E	190	(57.9)	
	1028	N11-41E	277	(84.4)	Ascend ridge.
	1029	N09-25E	238	(72.5)	
	1030	N34-34E	145	(44.2)	
	1031	N35-03E	164	(50.0)	
	1032	N41-57E	293	(89.3)	
	1033	N36-02E	286	(87.2)	
	1034	N30-43E	235	(71.6)	
	1035	N24-14E	263	(80.2)	
	1036	N19-03E	349	(106.4)	
	1037	N12-54E	282	(86.0)	
	1038	N09-03E	204	(62.2)	
	1039				A point on the northeasterly edge of a rock slide.
		N12-27W	88	(26.8)	
	1040	N24-35W	65	(19.8)	Along the northeasterly edge of a rock slide.
	1041	N50-16W	108	(32.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	1042				
		N56-50W	334	(101.8)	
	1043				Along the northeasterly edge of a rock slide.
		N55-55W	239	(72.8)	
	1044				
		N59-17W	315	(96.0)	
	1045				A point on the northeasterly edge of a rock slide. Elevation 5400 feet.
		N45-25W	191	(58.2)	
	1046				
		N32-51W	151	(46.0)	
	1047				Along the 5400 foot contour.
		N21-48W	194	(59.1)	
	1048				
		N02-19W	74	(22.6)	
	1049				
		N27-39E	71	(21.6)	
	1050				
		N65-04E	78	(23.8)	
	1051				
		N65-54E	42	(12.8)	
	1052				
		N01-35W	36	(11.0)	
	1053				
		N41-16W	65	(19.8)	
	1054				
		N46-53W	86	(26.2)	
	1055				
		N46-38W	50	(15.2)	
	1056				A point. Washington State Plane Coordinates, X=1,740,030 Y=419,961.
		N89-09W	1696	(516.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
HAMILTON BUTTES Map #7	1057			A point. Washington State Plane coordinates, X=1,744,571 and Y=420,283.
		N00-47E	2788 (849.8)	
	1058			A point on a ridge.
		N82-59W	311 (94.8)	
1059		N89-39W	162 (49.4)	
1060		N75-06W	338 (103.0)	Descend ridge.
1061		N74-23W	167 (50.9)	
1062		N81-17W	343 (104.5)	
1063		N86-38W	307 (93.6)	
1064		N82-45W	55 (16.8)	
1065		N62-27W	130 (39.6)	
1066		N86-15W	168 (51.2)	
1067		N81-09W	156 (47.5)	
1068		N74-03W	349 (106.4)	
1069		N53-43W	233 (71.0)	
1070		N63-14W	129 (39.3)	
1071		N77-55W	220 (67.1)	
1072		N87-12W	184 (56.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	1073				
		N89-29W	222	(67.7)	
	1074				
		N79-30W	263	(80.2)	
	1075				Descend ridge.
		N84-09W	284	(86.6)	
	1076				
		N73-39W	305	(93.0)	
	1077				
		N69-48W	481	(146.6)	
	1078				
		N60-53W	331	(100.9)	
	1079				
		N70-11W	395	(120.4)	
	1080				
		N66-13W	305	(93.0)	
	1081				
		N68-53W	142	(43.3)	
	1082				
		N63-02W	64	(19.5)	
	1083				
		S73-10W	79	(24.1)	
	1084				
		S59-32W	20	(6.1)	
	1085				High point on a ridge.
		S87-06W	138	(42.1)	
	1086				
		N88-22W	210	(64.0)	
	1087				Descend.
		S82-58W	163	(49.7)	
	1088				
		N01-00W	104	(31.7)	
	1089				
		N74-50W	294	(89.6)	
	1090				
		N70-45W	179	(54.6)	
	1091				
		N66-32W	314	(95.7)	
	1092				
		N60-28W	207	(63.1)	
	1093				
		N46-46W	184	(56.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	1094	N37-04W	231	(70.4)	Descend.
	1095	N23-25W	211	(64.3)	
	1096	N27-20W	200	(61.0)	
	1097				
					The intersection of Johnson Creek and Jordan Creek.
		N27-36W	298	(90.8)	
	1098	N26-25W	180	(54.9)	
	1099	N39-48W	141	(43.0)	Descend Johnson Creek.
	1100	N58-18W	120	(36.6)	
	1101	N77-50W	104	(31.7)	
	1102	S87-27W	180	(54.9)	
	1103	N86-55W	204	(62.2)	
	1104	N61-18W	108	(32.9)	
	1105	N32-23W	110	(33.5)	
	1106	N18-26W	155	(47.2)	
	1107	N19-59W	246	(75.0)	
	1108	N30-45W	141	(43.0)	
	1109	N40-56W	169	(51.5)	
	1110	N68-24W	103	(31.4)	
	1111	N73-21W	133	(40.5)	
	1112	N64-59W	149	(45.4)	
	1113	N54-11W	97	(29.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HAMILTON BUTTES Map #7	1114				A point in Johnson Creek on the easterly edge of a harvest unit.
		N23-19W	63	(19.2)	
	1115	N06-25W	90	(27.4)	
	1116	N33-27E	134	(40.8)	
PACKWOOD SE Map #6	1117	N31-56E	153	(46.6)	Along the easterly edge of a harvest unit.
	1118	N37-55E	109	(33.2)	
	1119	N32-00E	123	(37.5)	
	1120	N53-08E	90	(27.4)	
	1121	N71-34E	76	(23.2)	
	1122	N67-31E	126	(38.4)	
	1123	N62-06E	58	(17.7)	
	1124				Most easterly point of a harvest unit.
		N72-50E	71	(21.6)	
	1125	N49-30E	117	(35.7)	
	1126	N52-53E	93	(28.3)	Ascend.
	1127	N28-41E	60	(18.3)	
	1128	N33-41E	79	(24.1)	
	1129				A point on the southerly edge of a clearing.
		N18-53E	164	(50.0)	
	1130	N09-43E	190	(57.9)	Along the easterly edge of a clearing.
	1131	N02-52E	200	(61.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1132				
		N09-21E	86	(26.2)	Along the easterly edge of a clearing.
	1133				
		N05-32E	62	(18.9)	
	1134				A point on the easterly edge of a clearing.
		N61-47E	480	(146.3)	
	1135				
		N68-49E	349	(106.4)	
	1136				Ascend.
		N71-26E	289	(88.1)	
	1137				
		N69-14E	124	(37.8)	
	1138				
		N69-48E	93	(28.3)	
	1139				A point on a ridge.
		N88-34E	40	(12.2)	
	1140				
		S79-57E	97	(29.6)	
	1141				
		S54-51E	186	(56.7)	
	1142				Along the top of ridge.
		S51-29E	251	(76.5)	
	1143				
		S53-44E	172	(52.4)	
	1144				
		S47-42E	195	(59.4)	
	1145				
		S55-21E	283	(86.3)	
	1146				
		S42-04E	110	(33.5)	
	1147				
		S37-42E	150	(45.7)	
	1148				
		S46-05E	149	(45.4)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1149				
		S51-08E	126	(38.4)	
	1150				Along the top of ridge.
		S55-15E	60	(18.3)	
	1151				
		S64-39E	84	(25.6)	
	1152				A point on a ridge. Elevation 4320 feet.
		N31-35E	158	(48.2)	
	1153				
		N28-15E	336	(102.4)	
	1154				Descend.
		N25-53E	298	(90.8)	
	1155				
		N22-41E	231	(70.4)	
	1156				
		N19-09E	101	(30.8)	
	1157				
		N12-57E	89	(27.1)	
	1158				A point on the edge of a harvest unit.
		N11-31E	165	(50.3)	
	1159				
		N06-59E	263	(80.2)	
	1160				Along the easterly edge of a harvest unit.
		N11-19E	204	(62.2)	
	1161				
		N05-38E	275	(83.8)	
	1162				
		N05-06W	259	(78.9)	
	1163				
		N02-41W	171	(52.1)	
	1164				
		N17-32W	80	(24.4)	
	1165				The northeast corner of a harvest unit.
		N88-40W	2495	(760.5)	Along the north edge of a harvest unit.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1166			A point, Washington State Coordinates, X=1,730,523 and Y=430,533.
		N00-48E	2242 (683.4)	
	1167			A point on the 3600 foot contour.
		S79-50W	176 (53.6)	
1168		S83-01W	156 (47.5)	
1169		N86-54W	74 (22.6)	
1170		N73-41W	128 (39.0)	
1171		S84-17W	111 (33.8)	
1172		N75-44W	187 (57.0)	Along the 3600 foot contour.
1173		N71-08W	170 (51.8)	
1174		N64-47W	171 (52.1)	
1175		N44-23W	132 (40.2)	
1176		N35-58W	140 (42.7)	
1177		N31-30W	145 (44.2)	
1178		N20-59W	78 (23.8)	
1179		N29-35W	43 (13.1)	
1180		N01-00W	37 (11.3)	
1181		N70-01W	47 (14.3)	
1182		S72-39W	67 (20.4)	
1183		S68-04W	166 (50.6)	
1184		S85-05W	152 (46.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1185				
		S89-28W	108	(32.9)	
	1186				
		N67-53W	138	(42.1)	
	1187				
		N58-47W	264	(80.5)	
	1188				
		N60-27W	266	(81.1)	
	1189				
		N55-07W	133	(40.5)	
	1190				
		N39-40W	107	(32.6)	Along the 3600 foot contour.
	1191				
		N34-21W	96	(29.3)	
	1192				
		N11-51W	83	(25.3)	
	1193				
		N13-14W	70	(21.3)	
	1194				
		N18-46W	56	(17.1)	
	1195				
		N48-14W	38	(11.6)	
	1196				
		S88-13W	64	(19.5)	
	1197				
		N75-15W	59	(18.0)	
	1198				
		N52-33W	59	(18.0)	
	1199				
		N60-26W	77	(23.5)	
	1200				
		N45-37W	133	(40.5)	
	1201				
		N20-13W	101	(30.8)	
	1202				
		N30-04W	66	(20.1)	
	1203				
		N57-41W	58	(17.7)	
	1204				
		N66-55W	66	(20.1)	
	1205				
		N73-21W	112	(34.1)	
	1206				
		N63-51W	61	(18.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1207				
		N21-13W	72	(21.9)	
	1208				
		N04-24W	78	(23.8)	
	1209				
		N09-19W	62	(18.9)	
	1210				
		N41-44W	50	(15.2)	
	1211				
		N85-43W	40	(12.2)	
	1212				
		N86-57W	94	(28.7)	Along the 3600 foot contour.
	1213				
		N54-35W	110	(33.5)	
	1214				
		N40-51W	98	(29.9)	
	1215				
		N34-42W	47	(14.3)	
	1216				
		N08-20W	124	(37.8)	
	1217				
		N00-00E	122	(37.2)	
	1218				
		N04-02E	184	(56.1)	
	1219				
		N02-53E	119	(36.3)	
	1220				
		N08-22E	103	(31.4)	
	1221				
		N16-11E	97	(29.6)	
	1222				
		N20-29E	89	(27.1)	
	1223				
		N63-26E	38	(11.6)	
	1224				
		N07-46E	44	(13.4)	
	1225				A point on the 3600 foot contour.
		N88-20W	1511	(460.6)	
	1226				A point, Washington State Coordinates, X=1,725,230 Y=435,910.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6		N01-07E	3598 (1096.7)	
	1227			A point on a ridge.
		N86-32W	447 (136.2)	
	1228			
		N82-21W	233 (71.0)	
	1229			Descend ridge.
		N82-30W	283 (86.3)	
	1230			
		N89-44W	220 (67.1)	
	1231			
		N81-25W	181 (55.2)	
	1232			
		N67-35W	210 (64.0)	
	1233			
		N58-10W	137 (41.8)	
	1234			
		N49-10W	136 (41.5)	
	1235			
		N47-56W	55 (16.8)	
	1236			A point on ridge at the head of a draw.
		N46-47W	136 (41.5)	
	1237			
		N15-55W	237 (72.2)	
	1238			
		N12-08W	219 (66.8)	
	1239			
		N02-23W	168 (51.2)	Descend draw.
	1240			
		N10-36E	223 (68.0)	
	1241			
		N21-08E	161 (49.1)	
	1242			
		N20-50E	143 (43.6)	
	1243			
		N12-48E	113 (34.4)	
	1244			
		N00-32E	108 (32.9)	
	1245			
		N17-35W	169 (51.5)	
	1246			
		N23-09W	285 (86.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1247				
		N20-17W	265	(80.8)	
	1248				
		N13-33W	201	(61.3)	
	1249				
		N14-41W	260	(79.2)	
	1250				
		N19-00W	224	(68.3)	Descend draw.
	1251				
		N36-28W	286	(87.2)	
	1252				
		N58-37W	117	(35.7)	
	1253				
		N65-53W	147	(44.8)	
	1254				
		N73-20W	164	(50.0)	
	1255				
		N80-12W	141	(43.0)	
	1256				
		N58-24W	76	(23.2)	
	1257				A point in Glacier Creek at intersection with draw.
		S81-28W	101	(30.8)	
	1258				
		S76-08W	159	(48.5)	Descend Glacier Creek.
	1259				
		S78-05W	92	(28.0)	
	1260				
		S88-25W	36	(11.0)	
	1261				A point in Glacier Creek at intersection with a draw.
		N47-50W	72	(21.9)	
	1262				
		N00-36E	192	(58.5)	
	1263				Ascend draw.
		N09-24E	165	(50.3)	
	1264				
		N09-58E	277	(84.4)	
	1265				
		N10-08E	182	(55.5)	
	1266				
		N03-13E	213	(64.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1267			
		N02-54W	217 (66.1)	
	1268			
		N02-21W	220 (67.1)	
	1269			
		N02-59W	249 (75.9)	
	1270			
		N05-20E	194 (59.1)	Ascend draw.
	1271			
		N03-18E	208 (63.4)	
	1272			
		N10-45E	182 (55.5)	
	1273			
		N22-40E	197 (60.0)	
	1274			
		N14-43E	205 (62.5)	
	1275			
		N15-33E	157 (47.9)	
	1276			
		N07-55E	116 (35.4)	
	1277			
		N01-30E	76 (23.2)	
	1278			A point in a draw. Elevation 4000 feet.
		S71-52E	61 (18.6)	
	1279			
		S71-08E	83 (25.3)	
	1280			
		S81-52E	163 (49.7)	
	1281			Along the 4000 foot contour.
		N78-18E	113 (34.4)	
	1282			
		S81-38E	103 (31.4)	
	1283			
		S74-03E	189 (57.6)	
	1284			
		S64-56E	137 (41.8)	
	1285			
		S65-03E	111 (33.8)	
	1286			
		S62-40E	100 (30.5)	
	1287			
		S58-05E	72 (21.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1288			
		N76-35E	90 (27.4)	
	1289			
		S82-14E	111 (33.8)	
	1290			Along the 4000 foot contour.
		S72-02E	152 (46.3)	
	1291			
		S72-41E	97 (29.6)	
	1292			
		S82-22E	98 (29.9)	
	1293			
		N63-46E	77 (23.5)	
	1294			
		N59-18E	74 (22.6)	
	1295			
		N01-26W	40 (12.2)	
	1296			The southwest corner of a harvest unit.
		N45-00E	66 (20.1)	
	1297			
		N50-54E	82 (25.0)	
	1298			
		N84-17E	80 (24.4)	
	1299			Along the south edge of a harvest unit.
		S87-51E	80 (24.4)	
	1300			
		S64-22E	83 (25.3)	
	1301			
		S65-53E	73 (22.3)	
	1302			
		S38-53E	40 (12.2)	
	1303			
		S46-55E	42 (12.8)	
	1304			
		S49-11E	29 (8.8)	
	1305			
		S86-44E	70 (21.3)	
	1306			
		N53-08E	35 (10.7)	
	1307			
		N53-22E	49 (14.9)	
	1308			
		S80-04E	41 (12.5)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1309				
		S66-39E	48	(14.6)	
	1310				
		S66-02E	49	(14.9)	
	1311				
		S83-13E	42	(12.8)	
	1312				
		N55-07E	40	(12.2)	
	1313				
		N62-11E	41	(12.5)	
	1314				
		S88-13E	32	(9.8)	Along the south edge of a harvest unit.
	1315				
		S74-21E	52	(15.8)	
	1316				
		S80-52E	57	(17.4)	
	1317				
		S88-30E	38	(11.6)	
	1318				
		N75-24E	99	(30.2)	
	1319				
		N60-39E	73	(22.3)	
	1320				
		N26-11E	66	(20.1)	
	1321				
		N27-51E	60	(18.3)	
	1322				
		N38-50E	53	(16.2)	
	1323				
		N85-43E	40	(12.2)	
	1324				
		N47-23E	68	(20.7)	
	1325				
		N42-12E	58	(17.7)	
	1326				
		N50-03E	48	(14.6)	
	1327				
		N82-30E	38	(11.6)	
	1328				
		N67-17E	47	(14.3)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1329		A point, Washington State Plane Coordinates, X=1,725,423 Y=446,166.
	N01-19E	5649 (1721.8)	
	1330		A point, Washington State Plane Coordinates, X=1,725,553 Y=451,814.
	S89-20E	3287 (1001.9)	Ascend.
	1331		A point, Washington State Plane Coordinates, X=1,728,840 Y=451,776.
	N05-10W	167 (50.9)	
1332	N02-14E	282 (86.0)	
1333	N02-02W	282 (86.0)	Along the easterly edge of a harvest unit on a ridge.
1334	N07-13W	255 (77.7)	
1335	N00-55W	126 (38.4)	
1336	N11-31W	105 (32.0)	
1337			A point on the easterly edge of a harvest unit.
	N02-59W	268 (81.7)	
1338	N14-15W	325 (99.1)	
1339	N07-32W	191 (58.2)	Descend ridge.
1340	N01-49W	158 (48.2)	
1341	N03-29W	148 (45.1)	
1342	N08-55W	122 (37.2)	
1343			A point on the northeasterly edge of a harvest unit.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6		N19-07W	134 (40.8)	
	1344			
		N22-34W	180 (54.9)	
	1345			
		N21-52W	175 (53.3)	
	1346			
		N01-00W	178 (54.3)	Along the easterly edge of a harvest unit.
	1347			
		N26-05W	262 (79.9)	
	1348			
		N23-43W	171 (52.1)	
	1349			
		N21-54W	231 (70.4)	
	1350			
		N24-49W	219 (66.8)	
	1351			
		N36-25W	180 (54.9)	
	1352			
		N41-47W	152 (46.3)	
-----				
	1353			A point on the northeasterly edge of a harvest unit.
-----				
		N53-30W	124 (37.8)	
	1354			
		N52-26W	98 (29.9)	
	1355			Northwesterly.
		N69-11W	129 (39.3)	
	1356			
		N65-58W	263 (80.2)	
	1357			
		N86-58W	170 (51.8)	
	1358			
		N78-41W	71 (21.6)	
-----				
	1359			A point on the northeasterly edge of a harvest unit.
-----				
		N80-42W	173 (52.7)	
	1360			
		N59-04W	282 (86.0)	
	1361			
		N48-24W	250 (76.2)	Along the northeasterly edge of a harvest unit.
	1362			
		N37-26W	301 (91.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1363				
		N33-35W	304	(92.7)	Along the northeasterly edge of a harvest unit.
	1364	N29-56W	258	(78.6)	
	1365				A point perpendicular to and 200 feet northeasterly of the centerline of USFS Road No. 48.
		N46-31W	241	(73.5)	Paralleling USFS Road No. 48, 200 feet northeasterly of centerline.
	1366	N51-12W	249	(75.9)	
	1367	N50-20W	266	(81.1)	
	1368				A point on the northeasterly edge of a harvest unit.
		N59-34W	166	(50.6)	Along the northeasterly edge of a harvest unit.
	1369	N59-13W	158	(48.2)	
	1370	N35-44W	211	(64.3)	
	1371	N28-56W	184	(56.1)	
	1372	N19-01W	157	(47.9)	
	1373	N36-13W	157	(47.9)	
	1374	N46-30W	54	(16.5)	
	1375				A point on the northeasterly edge of a harvest unit.
		N66-42W	142	(43.3)	Along the northeasterly edge of a harvest unit.
	1376	N74-55W	146	(44.5)	
	1377	N66-42W	212	(64.6)	
	1378	N70-55W	141	(43.0)	
	1379	N55-07W	241	(73.5)	
	1380	N52-33W	199	(60.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1381			A point on the northwesterly edge of a harvest unit.
		N53-29W	129 (39.3)	
	1382	N33-58W	281 (85.6)	
	1383	N30-18W	385 (117.3)	Descend.
	1384	N30-49W	320 (97.5)	
	1385	N30-48W	230 (70.1)	
	1386	N27-01W	57 (17.4)	
	1387			A point perpendicular to and 200 feet northeasterly of the centerline of USFS Road No. 4840.
		N28-35W	215 (65.5)	
	1388	N30-01W	364 (110.9)	
	1389	N28-28W	378 (115.2)	Paralleling USFS Road No. 4840, 200 feet northeasterly of centerline.
	1390	N29-10W	207 (63.1)	
	1391	N16-39W	244 (74.4)	
	1392	N21-17W	165 (50.3)	
	1393	N22-59W	358 (109.1)	
	1394	N19-45W	207 (63.1)	
	1395	N37-20W	244 (74.4)	
	1396	N47-06W	173 (52.7)	
	1397	N29-57W	68 (20.7)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1398		A point perpendicular to and 200 feet northeasterly of the centerline of USFS Road No. 4840.
	N26-34W	114 (34.7)	
1399	N12-01W	158 (48.2)	
1400	N07-12E	88 (26.8)	Ascend.
1401	N04-54W	35 (10.7)	
1402			A point on the southeasterly edge of a harvest unit.
	N05-21W	32 (9.8)	
1403	N40-44E	95 (29.0)	Along the easterly edge of a harvest unit.
1404	N31-18E	60 (18.3)	
1405			A point on the easterly edge of a harvest unit.
	N63-51E	123 (37.5)	
1406	N60-44E	133 (40.5)	
1407	N45-00E	99 (30.2)	
1408	N66-52E	104 (31.7)	Descend.
1409	N61-10E	102 (31.1)	
1410	N71-21E	81 (24.7)	
1411			A point on the southeasterly edge of a harvest unit.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6		N59-54E	80 (24.4)	
	1412			
		N43-34E	142 (43.3)	
	1413			
		N48-08E	168 (51.2)	
	1414			
		N48-37E	135 (41.1)	Along the southeasterly edge of a harvest unit.
	1415			
		N31-49E	127 (38.7)	
	1416			
		N62-39E	131 (39.9)	
	1417			
		N66-25E	137 (41.8)	
	1418			
		N60-31E	79 (24.1)	
	1419			
		N47-21E	103 (31.4)	
	1420			
		N72-23E	132 (40.2)	
	1421			
		N76-56E	57 (17.4)	
	1422			A point on a ridge.
		N70-48E	167 (50.9)	
	1423			
		N72-03E	373 (113.7)	
	1424			
		N63-09E	443 (135.0)	
	1425			
		N71-02E	379 (115.5)	Descend ridge.
	1426			
		N67-35E	333 (101.5)	
	1427			
		N72-16E	335 (102.1)	
	1428			
		N80-08E	280 (85.3)	
	1429			
		N84-39E	193 (58.8)	
	1430			
		S88-14E	226 (68.9)	
	1431			
		S80-44E	186 (56.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1432			A point in a draw, perpendicular to and 200 feet northeasterly of the centerline of USFS Trail No. 78.
		S67-19E	145 (44.2)	
	1433	S61-52E	246 (75.0)	
	1434	S66-23E	312 (95.1)	
	1435	S60-19E	206 (62.8)	
	1436	S47-51E	200 (61.0)	
	1437	S42-43E	177 (53.9)	
	1438	S24-51E	224 (68.3)	Paralleling USFS Trail No. 78, 200 feet northeasterly of centerline.
	1439	S23-33E	263 (80.2)	
	1440	S11-58E	241 (73.5)	
	1441	S10-33E	235 (71.6)	
	1442	S20-39E	147 (44.8)	
	1443	S47-25E	201 (61.3)	
	1444	S52-29E	195 (59.4)	
	1445	S59-09E	185 (56.4)	
	1446	S67-42E	192 (58.5)	
	1447	S75-58E	206 (62.8)	
	1448	S73-16E	202 (61.6)	
	1449	S65-01E	341 (103.9)	
	1450	S51-19E	309 (94.2)	
	1451	S41-16E	293 (89.3)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1452				
		S31-01E	340	(103.6)	
	1453				
		S28-44E	237	(72.2)	
	1454				
		S24-10E	225	(68.6)	
	1455				
		S32-23E	207	(63.1)	Paralleling USFS Trail No. 78, 200 feet northeasterly of centerline.
	1456				
		S48-49E	85	(25.9)	
	1457				
		S15-54E	164	(50.0)	
	1458				
		S18-53E	164	(50.0)	
	1459				
		S61-32E	94	(28.7)	
	1460				
		S55-24E	243	(74.1)	
	1461				
		S75-45E	195	(59.4)	
	1462				
		S82-51E	225	(68.6)	
	1463				
		S76-59E	204	(62.2)	
	1464				
		S76-03E	162	(49.4)	
	1465				
		S84-14E	89	(27.1)	
	1466				A point perpendicular to and 200 feet northerly of the centerline of USFS Trail No. 78, at a switchback in trail.
		S66-52E	114	(34.7)	
1467		S66-52E	178	(54.3)	Descend.
1468		S66-52E	139	(42.4)	
1469		S66-52E	100	(30.5)	
1470		S66-52E	133	(40.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1471			A point on the ordinary high water line, in a small cove, of Packwood Lake.
	1472	S08-01W	72 (21.9)	
	1473	S47-55E	84 (25.6)	
	1474	S72-23E	89 (27.1)	
	1475	S56-57E	99 (30.2)	
	1476	S50-01E	81 (24.7)	
	1477	S22-33E	141 (43.0)	Along the ordinary high water line of Packwood Lake.
	1478	S02-42E	106 (32.3)	
	1479	S11-43W	84 (25.6)	
	1480	S10-12E	51 (15.5)	
	1481	S75-58E	45 (13.7)	
	1482	S68-41E	44 (13.4)	
	1483	N67-15E	34 (10.4)	
	1484	N63-26E	47 (14.3)	
	1485	S86-49E	54 (16.5)	
	1486	S29-19E	65 (19.8)	
	1487	S02-33W	90 (27.4)	
	1488	S00-44W	78 (23.8)	
	1489	S72-11E	29 (8.8)	
	1490	N77-44E	47 (14.3)	
		N73-37E	53 (16.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1491			
		N77-07E	72 (21.9)	
	1492			
		N86-11E	75 (22.9)	
	1493			
		S87-04E	78 (23.8)	
	1494			
		S71-18E	69 (21.0)	
	1495			
		S45-56E	86 (26.2)	
	1496			
		S49-17E	57 (17.4)	
	1497			
		S32-40E	46 (14.0)	Along the ordinary high water line of Packwood Lake.
	1498			
		S39-09E	55 (16.8)	
	1499			
		S29-31E	61 (18.6)	
	1500			
		S18-41E	75 (22.9)	
	1501			
		S19-02E	61 (18.6)	
	1502			
		S09-20E	74 (22.6)	
	1503			
		S01-47E	64 (19.5)	
	1504			
		N00-00E	54 (16.5)	
	1505			
		S30-04W	88 (26.8)	
	1506			
		S59-02W	64 (19.5)	
	1507			
		S71-53W	58 (17.7)	
	1508			
		S84-39W	32 (9.8)	
	1509			
		S09-02E	45 (13.7)	
	1510			
		S17-17E	47 (14.3)	
	1511			
		S23-40E	80 (24.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1512	S33-56E	66 (20.1)	
	1513	S41-17E	55 (16.8)	
	1514	S39-57E	48 (14.6)	
	1515	S32-28E	65 (19.8)	
	1516	S30-44E	43 (13.1)	
	1517	S32-54E	61 (18.6)	
	1518	S15-15E	68 (20.7)	Along the ordinary high water line of Packwood Lake.
	1519	S07-54W	73 (22.3)	
	1520	S34-54W	52 (15.8)	
	1521	S65-03W	111 (33.8)	
	1522	S38-29W	50 (15.2)	
	1523	S28-51W	79 (24.1)	
	1524	S11-28E	76 (23.2)	
	1525	S24-27E	60 (18.3)	
	1526	S40-16E	94 (28.7)	
	1527	S43-44E	161 (49.1)	
	1528	S31-13E	154 (46.9)	
	1529	S33-20E	91 (27.7)	
	1530	S54-44E	100 (30.5)	
	1531	S69-14E	93 (28.3)	
	1532	S74-51E	138 (42.1)	
	1533	S65-24E	91 (27.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1534	S32-40E	109 (33.2)	
	1535	S54-23E	82 (25.0)	
	1536	S45-00E	79 (24.1)	
	1537	S25-41E	88 (26.8)	
	1538	S24-16E	78 (23.8)	
	1539	S03-35E	80 (24.4)	
	1540	S00-39E	88 (26.8)	Along the ordinary high water line of Packwood Lake.
	1541	S12-40E	91 (27.7)	
	1542	S06-20E	109 (33.2)	
	1543	S40-22E	79 (24.1)	
	1544	S46-09E	140 (42.7)	
	1545	S57-32E	196 (59.7)	
	1546	S54-20E	161 (49.1)	
	1547	S55-00E	134 (40.8)	
	1548	S46-28E	166 (50.6)	
	1549	S38-59E	135 (41.1)	
	1550	S37-26E	247 (75.3)	
	1551	S37-21E	191 (58.2)	
	1552	S33-16E	230 (70.1)	
	1553	S29-24E	208 (63.4)	
	1554	S33-19E	129 (39.3)	
	1555	S33-32E	103 (31.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1556			
		S51-10E	99 (30.2)	
	1557			
		S71-34E	104 (31.7)	
	1558			
		S75-01E	131 (39.9)	
	1559			
		S80-58E	108 (32.9)	
	1560			
		N62-09E	120 (36.6)	
	1561			
		N56-37E	105 (32.0)	
	1562			
		N40-58E	121 (36.9)	Along the ordinary high water line of Packwood Lake.
	1563			
		N51-20E	102 (31.1)	
	1564			
		N70-10E	103 (31.4)	
	1565			
		N57-45E	99 (30.2)	
	1566			
		N40-03E	90 (27.4)	
	1567			
		N01-20E	86 (26.2)	
	1568			
		N25-40W	85 (25.9)	
	1569			
		N24-46W	72 (21.9)	
	1570			
		N37-52W	57 (17.4)	
	1571			
		N01-55W	30 (9.1)	
	1572			
		N25-09E	54 (16.5)	
	1573			
		N90-00E	58 (17.7)	
	1574			
		S79-16E	59 (18.0)	
	1575			
		N83-25E	79 (24.1)	
	1576			
		S80-32E	103 (31.4)	
	1577			
		N36-38E	49 (14.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1578				
		N00-55E	126	(38.4)	
	1579				
		N09-47E	118	(36.0)	
	1580				
		N17-23E	104	(31.7)	
	1581				
		N07-57E	130	(39.6)	
	1582				
		N14-08E	156	(47.5)	
	1583				
		N05-26E	127	(38.7)	
	1584				
		N04-11E	82	(25.0)	Along the ordinary high water line of Packwood Lake.
	1585				
		N25-57W	123	(37.5)	
	1586				
		N13-02W	124	(37.8)	
	1587				
		N03-01W	76	(23.2)	
	1588				
		N04-02E	142	(43.3)	
	1589				
		N19-26W	126	(38.4)	
	1590				
		N39-57W	160	(48.8)	
	1591				
		N34-46W	147	(44.8)	
	1592				
		N43-42W	188	(57.3)	
	1593				
		N46-57W	125	(38.1)	
	1594				
		N56-11W	120	(36.6)	
	1595				
		N35-25W	110	(33.5)	
	1596				
		N15-03W	123	(37.5)	
	1597				
		N05-33W	145	(44.2)	
	1598				
		N02-29W	161	(49.1)	
	1599				
		N06-23E	126	(38.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE Map #6	1600				
		N05-06W	180	(54.9)	
	1601				
		N02-34W	134	(40.8)	
	1602				
		N07-45E	148	(45.1)	
	1603				
		N03-20W	86	(26.2)	
	1604				
		N06-56W	108	(32.9)	
	1605				
		N24-07W	147	(44.8)	
	1606				
		N28-39W	123	(37.5)	Along the ordinary high water line of Packwood Lake.
	1607				
		N29-57W	136	(41.5)	
	1608				
		N17-34W	292	(89.0)	
	1609				
		N16-05W	177	(53.9)	
	1610				
		N23-28W	314	(95.7)	
	1611				
		N29-53W	209	(63.7)	
	1612				
		N21-32W	163	(49.7)	
	1613				
		N26-21W	115	(35.1)	
	1614				
		N56-19W	61	(18.6)	
	1615				
		N68-07W	121	(36.9)	
	1616				
		N55-49W	98	(29.9)	
	1617				
		N59-36W	121	(36.9)	
	1618				
		N40-27W	125	(38.1)	
	1619				
		N40-53W	89	(27.1)	
	1620				
		N28-18W	89	(27.1)	



QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD SE Map #6	1621		Intersection of the ordinary high water line of Packwood Lake and a draw.
	N53-02E	121 (36.9)	
1622	N55-12E	144 (43.9)	
1623	N47-39E	92 (28.0)	
1624	N28-57E	54 (16.5)	
1625	N32-06E	130 (39.6)	Ascend draw.
1626	N35-48E	150 (45.7)	
1627	N33-30E	167 (50.9)	
1628	N34-49E	184 (56.1)	
1629	N50-07E	87 (26.5)	
1630	N60-13E	167 (50.9)	
1631	N59-34E	166 (50.6)	
1632	N59-32E	158 (48.2)	
1633	N63-26E	105 (32.0)	
1634	N63-52E	59 (18.0)	
1635			A point in a draw. Elevation 3520 feet.
	N58-04E	91 (27.7)	
1636	N82-09E	59 (18.0)	
1637	N60-15E	81 (24.7)	
1638	N44-29E	78 (23.8)	Ascend.
1639	N22-59E	72 (21.9)	
1640	N02-17W	50 (15.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD SE	1641				A point in a draw.
Map #6		N00-57E	10619	(3236.7)	
PACKWOOD NE	1642	N00-58E	13	(4.0)	Along a line easterly of all roads in the Forest Service Road 4610 system.
Map #1	1643	N00-58E	2788	(849.8)	
	1644				A point on the 3600 foot contour line.
		N52-48W	141	(43.0)	
	1645	N60-22W	192	(58.5)	
	1646	N75-45W	134	(40.8)	
	1647	N69-23W	99	(30.2)	
	1648	N79-17W	38	(11.6)	Along the 3600 foot contour.
	1649	N35-22W	38	(11.6)	
	1650	N16-23W	71	(21.6)	
	1651	N12-51E	153	(46.6)	
	1652	N12-43E	200	(61.0)	
	1653	N06-50E	143	(43.6)	
	1654	N12-32E	46	(14.0)	
	1655	N48-14W	38	(11.6)	
	1656	N52-30W	54	(16.5)	
	1657	S49-03W	70	(21.3)	
	1658	S63-09W	89	(27.1)	
	1659	S63-43W	90	(27.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1660				
		S71-13W	102	(31.1)	
	1661				
		S78-16W	79	(24.1)	
	1662				
		S87-02W	58	(17.7)	
	1663				
		N62-45W	37	(11.3)	
	1664				
		S46-28W	110	(33.5)	
	1665				
		S54-40W	126	(38.4)	
	1666				
		S55-51W	105	(32.0)	Along the 3600 foot contour.
	1667				
		S64-11W	136	(41.5)	
	1668				
		S74-30W	123	(37.5)	
	1669				
		S86-05W	146	(44.5)	
	1670				
		N87-32W	116	(35.4)	
	1671				
		N77-07W	72	(21.9)	
	1672				
		N45-00W	27	(8.2)	
	1673				
		S41-46W	38	(11.6)	
	1674				
		S47-34W	95	(29.0)	
	1675				
		S85-36W	78	(23.8)	
	1676				
		S76-32W	99	(30.2)	
	1677				
		N82-52W	105	(32.0)	
	1678				
		N73-41W	85	(25.9)	
	1679				
		N69-09W	67	(20.4)	
	1680				
		N72-48W	44	(13.4)	
	1681				
		N90-00W	30	(9.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1682				
		S78-07W	39	(11.9)	
	1683				
		S50-23W	38	(11.6)	
	1684				
		N87-55W	55	(16.8)	
	1685				
		N62-24W	50	(15.2)	
	1686				
		S83-31W	44	(13.4)	
	1687				
		S48-05W	66	(20.1)	
	1688				
		S64-02W	43	(13.1)	Along the 3600 foot contour.
	1689				
		N88-48W	48	(14.6)	
	1690				
		N41-30W	35	(10.7)	
	1691				
		N49-38W	26	(7.9)	
	1692				
		S76-28W	56	(17.1)	
	1693				
		S68-54W	61	(18.6)	
	1694				
		S69-37W	75	(22.9)	
	1695				
		S65-53W	73	(22.3)	
	1696				
		N79-17W	75	(22.9)	
	1697				
		N77-39W	107	(32.6)	
	1698				
		N74-03W	109	(33.2)	
	1699				
		N43-18W	71	(21.6)	
	1700				
		N45-00W	78	(23.8)	
	1701				
		N32-07W	111	(33.8)	
	1702				
		N34-56W	77	(23.5)	
	1703				
		N23-35W	77	(23.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1704	N13-30W	51	(15.5)	
	1705	N01-26W	40	(12.2)	
	1706	N07-49W	51	(15.5)	
	1707	N36-20W	42	(12.8)	
	1708	N63-54W	55	(16.8)	
	1709	N52-23W	77	(23.5)	
	1710	N43-14W	69	(21.0)	Along the 3600 foot contour.
	1711	N69-37W	37	(11.3)	
	1712	S37-43W	95	(29.0)	
	1713	S34-38W	67	(20.4)	
	1714	S32-54W	61	(18.6)	
	1715	S30-33W	71	(21.6)	
	1716	S56-19W	90	(27.4)	
	1717	S83-32W	98	(29.9)	
	1718	N87-20W	86	(26.2)	
	1719	N70-58W	120	(36.6)	
	1720	N38-26W	154	(46.9)	
	1721	N38-20W	110	(33.5)	
	1722	N39-03W	68	(20.7)	
	1723	N15-07W	104	(31.7)	
	1724	N05-35E	92	(28.0)	
	1725	N10-53E	106	(32.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1726				
		N15-15W	68	(20.7)	
	1727				
		N17-32W	60	(18.3)	
	1728				
		N74-37W	41	(12.5)	
	1729				
		N50-28W	82	(25.0)	
	1730				
		N26-34W	67	(20.4)	
	1731				
		N01-56W	59	(18.0)	
	1732				
		N15-23W	41	(12.5)	Along the 3600 foot contour.
	1733				
		N68-01W	56	(17.1)	
	1734				
		S80-32W	61	(18.6)	
	1735				
		S53-53W	46	(14.0)	
	1736				
		S86-19W	62	(18.9)	
	1737				
		S86-25W	48	(14.6)	
	1738				
		S30-13W	105	(32.0)	
	1739				
		S36-07W	92	(28.0)	
	1740				
		S40-36W	101	(30.8)	
	1741				
		S63-26W	54	(16.5)	
	1742				
		S62-17W	67	(20.4)	
	1743				
		S75-25W	127	(38.7)	
	1744				
		N70-23W	122	(37.2)	
	1745				
		N77-28W	92	(28.0)	
	1746				
		S53-40W	42	(12.8)	
	1747				
		S83-53W	56	(17.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1748				
		N82-02W	50	(15.2)	
	1749				
		N55-26W	55	(16.8)	
	1750				
		N54-41W	59	(18.0)	
	1751				
		S89-01W	58	(17.7)	Along the 3600 foot contour.
	1752				
		S75-58W	66	(20.1)	
	1753				
		S48-18W	74	(22.6)	
	1754				
		S73-47W	57	(17.4)	
	1755				
		S82-52W	56	(17.1)	
	1756				A point on a spur ridge. Elevation 3600 feet.
		N20-26W	54	(16.5)	
	1757				
		N11-45E	128	(39.0)	
	1758				Ascend spur ridge.
		N26-34E	154	(46.9)	
	1759				
		N21-55E	276	(84.1)	
	1760				
		N23-05E	66	(20.1)	
	1761				A point on spur ridge. Elevation 4000 feet.
		N04-09E	124	(37.8)	
	1762				
		N14-10E	110	(33.5)	
	1763				
		N25-01E	166	(50.6)	Northerly.
	1764				
		N21-06E	197	(60.0)	
	1765				
		N23-09E	142	(43.3)	
	1766				
		N19-11E	73	(22.3)	
	1767				
		N40-36E	18	(5.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD NE Map #1	1768		A point in a minor draw. Elevation 4160 feet.
	N32-47E	124 (37.8)	
	1769		
	N36-18E	61 (18.6)	
	1770		
	N07-22E	117 (35.7)	
	1771		Along the 4160 foot contour.
	N05-23E	171 (52.1)	
	1772		
	N02-52W	120 (36.6)	
	1773		
	N06-59E	99 (30.2)	
	1774		
	N10-51E	74 (22.6)	
	1775		
	N19-12W	94 (28.7)	
	1776		
	N18-26W	73 (22.3)	
	1777		
	N38-05W	47 (14.3)	
	1778		A point in a minor draw. Elevation 4160 feet.
	N69-03E	50 (15.2)	
	1779		
	N82-40E	133 (40.5)	
	1780		Ascend.
	N74-36E	143 (43.6)	
	1781		
	N61-26E	115 (35.1)	
	1782		
	N58-40E	108 (32.9)	
	1783		
	N60-03E	68 (20.7)	
	1784		
	S80-13E	29 (8.8)	
	1785		A point on a ridge top.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD NE Map #1		N68-59E	148 (45.1)	
	1786			
		N51-55E	199 (60.7)	
	1787			
		N54-44E	201 (61.3)	
	1788			
		N63-40E	214 (65.2)	
	1789			
		N63-18E	189 (57.6)	
	1790			
		N64-46E	249 (75.9)	
	1791			
		N66-48E	259 (78.9)	Descend ridge.
	1792			
		N62-49E	208 (63.4)	
	1793			
		N63-19E	232 (70.7)	
	1794			
		N57-07E	199 (60.7)	
	1795			
		N57-32E	104 (31.7)	
	1796			
		N29-16E	133 (40.5)	
	1797			
		N24-06E	167 (50.9)	
	1798			
		N16-20E	164 (50.0)	
	1799			
		N04-52E	177 (53.9)	
	1800			
		N07-28W	169 (51.5)	
	1801			
		N22-49W	178 (54.3)	
	1802			
		N30-04W	263 (80.2)	
	1803			
		N32-26W	241 (73.5)	
	1804			
		N41-03W	277 (84.4)	
	1805			
		N52-19W	227 (69.2)	
	1806			
		N46-51W	110 (33.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1807				
		N62-18W	181	(55.2)	
	1808				
		N64-43W	159	(48.5)	
	1809				
		N48-10W	192	(58.5)	
	1810				
		N55-13W	131	(39.9)	
	1811				
		N56-38W	151	(46.0)	Descend ridge.
	1812				
		N61-37W	183	(55.8)	
	1813				
		N64-30W	167	(50.9)	
	1814				
		N31-20W	210	(64.0)	
	1815				
		N37-40W	72	(21.9)	
	1816				
		N25-58W	43	(13.1)	
	1817				A point in Purcell Creek at a point perpendicular to and 200 feet easterly of the centerline of USFS Road No. 4612.
		N15-57W	87	(26.5)	
	1818				
		N01-01W	168	(51.2)	
	1819				
		N00-30E	116	(35.4)	
	1820				
		N34-49W	112	(34.1)	Paralleling USFS Road
	1821				No. 4612, 200 feet easterly
		N45-43W	112	(34.1)	of centerline.
	1822				
		N36-23W	94	(28.7)	
	1823				
		N27-45W	64	(19.5)	
	1824				
		N44-04E	86	(26.2)	
	1825				
		N89-26E	100	(30.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1826				
		N85-55E	126	(38.4)	
	1827	N88-10E	94	(28.7)	
	1828	N65-48E	98	(29.9)	Paralleling USFS Road No. 4612, 200 feet easterly of centerline.
	1829	N47-14E	109	(33.2)	
	1830	N36-41E	64	(19.5)	
	1831	N33-58E	59	(18.0)	
	1832				A point perpendicular to and 200 feet southeasterly of the centerline of USFS Road No. 4612 and on the southerly edge of a harvest unit.
		N75-58E	54	(16.5)	
	1833	S88-25E	108	(32.9)	
	1834	S78-32E	151	(46.0)	
	1835	S80-49E	169	(51.5)	Along the southerly and easterly edges of a harvest unit.
	1836	N66-42E	157	(47.9)	
	1837	N72-48E	88	(26.8)	
	1838	N45-19E	125	(38.1)	
	1839	N42-01E	122	(37.2)	
	1840	N23-20E	119	(36.3)	
	1841	N04-41E	110	(33.5)	
	1842	N00-41E	250	(76.2)	
	1843	N00-52E	200	(61.0)	
	1844	N00-43E	80	(24.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1845				
		N16-05E	54	(16.5)	Along the southerly and easterly edges of a harvest unit.
	1846	N29-03E	51	(15.5)	
	1847	N47-36E	31	(9.4)	
	1848				A point on the easterly edge of a harvest unit on a ridge.
		N49-51E	217	(66.1)	
	1849	N49-01E	415	(126.5)	
	1850	N48-03E	346	(105.5)	Ascend ridge.
	1851	N50-40E	293	(89.3)	
	1852	N53-47E	278	(84.7)	
	1853	N56-07E	165	(50.3)	
	1854	N53-02E	248	(75.6)	
	1855	N52-10E	204	(62.2)	
	1856	N49-30E	117	(35.7)	
	1857				Top of ridge.
		N46-32E	132	(40.2)	
	1858	N43-02E	268	(81.7)	
	1859	N42-59E	261	(79.6)	Along the top of ridge.
	1860	N32-58E	153	(46.6)	
	1861	N21-57E	144	(43.9)	
	1862	N01-29E	194	(59.1)	
	1863	N14-17E	174	(53.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PACKWOOD NE Map #1	1864	N06-42E	214	(65.2)	Along the top of ridge.
	1865	N13-22E	82	(25.0)	
	1866	N01-18W	44	(13.4)	
	1867				A high point on ridge.
		S59-23E	222	(67.7)	
1868		S47-26E	284	(86.6)	
1869		S57-03E	234	(71.3)	Descend spur ridge.
1870		S64-47E	284	(86.6)	
1871		S73-06E	272	(82.9)	
1872		S75-42E	263	(80.2)	
1873		N86-56E	224	(68.3)	
1874		N87-37E	192	(58.5)	
1875		N80-20E	280	(85.3)	
1876		N75-46E	211	(64.3)	
1877		N64-23E	245	(74.7)	
1878		N62-47E	313	(95.4)	
1879		N60-28E	233	(71.0)	
1880		N57-13E	124	(37.8)	
1881		N59-54E	80	(24.4)	
	1882				Intersect Dam Creek.
		S12-01E	144	(43.9)	
1883		S06-09W	224	(68.3)	Ascend Dam Creek.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD NE Map #1	1884			
		S11-40E	158 (48.2)	
	1885	S07-50E	272 (82.9)	
	1886	S09-36E	198 (60.4)	
	1887	S12-35E	326 (99.4)	
	1888	S34-36E	278 (84.7)	
	1889	S24-28E	232 (70.7)	
	1890	S33-41E	274 (83.5)	Ascend Dam Creek.
	1891	S34-42E	285 (86.9)	
	1892	S44-30E	320 (97.5)	
	1893	S40-57E	180 (54.9)	
	1894	S43-04E	168 (51.2)	
	1895	S55-51E	244 (74.4)	
	1896	S62-38E	194 (59.1)	
	1897	S75-49E	90 (27.4)	
	1898	S36-06E	119 (36.3)	
	1899	S33-03E	222 (67.7)	
	1900	S46-51E	349 (106.4)	
	1901	S40-20E	321 (97.8)	
	1902	S39-07E	407 (124.1)	
	1903	S38-06E	459 (139.9)	
	1904	S27-04E	404 (123.1)	
	1905	S24-25E	155 (47.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
PACKWOOD NE Map #1	1906		A point on the south line of Section 34, T.14 N., R.10 E., W.M., in Dam Creek.
	S89-02E	5469 (1667.0)	Along the south line of said Section 34 and the south line of Section 35, T.14 N., R.10 E., W.M.
	1907		The southeast corner of said Section 35.
	S88-19E	1737 (529.4)	Along the south line of
WHITE PASS NW Map #2	1908		Section 36, T.14 N., R.10 E., W.M.
	S88-57E	3382 (1030.8)	
	1909		The southeast corner of said Section 36.
	S89-15E	3560 (1085.1)	
	1910		Intersect Clear Fork of the Cowlitz River.
	S61-44E	135 (41.1)	
	1911		
	S54-24E	117 (35.7)	
	1912		Ascend Clear Fork of the
	S31-50E	102 (31.1)	Cowlitz River.
	1913		
	S32-51E	94 (28.7)	
	1914		
	S14-48E	110 (33.5)	
	1915		
	S08-50E	104 (31.7)	
	1916		
	S13-30E	103 (31.4)	
	1917		
	S21-56E	78 (23.8)	
	1918		
	S43-09E	88 (26.8)	
	1919		
	S62-13E	84 (25.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	1920				
		S69-23E	125	(38.1)	
	1921				
		S70-41E	103	(31.4)	
	1922				
		S63-12E	106	(32.3)	
	1923				
		S54-33E	81	(24.7)	
	1924				
		S21-15E	58	(17.7)	
	1925				
		S02-10E	132	(40.2)	
	1926				
		S04-56W	116	(35.4)	Ascend Clear Fork of the Cowlitz River.
	1927				
		S04-46E	120	(36.6)	
	1928				
		S25-30E	72	(21.9)	
	1929				
		S54-44E	50	(15.2)	
	1930				
		S83-35E	81	(24.7)	
	1931				
		S83-07E	117	(35.7)	
	1932				
		S74-26E	82	(25.0)	
	1933				
		S77-46E	61	(18.6)	
	1934				
		S53-39E	66	(20.1)	
	1935				
		S25-55E	80	(24.4)	
	1936				
		S28-08E	115	(35.1)	
	1937				
		S14-23E	40	(12.2)	
	1938				
		S01-09E	100	(30.5)	
	1939				
		S06-12E	93	(28.3)	
	1940				
		S23-40E	97	(29.6)	
	1941				
		S30-02E	96	(29.3)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	1942				
		S38-58E	114	(34.7)	
	1943				
		S50-16E	92	(28.0)	
	1944				
		S56-30E	85	(25.9)	
	1945				
		S61-23E	75	(22.9)	
	1946				
		S33-20E	45	(13.7)	
	1947				
		S16-20E	60	(18.3)	
	1948				
		S16-17E	93	(28.3)	Ascend Clear Fork of the Cowlitz River.
	1949				
		S24-49E	102	(31.1)	
	1950				
		S23-48E	37	(11.3)	
	1951				
		S63-37E	144	(43.9)	
	1952				
		S71-06E	117	(35.7)	
	1953				
		S73-01E	75	(22.9)	
	1954				
		S81-02E	38	(11.6)	
	1955				
		S09-56W	41	(12.5)	
	1956				
		S15-57W	116	(35.4)	
	1957				
		S00-43E	80	(24.4)	
	1958				
		S01-25E	122	(37.2)	
	1959				
		S07-43E	97	(29.6)	
	1960				
		S11-01E	188	(57.3)	
	1961				
		S19-38E	137	(41.8)	
	1962				
		S20-04E	111	(33.8)	
	1963				
		S23-33E	43	(13.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	1964				
		S67-40E	61	(18.6)	
	1965				
		S75-07E	66	(20.1)	
	1966				
		S67-08E	90	(27.4)	
	1967				
		S70-34E	72	(21.9)	
	1968				
		S76-21E	110	(33.5)	
	1969				
		S31-26E	63	(19.2)	
	1970				
		S15-12E	107	(32.6)	Ascend Clear Fork of the Cowlitz River.
	1971				
		S07-07E	1971	(29.6)	
	1972				
		S05-37E	123	(1972)	
	1973				
		S02-58E	58	(17.7)	
	1974				
		S35-44E	70	(21.3)	
	1975				
		S37-12E	203	(61.9)	
	1976				
		S38-53E	199	(60.7)	
	1977				
		S38-03E	251	(76.5)	
	1978				
		S34-19E	76	(23.2)	
	1979				
		S24-05E	51	(15.5)	
	1980				
		S12-13E	61	(18.6)	
	1981				
		S01-16E	136	(41.5)	
	1982				
		S04-09E	263	(80.2)	
	1983				
		S08-31E	209	(63.7)	
	1984				
		S18-59E	98	(29.9)	
	1985				
		S32-37E	148	(45.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	1986				
		S47-20E	174	(53.0)	
	1987				
		S41-09E	190	(57.9)	
	1988				
		S50-43E	99	(30.2)	
	1989				
		S37-52E	57	(17.4)	
	1990				
		S15-57E	87	(26.5)	
	1991				
		S00-00E	138	(42.1)	
	1992				
		S05-12W	133	(40.5)	Ascend Clear Fork of the Cowlitz River.
	1993				
		S02-07W	108	(32.9)	
	1994				
		S12-20E	66	(20.1)	
	1995				
		S62-24E	50	(15.2)	
	1996				
		S81-36E	123	(37.5)	
	1997				
		S81-58E	86	(26.2)	
	1998				
		S57-34E	127	(38.7)	
	1999				
		S42-37E	136	(41.5)	
	2000				
		S31-01E	167	(50.9)	
	2001				
		S20-05E	154	(46.9)	
	2002				
		S20-13E	182	(55.5)	
	2003				
		S06-39E	164	(50.0)	
	2004				
		S01-10E	148	(45.1)	
	2005				
		S17-36W	152	(46.3)	
	2006				
		S27-58W	256	(78.0)	
	2007				
		S33-13W	170	(51.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	2008				
		S33-08W	113	(34.4)	
	2009				
		S07-46W	67	(20.4)	
	2010				
		S18-44E	59	(18.0)	
	2011				
		S64-26E	76	(23.2)	
	2012				
		N88-53E	205	(62.5)	
	2013				
		N85-23E	199	(60.7)	
	2014				
		S78-53E	57	(17.4)	Ascend Clear Fork of the Cowlitz River.
	2015				
		S45-00E	58	(17.7)	
	2016				
		S34-51E	68	(20.7)	
	2017				
		S03-18E	104	(31.7)	
	2018				
		S13-11W	131	(39.9)	
	2019				
		S03-35E	48	(14.6)	
	2020				
		S35-04E	57	(17.4)	
	2021				
		S44-19E	59	(18.0)	
	2022				
		S43-51E	71	(21.6)	
	2023				
		S07-32E	69	(21.0)	
	2024				
		S08-24W	123	(37.5)	
	2025				
		S33-25W	116	(35.4)	
	2026				
		S37-23W	112	(34.1)	
	2027				
		S66-17W	72	(21.9)	
	2028				
		S85-50W	110	(33.5)	
	2029				
		S79-34W	39	(11.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	2030				
		S46-55W	42	(12.8)	
	2031				
		S08-16W	63	(19.2)	Ascend Clear Fork of the Cowlitz River.
	2032				
		S09-28W	43	(13.1)	
	2033				
		S01-28W	196	(59.7)	
	2034				
		S05-25E	117	(35.7)	
	2035				
		S01-00E	114	(34.7)	
	2036				A point in the Clear Fork of the Cowlitz River at the intersection with Millridge Creek.
		S64-26E	102	(31.1)	
	2037				
		S81-40E	124	(37.8)	
	2038				
		S89-36E	144	(43.9)	
	2039				
		S76-13E	109	(33.2)	
	2040				
		S39-06E	62	(18.9)	Ascend Millridge Creek.
	2041				
		S18-38E	88	(26.8)	
	2042				
		S26-34E	45	(13.7)	
	2043				
		S57-52E	51	(15.5)	
	2044				
		S46-15E	65	(19.8)	
	2045				
		S27-39E	95	(29.0)	
WHITE PASS SW Map #5	2046				
		S04-12W	219	(66.8)	
	2047				
		S01-01W	170	(51.8)	
	2048				
		S09-44E	71	(21.6)	
	2049				
		S38-01E	70	(21.3)	
	2050				
		S61-04E	130	(39.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SW Map #5	2051	S76-10E	67	(20.4)	
	2052	S46-58E	41	(12.5)	
	2053	S04-24E	52	(15.8)	
	2054	S60-48E	39	(11.9)	
	2055	S61-51E	146	(44.5)	
	2056	S67-37E	239	(72.8)	
	2057	S71-46E	93	(28.3)	Ascend Millridge Creek.
	2058	N88-26E	110	(33.5)	
	2059	N76-13E	113	(34.4)	
	2060	N68-39E	118	(36.0)	
	2061	N81-05E	52	(15.8)	
	2062	S61-42E	74	(22.6)	
	2063	S68-19E	95	(29.0)	
	2064	S71-34E	89	(27.1)	
	2065	S85-14E	132	(40.2)	
	2066	N82-10E	81	(24.7)	
	2067	N78-47E	128	(39.0)	
	2068	N69-36E	83	(25.3)	
	2069	S82-52E	81	(24.7)	
	2070	S78-29E	55	(16.8)	
	2071	S86-54E	74	(22.6)	
	2072	S52-00E	41	(12.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SW Map #5	2073			
		S36-39E	102 (31.1)	
	2074			
		S46-32E	158 (48.2)	
	2075			
		S52-04E	86 (26.2)	
	2076			
		S67-57E	85 (25.9)	
	2077			
		S88-44E	136 (41.5)	
	2078			
		N80-58E	134 (40.8)	
	2079			
		N77-47E	99 (30.2)	Ascend Millridge Creek.
	2080			
		N59-45E	97 (29.6)	
	2081			
		N57-15E	220 (67.1)	
	2082			
		N60-55E	193 (58.8)	
	2083			
		N60-36E	145 (44.2)	
	2084			
		N81-18E	99 (30.2)	
	2085			
		N80-10E	99 (30.2)	
	2086			
		S79-28E	87 (26.5)	
	2087			
		N84-09E	235 (71.6)	
	2088			
		N83-48E	222 (67.7)	
	2089			
		N68-31E	101 (30.8)	
	2090			
		N48-30E	69 (21.0)	
	2091			
		N32-51E	94 (28.7)	
	2092			
		N14-28E	64 (19.5)	
	2093			
		N12-36E	156 (47.5)	
	2094			
		N02-23E	96 (29.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SW Map #5	2095				
		N21-58E	67	(20.4)	
	2096				
		N35-23E	85	(25.9)	
	2097				
WHITE PASS NW Map #2		N58-18E	80	(24.4)	
	2098				
		N76-04E	129	(39.3)	
	2099				
		N59-59E	178	(54.3)	
	2100				
		N71-25E	238	(72.5)	Ascend Millridge Creek.
	2101				
		N85-58E	184	(56.1)	
	2102				
		N87-59E	114	(34.7)	
	2103				
		N68-02E	67	(20.4)	
	2104				
		N36-02E	95	(29.0)	
	2105				
		N54-37E	131	(39.9)	
	2106				
		N79-39E	139	(42.4)	
	2107				
		N86-07E	162	(49.4)	
	2108				
		N37-37E	138	(42.1)	
	2109				
		N53-46E	213	(64.9)	
	2110				
		N58-46E	143	(43.6)	
	2111				
		N79-14E	187	(57.0)	
	2112				
		N81-13E	209	(63.7)	
2113					A point on Millridge Creek. Elevation 4020 feet.
2114		S66-39E	48	(14.6)	
		S44-32E	86	(26.2)	
	2115				Ascend.
		S88-13E	128	(39.0)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #2	2116				
		S87-05E	118	(36.0)	
	2117				
		S69-59E	161	(49.1)	
	2118				
		S65-30E	186	(56.7)	
	2119				
		S63-36E	151	(46.0)	
	2120				
		S63-11E	202	(61.6)	
	2121				
		S53-13E	134	(40.8)	Ascend.
	2122				
		S29-25E	153	(46.6)	
	2123				
		S32-46E	87	(26.5)	
WHITE PASS SW Map #5	2124				
		S49-30E	117	(35.7)	
	2125				
		S38-09E	71	(21.6)	
	2126				
		S52-03E	288	(87.8)	
	2127				
		S55-02E	223	(68.0)	
	2128				
		S49-56E	197	(60.0)	
	2129				
		S43-38E	209	(63.7)	
	2130				
		S21-52E	158	(48.2)	
	2131				
		S32-40E	109	(33.2)	
	2132				A point on Hogback Ridge. Elevation 5200 feet.
		S46-43E	118	(36.0)	
	2133				
		S25-57E	167	(50.9)	
	2134				
		S18-33E	157	(47.9)	Ascend Hogback Ridge.
	2135				
		S01-45E	98	(29.9)	
	2136				
		S04-36E	237	(72.2)	
	2137				
		S13-01W	231	(70.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SW Map #5	2138				
		S17-13W	209	(63.7)	
	2139				
		S20-04W	257	(78.3)	
	2140				Ascend Hogback Ridge.
		S29-01W	146	(44.5)	
	2141				
		S41-52W	103	(31.4)	
	2142				
		S47-08W	190	(57.9)	
	2143				
		S41-25W	204	(62.2)	
	2144				
		S54-06W	94	(28.7)	
	2145				
		S32-24W	62	(18.9)	
	2146				A point on Hogback Ridge.
		S12-43W	159	(48.5)	
	2147				
		S13-12W	201	(61.3)	
	2148				
		S09-13W	156	(47.5)	
	2149				
		S15-06W	196	(59.7)	
	2150				
		S12-10W	119	(36.3)	Ascend Hogback Ridge.
	2151				
		S09-09W	120	(36.6)	
	2152				
		S22-30E	139	(42.4)	
	2153				
		S25-13E	322	(98.1)	
	2154				
		S26-10E	322	(98.1)	
	2155				
		S29-51E	281	(85.6)	
	2156				
		S39-16E	234	(71.3)	
	2157				
		S21-52E	301	(91.7)	
	2158				
		S11-51E	190	(57.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SW Map #5	2159				
		S16-33E	232	(70.7)	
	2160				
		S13-46E	160	(48.8)	
	2161				
		S20-42E	184	(56.1)	
	2162				
		S31-25E	175	(53.3)	
	2163				
		S33-50E	230	(70.1)	
	2164				
		S31-48E	211	(64.3)	
	2165				
		S42-41E	176	(53.6)	Ascend Hogback Ridge.
	2166				
		S45-45E	268	(81.7)	
	2167				
		S45-00E	134	(40.8)	
	2168				
		S27-42E	157	(47.9)	
	2169				
		S33-41E	263	(80.2)	
	2170				
		S24-36E	209	(63.7)	
	2171				
		S24-22E	175	(53.3)	
	2172				
		S30-43E	155	(47.2)	
	2173				
		S30-24E	121	(36.9)	
	2174				
		S37-35E	175	(53.3)	
	2175				
		S53-05E	211	(64.3)	
	2176				
		S50-44E	234	(71.3)	
	2177				
		S55-51E	274	(83.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SW Map #5	2178		A point where Hogback Ridge joins crest of the Cascade Mountain Range boundary between Gifford Pinchot National Forest and Snoqualmie National Forest (administered by Wenatchee National Forest). This point is approximately 900 feet Northwest of triangulation station, elevation 6789 feet.
	2179	N39-48E 109 (33.2)	
	2180	N34-25E 308 (93.9)	
	2181	N40-20E 287 (87.5)	
	2182	N38-31E 263 (80.2)	
	2183	N27-57E 147 (44.8)	Along the crest of Cascade Mountain Range boundary between Gifford Pinchot and Snoqualmie National Forests.
	2184	N22-38E 255 (77.7)	
	2185	N32-47E 194 (59.1)	
	2186	N29-12E 117 (35.7)	
	2187	N42-22E 77 (23.5)	
	2188	N70-29E 84 (25.6)	
	2189	N67-02E 100 (30.5)	
	2190	N80-52E 227 (69.2)	
	2191	N81-52E 283 (86.3)	
		N80-08E 210 (64.0)	
	2192		Top of unnamed peak, approximate elevation 6375 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SW Map #5		N34-23E	46	(14.0)
	2193			
		N10-07W	142	(43.3)
	2194			
		N12-28W	301	(91.7)
	2195			
		N05-21W	225	(68.6)
	2196			
		N06-47E	169	(51.5)
	2197			
		N15-10E	172	(52.4)
	2198			
		N30-10E	149	(45.4)
	2199			Along the crest of the Cascade Mountain Range boundary
		N35-05E	103	(31.4)
	2200			between Gifford Pinchot and Snoqualmie National Forests.
		N03-31E	114	(34.7)
	2201			
		N15-40E	144	(43.9)
	2202			
		N41-38E	48	(14.6)
	2203			
		N41-47E	152	(46.3)
	2204			
		N23-09E	150	(45.7)
	2205			
		N26-49E	104	(31.7)
	2206			
		N52-34E	102	(31.1)
	2207			
		N62-51E	175	(53.3)
	2208			
		N67-24E	226	(68.9)
	2209			
		N58-41E	140	(42.7)
	2210			
		N56-52E	145	(44.2)
	2211			
		N42-24E	156	(47.5)
	2212			
		N12-07E	167	(50.9)
	2213			
		N18-18E	143	(43.6)
	2214			
		N22-18E	108	(32.9)

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SW Map #5	2215				
		N45-38E	192	(58.5)	
	2216				
		N65-25E	142	(43.3)	
	2217				
		N64-49E	277	(84.4)	
	2218				
		N69-56E	189	(57.6)	
	2219				
		N64-37E	152	(46.3)	Along the crest of the Cascade Mountain Range boundary between Gifford Pinchot and Snoqualmie National Forests.
	2220				
		N56-54E	271	(82.6)	
	2221				
		N52-43E	137	(41.8)	
	2222				
		N67-13E	163	(49.7)	
	2223				
		N77-25E	211	(64.3)	
	2224				
		N74-45E	125	(38.1)	
	2225				
		N48-38E	123	(37.5)	
	2226				
		N37-05E	108	(32.9)	
	2227				
		N36-12E	120	(36.6)	
	2228				
		N23-47E	268	(81.7)	
	2229				
		N18-38E	275	(83.8)	
	2230				
		N15-41E	237	(72.2)	
	2231				
		N18-11E	144	(43.9)	
	2232				A point on the crest of the Cascade Mountain Range boundary between Gifford Pinchot National Forest and Snoqualmie National Forest (administered by the Wenatchee National Forest). Washington State Plane Coordinates, X=1,777,380, Y=470,405.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SW Map #5		N38-04E	1066 (324.9)	
	2233			A point that is due East 500 feet from the crest of the Cascade Mountains.
		S89-47E	1277 (389.2)	
	2234			A point that is East approximately 1,777 feet from the crest of the Cascade Mountains. Elevation 5600 feet.
WHITE PASS NE Map #3		N39-15E	1340 (408.4)	
	2235	N21-42E	2353 (717.2)	Descend and ascend through saddle.
	2236			Unnamed peak on spur ridge, approximate elevation 5560 feet.
WHITE PASS NW Map #2	2237	N32-25W	360 (109.7)	
	2238	N19-50W	168 (51.2)	
	2239	N29-40W	463 (141.1)	
	2240	N33-11W	311 (94.8)	A spur ridge descending.
	2241	N24-06W	458 (139.6)	
	2242	N32-20W	187 (57.0)	
	2243	N18-50W	229 (69.8)	
	2244	N15-01W	127 (38.7)	
	2245	N26-49W	104 (31.7)	
	2246	N16-48W	111 (33.8)	
	2247	N03-26E	100 (30.5)	
		N10-29E	148 (45.1)	
	2248			A point on the spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS NW Map #2		N15-36E	134 (40.8)	
	2249	N20-06E	326 (99.4)	
	2250	N15-26E	248 (75.6)	
	2251	N11-27E	383 (116.7)	
	2252	N30-11E	318 (96.9)	
	2253	N23-26E	221 (67.4)	
	2254	N31-52E	417 (127.1)	Along a spur ridge.
	2255	N49-41E	233 (71.0)	
	2256	N50-36E	312 (95.1)	
	2257	N47-28E	280 (85.3)	
WHITE PASS NE Map #3	2258	N49-47E	178 (54.3)	
	2259	N62-38E	159 (48.5)	
	2260	N74-00E	156 (47.5)	
	2261	N82-06E	138 (42.1)	
	2262	S86-25E	160 (48.8)	
	2263	S83-43E	110 (33.5)	
	2264	N87-59E	171 (52.1)	
	2265	N76-47E	136 (41.5)	
	2266	N67-33E	100 (30.5)	
	2267	N55-14E	103 (31.4)	
	2268	N58-57E	126 (38.4)	
	2269	N60-39E	110 (33.5)	
	2270	N68-34E	85 (25.9)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS NE Map #3	2271			Intersection of spur ridge and South Fork Clear Creek and unnamed intermittent stream flowing Northeasterly.
	2272	N88-58E	166 (50.6)	
	2273	N71-21E	169 (51.5)	
	2274	N70-05E	244 (74.4)	
	2275	N64-52E	198 (60.4)	
	2276	N67-46E	225 (68.6)	
	2277	N60-40E	120 (36.6)	Descend South Fork Clear Creek.
	2278	N67-45E	214 (65.2)	
	2279	N70-46E	137 (41.8)	
	2280	N72-52E	126 (38.4)	
	2281	N77-49E	90 (27.4)	
	2282	N51-52E	100 (30.5)	
	2283	N40-38E	167 (50.9)	
	2284	N66-36E	113 (34.4)	
	2285	N71-02E	102 (31.1)	
	2286	S79-09E	122 (37.2)	
	2287	N89-44E	212 (64.6)	
	2288	N86-17E	216 (65.8)	
	2289	N84-43E	163 (49.7)	
	2290	N74-39E	53 (16.2)	
		S86-06E	44 (13.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2291				
		N81-03E	148	(45.1)	
	2292				
		N72-41E	178	(54.3)	
	2293				
		N80-32E	55	(16.8)	
	2294				
		S77-54E	57	(17.4)	
	2295				
		N77-43E	127	(38.7)	
	2296				
		N70-14E	163	(49.7)	
	2297				
		N77-37E	135	(41.1)	Descend South Fork Clear Creek.
	2298				
		S79-15E	102	(31.1)	
	2299				
		S82-30E	77	(23.5)	
	2300				
		N87-39E	122	(37.2)	
	2301				
		N78-32E	76	(23.2)	
	2302				
		S61-56E	68	(20.7)	
	2303				
		S71-54E	55	(16.8)	
	2304				
		N79-55E	91	(27.7)	
	2305				
		N80-49E	69	(21.0)	
	2306				
		N59-43E	173	(52.7)	
	2307				
		N54-25E	177	(53.9)	
	2308				
		N58-41E	167	(50.9)	
	2309				
		N60-07E	146	(44.5)	
	2310				
		N55-05E	117	(35.7)	
	2311				
		N67-59E	152	(46.3)	
	2312				
		N56-38E	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2313	N74-20E	85	(25.9)	Descend South Fork Clear Creek.
	2314				A point in the South Fork Clear Creek. Elevation 3440 feet.
		N81-14E	164	(50.0)	
	2315	S89-32E	125	(38.1)	
	2316	N75-17E	122	(37.2)	
	2317	S83-06E	191	(58.2)	
	2318	S68-42E	209	(63.7)	Along the 3440 foot contour.
	2319	S65-23E	185	(56.4)	
	2320	S39-12E	84	(25.6)	
	2321	S05-59E	125	(38.1)	
	2322	S76-35E	90	(27.4)	
	2323	S82-18E	75	(22.9)	
	2324	S72-39E	84	(25.6)	
	2325	S45-40E	60	(18.3)	
	2326	N78-59E	78	(23.8)	
	2327	N76-36E	220	(67.1)	
	2328	N83-17E	171	(52.1)	
	2329	N85-36E	104	(31.7)	
	2330	S81-13E	111	(33.8)	
	2331	S80-11E	53	(16.2)	
	2332	N60-34E	134	(40.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2333				
		N70-36E	93	(28.3)	
	2334				
		N36-28E	57	(17.4)	
	2335				
		N40-33E	128	(39.0)	
	2336				
		N74-17E	100	(30.5)	
	2337				
		N76-23E	132	(40.2)	
	2338				
		N78-15E	128	(39.0)	
	2339				
		N75-29E	116	(35.4)	Along the 3440 foot contour.
	2340				
		N46-09E	105	(32.0)	
	2341				
		N33-52E	92	(28.0)	
	2342				
		N63-26E	65	(19.8)	
	2343				
		N87-48E	104	(31.7)	
	2344				
		S71-46E	86	(26.2)	
	2345				
		S62-46E	76	(23.2)	
	2346				
		S75-45E	134	(40.8)	
	2347				
		S69-01E	78	(23.8)	
	2348				
		S75-40E	93	(28.3)	
	2349				
		N89-38E	156	(47.5)	
	2350				
		S84-37E	139	(42.4)	
	2351				
		S80-41E	130	(39.6)	
	2352				
		N86-02E	130	(39.6)	
	2353				
		S87-18E	148	(45.1)	
	2354				
		N81-28E	202	(61.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2355				
		N01-00E	185	(56.4)	
	2356				
		N86-02E	202	(61.6)	
	2357				
		S87-20E	150	(45.7)	
	2358				
		N82-29E	145	(44.2)	
	2359				
		N84-51E	122	(37.2)	
	2360				
		S82-02E	151	(46.0)	
	2361				
		S75-58E	95	(29.0)	Along the 3440 foot contour.
	2362				
		S87-44E	228	(69.5)	
	2363				
		N87-34E	118	(36.0)	
	2364				
		S86-45E	88	(26.8)	
	2365				
		N68-50E	66	(20.1)	
	2366				
		N63-26E	13	(4.0)	
	2367				
		S31-13E	39	(11.9)	
	2368				
		S51-59E	110	(33.5)	
	2369				
		S69-10E	98	(29.9)	
	2370				
		S74-37E	124	(37.8)	
	2371				
		S67-55E	114	(34.7)	
	2372				
		S57-23E	89	(27.1)	
	2373				
		S68-35E	140	(42.7)	
	2374				
		S69-55E	186	(56.7)	
	2375				
		S73-22E	150	(45.7)	
	2376				
		S76-35E	134	(40.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS NE Map #3	2377			
		S71-43E	118 (36.0)	
	2378			
		S66-33E	90 (27.4)	
	2379			Along the 3440 foot contour.
		S75-10E	106 (32.3)	
	2380			
		N88-19E	68 (20.7)	
	2381			
		N85-55E	70 (21.3)	
	2382			
		S76-52E	62 (18.9)	
	2383			
		S22-08E	64 (19.5)	
	2384			An angle point on elevation line 3440 feet.
		S27-43W	245 (74.7)	
2385		S24-01W	231 (70.4)	
2386		S35-19W	118 (36.0)	
2387		S39-25W	131 (39.9)	
2388		S37-23W	133 (40.5)	
2389		S38-21W	147 (44.8)	Ascend Southwesterly.
2390		S36-09W	110 (33.5)	
2391		S25-09W	181 (55.2)	
2392		S27-57W	203 (61.9)	
2393		S20-08W	160 (48.8)	
2394		S24-40W	230 (70.1)	
2395		S28-38W	198 (60.4)	
2396		S34-21W	241 (73.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2397				An angle point. Elevation 4560 feet.
		S70-31E	189	(57.6)	
	2398				
		S63-10E	284	(86.6)	
	2399				
		S69-45E	199	(60.7)	
	2400				
		S69-09E	180	(54.9)	
	2401				
		S65-47E	207	(63.1)	Along the 4560 foot contour.
	2402				
		S47-22E	120	(36.6)	
	2403				
		S32-13E	118	(36.0)	
	2404				
		S11-28E	76	(23.2)	
	2405				
		S16-33E	105	(32.0)	
	2406				
		S07-07W	105	(32.0)	
	2407				
		S30-26W	73	(22.3)	
	2408				
		S47-35E	79	(24.1)	
	2409				
		S47-02E	160	(48.8)	
	2410				
		S35-32E	181	(55.2)	
	2411				
		S20-15E	130	(39.6)	
	2412				
		S28-44E	177	(53.9)	
	2413				
		S24-09E	213	(64.9)	
	2414				
		S38-13E	144	(43.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2415				
		S46-55E	127	(38.7)	
	2416				
		S61-25E	178	(54.3)	
	2417				
		S69-44E	159	(48.5)	
	2418				
		S65-28E	176	(53.6)	
	2419				
		S43-15E	231	(70.4)	
	2420				
		S33-07E	192	(58.5)	
	2421				
		S25-34E	206	(62.8)	Along the 4560 foot contour.
	2422				
		S11-15E	185	(56.4)	
	2423				
		S16-48E	111	(33.8)	
	2424				
		S01-21E	170	(51.8)	
	2425				
		S26-05W	157	(47.9)	
	2426				
		S47-53W	155	(47.2)	
	2427				
		S68-32W	191	(58.2)	
	2428				
		S75-10W	176	(53.6)	
	2429				
		S68-52W	175	(53.3)	
	2430				
		S52-19W	211	(64.3)	
	2431				
		S32-38W	106	(32.3)	
	2432				
		S23-08W	120	(36.6)	
	2433				
		S41-51W	90	(27.4)	
	2434				
		S53-39W	155	(47.2)	
	2435				
		S58-55W	170	(51.8)	
	2436				
		S52-02W	52	(15.8)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS NE Map #3	2437			
		S15-43W	66 (20.1)	
	2438			
		S15-28W	232 (70.7)	
	2439			
		S17-43W	102 (31.1)	
	2440			
		S69-18W	96 (29.3)	
	2441			
		S72-44W	77 (23.5)	
	2442			
		S77-28W	92 (28.0)	
	2443			
		N59-13W	158 (48.2)	Along the 4560 foot contour.
	2444			
		N78-30W	181 (55.2)	
	2445			
		N82-28W	206 (62.8)	
	2446			
		N77-32W	213 (64.9)	
	2447			
		N71-07W	278 (84.7)	
	2448			
		N77-23W	78 (23.8)	
	2449			
		S75-35W	72 (21.9)	
	2450			
		S85-32W	64 (19.5)	
	2451			
		S40-40W	84 (25.6)	
	2452			
		S36-10W	212 (64.6)	
	2453			
		S34-33W	203 (61.9)	
	2454			
		S25-44W	122 (37.2)	
	2455			
		S24-02W	81 (24.7)	
	2456			
		S28-04E	34 (10.4)	
	2457			
		S15-11W	73 (22.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #3	2458				
		S15-28W	98	(29.9)	
	2459				
		S12-29W	153	(46.6)	
	2460				
		S29-48W	143	(43.6)	
	2461				
		S40-43W	152	(46.3)	
	2462				
		S46-44W	117	(35.7)	Along the 4560 foot contour.
	2463				
		S40-55W	139	(42.4)	
	2464				
		S41-28W	137	(41.8)	
	2465				
		S49-10W	194	(59.1)	
	2466				
		S54-03W	99	(30.2)	
	2467				
		S75-44W	118	(36.0)	
	2468				
		S70-29W	186	(56.7)	
	2469				
		S69-03W	101	(30.8)	
WHITE PASS SE Map #4	2470				
		S59-53W	58	(17.7)	
	2471				
		S13-16W	109	(33.2)	
	2472				
		S07-07W	105	(32.0)	
	2473				
		S13-50W	138	(42.1)	
	2474				
		S25-34W	155	(47.2)	
	2475				
		S29-32W	164	(50.0)	
	2476				
		S16-16W	50	(15.2)	
	2477				
		S17-21W	17	(5.2)	
	2478				A point on spur ridge. Elevation 4560 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4		S20-29W	434	(132.3)	
	2479	S21-19W	440	(134.1)	
	2480	S23-34W	333	(101.5)	
	2481	S22-49W	302	(92.0)	
	2482	S31-58W	185	(56.4)	
	2483	S21-25W	140	(42.7)	Descend Southwesterly
	2484	S33-41W	50	(15.2)	
	2485	S20-03W	67	(20.4)	
	2486	S23-55W	136	(41.5)	
	2487	S22-24W	142	(43.3)	
	2488	S17-21W	67	(20.4)	
	2489	S26-34W	101	(30.8)	
	2490				Point 100 feet Southwest of Hell Creek on elevation line 3440 feet.
		S72-33E	110	(33.5)	
	2491	S18-01E	133	(40.5)	
	2492	S34-42E	174	(53.0)	Along the 3440 foot contour.
	2493	S37-46E	90	(27.4)	
	2494	S24-02E	81	(24.7)	
	2495	S03-07W	92	(28.0)	
	2496	S16-42W	94	(28.7)	
	2497	S00-30E	116	(35.4)	
	2498	S08-58W	96	(29.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2499				
		S14-02W	74	(22.6)	
	2500	S39-31W	52	(15.8)	
	2501	S28-23W	99	(30.2)	
	2502	S18-13W	86	(26.2)	
	2503	S14-28W	64	(19.5)	
	2504	S18-14W	93	(28.3)	
	2505	S08-14W	77	(23.5)	Along the 3440 foot contour.
	2506	S33-51W	95	(29.0)	
	2507	S49-19W	84	(25.6)	
	2508	S69-12W	85	(25.9)	
	2509	S61-27W	77	(23.5)	
	2510	S56-57W	123	(37.5)	
	2511	S72-54W	27	(8.2)	
	2512	S12-32W	46	(14.0)	
	2513	S26-34W	78	(23.8)	
	2514	S41-20W	77	(23.5)	
	2515	S68-40W	69	(21.0)	
	2516	S79-56W	63	(19.2)	
	2517	S57-16W	33	(10.1)	
	2518	S28-52W	89	(27.1)	
	2519	S38-07W	83	(25.3)	
	2520	S57-32W	52	(15.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2521				
		S64-53W	35	(10.7)	
	2522				
		S17-21W	84	(25.6)	
	2523				
		S22-25W	87	(26.5)	
	2524				
		S36-02W	95	(29.0)	
	2525				
		S35-26W	119	(36.3)	
	2526				
		S39-57W	104	(31.7)	
	2527				
		S50-19W	61	(18.6)	Along the 3440 foot contour.
	2528				
		S25-29W	95	(29.0)	
	2529				
		S25-46W	97	(29.6)	
	2530				
		S27-52W	79	(24.1)	
	2531				
		S44-16W	110	(33.5)	
	2532				
		S28-39W	98	(29.9)	
	2533				
		S19-25W	147	(44.8)	
	2534				
		S36-15W	130	(39.6)	
	2535				
		S33-01W	119	(36.3)	
	2536				
		S38-45W	104	(31.7)	
	2537				
		S55-32W	62	(18.9)	
	2538				
		S29-45W	64	(19.5)	
	2539				
		S06-56W	75	(22.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2540				
		S01-47W	96	(29.3)	
	2541				
		S07-38W	113	(34.4)	
	2542				
		S16-49W	100	(30.5)	
	2543				
		S01-00W	126	(38.4)	
	2544				
		S59-02W	99	(30.2)	
	2545				
		S62-05W	113	(34.4)	
	2546				
		S48-38W	89	(27.1)	Along the 3440 foot contour.
	2547				
		S71-02W	68	(20.7)	
	2548				
		S52-13W	51	(15.5)	
	2549				
		S15-27W	79	(24.1)	
	2550				
		S28-03W	121	(36.9)	
	2551				
		S40-22W	79	(24.1)	
	2552				
		S31-20W	54	(16.5)	
	2553				
		S19-39W	45	(13.7)	
	2554				
		S10-34W	196	(59.7)	
	2555				
		S17-01W	205	(62.5)	
	2556				
		S29-20W	157	(47.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2557				
		S37-41W	183	(55.8)	
	2558				
		S32-07W	152	(46.3)	
	2559				
		S53-13W	129	(39.3)	
	2560				
		S57-27W	167	(50.9)	
	2561				
		S52-36W	107	(32.6)	
	2562				
		S52-55W	164	(50.0)	
	2563				
		S58-25W	143	(43.6)	Along the 3440 foot contour.
	2564				
		N89-12W	72	(21.9)	
	2565				
		N79-30W	55	(16.8)	
	2566				
		N68-28W	41	(12.5)	
	2567				
		S75-58W	70	(21.3)	
	2568				
		S71-50W	138	(42.1)	
	2569				
		S72-19W	122	(37.2)	
	2570				
		S86-52W	128	(39.0)	
	2571				
		S86-05W	146	(44.5)	
	2572				
		S85-30W	140	(42.7)	
	2573				
		N82-28W	137	(41.8)	
	2574				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		N64-15W	127 (38.7)	
	2575	N69-30W	123 (37.5)	
	2576	N78-11W	112 (34.1)	
	2577	N73-31W	102 (31.1)	
	2578	N80-01W	110 (33.5)	
	2579	N01-00W	129 (39.3)	
	2580	N72-10W	91 (27.7)	Along the 3440 foot contour.
	2581	N54-50W	54 (16.5)	
	2582	N79-53W	57 (17.4)	
	2583	S04-12W	68 (20.7)	
	2584	S37-09E	83 (25.3)	
	2585	S32-39E	76 (23.2)	
	2586	S61-29E	52 (15.8)	
	2587	S51-51E	36 (11.0)	
	2588	S61-20E	85 (25.9)	
	2589	S71-20E	78 (23.8)	
	2590	S69-13E	116 (35.4)	
	2591	S73-47E	57 (17.4)	
	2592	S82-30E	38 (11.6)	
	2593			



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4		S59-02E	82	(25.0)	
	2594	S61-29E	52	(15.8)	
	2595	S62-14E	43	(13.1)	
	2596	S22-17E	66	(20.1)	
	2597	S31-32E	52	(15.8)	
	2598	S63-57E	98	(29.9)	
	2599	S47-52E	57	(17.4)	Along the 3440 foot contour.
	2600	S48-38E	89	(27.1)	
	2601	S23-30E	50	(15.2)	
	2602	S09-28E	91	(27.7)	
	2603	S02-55E	98	(29.9)	
	2604	S02-16E	76	(23.2)	
	2605	S37-52W	46	(14.0)	
	2606	S09-11W	69	(21.0)	
	2607	S05-33W	72	(21.9)	
	2608	S01-00W	91	(27.7)	
	2609	S40-09W	150	(45.7)	
	2610	S22-33W	128	(39.0)	
	2611	S23-02W	95	(29.0)	
	2612	S68-05W	99	(30.2)	
	2613	S43-29W	80	(24.4)	
	2614	S15-05W	119	(36.3)	
	2615				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4		S02-28W	116	(35.4)	
	2616	S03-52W	148	(45.1)	
	2617	S16-42W	157	(47.9)	
	2618	S24-28W	183	(55.8)	
	2619	S25-37W	109	(33.2)	
	2620	S01-00W	142	(43.3)	
	2621	S15-57W	153	(46.6)	Along the 3440 foot contour.
	2622	S15-44W	450	(137.2)	
	2623	S17-28W	207	(63.1)	
	2624	S17-58W	156	(47.5)	
	2625	S29-14W	125	(38.1)	
	2626	S35-41W	223	(68.0)	
	2627	S24-17W	124	(37.8)	
	2628	S21-46W	326	(99.4)	
	2629	S22-14W	196	(59.7)	
	2630	S32-52W	175	(53.3)	
	2631	S42-05W	139	(42.4)	
	2632	S82-24W	30	(9.1)	
	2633	S41-04W	145	(44.2)	
	2634	S53-23W	184	(56.1)	
	2635	S50-54W	82	(25.0)	
	2636	S42-20W	61	(18.6)	
	2637	S02-23E	48	(14.6)	
	2638				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4		S18-01E	87	(26.5)	
	2639	S08-26E	55	(16.8)	
	2640	S18-12W	80	(24.4)	
	2641	S27-34W	127	(38.7)	
	2642	S33-11W	190	(57.9)	
	2643	S21-38W	62	(18.9)	
	2644	S03-35W	64	(19.5)	Along the 3440 foot contour.
	2645	S03-46E	76	(23.2)	
	2646	S06-20W	118	(36.0)	
	2647	S25-17W	40	(12.2)	
	2648	S36-34W	77	(23.5)	
	2649	S68-38W	74	(22.6)	
	2650	S67-49W	82	(25.0)	
	2651	S33-11W	62	(18.9)	
	2652	S03-35W	80	(24.4)	
	2653	S01-35E	108	(32.9)	
	2654	S03-31E	114	(34.7)	
	2655	S33-27W	67	(20.4)	
	2656	S37-59W	93	(28.3)	
	2657	S54-22W	139	(42.4)	
	2658	S55-10W	124	(37.8)	
	2659	S61-05W	77	(23.5)	
	2660	S43-36W	58	(17.7)	
	2661				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		S05-17W	54 (16.5)	
	2662	S19-49E	91 (27.7)	
	2663	S35-55E	72 (21.9)	
	2664	S09-21E	80 (24.4)	
	2665	S04-33E	88 (26.8)	
	2666	S16-23W	89 (27.1)	
	2667	S23-15W	170 (51.8)	Along the 3440 foot contour.
	2668	S24-13W	141 (43.0)	
	2669	S27-44W	153 (46.6)	
	2670	S31-26W	105 (32.0)	
	2671	S27-06W	242 (73.8)	
	2672	S25-06W	193 (58.8)	
	2673	S42-08W	142 (43.3)	
	2674	S59-02W	76 (23.2)	
	2675	S61-20W	73 (22.3)	
	2676	S59-02W	23 (7.0)	
	2677	S12-42W	105 (32.0)	
	2678	S08-22W	103 (31.4)	
	2679	S26-24W	151 (46.0)	
	2680	S21-20W	137 (41.8)	
	2681	S33-32W	107 (32.6)	
	2682	S39-32W	134 (40.8)	
	2683	S43-20W	98 (29.9)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4	2684		A point on the right bank of Scatter Creek. Elevation 3440 feet.
	S89-10E	137 (41.8)	
2685	S75-19E	106 (32.3)	
2686	S51-51E	89 (27.1)	
2687	S46-30E	81 (24.7)	
2688	S82-27E	99 (30.2)	Descend on right bank of the ordinary high waterline of Scatter Creek.
2689	S89-28E	108 (32.9)	
2690	S84-44E	131 (39.9)	
2691	S83-51E	103 (31.4)	
2692	S45-34E	144 (43.9)	
2693	S43-51E	140 (42.7)	
2694	S60-37E	137 (41.8)	
2695	S87-54E	82 (25.0)	
2696	N80-50E	63 (19.2)	
2697	S45-29E	84 (25.6)	
2698	S22-52E	69 (21.0)	
2699	S21-38E	62 (18.9)	
2700	S56-55E	79 (24.1)	
2701			Intersection of Scatter Creek and North Fork Tieton River.
	N65-37E	70 (21.3)	
2702	N69-42E	78 (23.8)	Descend North Fork Tieton River.
2703	S88-25E	72 (21.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2704				
		S64-36E	110	(33.5)	
	2705				
		S56-37E	53	(16.2)	
	2706				
		N82-43E	87	(26.5)	
	2707				
		N35-15E	71	(21.6)	
	2708				
		N13-24W	86	(26.2)	
	2709				
		N02-05W	110	(33.5)	
	2710				
		N03-49E	90	(27.4)	Descend North Fork Tieton River.
	2711				
		N41-35E	83	(25.3)	
	2712				
		N59-42E	117	(35.7)	
	2713				
		N34-24E	88	(26.8)	
	2714				
		N04-33E	88	(26.8)	
	2715				
		N04-51E	118	(36.0)	
	2716				
		N09-28E	61	(18.6)	
	2717				
		N43-25E	51	(15.5)	
	2718				
		N30-58E	58	(17.7)	
	2719				
		N07-34E	129	(39.3)	
	2720				
		N51-59E	70	(21.3)	
	2721				
		N65-12E	188	(57.3)	
	2722				
		N04-34E	75	(22.9)	
	2723				
		N01-41E	102	(31.1)	
	2724				
		N48-04W	79	(24.1)	
	2725				
		N23-06W	74	(22.6)	
	2726				
		N01-50E	94	(28.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2727				
		N03-06E	74	(22.6)	
	2728				
		N34-30E	97	(29.6)	
	2729				
		N54-28E	60	(18.3)	
	2730				
		N21-10E	66	(20.1)	
	2731				
		N08-03E	93	(28.3)	
	2732				
		N17-09E	98	(29.9)	
	2733				
		N14-32E	84	(25.6)	Descend North Fork Tieton River.
	2734				
		N53-08E	80	(24.4)	
	2735				
		N71-34E	98	(29.9)	
	2736				
		N64-12E	67	(20.4)	
	2737				
		N39-36E	105	(32.0)	
	2738				
		N28-22E	170	(51.8)	
	2739				
		N14-59E	73	(22.3)	
	2740				
		N00-29W	118	(36.0)	
	2741				
		N18-18W	127	(38.7)	
	2742				
		N17-21E	67	(20.4)	
	2743				
		N42-47E	183	(55.8)	
	2744				
		N53-25E	203	(61.9)	
	2745				
		N48-18E	159	(48.5)	
	2746				
		N51-04E	67	(20.4)	
	2747				
		N19-50E	103	(31.4)	
	2748				
		N02-32E	68	(20.7)	
	2749				
		N17-09E	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2750				
		N41-57E	133	(40.5)	
	2751				
		N52-03E	138	(42.1)	
	2752				
		N43-14E	92	(28.0)	
	2753				
		N25-03E	102	(31.1)	
	2754				
		N17-39E	115	(35.1)	
	2755				
		N03-42E	108	(32.9)	
	2756				
		N24-23W	70	(21.3)	Descend North Fork Tieton River.
	2757				
		N41-03W	82	(25.0)	
	2758				
		N49-02W	121	(36.9)	
	2759				
		N65-08W	121	(36.9)	
	2760				
		N39-07W	97	(29.6)	
	2761				
		N67-33W	50	(15.2)	
	2762				
		N42-13W	73	(22.3)	
	2763				
		N38-22W	61	(18.6)	
	2764				
		N52-57W	61	(18.6)	
	2765				
		N26-34W	92	(28.0)	
	2766				
		N07-46E	111	(33.8)	
	2767				
		N17-08E	153	(46.6)	
	2768				
		N37-40E	100	(30.5)	
	2769				
		N60-27E	112	(34.1)	
	2770				
		N50-36E	109	(33.2)	
	2771				
		N16-09E	158	(48.2)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2772				
		N01-00E	220	(67.1)	
	2773				
		N26-34E	201	(61.3)	
	2774				
		N40-01E	106	(32.3)	
	2775				
		N83-40E	100	(30.5)	
	2776				
		S82-45E	55	(16.8)	
	2777				
		N74-52E	88	(26.8)	
	2778				
		N41-30E	69	(21.0)	Descend North Fork Tieton River.
	2779				
		N33-49E	124	(37.8)	
	2780				
		N42-43E	159	(48.5)	
	2781				
		N45-00E	28	(8.5)	
	2782				
		N81-09E	123	(37.5)	
	2783				
		N80-06E	87	(26.5)	
	2784				
		S47-19E	105	(32.0)	
	2785				
		N80-45E	131	(39.9)	
	2786				
		N76-28E	56	(17.1)	
	2787				
		S74-49E	73	(22.3)	
	2788				
		S80-07E	111	(33.8)	
	2789				
		S88-03E	88	(26.8)	
	2790				
		N58-19E	95	(29.0)	
	2791				
		N42-12E	144	(43.9)	
	2792				
		N34-42E	111	(33.8)	
	2793				
		N17-10E	71	(21.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2794				
		N03-18W	156	(47.5)	
	2795				
		N02-19E	148	(45.1)	Descend North Fork Tieton
	2796				River.
		N02-08E	134	(40.8)	
	2797				
		N17-51E	62	(18.9)	
	2798				A point on North Fork Tieton River which is 320 feet south and 100 feet west of North Fork Tieton River and unnamed side drainage.
		N90-00E	48	(14.6)	
	2799				
		S42-45E	72	(21.9)	
	2800				
		S48-14E	276	(84.1)	
	2801				
		S50-29E	178	(54.3)	Ascend.
	2802				
		S49-11E	223	(68.0)	
	2803				
		S49-58E	163	(49.7)	
	2804				
		S51-09E	145	(44.2)	
	2805				
		S51-08E	132	(40.2)	
	2806				
		S01-00E	117	(35.7)	
	2807				
		S57-32E	65	(19.8)	
	2808				A point. Elevation 2600 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		N49-39E	122	(37.2)
	2809	N36-48E	169	(51.5)
	2810	N33-55E	143	(43.6)
	2811	N06-36E	191	(58.2)
	2812	N01-00E	219	(66.8)
	2813	N42-06E	266	(81.1)
	2814	N56-31E	159	(48.5) Along the 3500 foot contour.
	2815	N45-00E	225	(68.6)
	2816	N50-53E	193	(58.8)
	2817	N20-36E	151	(46.0)
	2818	N24-01E	221	(67.4)
	2819	N43-13E	136	(41.5)
	2820	N27-19E	170	(51.8)
	2821	N30-36E	108	(32.9)
	2822	N66-19E	107	(32.6)
	2823			A point on a spur ridge. Elevation 3600 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		S53-33E	190	(57.9)
	2824	S49-37E	140	(42.7)
	2825	S44-15E	107	(32.6)
	2826	S39-40E	168	(51.2)
	2827	S57-07E	199	(60.7)
	2828	S59-46E	203	(61.9)
	2829	S64-00E	224	(68.3) Ascend spur ridge.
	2830	S40-03E	148	(45.1)
	2831	S64-56E	222	(67.7)
	2832	S62-18E	202	(61.6)
	2833	S58-02E	195	(59.4)
	2834	S61-23E	188	(57.3)
	2835	S53-36E	222	(67.7)
	2836	S62-10E	182	(55.5)
	2837	S58-45E	170	(51.8)
	2838	S62-47E	197	(60.0)
	2839	S60-37E	173	(52.7)
	2840	S51-43E	169	(51.5)

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2841				
		S60-20E	190	(57.9)	
	2842				
		S55-48E	158	(48.2)	
	2843				
		S53-04E	186	(56.7)	Ascend spur ridge.
	2844				
		S53-00E	269	(82.0)	
	2845				
		S47-05E	194	(59.1)	
	2846				
		S38-09E	225	(68.6)	
	2847				
		S36-56E	166	(50.6)	
	2848				
		S30-10E	149	(45.4)	
	2849				
		S10-11E	130	(39.6)	
	2850				Intersection of spur ridge and Pinegrass Ridge.
		S10-23W	122	(37.2)	
	2851				
		S21-03W	228	(69.5)	
	2852				
		S01-00W	284	(86.6)	
	2853				
		S24-47W	332	(101.2)	
	2854				
		S30-27W	329	(100.3)	Along Pinegrass Ridge.
	2855				
		S40-50W	272	(82.9)	
	2856				
		S32-59W	180	(54.9)	
	2857				
		S38-59W	141	(43.0)	
	2858				
		S47-28W	180	(54.9)	
	2859				
		S49-18W	198	(60.4)	
	2860				
		S27-16W	181	(55.2)	
	2861				
		S41-35W	214	(65.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2862				
		S42-54W	212	(64.6)	
	2863				
		S40-01W	179	(54.6)	
	2864				
		S29-49W	103	(31.4)	
	2865				
		S24-44W	210	(64.0)	
	2866				
		S36-46W	119	(36.3)	
	2867				
		S11-55W	223	(68.0)	
	2868				
		S16-29W	233	(71.0)	Along Pinegrass Ridge.
	2869				
		S03-13W	142	(43.3)	
	2870				
		S16-28W	138	(42.1)	
	2871				
		S16-17W	118	(36.0)	
	2872				
		S25-03W	203	(61.9)	
	2873				
		S33-41E	22	(6.7)	
	2874				
		S21-13W	216	(65.8)	
	2875				
		S32-34W	98	(29.9)	
	2876				
		S03-03W	150	(45.7)	
	2877				
		S02-03W	56	(17.1)	
	2878				
		S07-48W	273	(83.2)	
	2879				
		S02-47E	330	(100.6)	
	2880				
		S02-34W	268	(81.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2881				
		S13-19E	230	(70.1)	
	2882				
		S19-55E	282	(86.0)	
	2883				
		S17-55E	283	(86.3)	
	2884				
		S11-03E	349	(106.4)	
	2885				
		S20-03E	391	(119.2)	
	2886				
		S16-51E	241	(73.5)	
	2887				
		S17-55E	283	(86.3)	Along Pinegrass Ridge.
	2888				
		S19-39E	208	(63.4)	
	2889				
		S18-09E	260	(79.2)	
	2890				
		S18-05E	264	(80.5)	
	2891				
		S16-26E	226	(68.9)	
	2892				
		S05-22E	267	(81.4)	
	2893				
		S01-38E	246	(75.0)	
	2894				
		S05-31E	229	(69.8)	
	2895				
		S09-21W	160	(48.8)	
	2896				
		S00-00E	208	(63.4)	
	2897				
		S15-31W	75	(22.9)	
	2898				
		S16-13E	90	(27.4)	
	2899				
		S22-23E	147	(44.8)	
	2900				
		S15-07E	142	(43.3)	
	2901				
		S01-12W	144	(43.9)	
	2902				
		S09-09W	339	(103.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2903				
		S05-25W	233	(71.0)	
	2904				
		S19-32W	215	(65.5)	
	2905				
		S12-30W	236	(71.9)	
	2906				
		S15-32W	269	(82.0)	
	2907				
		S11-43W	167	(50.9)	Along Pinegrass Ridge.
	2908				
		S04-32W	316	(96.3)	
	2909				
		S09-28W	91	(27.7)	
	2910				
		S02-32E	136	(41.5)	
	2911				
		S08-47W	249	(75.9)	
	2912				
		S02-13W	206	(62.8)	
	2913				
		S00-28E	122	(37.2)	
	2914				
		S20-15E	179	(54.6)	
	2915				
		S29-29E	219	(66.8)	
	2916				
		S40-22E	184	(56.1)	
	2917				Unnamed peak on Pinegrass Ridge.
		S42-56E	98	(29.9)	
	2918				
		S48-40E	188	(57.3)	
	2919				
		S54-21E	244	(74.4)	Descend spur ridge.
	2920				
		S55-11E	184	(56.1)	
	2921				
		S64-29E	172	(52.4)	
	2922				
		S75-24E	345	(105.2)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2923				
		S78-05E	203	(61.9)	
	2924				
		S63-46E	154	(46.9)	
	2925				
		S67-30E	196	(59.7)	
	2926				
		S64-23E	190	(57.9)	
	2927				
		S72-34E	324	(98.8)	
	2928				
		S73-38E	227	(69.2)	
	2929				
		S70-18E	214	(65.2)	Descend spur ridge.
	2930				
		S73-08E	231	(70.4)	
	2931				
		S77-14E	262	(79.9)	
	2932				
		S77-22E	59	(18.0)	
	2933				
		S69-34E	264	(80.5)	
	2934				
		S71-50E	273	(83.2)	
	2935				
		S68-18E	227	(69.2)	
	2936				
		S65-46E	110	(33.5)	
	2937				
		S41-41E	98	(29.9)	
	2938				
		S47-58E	109	(33.2)	
	2939				
		S49-58E	65	(19.8)	
	2940				
		N82-52E	73	(22.3)	
	2941				
		N80-32E	79	(24.1)	
	2942				
		S68-12E	54	(16.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2943				
		S47-29E	33	(10.1)	
	2944				
		S57-34E	127	(38.7)	
	2945				
		S51-31E	149	(45.4)	
	2946				
		S50-21E	136	(41.5)	Descend spur ridge.
	2947				
		S63-01E	187	(57.0)	
	2948				
		S56-09E	194	(59.1)	
	2949				
		S66-38E	232	(70.7)	
	2950				
		S66-25E	155	(47.2)	
	2951				
		S62-38E	159	(48.5)	
	2952				
		S66-59E	210	(64.0)	
	2953				A point on spur ridge. Elevation 5200 feet.
		S50-23W	121	(36.9)	
	2954				
		S63-02W	190	(57.9)	
	2955				
		S69-32W	152	(46.3)	Along the 5200 foot contour.
	2956				
		S74-21W	130	(39.6)	
	2957				
		S82-45W	119	(36.3)	
	2958				
		N84-44W	76	(23.2)	
	2959				
		N27-59W	36	(11.0)	
	2960				
		S86-42W	52	(15.8)	
	2961				
		S61-36W	42	(12.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4	2962			
		S74-48W	95 (29.0)	
	2963			
		S80-46W	81 (24.7)	
	2964			
		N69-39W	66 (20.1)	
	2965			
		S85-39W	92 (28.0)	
	2966			
		S66-22W	70 (21.3)	
	2967			
		S36-31W	96 (29.3)	
	2968			Along the 5200 foot contour.
		S50-26W	89 (27.1)	
	2969			
		S45-00W	65 (19.8)	
	2970			
		S35-56W	135 (41.1)	
	2971			
		S31-48W	59 (18.0)	
	2972			
		S46-42W	71 (21.6)	
	2973			
		S72-01W	159 (48.5)	
	2974			
		S68-07W	121 (36.9)	
	2975			
		S51-26W	88 (26.8)	
	2976			
		S82-40W	71 (21.6)	
	2977			
		N75-58W	87 (26.5)	
	2978			
		N45-30W	80 (24.4)	
	2979			
		N67-45W	71 (21.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	2980				
		N85-14W	169	(51.5)	
	2981	S76-22W	68	(20.7)	
	2982	N79-57W	97	(29.6)	
	2983	N62-56W	51	(15.5)	
	2984	N84-02W	86	(26.2)	
	2985	N82-24W	61	(18.6)	
	2986	S77-00W	67	(20.4)	Along the 5200 foot contour.
	2987	N81-25W	54	(16.5)	
	2988	N79-53W	85	(25.9)	
	2989	N75-35W	145	(44.2)	
	2990	N69-36W	83	(25.3)	
	2991	N67-10W	62	(18.9)	
	2992	S81-09W	46	(14.0)	
	2993	S52-07W	46	(14.0)	
	2994	S09-52E	47	(14.3)	
	2995	S14-02E	37	(11.3)	
	2996	S33-15E	73	(22.3)	
	2997	S34-33E	129	(39.3)	
	2998	S38-55E	107	(32.6)	
	2999	S33-49E	131	(39.9)	
	3000	S44-18E	116	(35.4)	
	3001	S34-24E	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3002				
		S42-40E	69	(21.0)	
	3003				
		S15-01E	85	(25.9)	
	3004				
		S18-44W	125	(38.1)	
	3005				
		S41-48W	114	(34.7)	
	3006				
		S53-23W	136	(41.5)	
	3007				
		S63-11W	104	(31.7)	
	3008				
		S45-29W	84	(25.6)	Along the 5200 foot contour.
	3009				
		S49-24W	65	(19.8)	
	3010				
		N86-02W	72	(21.9)	
	3011				
		S69-12W	53	(16.2)	
	3012				
		S32-08W	92	(28.0)	
	3013				
		S87-08W	60	(18.3)	
	3014				
		S81-22W	113	(34.4)	
	3015				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		S86-40W	86	(26.2)
	3016	S62-39W	98	(29.9)
	3017	S70-59W	157	(47.9)
	3018	S33-24W	56	(17.1)
	3019	S08-38W	113	(34.4)
	3020	S04-10W	96	(29.3)
	3021	S24-51W	150	(45.7)
	3022	S52-53W	139	(42.4)
	3023	S60-46W	182	(55.5)
	3024	S43-58W	157	(47.9)
	3025	S65-57W	133	(40.5)
	3026	S59-14W	147	(44.8)
	3027	S35-46W	115	(35.1)
	3028	S41-33W	59	(18.0)
	3029	S66-11W	253	(77.1)
	3030	S65-21W	201	(61.3)
	3031	S66-45W	162	(49.4)
	3032	S63-42W	199	(60.7)
	3033	S61-10W	147	(44.8)
	3034	S49-26W	165	(50.3)
	3035	S60-12W	119	(36.3)
	3036	S55-26W	90	(27.4)
	3037	S37-10W	78	(23.8)
				Along the 5200 foot contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4	3038			
		S27-19W	102 (31.1)	
	3039	S39-58W	89 (27.1)	
	3040	S41-05W	52 (15.8)	
	3041	S25-31W	49 (14.9)	
	3042	S39-24W	72 (21.9)	
	3043	S52-30W	54 (16.5)	
	3044	S01-00W	66 (20.1)	Along the 5200 foot contour.
	3045	S30-01E	52 (15.8)	
	3046	S50-52E	76 (23.2)	
	3047	S55-09E	68 (20.7)	
	3048	S20-33E	77 (23.5)	
	3049	S00-51E	68 (20.7)	
	3050	S46-51E	66 (20.1)	
	3051	S18-26E	44 (13.4)	
	3052	S04-12W	68 (20.7)	
	3053	S32-59W	68 (20.7)	
	3054	S23-46W	92 (28.0)	
	3055	S29-15W	57 (17.4)	
	3056	S08-08E	28 (8.5)	
	3057	S67-42E	42 (12.8)	
	3058	S83-15E	77 (23.5)	
	3059	S38-17E	48 (14.6)	
	3060	S53-54E	59 (18.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3061				
		S82-34E	46	(14.0)	
	3062				
		S61-30E	40	(12.2)	
	3063				
		S38-27E	87	(26.5)	
	3064				
		S69-27E	34	(10.4)	
	3065				
		S58-11E	93	(28.3)	
	3066				
		S45-00E	106	(32.3)	
	3067				
		N84-17E	111	(33.8)	Along the 5200 foot contour.
	3068				
		S87-56E	166	(50.6)	
	3069				
		N74-07E	113	(34.4)	
	3070				
		N52-07E	68	(20.7)	
	3071				
		N47-22E	137	(41.8)	
	3072				
		N54-36E	148	(45.1)	
	3073				
		N61-29E	145	(44.2)	
	3074				
		N57-35E	224	(68.3)	
	3075				
		N75-43E	109	(33.2)	
	3076				
		N79-25E	93	(28.3)	
	3077				
		N84-11E	109	(33.2)	
	3078				
		S83-45E	64	(19.5)	
	3079				
		S82-45E	166	(50.6)	
	3080				
		S84-17E	141	(43.0)	
	3081				
		S79-39E	128	(39.0)	
	3082				
		S72-34E	180	(54.9)	
	3083				
		S72-54E	177	(53.9)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3084				
		S77-36E	154	(46.9)	
	3085				
		N89-32E	122	(37.2)	
	3086				
		S82-43E	87	(26.5)	
	3087				
		S69-22E	82	(25.0)	
	3088				
		S47-12E	74	(22.6)	
	3089				
		S62-20E	116	(35.4)	Along the 5200 foot contour.
	3090				
		S62-27E	104	(31.7)	
	3091				
		S52-23E	77	(23.5)	
	3092				
		S66-19E	142	(43.3)	
	3093				
		S79-16E	118	(36.0)	
	3094				
		S87-49E	210	(64.0)	
	3095				
		N89-21E	178	(54.3)	
	3096				
		N83-58E	143	(43.6)	
	3097				
		N78-05E	223	(68.0)	
<hr/>					
	3098				A point in an intermittent stream. Elevation 5200 feet.
<hr/>					
		N25-12W	150	(45.7)	
	3099				
		N35-10W	141	(43.0)	
	3100				Descend intermittent stream.
		N15-01W	127	(38.7)	
	3101				
		N00-39E	178	(54.3)	
	3102				
		N14-19E	49	(14.9)	
	3103				
		N11-25W	111	(33.8)	
	3104				
		N01-41E	204	(62.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3105				
		N17-46E	108	(32.9)	
	3106				
		N31-11E	133	(40.5)	
	3107				
		N35-27E	72	(21.9)	Descend intermittent stream.
	3108				
		N05-15E	98	(29.9)	
	3109				
		N18-41W	144	(43.9)	
	3110				
		N10-08W	153	(46.6)	
	3111				
		N09-28W	146	(44.5)	
	3112				
		N07-07W	73	(22.3)	
	3113				Intersection of intermittent stream and Bear Creek.
		N09-28E	61	(18.6)	
	3114				
		N35-57E	49	(14.9)	
	3115				
		N52-28E	103	(31.4)	
	3116				
		N27-50E	101	(30.8)	
	3117				Descend Bear Creek.
		N14-02E	111	(33.8)	
	3118				
		N00-57E	120	(36.6)	
	3119				
		N18-35E	116	(35.4)	
	3120				
		N56-59E	72	(21.9)	
	3121				
		N56-33E	67	(20.4)	
	3122				
		N68-12E	70	(21.3)	
	3123				
		S76-36E	108	(32.9)	
	3124				
		N90-00E	183	(55.8)	
	3125				
		N70-11E	183	(55.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3126				
		N86-09E	134	(40.8)	
	3127				
		N69-57E	67	(20.4)	
	3128				
		S78-27E	95	(29.0)	
	3129				
		S80-20E	191	(58.2)	
	3130				
		S77-05E	224	(68.3)	
	3131				
		S88-00E	172	(52.4)	
	3132				
		N70-17E	127	(38.7)	Descend Bear Creek.
	3133				
		N31-05E	79	(24.1)	
	3134				
		N42-26E	47	(14.3)	
	3135				
		N69-14E	62	(18.9)	
	3136				
		S85-40E	132	(40.2)	
	3137				
		N79-00E	142	(43.3)	
	3138				
		S76-53E	137	(41.8)	
	3139				
		S80-16E	142	(43.3)	
	3140				
		S81-38E	103	(31.4)	
	3141				
		N85-29E	114	(34.7)	
	3142				
		N82-08E	95	(29.0)	
	3143				
		S83-48E	139	(42.4)	
	3144				
		S69-27E	94	(28.7)	
	3145				
		S84-02E	173	(52.7)	
	3146				
		N70-57E	89	(27.1)	
	3147				
		N60-01E	90	(27.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3148				
		N61-01E	74	(22.6)	
	3149				
		S63-26E	20	(6.1)	
	3150				
		S74-50E	61	(18.6)	
	3151				
		S61-39E	86	(26.2)	
	3152				
		S39-30E	118	(36.0)	
	3153				
		S44-20E	122	(37.2)	
	3154				
		S29-12E	117	(35.7)	Descend Bear Creek.
	3155				
		S40-21E	122	(37.2)	
	3156				
		S42-26E	126	(38.4)	
	3157				
		S44-13E	103	(31.4)	
	3158				
		S78-14E	74	(22.6)	
	3159				
		S61-58E	157	(47.9)	
	3160				
		S66-34E	189	(57.6)	
	3161				
		S79-32E	187	(57.0)	
	3162				
		S78-41E	133	(40.5)	
	3163				
		S78-38E	213	(64.9)	
	3164				
		S81-49E	148	(45.1)	
	3165				
		S76-18E	169	(51.5)	
	3166				
		S83-34E	214	(65.2)	
	3167				
		S88-01E	174	(53.0)	
	3168				
		S88-58E	166	(50.6)	
	3169				
		S68-54E	150	(45.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3170				
		S48-23E	191	(58.2)	
	3171				
		S43-35E	171	(52.1)	
	3172				
		S54-11E	142	(43.3)	Descend Bear Creek.
	3173				
		S63-52E	120	(36.6)	
	3174				
		S69-50E	136	(41.5)	
	3175				
		S86-08E	133	(40.5)	
	3176				
		S87-19E	128	(39.0)	
	3177				
		N71-17E	193	(58.8)	
	3178				
		N67-22E	229	(69.8)	
	3179				
		N74-58E	208	(63.4)	
	3180				
		N86-17E	216	(65.8)	
	3181				
		S79-49E	130	(39.6)	
	3182				A point in Bear Creek. Elevation 4000 feet.
		S61-03E	279	(85.0)	
	3183				
		S67-20E	184	(56.1)	
	3184				
		S60-55E	193	(58.8)	Along the 4000 foot contour.
	3185				
		S50-03E	160	(48.8)	
	3186				
		S46-21E	120	(36.6)	
	3187				
		S50-14E	163	(49.7)	
	3188				
		S60-50E	246	(75.0)	
	3189				
		S64-14E	225	(68.6)	
	3190				
		S54-17E	149	(45.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3191				
		S51-40E	219	(66.8)	
	3192				
		S70-14E	219	(66.8)	
	3193				
		S64-31E	165	(50.3)	
	3194				
		S33-21E	140	(42.7)	
	3195				
		S37-52E	103	(31.4)	Along the 4000 foot contour.
	3196				
		S67-07E	216	(65.8)	
	3197				
		S55-11E	184	(56.1)	
	3198				
		S46-52E	196	(59.7)	
	3199				
		S52-16E	201	(61.3)	
	3200				
		S52-31E	130	(39.6)	
	3201				
		S54-37E	131	(39.9)	
	3202				
		S23-46E	92	(28.0)	
	3203				
		S19-28E	159	(48.5)	
	3204				
		S11-28W	151	(46.0)	
	3205				
		S28-11W	95	(29.0)	
	3206				
		S14-37W	71	(21.6)	
	3207				
		S19-59W	164	(50.0)	
	3208				A point in a minor draw. Elevation 4000 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		S15-08W	214 (65.2)	
	3209	S21-43W	238 (72.5)	
	3210	S17-20W	245 (74.7)	
	3211	S24-42W	234 (71.3)	
	3212	S34-39W	197 (60.0)	Southwesterly then, paralleling USFS Road 1000775, 200 feet Northwesterly of centerline.
	3213	S38-19W	127 (38.7)	
	3214	S48-19W	86 (26.2)	
	3215	S46-32W	158 (48.2)	
	3216	S39-44W	92 (28.0)	
	3217	S62-18W	157 (47.9)	
	3218	S79-57W	97 (29.6)	
	3219	S66-19W	169 (51.5)	
	3220	S87-57W	84 (25.6)	
	3221			A point perpendicular to and 200 feet Northwesterly of the centerline of USFS Road 1000775 on the spur ridge northeast of Phantom Lake.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		N88-21W	104	(31.7)
	3222	N81-57W	200	(61.0)
	3223	S71-25W	129	(39.3)
	3224	N75-06W	97	(29.6)
	3225	N70-48W	143	(43.6)
	3226	N63-26W	119	(36.3)
	3227	N84-17W	90	(27.4)
	3228	N87-01W	96	(29.3)
	3229	N82-40W	71	(21.6)
	3230	N57-56W	89	(27.1)
	3231	N78-50W	77	(23.5)
	3232	N60-31W	53	(16.2)
	3233	N40-40W	94	(28.7)
	3234	N55-22W	118	(36.0)
	3235	N69-19W	105	(32.0)
	3236	N68-53W	94	(28.7)
	3237	N45-00W	86	(26.2)
	3238	N75-58W	103	(31.4)
	3239	N54-48W	116	(35.4)
	3240	N84-37W	139	(42.4)
	3241	N73-39W	156	(47.5)
				Ascend said spur ridge.



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3242				
		N54-40W	67	(20.4)	
	3243				
		N80-32W	85	(25.9)	Ascend said spur ridge.
	3244				
		N90-00W	110	(33.5)	
	3245				
		S71-34W	70	(21.3)	
	3246				
		S51-35W	111	(33.8)	
	3247				A point on said spur ridge. Elevation 5200 feet.
		S43-10W	177	(53.9)	
	3248				
		S46-22W	177	(53.9)	
	3249				
		S41-11W	117	(35.7)	
	3250				
		S51-36W	142	(43.3)	
	3251				
		S63-26W	136	(41.5)	Along the 5200 foot contour.
	3252				
		S71-11W	96	(29.3)	
	3253				
		S62-23W	97	(29.6)	
	3254				
		S33-20W	136	(41.5)	
	3255				
		S33-53W	165	(50.3)	
	3256				
		S51-17W	142	(43.3)	
	3257				
		S64-16W	124	(37.8)	
	3258				
		S32-47W	211	(64.3)	
	3259				
		S34-31W	191	(58.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4	3260			
		S28-51W	168 (51.2)	
	3261			
		S33-20W	178 (54.3)	
	3262			
		S49-44W	206 (62.8)	
	3263			
		S37-55W	218 (66.4)	
	3264			
		S41-02W	184 (56.1)	Along the 5200 foot contour.
	3265			
		S42-23W	202 (61.6)	
	3266			
		S27-57W	294 (89.6)	
	3267			
		S22-57W	305 (93.0)	
	3268			
		S29-28W	203 (61.9)	
	3269			
		S13-58W	199 (60.7)	
	3270			
		S24-49W	117 (35.7)	
	3271			
		S18-07W	174 (53.0)	
	3272			
		S18-10W	263 (80.2)	
	3273			
		S18-26W	281 (85.6)	
-----				
	3274			A point on a spur ridge. Elevation 5200 feet.
-----				
		S09-28E	103 (31.4)	
	3275			
		S21-55E	88 (26.8)	Descend spur ridge.
	3276			
		S27-36E	123 (37.5)	
	3277			
		S20-24E	166 (50.6)	
-----				
	3278			A point 100 feet Easterly of and perpendicular to the centerline of USFS trail 113O.
-----				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4		S04-36W	112	(34.1)	
	3279	S17-50W	183	(55.8)	
	3280	S15-20W	204	(62.2)	
	3281	S37-43W	95	(29.0)	
	3282	S08-08W	141	(43.0)	Paralleling USFS trail 2230, 100 feet Easterly of centerline.
	3283	S06-32W	167	(50.9)	
	3284	S14-02W	140	(42.7)	
	3285	S08-53W	181	(55.2)	
	3286	S10-04E	109	(33.2)	
	3287	S28-34E	102	(31.1)	
	3288	S19-16E	173	(52.7)	
	3289	S21-13E	144	(43.9)	
	3290	S14-36E	99	(30.2)	
	3291	S08-15E	132	(40.2)	
	3292	S11-24E	126	(38.4)	
	3293	S04-24E	156	(47.5)	
	3294	S05-25E	117	(35.7)	
	3295	S03-15E	88	(26.8)	
	3296	S46-33W	52	(15.8)	
	3297				A point 100 feet easterly of and perpendicular to the centerline of USFS trail 1130 on the East-West centerline of Section 23, T.12N., R.12E., W.M.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		S87-32W	1090 (332.2)	Along East-West centerline of said Section 23.
	3298			The West 1/4 corner of said Section 23. Elevation 4400 feet.
		S76-07W	183 (55.8)	
	3299	S67-47W	206 (62.8)	
	3300	S53-22W	146 (44.5)	
	3301	S62-13W	105 (32.0)	
	3302	S57-01W	112 (34.1)	Along the 4400 foot contour.
	3303	S34-42W	111 (33.8)	
	3304	S11-01W	157 (47.9)	
	3305	S20-43W	215 (65.5)	
	3306	S20-56W	160 (48.8)	
	3307	S26-58W	190 (57.9)	
	3308	S39-56W	120 (36.6)	
	3309	S51-08W	132 (40.2)	
	3310	S84-27W	72 (21.9)	
	3311	N69-49W	72 (21.9)	
	3312	S63-26W	119 (36.3)	
	3313	S39-25W	131 (39.9)	
	3314	S33-29W	159 (48.5)	
	3315	S46-49W	111 (33.8)	
	3316	S50-19W	114 (34.7)	
	3317	S52-01W	185 (56.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3318				
		S54-56W	357	(108.8)	
	3319				
		S61-54W	134	(40.8)	
	3320				
		S70-53W	107	(32.6)	Along the 4400 foot contour.
	3321				
		S87-05W	98	(29.9)	
	3322				
		S85-04W	163	(49.7)	
	3323				
		N86-04W	102	(31.1)	
	3324				
		S70-15W	151	(46.0)	
	3325				
		S54-25W	151	(46.0)	
	3326				
		S51-36W	172	(52.4)	
	3327				
		S54-08W	183	(55.8)	
	3328				
		S67-35W	173	(52.7)	
	3329				A point on the North line of Section 27, T.12N., R.12E., W.M. Elevation 4400 feet.
		N89-29W	1766	(538.3)	Along North line of said Section 27.
	3330				Northwest corner of said Section 27.
		N01-38W	1369	(417.3)	Along East line of Section 21, T.12N., R.12E., W.M.
	3331				South 1/16 corner of said Section 21.
		S89-52W	1274	(388.3)	Along North line of SE1/4 SE1/4 of said Section 21.
	3332				Southeast 1/16 corner in said Section 21.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		N00-00W	1322 (402.9)	Along East line of NW1/4 SE1/4 of said Section 21.
	3333			The center East 1/16 corner of said Section 21
		S89-59W	2631 (801.9)	Along North line of NW1/4 SE1/4 and NE1/4 SW1/4 of said Section 21.
	3334			Center West 1/16 corner of said Section 21.
		N01-27W	1306 (398.1)	Along East boundary of SW1/4 NW1/4 of said Section 21.
	3335			Northwest 1/16 corner of said Section 21.
		S88-56W	1388 (423.1)	Along North line of SW1/4 NW1/4 of said Section 21.
	3336			North 1/16 corner of said Section 21.
		S00-10W	3937 (1200.0)	Along West boundary of said Section 21.
	3337			SW corner of said Section 21.
		S00-44W	698 (212.8)	Along the West boundary of Section 28, T.12N., R.12E., W.M.
	3338			A point on the West boundary of said Section 28. Elevation 4400 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS SE Map #4		S66-21E	132 (40.2)	
	3339	S61-33E	82 (25.0)	
	3340	N86-25E	80 (24.4)	
	3341	N87-19E	64 (19.5)	
	3342	S37-38E	61 (18.6)	
	3343	S37-34E	66 (20.1)	
	3344	S82-52E	56 (17.1)	Along the 4400 foot contour.
	3345	N77-12E	68 (20.7)	
	3346	N84-48E	44 (13.4)	
	3347	S36-52E	40 (12.2)	
	3348	S20-04E	55 (16.8)	
	3349	S67-13E	54 (16.5)	
	3350	S82-22E	83 (25.3)	
	3351	S75-58E	70 (21.3)	
	3352	S26-34E	87 (26.5)	
	3353	S35-45E	62 (18.9)	
	3354	S88-59E	56 (17.1)	
	3355	S89-26E	100 (30.5)	
	3356	S61-23E	63 (19.2)	
	3357	S54-01E	104 (31.7)	
	3358	S55-07E	173 (52.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
JENNIES BUTTE Map #9	3359			
		S40-57E	70 (21.3)	
	3360	S66-02E	59 (18.0)	
	3361	S67-11E	116 (35.4)	
	3362	S75-49E	184 (56.1)	
	3363	N87-21E	108 (32.9)	
	3364	N89-11E	70 (21.3)	
	3365	S39-34E	60 (18.3)	Along the 4400 foot contour.
	3366	S17-46E	82 (25.0)	
	3367	S08-26E	109 (33.2)	
	3368	S24-32E	51 (15.5)	
	3369	S53-19E	122 (37.2)	
	3370	S47-36E	93 (28.3)	
	3371	S56-19E	94 (28.7)	
	3372	S60-57E	154 (46.9)	
	3373	S67-36E	123 (37.5)	
	3374	N88-26E	110 (33.5)	
	3375	N80-14E	124 (37.8)	
	3376	N79-26E	180 (54.9)	
	3377	S83-48E	139 (42.4)	
	3378	S77-25E	115 (35.1)	
	3379	S65-33E	85 (25.9)	
	3380	S62-39E	65 (19.8)	



QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
JENNIES BUTTE Map #9	3381				
		N78-08E	141	(43.0)	
	3382				
		N73-56E	184	(56.1)	
	3383				
		N63-26E	132	(40.2)	
	3384				
		N44-01E	82	(25.0)	
	3385				
		N20-33E	111	(33.8)	
WHITE PASS SE Map #4	3386				
		N10-20E	173	(52.7)	
	3387				
		N12-10E	119	(36.3)	Along the 4400 foot contour.
	3388				
		N42-52E	266	(81.1)	
	3389				
		N31-25E	132	(40.2)	
	3390				
		N27-41E	114	(34.7)	
	3391				
		N60-36E	81	(24.7)	
	3392				
		S73-38E	245	(74.7)	
	3393				
		N89-40E	176	(53.6)	
	3394				
		N83-17E	248	(75.6)	
	3395				
		N77-11E	149	(45.4)	
	3396				
		S81-24E	87	(26.5)	
	3397				
		S76-36E	65	(19.8)	
	3398				
		N76-16E	139	(42.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS SE Map #4	3399				A point on the West line of Section 27, T.12N., R.12E., W.M. Elevation 4400 feet.
JENNIES BUTTE Map #9	3400	S32-20W	329	(100.3)	Along West line of said Section 27.
		S00-09W	2014	(613.9)	
	3401				Intersection of the West line of Section 27 and a point 200 feet Southerly of and perpend- icular to the centerline of USFS trail 1120.
	3402	N83-51W	290	(88.4)	
	3403	S89-43W	198	(60.4)	
	3404	S70-14W	68	(20.7)	
	3405	S56-55W	158	(48.2)	
	3406	S48-03W	133	(40.5)	Paralleling USFS trail 1120, 200 feet Southeasterly of centerline.
	3407	S45-41W	117	(35.7)	
JENNIES BUTTE Map #9	3408	S31-07W	68	(20.7)	
	3409	S63-46W	156	(47.5)	
	3410	S73-04W	144	(43.9)	
	3411	S54-28W	112	(34.1)	
	3412	S40-36W	240	(73.2)	
	3413	S34-20W	348	(106.1)	
	3414	S50-56W	157	(47.9)	
		S54-41W	303	(92.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
JENNIES BUTTE Map #9	3415				
		S54-12W	203	(61.9)	
	3416				Paralleling USFS Trail 1120, 200 feet southeasterly of centerline.
		S46-36W	227	(69.2)	
	3417				
		S40-10W	226	(68.9)	
	3418				
		S44-36W	206	(62.8)	
	3419				
		S31-09W	157	(47.9)	
	3420				Intersection of North line of Section 33, T.12N., R.12E., W.M., and line 200 Southeasterly of and perpend- icular to the centerline of USFS trail 1120.
		N89-57W	2597	(791.6)	Along North line of said Section 33.
	3421				Northwest corner of said Section 33.
		S00-18W	5271	(1606.6)	Along West line of said Section 33.
JENNIES BUTTE Map #9	1				The Point of Beginning.