


MOUNT ADAMS WILDERNESS

Gifford Pinchot National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Lake Chelan-Sawtooth Wilderness on the Wenatchee and Okanogan National Forests as entered into the National Wilderness Preservation System by the Acts of September 3, 1964 and July 3, 1984.

Signed 2-11-87
(Date)


JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Mount Adams Wilderness is as shown on the map dated September 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Laws 88-577 and 98-339. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Mount Adams Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 (Interactive Graphics System.) The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

MT. ADAMS WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Washington State plane coordinate grid system, south zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MT ADAMS WEST Map No. 5	1			Latitude 46-09-33.33 North, Longitude 121-36-39.43 West, NW Corner of Section 30, T.8 N., R.10 E., W.M., Washington State grid coordinates south zone X = 1,718,486, Y = 303,245.
		N00-55E	9318 (2840.1)	
	2			A point on a ridge which is approximately 250 feet southerly of the USFS Pacific Crest National Scenic Trail No.2000.
	3	S75-30W	359 (109.4)	
	4	S79-57W	195 (59.4)	
	5	S84-56W	328 (100.0)	
	6	S82-19W	202 (61.6)	Descend
	7	N87-20W	280 (85.3)	
	8	N84-00W	239 (72.8)	
	9	N71-42W	140 (42.7)	
	10	N77-04W	393 (119.8)	
	11	N83-34W	205 (62.5)	
		N83-53W	169 (51.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. ADAMS WEST Map No. 5	12				Descend
		N78-27W	140	(42.7)	
	13				
		N88-13W	258	(78.6)	
	14				
		N87-26W	290	(88.4)	
	15				
		N89-20W	172	(52.4)	
	16				A point on the 4,400 foot contour.
		N07-52E	95	(29.0)	
	17				
		N10-08E	153	(46.6)	
	18				
		N11-34E	214	(65.2)	
	19				
		N23-55E	126	(38.4)	
	20				
		N38-03E	193	(58.8)	
	21				
		N56-30E	174	(53.0)	
	22				Along the 4,400 foot contour.
		N27-31E	54	(16.5)	
	23				
		N11-47E	191	(58.2)	
	24				
		N35-44E	171	(52.1)	
	25				
		N45-57E	170	(51.8)	
	26				
		N47-39E	184	(56.1)	
	27				
		N37-43E	123	(37.5)	
	28				
		N27-21E	98	(29.9)	
	29				An unnamed intermittent stream.
		N59-38E	115	(35.1)	
	30				Ascend unnamed intermittent stream.
		N81-43E	215	(65.5)	
	31				
		N87-15E	104	(31.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
Mt. Adams West	32				
		S76-51E	171	(52.1)	
Map No. 5	33				
		S72-28E	202	(61.6)	
	34				
		S76-25E	187	(57.0)	
	35				
		S72-09E	186	(56.7)	
	36				Ascend unnamed intermittent stream.
		S80-26E	187	(57.0)	
	37				
		S84-22E	234	(71.3)	
	38				
		N87-51E	186	(56.7)	
	39				
		S89-05E	188	(57.3)	
	40				
		N81-24E	207	(63.1)	
	41				
		N86-08E	192	(58.5)	
	42				
		N85-33E	90	(27.4)	
	43				A point which is approximately 10,911 ft. North of the point of beginning.
		N00-49E	9470	(2886.5)	
	44				A point which is approximately 20,380 ft. North of the point of beginning on the crest of a low ridge southerly of Noname Creek.
		N71-49W	74	(22.6)	
45					
		N65-05W	109	(33.2)	
46					Descend spur ridge.
		N69-48W	113	(34.4)	
47					
		N76-27W	145	(44.2)	
48					
		N78-30W	120	(36.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. ADAMS WEST	49				A point on the 4,400 foot contour.
		N02-03W	84	(25.6)	
Map	50				
No. 5		N14-34E	103	(31.4)	
	51				
		N19-08E	183	(55.8)	
	52				
		N33-41E	105	(32.0)	
	53				
		N09-42W	154	(46.9)	
	54				
		N08-17W	215	(65.5)	
	55				
		N13-17W	148	(45.1)	Along the 4,400 foot contour.
	56				
		N14-11W	98	(29.9)	
	57				
		N11-34E	85	(25.9)	
	58				
		N32-12W	96	(29.3)	
	59				
		N23-48W	139	(42.4)	
	60				
		N01-55E	120	(36.6)	
	61				
		N28-01W	70	(21.3)	
	62				
		N60-54W	132	(40.2)	
	63				
		N43-25W	204	(62.2)	
	64				
		N24-10W	256	(78.0)	
	65				
		N25-01W	99	(30.2)	
	66				
		N39-19W	314	(95.7)	
	67				
		N28-15W	336	(102.4)	
	68				
		N21-01W	162	(49.4)	
	69				
		N10-04W	109	(33.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT. ADAMS WEST Map No. 5	70				
		N20-30E	131	(39.9)	
	71				
		N51-14E	182	(55.5)	
	72				
		N50-53E	311	(94.8)	
	73				
		N71-28E	176	(53.6)	
	74				
		N69-43E	49	(14.9)	
	75				Along the 4,400 foot contour.
		N32-30E	134	(40.8)	
	76				
		N50-32E	278	(84.7)	
	77				
		N49-44E	291	(88.7)	
	78				
		N53-00E	274	(83.5)	
	79				
		N46-48E	225	(68.6)	
	80				A point which is approximately 24,703 ft. North of the point of beginning.
		N00-46E	4522	(1378.3)	
	81				A point in an unnamed creek.
		S84-22W	224	(68.3)	
	82				
		S89-26W	102	(31.1)	
	83				Descend unnamed creek.
		S75-49W	184	(56.1)	
	84				
		S89-33W	253	(77.1)	
	85				
		N80-35W	226	(68.9)	
	86				
		N81-17W	264	(80.5)	
	87				
		N62-45W	148	(45.1)	
	88				
		N48-36W	236	(71.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
Mt. ADAMS WEST Map No. 5	89				
		N28-20W	202	(61.6)	
	90				Descend unnamed creek.
		N21-48W	232	(70.7)	
	91				
		N25-12W	207	(63.1)	
	92				
		N26-45W	133	(40.5)	
	93				A point 200 feet southeasterly of and perpendicular to the centerline of USFS Road No. 23.
		N45-33E	296	(90.2)	
	94				
		N30-46E	293	(89.3)	
	95				
		N29-23E	255	(77.7)	
	96				Paralleling USFS Road No. 23, 200 feet easterly of centerline.
		N01-00E	230	(70.1)	
	97				
		N14-55E	190	(57.9)	
	98				
		N15-42E	192	(58.5)	
	99				
		N18-50E	183	(55.8)	
100					
		N35-41E	279	(85.0)	
101					
		N44-25E	276	(84.1)	
102					
		N47-19E	227	(69.2)	
103					
		N54-26E	229	(69.8)	
104					
		N55-59E	197	(60.0)	
105					
		N38-23E	227	(69.2)	
106					
		N34-43E	123	(37.5)	
107					
		N06-27E	116	(35.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	108				
		N21-08W	128	(39.0)	
Map	109				
No. 1		N40-43W	104	(31.7)	
	110				
		N21-07W	47	(14.3)	
	111				
		N29-29W	26	(7.9)	
	112				
		N20-30E	140	(42.7)	
	113				
		N14-30E	148	(45.1)	
	114				
		N01-38E	70	(21.3)	Paralleling USFS Road No. 23, 200 feet easterly of centerline.
	115				
		N18-06W	161	(49.1)	
	116				
		N34-42W	126	(38.4)	
	117				
		N26-48W	106	(32.3)	
	118				
		N24-44W	98	(29.9)	
	119				
		N11-34E	90	(27.4)	
	120				
		N14-51E	86	(26.2)	
	121				
		N25-50E	106	(32.3)	
	122				
		N34-47E	131	(39.9)	
	123				
		N42-48E	37	(11.3)	
	124				
		N66-42E	78	(23.8)	
	125				
		N74-53E	180	(54.9)	
	126				
		N55-46E	117	(35.7)	
	127				
		N60-50E	98	(29.9)	
	128				
		N70-37E	154	(46.9)	
	129				
		N75-12E	235	(71.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	130				
		S68-22E	62	(18.9)	
Map	131				
No. 1		N79-06E	111	(33.8)	
	132				
		N79-23E	98	(29.9)	
	133				
		N63-26E	34	(10.4)	
	134				
		N55-15E	211	(64.3)	
	135				
		N69-46E	101	(30.8)	
	136				
		N62-32E	85	(25.9)	Paralleling USFS Road No. 23, 200 feet easterly of centerline.
	137				
		N34-30E	78	(23.8)	
	138				
		N19-22E	78	(23.8)	
	139				
		N01-29E	116	(35.4)	
	140				
		N18-00W	84	(25.6)	
	141				
		N28-04W	102	(31.1)	
	142				
		N30-08W	108	(32.9)	
	143				
		N04-31W	38	(11.6)	
	144				
		N02-40E	86	(26.2)	
	145				
		N15-57E	80	(24.4)	
	146				
		N55-37E	69	(21.0)	
	147				
		N72-24E	129	(39.3)	
	148				
		N74-33E	188	(57.3)	
	149				
		N17-41E	72	(21.9)	
	150				
		N02-40E	86	(26.2)	
	151				
		N14-09W	119	(36.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	152				
		N31-17W	92	(28.0)	
Map	153				
No. 1		N36-21W	132	(40.2)	
	154				
		N37-15W	121	(36.9)	
	155				
		N41-15W	86	(26.2)	
	156				
		N60-04W	114	(34.7)	
	157				
		N73-31W	130	(39.6)	
	158				
		N69-51W	116	(35.4)	Paralleling USFS Road No. 23, 200 feet easterly of centerline.
	159				
		N79-49W	119	(36.3)	
	160				
		N84-57W	68	(20.7)	
	161				
		S81-59W	72	(21.9)	
	162				
		S71-19W	72	(21.9)	
	163				
		S81-46W	84	(25.6)	
	164				
		S69-23W	116	(35.4)	
	165				
		S69-15W	102	(31.1)	
	166				
		N82-17W	60	(18.3)	
	167				
		N36-52W	55	(16.8)	
	168				
		N15-05W	92	(28.0)	
	169				
		N07-40W	142	(43.3)	
	170				
		N28-14W	108	(32.9)	
	171				
		N40-55W	99	(30.2)	
	172				
		N63-10W	93	(28.3)	
	173				
		N81-22W	147	(44.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	174				
		S78-13W	142	(43.3)	
Map	175				
No. 1		S60-57W	113	(34.4)	
	176				
		S71-01W	98	(29.9)	
	177				
		N07-23E	54	(16.5)	
	178				
		N27-56E	94	(28.7)	
	179				
		N45-00E	107	(32.6)	
	180				
		N49-11E	145	(44.2)	Paralleling USFS Road No. 23, 200 feet easterly of centerline.
	181				
		N52-28E	240	(73.2)	
	182				
		N47-32E	144	(43.9)	
	183				
		N26-34E	217	(66.1)	
	184				
		N22-57E	185	(56.4)	
	185				
		N38-43E	149	(45.4)	
	186				
		N25-37E	215	(65.5)	
	187				
		N40-29E	216	(65.8)	
	188				
		N36-30E	306	(93.3)	
	189				
		N45-00E	154	(46.9)	
	190				
		N37-43E	162	(49.4)	
	191				
		N53-32E	114	(34.7)	
	192				
		N77-19E	155	(47.2)	
	193				
		N67-50E	175	(53.3)	
	194				
		N53-57E	141	(43.0)	
	195				
		N47-21E	155	(47.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	196				
		N49-17E	170	(51.8)	
Map	197				
No. 1		N58-58E	138	(42.1)	
	198				
		N49-24E	148	(45.1)	
	199				
		N47-54E	182	(55.5)	
	200				
		N23-25E	171	(52.1)	
	201				
		N17-13E	74	(22.6)	Paralleling USFS Road No. 23, 200 feet easterly of centerline.
	202				
		N09-49E	287	(87.5)	
	203				
		N07-07E	177	(53.9)	
	204				
		N10-35E	125	(38.1)	
	205				
		N17-12E	88	(26.8)	
	206				
		N61-06E	110	(33.5)	
	207				
		N64-21E	141	(43.0)	
	208				
		N62-16E	198	(60.4)	
	209				
		N48-40E	144	(43.9)	
	210				
		N54-25E	160	(48.8)	
	211				
		N62-58E	55	(16.8)	
	212				
		N36-31E	129	(39.3)	
	213				
		N08-36E	154	(46.9)	
	214				
		N07-22E	86	(26.2)	
	215				A point in a draw 200 feet easterly of and perpendicular to centerline of USFS Road No. 23.
		N67-29E	89	(27.1)	
	216				Ascend draw.
		N74-40E	216	(65.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	217				
		N79-06E	190	(57.9)	
Map	218				
No. 1		N85-48E	219	(66.8)	
	219				Ascend draw.
		N78-38E	183	(55.8)	
	220				
		N83-55E	198	(60.4)	
	221				
		N80-07E	204	(62.2)	
	222				
		N80-35E	202	(61.6)	
	223				
		N74-49E	156	(47.5)	
	224				
		N81-09E	169	(51.5)	
	225				
		N86-04E	102	(31.1)	
	226				
		S67-58E	45	(13.7)	
	227				
		S20-19E	58	(17.7)	
	228				
		S19-55E	73	(22.3)	
	229				A point west of the most westerly point of curve and 200 feet westerly of and perpendicular to the centerline of USFS Road No. 23.
		S06-38E	87	(26.5)	
	230				
		S23-21E	103	(31.4)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	231				
		S06-17E	110	(33.5)	
	232				
		S52-12E	124	(37.8)	
	233				
		S60-39E	129	(39.3)	
	234				
		S60-02E	158	(48.2)	
	235				
		S53-18E	132	(40.2)	
	236				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.		S36-34E	116	(35.4)	
	237				
Map		S22-11E	111	(33.8)	
No. 1	238				
		S16-29E	130	(39.6)	
	239				
		S04-31E	76	(23.2)	
	240				
		S25-43E	120	(36.6)	
	241				
		S30-06E	297	(90.5)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	242				
		S30-22E	148	(45.1)	
	243				
		S39-14E	77	(23.5)	
	244				
		S67-43E	66	(20.1)	
	245				
		S62-45E	114	(34.7)	
	246				
		S60-53E	90	(27.4)	
	247				
		S52-59E	163	(49.7)	
	248				
		S45-43E	112	(34.1)	
	249				
		S22-39E	138	(42.1)	
	250				
		S19-50E	103	(31.4)	
	251				
		S16-16E	100	(30.5)	
	252				
		S15-30E	105	(32.0)	
	253				
		S25-41E	175	(53.3)	
	254				
		S42-20E	122	(37.2)	
	255				
		S73-51E	111	(33.8)	
	256				
		N71-40E	165	(50.3)	
	257				
		N44-30E	244	(74.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	258				
		N30-13E	225	(68.6)	
Map	259				
No. 1		N33-50E	230	(70.1)	
	260				
		N35-04E	127	(38.7)	
	261				
		N33-59E	159	(48.5)	
	262				
		N27-24E	182	(55.5)	
	263				
		N13-35E	153	(46.6)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	264				
		N08-38E	80	(24.4)	
	265				
		N50-53E	97	(29.6)	
	266				
		N67-11E	137	(41.8)	
	267				
		S88-37E	124	(37.8)	
	268				
		S78-18E	113	(34.4)	
	269				
		S64-46E	289	(88.1)	
	270				
		S68-25E	247	(75.3)	
	271				
		S67-21E	236	(71.9)	
	272				
		S70-09E	218	(66.4)	
	273				
		S66-31E	258	(78.6)	
	274				
		S75-08E	249	(75.9)	
	275				
		S89-05E	186	(56.7)	
	276				
		N79-00E	178	(54.3)	
	277				
		N55-27E	168	(51.2)	
	278				
		N42-58E	160	(48.8)	
	279				
		N42-40E	69	(21.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	280				
		N22-05E	74	(22.6)	
Map	281				
No. 1		N33-41E	69	(21.0)	
	282				
		N79-34E	39	(11.9)	
	283				
		S61-53E	83	(25.3)	
	284				
		S40-11E	118	(36.0)	
	285				
		S43-25E	153	(46.6)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	286				
		S50-53E	179	(54.6)	
	287				
		S65-51E	181	(55.2)	
	288				
		S70-04E	97	(29.6)	
	289				
		N88-07E	152	(46.3)	
	290				
		N68-44E	141	(43.0)	
	291				
		N50-41E	122	(37.2)	
	292				
		N29-03E	113	(34.4)	
	293				
		N17-01E	154	(46.9)	
	294				
		N04-52E	177	(53.9)	
	295				
		N06-14E	166	(50.6)	
	296				
		N30-59E	359	(109.4)	
	297				
		N27-24E	215	(65.5)	
	298				
		N24-12E	239	(72.8)	
	299				
		N42-45E	144	(43.9)	
	300				
		N38-20E	140	(42.7)	
	301				
		N47-19E	122	(37.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	302				
		N74-49E	134	(40.8)	
Map	303				
No. 1		N83-32E	107	(32.6)	
	304				
		N74-55E	119	(36.3)	
	305				
		N50-32E	88	(26.8)	
	306				
		N24-55E	109	(33.2)	
	307				
		N03-38W	110	(33.5)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	308				
		N11-31W	160	(48.8)	
	309				
		N08-17W	111	(33.8)	
	310				
		N06-08W	150	(45.7)	
	311				
		N09-16E	99	(30.2)	
	312				
		N03-41W	62	(18.9)	
	313				
		N40-03E	148	(45.1)	
	314				
		N56-19E	126	(38.4)	
	315				
		N75-52E	135	(41.1)	
	316				
		N58-22E	132	(40.2)	
	317				
		N53-21E	107	(32.6)	
	318				
		N53-28E	101	(30.8)	
	319				
		N36-28E	114	(34.7)	
	320				
		N04-17W	80	(24.4)	
	321				
		N18-58E	34	(10.4)	
	322				
		N49-17E	113	(34.4)	
	323				
		N34-46E	163	(49.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	324				
		N32-38E	224	(68.3)	
Map	325				
No. 1		N32-26E	140	(42.7)	
	326				
		N22-50E	103	(31.4)	
	327				
		N08-08W	85	(25.9)	
	328				
		N07-07E	105	(32.0)	
	329				
		N05-12W	88	(26.8)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	330				
		N21-53E	137	(41.8)	
	331				
		N17-43E	201	(61.3)	
	332				
		N35-20E	67	(20.4)	
	333				
		N56-28E	196	(59.7)	
	334				
		N64-25E	79	(24.1)	
	335				
		N46-12E	68	(20.7)	
	336				
		N23-58E	108	(32.9)	
	337				
		N19-23E	229	(69.8)	
	338				
		N06-30E	203	(61.9)	
	339				
		N01-19W	174	(53.0)	
	340				
		N02-17W	150	(45.7)	
	341				
		N01-48E	222	(67.7)	
	342				
		N04-19E	159	(48.5)	
	343				
		N03-07E	202	(61.6)	
	344				
		N07-38E	165	(50.3)	
	345				
		N13-01E	178	(54.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	346				
		N19-14E	137	(41.8)	
Map.	347				
No. 1		N26-50E	97	(29.6)	
	348				
		N39-03E	184	(56.1)	
	349				
		N46-21E	181	(55.2)	
	350				
		N52-10E	142	(43.3)	
	351				
		N55-45E	140	(42.7)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	352				
		N55-00E	134	(40.8)	
	353				
		N40-52E	118	(36.0)	
	354				
		N57-16E	50	(15.2)	
	355				
		S88-32E	78	(23.8)	
	356				
		N83-51E	168	(51.2)	
	357				
		N86-22E	110	(33.5)	
	358				
		N64-06E	117	(35.7)	
	359				
		N49-30E	126	(38.4)	
	360				
		N34-14E	174	(53.0)	
	361				
		N29-40E	190	(57.9)	
	362				
		N33-01E	191	(58.2)	
	363				
		N46-12E	270	(82.3)	
	364				
		N54-05E	228	(69.5)	
	365				
		N31-53E	237	(72.2)	
	366				
		N43-30E	189	(57.6)	
	367				
		N07-19W	149	(45.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	368				
		N14-15W	199	(60.7)	
Map	369				
No. 1		N02-41E	278	(84.7)	
	370				
		N03-14E	230	(70.1)	
	371				
		00-00N	218	(66.4)	
	372				
		N13-06E	163	(49.7)	
	373				
		N24-48E	203	(61.9)	Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
	374				
		N22-38E	470	(143.3)	
	375				
		N25-22E	448	(136.6)	
	376				
		N24-34E	411	(125.3)	
	377				
		N25-20E	439	(133.8)	
	378				
		N27-32E	422	(128.6)	
	379				
		N21-02E	376	(114.6)	
	380				
		N27-27E	204	(62.2)	
	381				
		N00-41E	168	(51.2)	
	382				
		N15-50W	202	(61.6)	
	383				
		N24-50W	267	(81.4)	
	384				
		N23-54W	385	(117.3)	
	385				
		N49-49W	177	(53.9)	
	386				
		N53-21W	107	(32.6)	
	387				
		N35-50W	44	(13.4)	
	388				
		N01-02W	279	(85.0)	
	389				
		N24-09W	191	(58.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	390				
		N01-27E	317	(96.6)	
Map	391				Paralleling USFS Road No. 23, 200 feet southerly and easterly of centerline excluding developed recreation sites or trailhead parking areas.
No. 1		N06-31W	378	(115.2)	
	392				
		N09-56E	261	(79.6)	
	393				
		N04-43W	195	(59.4)	
	394				
		N17-06E	54	(16.5)	
	395				A point 200 feet southerly of and perpendicular to the centerline of USFS Road No. 2329087, and 200 feet easterly of and perpendicular to the centerline of USFS Road No. 23.
		S54-03E	99	(30.2)	
	396				
		S57-07E	138	(42.1)	
	397				Paralleling USFS Road No. 2329087, 200 feet southerly of centerline.
		S36-52E	85	(25.9)	
	398				
		S03-49E	60	(18.3)	
	399				
		S62-22E	121	(36.9)	
	400				
		S52-30E	200	(61.0)	
	401				
		S57-35E	211	(64.3)	
	402				
		S50-18E	199	(60.7)	
	403				
		S63-59E	187	(57.0)	
	404				
		S68-30E	106	(32.3)	
	405				
		S74-03E	95	(29.0)	
	406				A point 200 feet southerly of Muddy Meadows parking area.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
407		N66-16E	127	(38.7)	Paralleling the Muddy Meadows parking area, 200 feet easterly of the edge of parking area.
408		N47-23E	136	(41.5)	
409		N21-43E	122	(37.2)	
410		N21-18E	63	(19.2)	
		N74-17E	33	(10.1)	
411					A point 200 feet northerly of and perpendicular to the centerline of USFS Trail No. 13.
412		S56-47E	135	(41.1)	Paralleling USFS Trail No. 13, 200 feet northerly of centerline.
413		S21-02E	139	(42.4)	
414		S33-25E	116	(35.4)	
415		S59-02E	122	(37.2)	
416		S74-13E	151	(46.0)	
417		S80-24E	210	(64.0)	
418		S81-40E	166	(50.6)	
419		S76-26E	89	(27.1)	
420		S58-52E	168	(51.2)	
421		S47-29E	147	(44.8)	
422		S53-54E	165	(50.3)	
423		S48-04E	172	(52.4)	
424		S46-01E	239	(72.8)	
425		S55-00E	98	(29.9)	
		S61-49E	64	(19.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN.	426			A point 200 feet northerly of and perpendicular to the centerline of USFS Trail No. 13.
Map No. 1	S89-24E	3339	(1017.7)	
	427			A point west of the most westerly point of lava flow and 200 feet west of and perpendicular to the centerline of USFS Pacific Crest National Scenic Trail No. 2000.
	N07-52E	124	(37.8)	
428	N03-12W	125	(38.1)	
429	N35-17E	180	(54.9)	Paralleling USFS Pacific Crest National Scenic Trail No. 2000, 200 feet westerly of centerline.
430	N45-51E	191	(58.2)	
431	N48-27E	164	(50.0)	
432	N33-47E	164	(50.0)	
433	N22-24E	197	(60.0)	
434	N16-44E	181	(55.2)	
435	N19-26E	180	(54.9)	
436	N35-13E	166	(50.6)	
437	N48-32E	149	(45.4)	
438	N58-40E	81	(24.7)	
	439			A point 200 feet northerly of and perpendicular to the centerline of USFS Pacific Crest National Scenic Trail No. 2000.
	N62-11E	103	(31.4)	
440	N74-35E	90	(27.4)	Ascend.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN. Map No. 1	441	S87-45E	102	(31.1)	
	442				Ascend.
		N65-07E	107	(32.6)	
	443				
		N72-04E	36	(11.0)	
	444				Intersection with northerly edge of lava flow.
		N46-33E	131	(39.9)	
	445				
		N37-57E	127	(38.7)	
	446				
		N55-29E	116	(35.4)	
	447				
		N64-38E	107	(32.6)	
	448				
		N55-00E	134	(40.8)	Along northerly edge of lava flow.
	449				
		N46-37E	150	(45.7)	
	450				
		N64-46E	77	(23.5)	
	451				
		S74-08E	91	(27.7)	
	452				
		S56-19E	130	(39.6)	
	453				
		N77-51E	66	(20.1)	
	454				
		N74-57E	177	(53.9)	
	455				
		N81-02E	154	(46.9)	
	456				
		S74-45E	114	(34.7)	
	457				
		S64-56E	120	(36.6)	
	458				
		S57-16E	150	(45.7)	
	459				
		S73-23E	70	(21.3)	
	460				
		N88-48E	48	(14.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GREEN MTN. Map No. 1	461				
		N34-06E	78	(23.8)	
	462				
		N43-19E	96	(29.3)	
	463				
		00-00E	78	(23.8)	
	464				
		N80-49E	69	(21.0)	
	465				
		N53-31E	91	(27.7)	
	466				
		N52-22E	121	(36.9)	
	467				
		N60-03E	68	(20.7)	Along northerly edge of lava flow.
	468				
		S76-42E	113	(34.4)	
	469				
		N80-56E	95	(29.0)	
	470				
		N82-18E	75	(22.9)	
GLACIATE BUTTE Map No. 2	471				
		S71-50E	67	(20.4)	
	472				
		S72-48E	44	(13.4)	
	473				
		S67-34E	68	(20.7)	
	474				
		S82-14E	89	(27.1)	
	475				
		N82-52E	137	(41.8)	
	476				
		N64-43E	159	(48.5)	
	477				
		N74-03E	109	(33.2)	
	478				
		S77-28E	83	(25.3)	
	479				
		N84-35E	117	(35.7)	
	480				
		N68-06E	115	(35.1)	
	481				
		N66-16E	181	(55.2)	
	482				
		N68-43E	102	(31.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GLACIATE BUTTE Map No. 2	483				
		N83-33E	169	(51.5)	
	484				
		S85-47E	122	(37.2)	
	485				
		S68-24E	103	(31.4)	
	486				
		S43-19E	144	(43.9)	
	487				
		S33-03E	123	(37.5)	
	488				
		S42-57E	79	(24.1)	
	489				
		S84-23E	113	(34.4)	Along northerly edge of lava flow.
	490				
		S85-14E	132	(40.2)	
	491				
		S82-59E	139	(42.4)	
	492				
		S74-14E	136	(41.5)	
	493				
		N87-05E	118	(36.0)	
	494				
		N85-53E	153	(46.6)	
	495				
		S82-38E	117	(35.7)	
	496				
		S67-30E	107	(32.6)	
	497				
		S52-18E	56	(17.1)	
	498				
		S75-58E	95	(29.0)	
	499				
		N83-37E	135	(41.1)	
	500				
		S85-43E	80	(24.4)	
	501				
		S71-05E	114	(34.7)	
	502				
		S78-12E	161	(49.1)	
	503				
		S75-42E	158	(48.2)	
	504				
		S74-52E	126	(38.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GLACIATE BUTTE	505	S70-04E	85	(25.9)	Along northerly edge of lava flow.
Map No. 2	506				A point on the crest of the Cascades Range which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation Boundary.
		S33-10E	1570	(478.5)	
	507	S65-43E	1289	(392.9)	
	508	S07-44E	1679	(511.8)	
	509	S07-13E	286	(87.2)	
	510	S62-33E	809	(246.6)	Along the boundary which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation.
	511	S36-03E	1390	(423.7)	
	512	S16-56E	1431	(436.2)	
	513	S02-48W	717	(218.5)	
	514	S65-22E	439	(133.8)	
	515	S28-57E	1828	(557.2)	
	516	S17-00W	455	(138.7)	
	517	S07-12E	862	(262.7)	
	518	S04-20W	530	(161.5)	
	519	S32-28W	453	(138.1)	
	520	S31-10E	1059	(322.8)	
	521	S39-02E	775	(236.2)	
	522	S04-08E	305	(93.0)	
	523	S50-49W	489	(149.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GLACIATE BUTTE	524				
		N88-07W	364	(110.9)	
Map No. 2	525				
		S13-33W	431	(131.4)	
	526				
		S27-18W	693	(211.1)	
	527				
		S14-01W	508	(154.8)	
	528				
		S31-55W	819	(249.6)	
	529				
		S04-49E	678	(206.7)	Along the boundary which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation.
	530				
		S05-44W	860	(262.1)	
	531				
		S42-25E	924	(281.6)	
	532				
		S03-19E	1019	(310.6)	
	533				
		S12-27W	728	(221.9)	
	534				
		S18-46E	165	(50.3)	
	535				
		S50-06E	223	(68.0)	
	536				
		S12-13W	605	(184.4)	
	537				
		S25-05E	1040	(317.0)	
	538				
		S14-28E	1017	(310.0)	
MT. ADAMS EAST	539				
		S17-47E	1175	(358.1)	
Map No. 4	540				
		S73-16E	1142	(348.1)	
	541				
		S30-21W	1112	(338.9)	
	542				
		S08-29W	3721	(1134.2)	
	543				
		S21-42W	1584	(482.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MOUNT ADAMS EAST Map No. 4	544			Approximate elevation 7,966 ft., the junction of the Westerly boundary of the Yakima Indian Reservation and the Old Indian Reservation Boundary (Pecore Line 1920-23).
	545	S23-01E	1542 (470.0)	Along the (Pecore Line 1920-23).
		S55-25E	11380 (3468.6)	
	546			Goat Butte, approximate elevation 7,484 ft. The junction of the Old Indian Reservation Boundary (Pecore Line 1920-23) and the Old Indian Reservation Boundary (Campbell Line-1906).
JUNGLE BUTTE Map No. 3	547	S47-35E	16801 (5121.0)	Along the (Campbell Line-1906).
		S47-58E	8828 (2690.8)	
	548			A point on the (Campbell Line-1906) at the North line of Section 30, T.8 N., R.12 E., W.M.
		N89-23W	3499 (1066.5)	Along the North line of said Section 30.
MT. ADAMS EAST	549			The Northwest corner of said Section 30.
Map No. 4		N03-07W	110 (33.5)	Along the East line of Section 25, T.8 N., R.12 E., W.M.
	550			The Northeast corner of said Section 25.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MT ADAMS EAST Map No. 4	551	N89-53W	3097	(944.0)	Along the North line of said Section 25.
		N89-20W	2151	(655.6)	
	552				The Northeast corner of Section 26, T.8 N., R.11 E., W.M.
		N88-54W	2654	(808.9)	Along the North line of said Section 26.
	553				The North 1/4 corner of said Section 26.
		N00-00E	2640	(804.7)	Ascend.
	554				A point above Hellroaring Creek.
	555	N90-00W	2640	(804.7)	Parallel to the North lines of Sections 26 and 27, T.8 N., R.11 E., W.M.
		N090-00W	2645	(806.3)	
	556				A point 0.5 miles to the North of the North 1/4 corner of said Section 27.
		S00-00W	2640	(804.7)	Descend.
	557				The North 1/4 corner of Section 27, T.8 N., R.11 E., W.M.
		N89-25W	2643	(805.6)	Along the North line of said Section 27.
	558				The Northeast corner of Section 28, T.8 N., R.11 E., W.M.
		N89-09W	5276	(1608.1)	Along the North line of said Section 28.
	559				The Northeast corner of Section 29, T.8 N., R.11 E., W.M.
		N89-29W	5254	(1601.4)	Along the North line of said Section 29.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST Map No. 4	560				The Northeast corner of Section 30, T.8 N., R.11 E., W.M.
		N89-50W	360	(109.7)	Along the North line of said Section 30.
	561				A point on the crest of the Cascades Range which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation.
		S01-27W	118	(36.0)	
	562				
		S08-33E	114	(34.7)	
	563				
		S06-15W	138	(42.1)	
	564				
		S20-22W	141	(43.0)	
	565				
		S17-30W	136	(41.5)	
	566				
		S15-39W	52	(15.8)	
	567				
		S37-08E	88	(26.8)	
	568				Along the boundary which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation.
		S39-20E	107	(32.6)	
	569				
		S39-34E	127	(38.7)	
	570				
		S49-01E	81	(24.7)	
	571				
		S39-34E	119	(36.3)	
	572				
		S49-08E	118	(36.0)	
	573				
		S29-45E	105	(32.0)	
	574				
		S26-20E	221	(67.4)	
	575				
		S20-49E	183	(55.8)	
	576				
		S08-02E	158	(48.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST	577				
		S10-37E	98	(29.9)	
	578				
		S02-12W	78	(23.8)	
Map No. 4	579				
		S45-30E	81	(24.7)	
	580				
		S49-46E	187	(57.0)	
	581				
		S55-37E	115	(35.1)	
	582				
		S55-43E	243	(74.1)	Along the boudnary which is common to the Gifford Pinchot National Forest and Yakima Indian Reservation.
	583				
		S44-29E	158	(48.2)	
	584				
		S23-36E	130	(39.6)	
	585				
		S07-50E	81	(24.7)	
	586				
		S02-36E	110	(33.5)	
	587				
		S08-24W	89	(27.1)	
	588				
		S11-10W	150	(45.7)	
	589				
		S04-14E	54	(16.5)	
	590				
		S32-06E	70	(21.3)	
	591				
		S35-13E	83	(25.3)	
	592				
		S37-14E	157	(47.9)	
	593				
		S24-48E	145	(44.2)	
	594				
		S09-07E	82	(25.0)	
	595				
		S11-59E	67	(20.4)	
	596				
		S08-24E	89	(27.1)	
	597				
		S03-51W	104	(31.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST Map No. 4	598				
		S15-52W	106	(32.3)	
	599				
		S19-59E	70	(21.3)	
	600				
		S55-55E	82	(25.0)	
	601				
		S57-11E	127	(38.7)	
	602				
		S72-56E	119	(36.3)	
	603				Along the boundary which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation.
		S74-17E	100	(30.5)	
	604				
		S43-04E	63	(19.2)	
	605				
		S42-38E	86	(26.2)	
	606				
		S34-39E	295	(89.9)	
	607				
		S26-26E	186	(56.7)	
	608				
		S39-48E	102	(31.1)	
	609				
		S46-20E	91	(27.7)	
	610				
		S23-46E	92	(28.0)	
	611				
		S04-51E	106	(32.3)	
	612				
		S04-33E	88	(26.8)	
	613				A point on the crest of the Cascades which is common to the Gifford Pinchot National Forest and the Yakima Indian Reservation and which is 200 feet southerly of and perpendicular to the centerline of USFS Trail No. 9.
		S86-09W	104	(31.7)	
	614				Paralleling USFS Trail No. 9, 200 feet southerly of centerline.
		S82-29W	107	(32.6)	
	615				
		S88-51W	50	(15.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST Map No. 4	616				
		N69-54W	87	(26.5)	
	617				
		N89-11W	70	(21.3)	
	618				
		S84-29W	115	(35.1)	
	619				
		S89-38W	160	(48.8)	
	620				
		S85-41W	146	(44.5)	
	621				
		S86-43W	122	(37.2)	
	622				
		N89-03W	60	(18.3)	Paralleling USFS Trais No. 9, 200 feet southerly of centerline.
	623				
		N77-40W	98	(29.9)	
	624				
		N50-01W	81	(24.7)	
	625				
		N40-00W	73	(22.3)	
	626				
		N23-31W	93	(28.3)	
	627				
		N27-54W	77	(23.5)	
	628				
		N62-21W	47	(14.3)	
	629				
		N83-21W	60	(18.3)	
	630				
		N81-07W	162	(49.4)	
	631				
		N87-24W	110	(33.5)	
	632				
		N75-21W	115	(35.1)	
	633				
		N69-09W	45	(13.7)	
	634				
		N20-33W	34	(10.4)	
	635				
		N41-25W	45	(13.7)	
	636				
		S87-48W	78	(23.8)	
	637				
		S54-53W	78	(23.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
Map No. 4	638				
		S48-04W	93	(28.3)	
	639				
		S63-26W	60	(18.3)	
	640				
		S74-29W	75	(22.9)	
	641				
		N74-56W	81	(24.7)	
	642				
		N60-01W	60	(18.3)	
	643				
		N35-13W	42	(12.8)	
	644				
		N27-59W	36	(11.0)	Paralleling USFS Trail No. 9, 200 feet southerly of centerline.
	645				
		S85-55W	42	(12.8)	
	646				
		S23-48W	37	(11.3)	
	647				
		S18-26W	82	(25.0)	
	648				
		S27-10W	85	(25.9)	
	649				
		S50-30W	96	(29.3)	
	650				
		S72-47W	118	(36.0)	
	651				
		S54-53W	144	(43.9)	
	652				
		S72-52W	139	(42.4)	
	653				
		S73-53W	133	(40.5)	
	654				
		S78-48W	108	(32.9)	
	655				
		S80-19W	83	(25.3)	
	656				
		S59-02W	64	(19.5)	
	657				
		S64-17W	60	(18.3)	
	658				
		N82-52W	48	(14.6)	
	659				
		N89-25W	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST	660				
		S87-44W	126	(38.4)	
	661				
		S83-35W	81	(24.7)	
Map No. 4	662				
		S76-46W	70	(21.3)	
	663				
		S56-34W	64	(19.5)	
	664				
		S46-13W	66	(20.1)	
	665				
		S01-00W	122	(37.2)	
	666				
		S74-29W	75	(22.9)	Paralleling USFS Trail No. 9, 200 feet southerly of centerline.
	667				
		S89-06W	64	(19.5)	
	668				
		S85-36W	78	(23.8)	
	669				
		S65-09W	60	(18.3)	
	670				
		S20-33W	94	(28.7)	
	671				
		S14-33W	107	(32.6)	
	672				
		S19-19W	124	(37.8)	
	673				
		S45-41W	117	(35.7)	
	674				
		S62-32W	85	(25.9)	
	675				
		S80-19W	83	(25.3)	
	676				
		N01-00W	80	(24.4)	
	677				
		N89-06W	64	(19.5)	
	678				
		S79-53W	57	(17.4)	
	679				
		S45-00W	42	(12.8)	
	680				
		00-00S	46	(14.0)	
	681				
		S11-29W	65	(19.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST	682				
		S14-50W	121	(36.9)	
	683				
		S24-49W	88	(26.8)	
Map	684				
No. 4		S34-36W	141	(43.0)	
	685				
		S62-28W	80	(24.4)	
	686				
		S72-15W	52	(15.8)	
	687				
		N89-06W	64	(19.5)	
	688				
		N62-52W	90	(27.4)	Paralleling USFS Trail No. 9, 200 feet southerly of centerline.
	689				
		N67-07W	147	(44.8)	
	690				
		N70-54W	138	(42.1)	
	691				
		N36-52W	50	(15.2)	
	692				
		N71-34W	38	(11.6)	
	693				
		S64-59W	33	(10.1)	
	694				
		S10-18W	45	(13.7)	
	695				
		S23-23W	40	(12.2)	
	696				
		S38-51W	46	(14.0)	
	697				
		S85-14W	48	(14.6)	
	698				
		S01-00W	80	(24.4)	
	699				
		N81-20W	166	(50.6)	
	700				
		N75-35W	108	(32.9)	
	701				
		N85-36W	52	(15.8)	
	702				
		S62-53W	46	(14.0)	
	703				
		S23-58W	39	(11.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST	704				
		S12-32W	37	(11.3)	
	705				
		S35-38W	74	(22.6)	
Map No. 4	706				
		S68-02W	67	(20.4)	
	707				
		N81-15W	79	(24.1)	
	708				
		N64-02W	85	(25.9)	
	709				
		N54-04W	85	(25.9)	
	710				
		N48-01W	67	(20.4)	
	711				
		N25-21W	42	(12.8)	
	712				Paralleling USFS Trail No. 9, 200 feet southerly of centerline.
		S72-15W	52	(15.8)	
	713				
		S82-28W	69	(21.0)	
	714				
		S57-43W	90	(27.4)	
	715				
		N80-49W	69	(21.0)	
	716				
		N84-44W	76	(23.2)	
	717				
		N87-37W	96	(29.3)	
	718				
		N73-50W	104	(31.7)	
	719				
		N66-16W	127	(38.7)	
	720				
		N52-46W	94	(28.7)	
	721				
		N45-47W	103	(31.4)	
	722				
		N39-23W	87	(26.5)	
	723				
		N30-15W	83	(25.3)	
	724				A point 200 feet southerly and perpendicular to the centerline of USFS Trail No. 9 on the North line of Section 36, T.8 N., R.10 E., W.M.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST	725	N37-42W	83	(25.3)	
	726	N30-58W	111	(33.8)	
Map No. 4	727	N66-44W	124	(37.8)	Northwesterly and westerly.
	728	N41-25W	91	(27.7)	
	729	N87-12W	102	(31.1)	
	730	N80-09W	123	(37.5)	
	731	S84-36W	74	(22.6)	
	732	S86-28W	97	(29.6)	
		S77-21W	201	(61.3)	
	733				A point 200 feet northerly of and perpendicular to the centerline of USFS Trail No. 183.
	734	S68-51W	114	(34.7)	
	735	S70-51W	204	(62.2)	
	736	S71-09W	173	(52.7)	Paralleling USFS Trail No. 183, 200 feet northerly and westerly of centerline.
	737	S67-53W	167	(50.9)	
	738	S54-25W	277	(84.4)	
	739	S29-12W	145	(44.2)	
	740	S20-39W	139	(42.4)	
	741	S08-50W	195	(59.4)	
	742	S05-23E	160	(48.8)	
	743	S05-59W	192	(58.5)	
	744	S11-04E	453	(138.1)	
		S01-42E	302	(92.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST Map No. 4	745				
		S02-40E	257	(78.3)	
	746				Paralleling USFS Trail No. 183, 200 feet northerly and westerly of centerline.
		S08-56E	251	(76.5)	
	747				
		S17-46E	82	(25.0)	
	748				
		S12-36E	78	(23.8)	
	749				
		S48-39W	67	(20.4)	
	750				A point 200 feet westerly of and perpendicular to the centerline of USFS Trail No. 183 and 200 feet northerly of USFS Road No. 8040500.
		N63-59W	93	(28.3)	
751		N62-21W	119	(36.3)	
752		N58-34W	42	(12.8)	
753		N60-39W	129	(39.3)	
754		N54-58W	131	(39.9)	Paralleling USFS Road No. 8040500, 200 feet northerly and westerly of centerline.
755		S87-39W	122	(37.2)	
756		S71-17W	128	(39.0)	
757		S42-12W	116	(35.4)	
758		S33-35W	157	(47.9)	
759		S26-55W	144	(43.9)	
760		S14-24W	117	(35.7)	
761		S08-58W	154	(46.9)	
762		S11-50E	171	(52.1)	
763		S08-13E	91	(27.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS EAST	764	S06-04E	95	(29.0)	Paralleling USFS Road No. 8040500, 200 feet northerly and westerly of centerline.
	765	S22-57E	156	(47.5)	
Map No. 4	766	S13-27E	47	(14.3)	
	767				A point on McDonald Ridge which is 200 feet westerly of and perpendicular to the centerline of USFS Road No. 8040500.
	768	S13-54E	100	(30.5)	
	769	S32-18E	80	(24.4)	Ascend.
	770	S01-00E	82	(25.0)	
	771	S09-15W	87	(26.5)	
		S35-39W	57	(17.4)	
	772				A point on McDonald Ridge.
	773	S33-41W	72	(21.9)	
	774	S58-04W	81	(24.7)	Ascend.
	775	S68-07W	142	(43.3)	
	776	S79-19W	124	(37.8)	
		N84-35W	117	(35.7)	
	777				A point 200 feet northerly of and perpendicular to the centerline of USFS Road No. 8040500.
MOUNT ADAMS WEST	778	N86-55W	93	(28.3)	
	779	S59-29W	110	(33.5)	
	780	S30-34W	122	(37.2)	Paralleling USFS Road No. 8040500 200 feet northerly and westerly of centerline.
Map No. 5	781	S21-20W	69	(21.0)	
		S11-38W	104	(31.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	782				
		S03-44W	153	(46.6)	
	783				Paralleling USFS Road No. 8040500 200 feet northerly and westerly of the centerline.
		S01-05W	158	(48.2)	
	784				
		S10-03W	160	(48.8)	
	785				
		S23-58W	148	(45.1)	
	786				
		S17-40W	119	(36.3)	
	787				
		S33-17W	118	(36.0)	
	788				A point 200 feet westerly of and perpendicular to the centerline of USFS Road No. 8040500.
		S47-54W	112	(34.1)	
789		S71-34W	85	(25.9)	
790		S81-04W	71	(21.6)	
791		N82-52W	40	(12.2)	
792		N36-52W	45	(13.7)	Descend.
793		N36-11W	83	(25.3)	
794		N26-34W	13	(4.0)	
	795				A point 200 feet easterly of and perpendicular to the centerline of USFS Road No. 8040500.
		N15-28W	116	(35.4)	
796		N11-26W	177	(53.9)	
797		N12-29W	278	(84.7)	Paralleling USFS Road No. 8040500, 200 feet easterly and northerly of centerline.
798		N22-17W	132	(40.2)	
799		N23-36W	130	(39.6)	
800		N35-46W	115	(35.1)	
801		N54-45W	92	(28.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	802				
		N65-58W	81	(24.7)	
	803				
		S70-43W	127	(38.7)	
	804				
		S54-33W	162	(49.4)	
	805				
		S59-12W	61	(18.6)	
	806				Paralleling USFS Road No. 8040500, 200 feet easterly and northerly of centerline.
		S42-59W	141	(43.0)	
	807				
		S40-08W	183	(55.8)	
	808				
		S37-08W	129	(39.3)	
	809				
		S32-18W	161	(49.1)	
	810				
		S56-49W	190	(57.9)	
	811				
		S71-45W	201	(61.3)	
	812				
		S57-55W	158	(48.2)	
	813				
		S63-02W	128	(39.0)	
	814				
		S64-33W	114	(34.7)	
	815				
		S45-00W	158	(48.2)	
	816				
		S35-46W	115	(35.1)	
	817				
		S35-29W	107	(32.6)	
	818				
		S36-57W	141	(43.0)	
	819				
		S51-28W	75	(22.9)	
	820				
		N77-12W	68	(20.7)	
	821				A point 200 feet northwesterly of and perpendicular to the centerline of USFS Road No. 8040500. Elevation 4760.
		N55-55W	120	(36.6)	
	822				Along the 4760 foot contour.
		N26-21W	122	(37.2)	
	823				
		N11-13W	118	(36.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	824				
		N10-35E	169	(51.5)	
	825				
		N35-23E	85	(25.9)	
	826				
		N38-59E	81	(24.7)	
	827				
		N21-41W	89	(27.1)	
	828				
		N54-19W	87	(26.5)	
	829				
		N57-38W	120	(36.6)	
	830				
		N09-28W	103	(31.4)	Along the 4760 foot contour.
	831				
		N04-39E	210	(64.0)	
	832				
		N21-37W	119	(36.3)	
	833				
		S72-31W	57	(17.4)	
	834				
		S47-58W	82	(25.0)	
	835				
		S74-56W	81	(24.7)	
	836				
		N79-30W	110	(33.5)	
	837				
		N65-07W	107	(32.6)	
	838				
		N64-14W	129	(39.3)	
	839				
		N48-52W	210	(64.0)	
	840				
		S83-04W	75	(22.9)	
	841				
		N85-14W	96	(29.3)	
	842				
		S38-04W	76	(23.2)	
	843				
		S35-32W	112	(34.1)	
	844				
		S41-25W	181	(55.2)	
	845				
		N88-57W	110	(33.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	846				
		N56-27W	114	(34.7)	
	847				
		N53-16W	89	(27.1)	
	848				
		N01-00W	37	(11.3)	
	849				
		S41-07W	84	(25.6)	Along the 4760 foot contour.
	850				
		S63-15W	136	(41.5)	
	851				
		S73-03W	110	(33.5)	
	852				
		S84-44W	131	(39.9)	
	853				
		N87-59W	170	(51.8)	
	854				
		N67-55W	74	(22.6)	
	855				
		N43-26W	156	(47.5)	
	856				
		N39-23W	87	(26.5)	
	857				
		N31-20W	135	(41.1)	
	858				A point in Shorthorn Creek. Elevation 4760 feet.
		S00-44W	156	(47.5)	
	859				
		S05-48W	237	(72.2)	
	860				
		S04-47W	288	(87.8)	
	861				Descend Shorthorn Creek.
		S13-02W	293	(89.3)	
	862				
		S10-41W	199	(60.7)	
	863				
		S20-51W	211	(64.3)	
	864				
		S24-45W	198	(60.4)	
	865				
		S37-15W	152	(46.3)	
	866				
		S52-32W	135	(41.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	867				
		S56-10W	117	(35.7)	
	868				Descend Shorthorn Creek.
		S63-15W	138	(42.1)	
	869				
		S57-13W	174	(53.0)	
	870				
		S65-35W	155	(47.2)	
TROUT LAKE Map No. 6	871				
		S56-45W	181	(55.2)	
	872				
		S65-58W	385	(117.3)	
	873				A point in Crofton Creek at intersection with Shorthorn Creek.
		S11-32W	360	(109.7)	
	874				
		S17-36W	433	(132.0)	
	875				
		S15-19W	186	(56.7)	
	876				
		S17-32W	182	(55.5)	
	877				
		S14-28W	128	(39.0)	Descend Crofton Creek.
	878				
		S14-41W	276	(84.1)	
	879				
		S20-33W	179	(54.6)	
	880				
		S14-59W	220	(67.1)	
	881				
		S22-32W	217	(66.1)	
	882				
		S19-04W	230	(70.1)	
	883				
		S27-05W	195	(59.4)	
	884				
		S22-24W	228	(69.5)	
	885				
		S27-14W	190	(57.9)	
	886				
		S22-21W	134	(40.8)	
	887				
		S23-57W	283	(86.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TROUT LAKE	888				A point in Crofton Creek at the intersection with Morrison Creek.
Map No. 6		N53-29W	239	(72.8)	
	889	N53-29W	306	(93.3)	
	890	N53-29W	220	(67.1)	Ascend.
	891	N53-29W	232	(70.7)	
	892	N53-29W	285	(86.9)	
	893	N53-29W	228	(69.5)	
	894	N53-29W	417	(127.1)	
	895	N53-29W	317	(96.6)	
	896	N53-29W	311	(94.8)	
	897	N53-29W	325	(99.1)	
	898				Top of Lower Butte, approximate elevation 4870 feet.
		N80-31W	430	(131.1)	
	899	N80-31W	695	(211.8)	
	900	N80-31W	529	(161.2)	Descend.
	901	N80-31W	354	(107.9)	
	902	N80-31W	256	(78.0)	
	903				A point in Buck Creek. Elevation 4400 feet.
		N88-28W	112	(34.1)	
	904	N78-54W	156	(47.5)	
	905	N74-16W	114	(34.7)	Along the 4400 foot contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TROUT LAKE Map No. 6	906				
		N48-30W	69	(21.0)	
	907				
		S39-02W	48	(14.6)	
	908				
		S49-26W	220	(67.1)	
	909				
		S54-10W	133	(40.5)	
	910				
		S64-09W	181	(55.2)	
	911				
		N82-43W	87	(26.5)	
	912				
		N66-44W	101	(30.8)	Along the 4400 foot contour.
	913				
		N49-28W	100	(30.5)	
	914				
		N34-36W	121	(36.9)	
	915				
		N23-41W	124	(37.8)	
MOUNT ADAMS WEST Map No. 5	916				
		N18-53W	120	(36.6)	
	917				
		N25-18W	101	(30.8)	
	918				
		N16-59W	75	(22.9)	
	919				
		N29-01W	126	(38.4)	
	920				
		N67-59W	253	(77.1)	
	921				
		N71-34W	218	(66.4)	
	922				
		N73-52W	205	(62.5)	
	923				
		N85-46W	271	(82.6)	
	924				
		N82-35W	356	(108.5)	
	925				
		N78-41W	275	(83.8)	
	926				
		N83-05W	374	(114.0)	
	927				
		N76-08W	250	(76.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	928				
		N69-55W	320	(97.5)	
	929				
		N48-33W	273	(83.2)	
	930				
		N40-55W	357	(108.8)	
	931				
		N42-19W	211	(64.3)	
	932				
		N36-03W	195	(59.4)	
	933				Along the 4400 foot contour.
		N42-05W	139	(42.4)	
	934				
		N62-46W	192	(58.5)	
	935				
		N67-55W	229	(69.8)	
	936				
		N71-34W	202	(61.6)	
	937				
		N56-52W	113	(34.4)	
	938				
		N41-23W	56	(17.1)	
	939				A point on a ridge.
		S69-08W	149	(45.4)	
	940				
		S71-51W	254	(77.4)	
	941				
		S55-38W	211	(64.3)	
	942				Descend ridge.
		S63-47W	290	(88.4)	
	943				
		S71-18W	200	(61.0)	
	944				
		S76-02W	195	(59.4)	
	945				
		S72-33W	147	(44.8)	
	946				
		S88-14W	162	(49.4)	
	947				
		S66-45W	162	(49.4)	
	948				
		S48-15W	174	(53.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	949				
		S45-28W	171	(52.1)	
	950				
		S30-28W	178	(54.3)	
	951				
		S32-09W	175	(53.3)	
	952				
		S25-49W	241	(73.5)	
	953				
		S26-49W	202	(61.6)	Descend ridge.
TROUT LAKE Map No. 6	954				
		S32-12W	160	(48.8)	
	955				
		S28-50W	147	(44.8)	
	956				
		S27-22W	194	(59.1)	
	957				
		S17-20W	198	(60.4)	
	958				
		S22-03W	341	(103.9)	
	959				
		S17-22W	238	(72.5)	
	960				
		S15-47W	239	(72.8)	
	961				
		S15-09W	188	(57.3)	
962		S08-32W	283	(86.3)	
	963				
		S13-53W	287	(87.5)	
	964				
		S06-14W	258	(78.6)	
	965				
					A point on a ridge on the westerly edge of a clear cut.
		N89-51W	2420	(737.6)	A line 200 feet North of the end of USFS Road No. 8031060.
966					
					A point on a low ridge.
967		N31-30W	145	(44.2)	
		N16-45W	236	(71.9)	Ascend low ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
Map No. 6	968				
		N19-45W	305	(93.0)	
	969				
		N15-50W	202	(61.6)	
	970				Ascend low ridge.
		N11-24W	263	(80.2)	
	971				
		N00-52E	264	(80.5)	
	972				
		N14-28W	128	(39.0)	
	973				Intersection with southerly edge of harvest unit.
		N32-54E	40	(12.2)	
	974				
		N76-20E	76	(23.2)	
	975				
		N71-14E	109	(33.2)	
	976				
		N53-08E	145	(44.2)	
	977				
		N37-03E	128	(39.0)	Along easterly edge of harvest units.
	978				
		N33-41E	87	(26.5)	
	979				
		N37-52E	125	(38.1)	
	980				
		N23-19E	126	(38.4)	
	981				
		N23-28E	83	(25.3)	
	982				
		N15-25E	90	(27.4)	
	983				
		N28-31W	92	(28.0)	
MOUNT ADAMS WEST	984				
		N09-20W	234	(71.3)	
	985				
		N24-02W	253	(77.1)	
	986				
Map No. 5		N19-11W	192	(58.5)	
	987				
		N31-20W	188	(57.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	988				
		N35-54W	188	(57.3)	
	989				
		N17-07W	221	(67.4)	
	990				
		N27-05W	149	(45.4)	
	991				
		N26-56W	205	(62.5)	
	992				
		N28-59W	213	(64.9)	Along easterly edge of cutting units.
	993				
		N31-02W	144	(43.9)	
	994				
		N25-58W	130	(39.6)	
	995				
		N30-47W	164	(50.0)	
	996				
		N42-04W	234	(71.3)	
	997				
		N41-29W	184	(56.1)	
	998				
		N40-07W	116	(35.4)	
	999				
		N50-12W	156	(47.5)	
1000					
		N60-15W	169	(51.5)	
1001					
		N47-39W	184	(56.1)	
	1002				A point on Stagman Ridge.
		N49-05E	198	(60.4)	
1003					
		N38-44E	221	(67.4)	
1004					Ascend Stagman Ridge.
		N37-43E	284	(86.6)	
1005					
		N30-21E	224	(68.3)	
1006					
		N26-11E	265	(80.8)	
1007					
		N25-02E	333	(101.5)	
1008					
		N17-54E	374	(114.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST	1009				
		N24-16E	479	(146.0)	
	1010				
		N24-15E	265	(80.8)	
Map No. 5	1011				Ascend Stagman Ridge.
		N20-02E	295	(89.9)	
	1012				
		N29-00E	346	(105.5)	
	1013				
		N25-27E	275	(83.8)	
	1014				
		N21-48E	264	(80.5)	
	1015				
		N23-15E	309	(94.2)	
	1016				
		N25-06E	229	(69.8)	
	1017				
		N23-02E	261	(79.6)	
	1018				
		N17-33E	186	(56.7)	
	1019				
		N12-12W	114	(34.7)	
	1020				
		N53-08W	60	(18.3)	
	1021				A point on USFS Trail No. 12 on easterly edge of harvest unit.
		N35-58W	2239	(682.4)	
	1022				Most easterly corner of harvest unit.
		N23-19W	2584	(787.6)	Along easterly edge of harvest unit.
	1023				A point in unnamed creek.
		00-00E	126	(38.4)	
	1024				
		N76-07E	259	(78.9)	Ascend unnamed creek.
	1025				
		N75-22E	301	(91.7)	
	1026				
		N81-36E	274	(83.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MOUNT ADAMS WEST Map No. 5	1027				
		N79-07E	233	(71.0)	
	1028				Ascend unnamed creek.
		N64-17E	152	(46.3)	
	1029				
		N53-29E	96	(29.3)	
	1030				
		N56-19E	43	(13.1)	
	1031				A point in an unnamed creek.
		N07-07W	169	(51.5)	
	1032				
		N06-17W	101	(30.8)	
	1033				Ascend along easterly edge of
		N15-26E	169	(51.5)	harvest unit.
	1034				
		N11-10E	155	(47.2)	
	1035				
		N08-16E	125	(38.1)	
	1036				
		N07-57E	94	(28.7)	
	1037				
		N08-18E	49	(14.9)	
	1038				A point on the North line of
					Section 30, T.8 N., R.10 E., W.M.
		N89-14W	4099	(1249.4)	Along the North line of said
					Section 30.
MOUNT ADAMS WEST	1				The Point of Beginning.

Map No. 5