


WILLIAM O. DOUGLAS WILDERNESS

Gifford Pinchot and Snoqualmie National Forests

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the William O. Douglas Wilderness on the Gifford Pinchot and Snoqualmie (administered by Wenatchee) National Forests as entered into the National Wilderness Preservation System by the Act of July 3, 1984.

Signed

2/26/87
(Date)


for JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the William O. Douglas Wilderness is as shown on the map dated September, 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-339. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the William O. Douglas Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with the Hewlett-Packard 9020 (Interactive Graphics System.) The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

WILLIAM O. DOUGLAS WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Washington State Plane coordinate grid system, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
CHINOOK PASS Map #9	1			Point of beginning: Naches Peak, approximate elevation 6452 feet, Latitude 46-52-3.45 North, Longitude 121-30-23.01 West, Washington grid coordinates. South zone x=1,748,276, y=561,190. Prominent peak on crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest). Also the boundary between Yakima and Pierce Counties.
	2	N51-01E	364 (110.9)	
	3	N36-04E	314 (95.7)	
	4	N27-46E	298 (90.8)	
	5	N27-47E	335 (102.1)	Descending northeasterly from crest of Mountain range.
	6	N24-47E	303 (92.4)	
	7	N20-09E	337 (102.7)	
	8	N17-43E	151 (46.0)	
	9	N11-05E	354 (107.9)	
	10	N16-13E	491 (149.7)	
WHITE RIVER PARK Map #1	11	N25-44E	187 (57.0)	
	12	N49-21E	140 (42.7)	
		N24-42E	165 (50.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE RIVER PARK Map #1	13	N44-46E	177	(53.9)	Descending northeasterly from crest of Cascade Mountain Range.
BUMPING LAKE NW Map #2	14				A point on north slope of spur ridge at the 5360 foot contour.
		N55-06E	222	(67.7)	
	15	N55-31E	360	(109.7)	
	16	N44-29E	397	(121.0)	Along the 5360 contour line.
	17	N29-16E	227	(69.2)	
	18	N49-17E	208	(63.4)	
	19				A point on the spur ridge at the 5360 foot contour line.
		N33-52E	447	(136.2)	
	20	N38-42E	226	(68.9)	
	21	N38-04E	433	(132.0)	
	22	N01-00E	453	(138.1)	
	23	N37-42E	401	(122.2)	
	24	N28-18E	177	(53.9)	Descend spur ridge.
	25	N60-50E	257	(78.3)	
	26	N51-07E	285	(86.9)	
	27	N51-16E	265	(80.8)	
	28	N70-39E	296	(90.2)	
	29	N71-29E	230	(70.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPINT LAKE NW Map #2	30				Confluence of Rainier Fork of American River and unnamed stream.
		N59-49E	163	(49.7)	
	31	N52-45E	152	(46.3)	
	32	N70-18E	344	(104.9)	
	33	N84-45E	284	(86.6)	
	34	N78-35E	106	(32.3)	
	35	N24-33E	190	(57.9)	Descend Rainier Fork of American River.
	36	N32-56E	210	(64.0)	
	37	N49-42E	104	(31.7)	
	38	N76-02E	402	(122.5)	
	39	N74-51E	402	(122.5)	
	40	N61-37E	156	(47.5)	
	41	N55-51E	139	(42.4)	
	42	N87-55E	248	(75.6)	
	43	S78-27E	280	(85.3)	
	44	N87-21E	564	(171.9)	
	45	N77-32E	88	(26.8)	
	46	N52-48E	313	(95.4)	
	47	N45-09E	271	(82.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	48				
		S73-30E	169	(51.5)	
	49				
		S82-15E	230	(70.1)	
	50				
		N85-27E	177	(53.9)	
	51				
		N76-18E	84	(25.6)	
	52				
		S73-58E	166	(50.6)	
	53				
		S74-47E	248	(75.6)	
	54				
		N87-10E	121	(36.9)	
	55				
		N65-17E	153	(46.6)	
	56				Descend Rainier Fork of American River.
		N38-55E	407	(124.1)	
	57				
		N66-55E	125	(38.1)	
	58				
		S86-25E	208	(63.4)	
	59				
		S55-36E	135	(41.1)	
	60				
		S78-11E	200	(61.0)	
	61				
		N70-45E	200	(61.0)	
	62				
		N87-15E	416	(126.8)	
	63				
		N80-18E	410	(125.0)	
	64				
		N65-50E	85	(25.9)	
	65				
		S76-16E	93	(28.3)	
	66				
		S79-42E	45	(13.7)	
	67				
		N01-00E	207	(63.1)	
	68				
		N79-34E	155	(47.2)	
	69				
		N81-15E	303	(92.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	70				
		N67-11E	431	(131.4)	
	71				
		N77-12E	203	(61.9)	
	72				
		S54-50E	194	(59.1)	
	73				
		S63-26E	56	(17.1)	
	74				
		N50-16E	92	(28.0)	
	75				
		N73-39E	96	(29.3)	
	76				
		S83-36E	99	(30.2)	
	77				
		N64-42E	101	(30.8)	
	78				
		N55-58E	182	(55.5)	
	79				
		N36-35E	280	(85.3)	Descend Rainier Fork of American River.
	80				
		N50-40E	215	(65.5)	
	81				
		N68-52E	80	(24.4)	
	82				
		S67-40E	61	(18.6)	
	83				
		S58-30E	109	(33.2)	
	84				
		S29-09E	60	(18.3)	
	85				
		S76-33E	47	(14.3)	
	86				
		N73-07E	93	(28.3)	
	87				
		N61-40E	131	(39.9)	
	88				
		S89-23E	92	(28.0)	
	89				
		S80-13E	206	(62.8)	
	90				
		S87-01E	250	(76.2)	
	91				
		N85-54E	238	(72.5)	
	92				
		N68-55E	220	(67.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	93				
		N56-09E	95	(29.0)	
	94				
		S77-42E	80	(24.4)	
	95				
		S54-58E	118	(36.0)	
	96				
		S49-03E	70	(21.3)	
	97				
		N86-46E	283	(86.3)	
	98				
		N83-53E	301	(91.7)	
	99				
		N88-20E	138	(42.1)	
	100				
		S56-09E	102	(31.1)	
	101				
		S45-11E	217	(66.1)	
	102				Descend Rainier Fork of American River.
		S55-45E	171	(52.1)	
	103				
		S64-08E	73	(22.3)	
	104				
		S86-25E	96	(29.3)	
	105				
		S64-13E	99	(30.2)	
	106				
		S13-36E	128	(39.0)	
	107				
		S09-38W	114	(34.7)	
	108				
		S04-27W	90	(27.4)	
	109				
		S47-48E	58	(17.7)	
	110				
		S77-15E	86	(26.2)	
	111				
		N73-50E	104	(31.7)	
	112				
		N64-15E	94	(28.7)	
	113				
		S86-16E	92	(28.0)	
	114				
		S55-22E	169	(51.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	115				
		S50-21E	182	(55.5)	
	116				
		S67-43E	222	(67.7)	
	117				
		S82-34E	139	(42.4)	Descend Rainier Fork of American...
	118				River.
		S83-40E	91	(27.7)	
	119				
		S73-57E	152	(46.3)	
	120				
		S62-32E	284	(86.6)	
	121				
		S89-53E	513	(156.4)	
	122				
		N82-47E	414	(126.2)	
	123				Confluence of Rainier Fork of American River and American River.
		N26-19E	408	(124.4)	
	124				
		N14-33E	354	(107.9)	
	125				
		N04-05W	70	(21.3)	
	126				
		N60-33W	71	(21.6)	
	127				
		S85-14W	169	(51.5)	
	128				
		N54-28W	112	(34.1)	Descend American River.
	129				
		N21-30W	106	(32.3)	
	130				
		N08-18E	277	(84.4)	
	131				
		N25-02E	234	(71.3)	
	132				
		N05-05E	418	(127.4)	
	133				
		N06-33W	404	(123.1)	
	134				
		N54-42E	138	(42.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING	135				
LAKE NW		N59-17E	80	(24.4)	
Map #2	136	N42-16E	59	(18.0)	
	137	N04-28W	128	(39.0)	
	138	N06-58E	91	(27.7)	
	139	N36-42E	69	(21.0)	
	140	N59-28E	136	(41.5)	
	141	N57-17E	163	(49.7)	
	142	N38-28E	230	(70.1)	
	143	N26-14E	303	(92.4)	
	144	N33-30E	167	(50.9)	Descend American River.
	145	N33-13E	135	(41.1)	
	146	N50-47E	225	(68.6)	
	147	N57-32E	196	(59.7)	
	148	N64-16E	154	(46.9)	
	149	N67-02E	64	(19.5)	
	150	S56-06E	73	(22.3)	
	151	S51-13E	150	(45.7)	
	152	S65-11E	102	(31.1)	
	153	N79-58E	424	(129.2)	
	154	N82-26E	471	(143.6)	
	155	N51-28E	151	(46.0)	
	156	S88-07E	182	(55.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING	157				
LAKE NW		N79-32E	132	(40.2)	
Map #2	158	N74-10E	132	(40.2)	
	159	N46-47E	136	(41.5)	
	160	N47-28E	132	(40.2)	
	161	N74-10E	147	(44.8)	
	162	S80-44E	286	(87.2)	
	163	N64-11E	170	(51.8)	
	164	N52-16E	212	(64.6)	
	165	N57-34E	214	(65.2)	
	166	N32-30E	134	(40.8)	
	167	N06-33E	123	(37.5)	Descend American River.
	168	N16-06W	263	(80.2)	
	169	N10-36W	174	(53.0)	
	170	N02-36E	330	(100.6)	
	171	N02-36W	132	(40.2)	
	172	00-00N	322	(98.1)	
	173	N15-02E	235	(71.6)	
	174	N08-32E	61	(18.6)	
	175	N01-00W	114	(34.7)	
	176	N29-17W	123	(37.5)	
	177	N15-20E	64	(19.5)	
	178	N55-38E	142	(43.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	179				
		N66-54E	311	(94.8)	
	180				
		N76-06E	292	(89.0)	
	181				
		N66-48E	114	(34.7)	
	182				
		N81-21E	186	(56.7)	
	183				
		S61-14E	116	(35.4)	
	184				
		S06-14W	64	(19.5)	
	185				
		S47-45W	132	(40.2)	
	186				
		S08-27E	75	(22.9)	
	187				
		S54-05E	251	(76.5)	
	188				
		N86-44E	70	(21.3)	Descend American River.
	189				
		N55-26E	90	(27.4)	
	190				
		N44-52E	320	(97.5)	
	191				
		N40-39E	121	(36.9)	
	192				
		N29-51E	211	(64.3)	
	193				
		N41-27E	446	(135.9)	
	194				
		N40-39E	112	(34.1)	
	195				
		N64-19E	203	(61.9)	
	196				
		N68-04E	83	(25.3)	
	197				
		N21-44E	143	(43.6)	
	198				
		N08-15E	202	(61.6)	
	199				
		N03-11E	144	(43.9)	
	200				
		N19-38E	137	(41.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	201				
		N77-02E	169	(51.5)	
	202				
		S57-37E	194	(59.1)	
	203				
		S37-16E	173	(52.7)	
	204				
		S30-34E	122	(37.2)	
	205				
		S25-58E	85	(25.9)	
	206				
		S58-39E	75	(22.9)	
	207				
		N78-52E	244	(74.4)	
	208				
		N09-04E	165	(50.3)	
	209				
		N10-11E	158	(48.2)	
	210				
		N15-09E	138	(42.1)	Descend American River.
	211				
		N40-25E	97	(29.6)	
	212				
		N73-12E	111	(33.8)	
	213				
		S74-40E	64	(19.5)	
	214				
		S13-55W	112	(34.1)	
	215				
		S06-55E	249	(75.9)	
	216				
		S17-01E	191	(58.2)	
	217				
		S05-03E	102	(31.1)	
	218				
		N84-36E	223	(68.0)	
	219				
		N71-06E	198	(60.4)	
	220				
		N45-00E	49	(14.9)	
	221				
		N47-07W	57	(17.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	222				
		N22-58W	164	(50.0)	
	223				
		N08-53W	97	(29.6)	
	224				
		N77-23E	69	(21.0)	
	225				
		N77-30E	226	(68.9)	
	226				
		N44-46E	175	(53.3)	
	227				
		N19-03E	116	(35.4)	
	228				
		N03-41E	124	(37.8)	Descend American River.
	229				
		N22-10E	87	(26.5)	
	230				
		N52-24E	110	(33.5)	
	231				
		N68-19E	184	(56.1)	
	232				
		N71-44E	105	(32.0)	
	233				A point on American River 200 feet Northwesterly of the end of USFS Road 1700458.
		S12-27E	148	(45.1)	
	234				
		S07-33E	167	(50.9)	
	235				
		S26-43E	178	(54.3)	
	236				
		S27-44E	110	(33.5)	Paralleling USFS road 1700458, 200 feet Southerly of centerline.
	237				
		S67-15E	181	(55.2)	
	238				
		S57-17E	213	(64.9)	
	239				
		S60-23E	395	(120.4)	
	240				
		S75-36E	229	(69.8)	
	241				
		N88-01E	174	(53.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NW Map #2	242				
		N70-58E	242	(73.8)	
	243				
		N61-06E	263	(80.2)	
	244				
		N57-24E	293	(89.3)	Paralleling USFS road 1700458, 200
	245				feet Southerly of centerline.
BUMPING LAKE NE Map #3		N45-59E	165	(50.3)	
	246				
		N58-40E	338	(103.0)	
	247				Intersection of paralleling line
					200 feet southeasterly of
					centerline of USFS road 1700458 and
					a line paralleling State Highway
					410 500 feet South of centerline.
		N62-25E	302	(92.0)	
	248				
		N80-12E	200	(61.0)	
	249				
		N81-24E	341	(103.9)	
	250				
		N77-53E	253	(77.1)	
	251				
		N46-08E	214	(65.2)	
	252				
		N74-17E	273	(83.2)	
	253				
		N82-12E	324	(98.8)	
	254				
		N73-17E	264	(80.5)	
	255				
		N61-33E	353	(107.6)	
	256				Parrelling State Highway 410,
		N60-43E	227	(69.2)	500 feet south of centerline.
	257				
		N43-07E	452	(137.8)	
	258				
		N38-57E	188	(57.3)	
	259				
		N38-07E	478	(145.7)	
	260				
		N51-26E	467	(142.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	261				
		N54-00E	117	(35.7)	
	262				
		N21-40E	246	(75.0)	
	263				
		N17-18E	175	(53.3)	Paralleling State Highway 410, 500 feet South of centerline
	264				
		N19-38E	286	(87.2)	
	265				
		N16-19E	367	(111.9)	
	266				
		N17-43E	352	(107.3)	
	267				
		N18-40E	384	(117.0)	
	268				Point Southerly of State Highway 410 where parallel distance begins to be less than 500 feet South of centerline.
		N08-36E	174	(53.0)	
	269				
		N33-41E	148	(45.1)	Descend to American River.
	270				
		N17-44E	358	(109.1)	
	271				Intersection of merging line and American River.
		N36-31E	96	(29.3)	
	272				
		N08-16W	125	(38.1)	
	273				
		N29-23W	100	(30.5)	Descend American River
	274				
		N29-34E	162	(49.4)	
	275				
		N60-09E	133	(40.5)	
	276				
		N46-25E	171	(52.1)	
	277				
		N06-26E	62	(18.9)	
	278				
		N01-35E	144	(43.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING	279				
LAKE NE		N00-37E	92	(28.0)	
Map #3	280	N38-33E	157	(47.9)	
	281	N28-26E	124	(37.8)	
	282	N33-41E	119	(36.3)	
	283	N52-02E	115	(35.1)	
	284	N88-14E	130	(39.6)	
	285	N78-25E	125	(38.1)	
	286	N50-34E	161	(49.1)	
	287	N61-08E	267	(81.4)	
	288	N26-49E	104	(31.7)	Descend American River.
	289	N34-09E	105	(32.0)	
	290	N17-57E	149	(45.4)	
	291	N22-49E	199	(60.7)	
	292	N48-56E	134	(40.8)	
	293	N76-20E	114	(34.7)	
	294	N57-42E	80	(24.4)	
	295	N26-21E	117	(35.7)	
	296	N22-21E	97	(29.6)	
	297	N52-23E	138	(42.1)	
	298	N60-25E	170	(51.8)	
	299	N66-19E	169	(51.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	300				
		S88-25E	180	(54.9)	
	301				
		N89-10E	274	(83.5)	
	302				
		S84-55E	181	(55.2)	
	303				
		S69-36E	221	(67.4)	
	304				
		S71-11E	189	(57.6)	
	305				
		S60-03E	212	(64.6)	
	306				
		N78-49E	180	(54.9)	
	307				
		N52-46E	157	(47.9)	
	308				
		N17-40E	119	(36.3)	Descend American River.
	309				
		N13-50E	134	(40.8)	
	310				
		N62-34E	59	(18.0)	
	311				
		S69-57E	79	(24.1)	
	312				
		N76-19E	80	(24.4)	
	313				
		N24-33E	140	(42.7)	
	314				
		N17-25E	160	(48.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	315				
		N41-48E	89	(27.1)	
	316				
		N60-59E	157	(47.9)	
	317				
		N45-19E	127	(38.7)	
	318				
		N71-14E	165	(50.3)	
	319				
		N67-35E	260	(79.2)	
	320				
		N41-46E	263	(80.2)	
	321				
		N40-29E	251	(76.5)	
	322				
		N18-43E	259	(78.9)	
	323				
		N16-42E	167	(50.9)	
	324				Descend American River.
		N69-16E	119	(36.3)	
	325				
		N65-59E	111	(33.8)	
	326				
		N54-54E	136	(41.5)	
	327				
		N57-36E	172	(52.4)	
	328				
		N73-16E	202	(61.6)	
	329				
		N67-53E	133	(40.5)	
	330				
		N49-46E	85	(25.9)	
	331				
		N24-49E	102	(31.1)	
	332				
		N20-38E	182	(55.5)	
	333				
		N35-24E	186	(56.7)	
	334				
		N79-17E	113	(34.4)	
	335				
		N89-02E	118	(36.0)	
	336				
		S57-12E	144	(43.9)	
	337				
		S60-31E	167	(50.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	338				
		S76-35E	203	(61.9)	
	339				
		S89-16E	156	(47.5)	
	340				
		N74-45E	194	(59.1)	
	341				
		N45-35E	139	(42.4)	
	342				
		N69-09E	233	(71.0)	
	343				
		N72-30E	96	(29.3)	
	344				
		N39-33E	320	(97.5)	
	345				
		N55-46E	87	(26.5)	
	346				
		N86-17E	77	(23.5)	
	347				
		N65-53E	157	(47.9)	Descend American River.
	348				
		N66-40E	230	(70.1)	
	349				
		N73-51E	191	(58.2)	
	350				
		S86-59E	152	(46.3)	
	351				
		S82-55E	146	(44.5)	
	352				
		S76-41E	156	(47.5)	
	353				
		S62-51E	217	(66.1)	
	354				
		N01-00E	207	(63.1)	
	355				
		N56-19E	119	(36.3)	
	356				
		N08-22E	137	(41.8)	
	357				
		N19-16W	151	(46.0)	
	358				
		N01-46W	130	(39.6)	
	359				
		N51-08E	172	(52.4)	
	360				
		N70-27E	194	(59.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

	361	N86-20E	78	(23.8)	
	362	S67-15E	101	(30.8)	
	363	S55-34E	127	(38.7)	
	364	N79-21E	103	(31.4)	
	365	N88-23E	106	(32.3)	
	366	S83-09E	101	(30.8)	
	367	S17-14E	121	(36.9)	
	368	S01-00E	190	(57.9)	
	369	S34-56E	89	(27.1)	
	370	S87-18E	106	(32.3)	Descend American River.
	371	N89-34E	262	(79.9)	
	372	N85-12E	227	(69.2)	
	373	N84-37E	171	(52.1)	
	374	N77-24E	87	(26.5)	
	375	N53-50E	115	(35.1)	
	376	N23-09E	135	(41.1)	
	377	N35-13E	104	(31.7)	
	378	N80-49E	138	(42.1)	
	379	S89-20E	86	(26.2)	
	380	S50-15E	116	(35.4)	
	381	S81-12E	85	(25.9)	
	382	N84-45E	98	(29.9)	
	383	N66-14E	211	(64.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	384				
		N53-45E	149	(45.4)	
	385				
		N31-16E	98	(29.9)	
	386				
		N04-56W	163	(49.7)	
	387				
		N15-44W	188	(57.3)	
	388				
		N02-36E	132	(40.2)	
	389				
		N34-06E	78	(23.8)	
	390				
		N76-29E	81	(24.7)	
	391				
		N65-01E	97	(29.6)	
	392				
		N35-41E	87	(26.5)	Descend American River.
	393				
		N25-44E	62	(18.9)	
	394				
		N45-26E	185	(56.4)	
	395				
		N58-02E	166	(50.6)	
	396				
		N67-49E	170	(51.8)	
	397				
		N68-19E	173	(52.7)	
	398				
		N70-12E	80	(24.4)	
	399				
		N25-24E	154	(46.9)	
	400				
		N06-44E	111	(33.8)	
	401				
		N14-10E	106	(32.3)	
	402				
		N29-07E	80	(24.4)	
	403				
		N80-49E	69	(21.0)	
	404				
		S81-19E	192	(58.5)	
	405				
		S72-57E	208	(63.4)	
	406				
		S48-11E	127	(38.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	407	S70-22E	167	(50.9)	
	408	S72-31E	113	(34.4)	
	409	N53-08E	50	(15.2)	
	410	N33-50E	110	(33.5)	
	411	N78-57E	89	(27.1)	
	412	N83-30E	248	(75.6)	
	413	N72-40E	181	(55.2)	
	414	N45-00E	81	(24.7)	
	415	N09-22W	184	(56.1)	Descend American River.
	416	N00-59W	175	(53.3)	
	417	N04-16E	67	(20.4)	
	418	N41-31E	116	(35.4)	
	419	N77-54E	129	(39.3)	
	420	N83-26E	140	(42.7)	
	421	S68-39E	93	(28.3)	
	422	S36-18E	140	(42.7)	
	423	S40-54E	168	(51.2)	
	424	S58-36E	90	(27.4)	
	425	N70-42E	209	(63.7)	
	426	N53-46E	125	(38.1)	
	427	N28-04E	102	(31.1)	
	428	N18-19E	159	(48.5)	
	429	N46-39E	147	(44.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	430				
		N65-07E	183	(55.8)	
	431				
		N54-41E	235	(71.6)	
	432				
		N52-27E	267	(81.4)	
	433				
		N29-23E	200	(61.0)	
	434				
		N46-45E	115	(35.1)	
	435				
		N19-22E	136	(41.5)	
	436				
		N07-07E	145	(44.2)	
	437				
		N05-35E	144	(43.9)	
	438				
		N46-53W	86	(26.2)	Descend American River.
	439				
		N56-30W	85	(25.9)	
	440				
		N13-54W	104	(31.7)	
	441				
		N32-28E	91	(27.7)	
	442				
		N28-11E	318	(96.9)	
	443				
		N32-38E	452	(137.8)	
	444				
		N75-08E	183	(55.8)	
	445				
		N83-45E	211	(64.3)	
	446				
		00-00E	320	(97.5)	
	447				
		S70-17E	113	(34.4)	
	448				
		S21-22E	148	(45.1)	
	449				
		S11-13E	123	(37.5)	
	450				
		S30-23E	101	(30.8)	
	451				
		S84-39E	96	(29.3)	
	452				
		N81-02E	154	(46.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	453				
		N77-23E	224	(68.3)	
	454				
		N46-55E	170	(51.8)	
	455				
		N17-09E	98	(29.9)	
	456				
		N54-28W	129	(39.3)	
	457				
		N19-02W	153	(46.6)	
	458				
		N02-12W	156	(47.5)	
	459				
		N33-31E	92	(28.0)	
	460				
		N76-29E	81	(24.7)	
	461				
		N74-50E	233	(71.0)	Descend American River.
	462				
		N54-15E	62	(18.9)	
	463				
		N35-50E	178	(54.3)	
	464				
		N55-28E	93	(28.3)	
	465				
		S87-19E	64	(19.5)	
	466				
		S56-57E	123	(37.5)	
	467				
		S80-32E	122	(37.2)	
	468				
		S76-30E	129	(39.3)	
	469				
		S81-28E	101	(30.8)	
	470				
		N09-08E	57	(17.4)	
	471				
		N06-17E	101	(30.8)	
	472				
		N33-41E	119	(36.3)	
	473				
		N28-48E	149	(45.4)	
	474				
		N55-31E	120	(36.6)	
	475				
		N67-06E	126	(38.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	476				
		N71-43E	115	(35.1)	
	477				
		N45-37E	66	(20.1)	
	478				
		N28-54E	242	(73.8)	
	479				
		N23-22E	265	(80.8)	
	480				
		N15-45E	155	(47.2)	
	481				
		N45-52E	93	(28.3)	
	482				
		N80-37E	117	(35.7)	
	483				
		S84-31E	126	(38.4)	
	484				
		S33-32E	199	(60.7)	
	485				
		S38-01E	169	(51.5)	Descend American River.
	486				
		S78-56E	224	(68.3)	
	487				
		S73-48E	211	(64.3)	
	488				
		N61-48E	110	(33.5)	
	489				
		N28-02E	104	(31.7)	
	490				
		N11-40E	193	(58.8)	
	491				
		N27-56E	207	(63.1)	
	492				
		N80-42E	111	(33.8)	
	493				
		S67-41E	163	(49.7)	
	494				
		N84-17E	161	(49.1)	
	495				
		N83-00E	164	(50.0)	
	496				
		N51-20E	186	(56.7)	
	497				
		N33-00E	140	(42.7)	
	498				
		N59-48E	78	(23.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	499				
		N86-52E	256	(78.0)	
	500				
		N74-03E	313	(95.4)	Descend American River.
	501				
		N67-19E	251	(76.5)	
	502				
		N58-02E	166	(50.6)	
	503				Point where American River inter- sects line 200 feet Southerly of and parallel to centerline of State Highway 410. Southwesterly of Hells Crossing Campground.
		N60-44E	104	(31.7)	
	504				
		N73-40E	413	(125.9)	
	505				
		N64-09E	179	(54.6)	
	506				
		N74-48E	324	(98.8)	Paralleling State Highway 410, 200 feet Southerly of centerline.
	507				
		N73-26E	396	(120.7)	
	508				
		N82-42E	354	(107.9)	
	509				
		N73-08E	310	(94.5)	
	510				
		N76-02E	195	(59.4)	
	511				
		N63-18E	365	(111.3)	
	512				
		N66-17E	216	(65.8)	
	513				
		N71-50E	395	(120.4)	
	514				
		N79-42E	145	(44.2)	
	515				
		N77-36E	228	(69.5)	
	516				A point 200 feet southerly of and perpendicular to the centerline of Highway 410.
		N75-55E	304	(92.7)	Easterly.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	517	N75-08E	249	(75.9)	Easterly.
	518				Intersect South bank of American River.
OLD SCAB MOUNTAIN Map #4	519	N64-24E	132	(40.2)	
	520	N67-41E	313	(95.4)	
	521	N76-54E	194	(59.1)	
	522	S87-20E	386	(117.7)	
	523	S85-55E	239	(72.8)	
	524	S70-07E	188	(57.3)	
	525	S54-55E	251	(76.5)	
	526	S62-17E	112	(34.1)	Along south bank of American River.
	527	N83-40E	109	(33.2)	
	528	N71-21E	88	(26.8)	
	529	N04-37E	62	(18.9)	
	530	N45-51E	95	(29.0)	
	531	N72-11E	118	(36.0)	
	532	S84-17E	181	(55.2)	
	533	S80-50E	226	(68.9)	
	534	S87-41E	124	(37.8)	
	535	N78-08E	224	(68.3)	
	536	N65-45E	200	(61.0)	
	537	N80-46E	200	(61.0)	
	538	N69-29E	140	(42.7)	
		N56-05E	206	(62.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	539	S81-44E	229	(69.8)	
	540	S73-55E	278	(84.7)	
	541	S54-40E	97	(29.6)	
	542	S71-46E	89	(27.1)	
	543	N82-06E	306	(93.3)	
	544	N72-39E	285	(86.9)	
	545	N69-20E	170	(51.8)	
	546	N55-41E	179	(54.6)	Along south bank of American River.
	547	N57-01E	136	(41.5)	
	548	N78-31E	136	(41.5)	
	549	S85-21E	198	(60.4)	
	550	S81-31E	251	(76.5)	
	551	N58-50E	95	(29.0)	
	552	N53-16E	84	(25.6)	
	553	S80-40E	222	(67.7)	
	554	S86-08E	297	(90.5)	
	555	N87-02E	154	(46.9)	
	556	N76-43E	257	(78.3)	
	557	N73-03E	195	(59.4)	
	558	S88-37E	208	(63.4)	
	559	S82-12E	221	(67.4)	
	560	N65-55E	93	(28.3)	
	561	N59-45E	153	(46.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	562	N68-36E	208	(63.4)	
	563	S73-29E	292	(89.0)	
	564	S59-53E	339	(103.3)	
	565	S68-42E	171	(52.1)	
	566	N85-06E	281	(85.6)	
	567	N77-27E	262	(79.9)	
	568	S76-50E	145	(44.2)	
	569	S76-15E	248	(75.6)	
	570	N89-27E	210	(64.0)	Along south bank of American River.
	571	N64-01E	176	(53.6)	
	572	N55-00E	159	(48.5)	
	573	N59-16E	129	(39.3)	
	574	S70-23E	107	(32.6)	
	575	S44-46E	176	(53.6)	
	576	S72-20E	119	(36.3)	
	577	N77-03E	116	(35.4)	
	578	N65-25E	142	(43.3)	
	579	N35-44E	272	(82.9)	
	580	N33-09E	238	(72.5)	
	581	N37-29E	189	(57.6)	
	582	N73-25E	224	(68.3)	
	583	N88-21E	243	(74.1)	
	584	S76-50E	241	(73.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	585	S87-13E	206	(62.8)	
	586	N58-36E	111	(33.8)	
	587	N31-53E	309	(94.2)	
	588	N47-01E	221	(67.4)	
	589	N62-49E	409	(124.7)	
	590	N60-25E	442	(134.7)	
	591	N42-28E	367	(111.9)	Along South bank of American River.
	592	N62-20E	187	(57.0)	
	593	N63-26E	172	(52.4)	
	594	N62-54E	143	(43.6)	
	595	N52-40E	148	(45.1)	
	596	N77-11E	171	(52.1)	
	597	S88-23E	178	(54.3)	
	598	S70-08E	127	(38.7)	
	599	S38-15E	132	(40.2)	
	600	S52-31E	205	(62.5)	
	601	S57-16E	233	(71.0)	
	602	S81-44E	229	(69.8)	
	603	N85-17E	316	(96.3)	
	604	N57-30E	173	(52.7)	
	605	N54-50E	161	(49.1)	
	606	N62-27E	130	(39.6)	
	607	N87-09E	141	(43.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	608				
		S86-58E	132	(40.2)	
	609				
		S83-24E	148	(45.1)	
	610				
		N78-41E	240	(73.2)	
	611				
		N67-08E	221	(67.4)	
	612				
		N52-53E	288	(87.8)	Along south bank of American River.
	613				
		N50-22E	219	(66.8)	
	614				
		N65-12E	160	(48.8)	
	615				
		S89-37E	149	(45.4)	
	616				
		N87-43E	176	(53.6)	
	617				
		N78-36E	116	(35.4)	
	618				
		N41-53E	169	(51.5)	
	619				
		N32-04E	215	(65.5)	
	620				
		N50-01E	170	(51.8)	
	621				
		N44-37E	215	(65.5)	
	622				
		N59-02E	87	(26.5)	
	623				
		N33-34E	132	(40.2)	
	624				
		N47-10E	75	(22.9)	
	625				
		N55-09E	96	(29.3)	
	626				Point on south bank of American River that intersects a spur ridge off American Ridge.
		S02-06E	109	(33.2)	
	627				
		S23-12W	168	(51.2)	Ascend spur of American Ridge.
	628				
		S28-52W	323	(98.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

	629				
		S06-53W	58	(17.7)	
	630				
		S04-58E	208	(63.4)	Ascend spur of American Ridge.
	631				
		S01-07E	204	(62.2)	
	632				
		S09-36W	204	(62.2)	
	633				
		S18-45W	286	(87.2)	
	634				
		S19-28W	210	(64.0)	
	635				
		S25-27W	161	(49.1)	
	636				
		S08-20E	83	(25.3)	

	637				Intersection of spur ridge and 3400 foot contour.

		S39-42E	138	(42.1)	
	638				
		S13-01E	204	(62.2)	
	639				
		S07-31W	252	(76.8)	
	640				
		S02-11W	210	(64.0)	
	641				
		S03-39E	204	(62.2)	
	642				
		S22-05E	194	(59.1)	Along the 3400 foot contour.
	643				
		S47-03E	158	(48.2)	
	644				
		S62-45E	227	(69.2)	
	645				
		S89-08E	264	(80.5)	
	646				
		S80-13E	88	(26.8)	
	647				
		S42-34E	183	(55.8)	

	648				Intersection of 3400 foot contour and spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	649	S73-23E	189	(57.6)	
	650	S60-05E	198	(60.4)	Descend spur ridge.
		S77-28E	157	(47.9)	
	651				Intersection of spur ridge and 3120 foot contour.
	652	S38-48W	184	(56.1)	
	653	S44-26W	143	(43.6)	
	654	S61-22W	198	(60.4)	
	655	S80-36W	141	(43.0)	
	656	S41-54W	235	(71.6)	
	657	S50-51W	166	(50.6)	
	658	S40-23W	176	(53.6)	Along the 3120 foot contour.
	659	S32-09W	175	(53.3)	
	660	S23-25W	277	(84.4)	
	661	S31-29W	230	(70.1)	
	662	S06-29W	168	(51.2)	
	663	S12-24W	154	(46.9)	
	664	S45-00E	75	(22.9)	
	665	S03-17W	122	(37.2)	
	666	S12-48W	90	(27.4)	
	667	S04-02E	156	(47.5)	
	668	S07-40W	173	(52.7)	
	669	S25-53W	188	(57.3)	
		S45-28W	173	(52.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	670				
		S58-18W	200	(61.0)	
	671				
		S65-29W	313	(95.4)	
	672				
		S74-01W	443	(135.0)	
	673				
		S71-15W	352	(107.3)	
	674				
		S48-45W	162	(49.4)	
	675				
		S61-55W	455	(138.7)	
	676				
		S52-02W	283	(86.3)	Along the 3120 foot contour.
	677				
		S44-23W	263	(80.2)	
	678				
		S50-46W	281	(85.6)	
	679				
		S39-09W	111	(33.8)	
	680				
		S59-02W	87	(26.5)	
	681				
		S56-28W	199	(60.7)	
	682				
		S63-26W	148	(45.1)	
	683				
		S44-38W	110	(33.5)	
	684				
		S27-32W	132	(40.2)	
	685				
		S18-39W	166	(50.6)	
	686				
		S26-04W	205	(62.5)	
	687				
		S11-07W	57	(17.4)	
	688				
		S08-20W	117	(35.7)	
	689				
		S40-02W	98	(29.9)	
	690				
		S37-30W	108	(32.9)	
	691				
		S34-25W	65	(19.8)	
	692				
		S07-19W	259	(78.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	693				Intersection of 3120 foot contour and spur ridge off American Ridge.
		S85-48W	410	(125.0)	
	694				
		N89-50W	336	(102.4)	
	695				
		N01-00W	400	(121.9)	
	696				
		S83-53W	347	(105.8)	Ascend spur ridge.
	697				
		S83-59W	353	(107.6)	
	698				
		S82-50W	377	(114.9)	
	699				
		N87-34W	188	(57.3)	
	700				Point where spur ridge joins another spur ridge.
		N69-37W	158	(48.2)	
	701				
		N50-39W	301	(91.7)	
	702				
		N61-17W	381	(116.1)	
	703				
		N74-32W	116	(35.4)	Ascend spur ridge.
	704				
		S83-29W	256	(78.0)	
	705				
		N84-40W	388	(118.3)	
	706				
		N80-01W	237	(72.2)	
	707				
		N71-39W	203	(61.9)	
	708				
		N71-37W	301	(91.7)	
	709				
		N69-13W	293	(89.3)	
	710				
		N62-20W	278	(84.7)	
	711				Intersection of spur ridge and 4980 foot contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4		S26-04W	360	(109.7)	
	712	S29-01W	126	(38.4)	
	713	S59-06W	136	(41.5)	
	714	N76-30W	103	(31.4)	
	715	N49-10W	156	(47.5)	
	716	N53-17W	74	(22.6)	
	717	S66-09W	104	(31.7)	
	718	N68-36W	104	(31.7)	
	719	N58-16W	114	(34.7)	Along the 4980 foot contour.
	720	N86-56W	56	(17.1)	
	721	S58-36W	90	(27.4)	
	722	S26-34W	159	(48.5)	
	723	S39-52W	119	(36.3)	
	724	S61-36W	126	(38.4)	
	725	S79-19W	162	(49.4)	
	726	N77-36W	144	(43.9)	
	727	S50-05W	256	(78.0)	
	728	S65-43W	90	(27.4)	
	729	N77-28W	92	(28.0)	
	730	S50-43W	71	(21.6)	
	731	S70-08W	88	(26.8)	
	732	S84-37W	106	(32.3)	
	733	N78-56W	47	(14.3)	
	734	S51-39W	85	(25.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	735				
		S74-29W	75	(22.9)	
	736				
		S38-50W	99	(30.2)	
	737				
		S36-34W	111	(33.8)	
	738				
		S67-46W	100	(30.5)	
	739				
		N87-53W	108	(32.9)	
	740				
		N73-38W	184	(56.1)	
	741				
		S89-35W	136	(41.5)	
	742				
		S76-02W	215	(65.5)	
	743				
		S80-00W	265	(80.8)	Along the 4980 foot contour.
	744				
		S78-37W	278	(84.7)	
	745				
		N87-52W	268	(81.7)	
	746				
		S64-31W	188	(57.3)	
	747				
		S72-13W	252	(76.8)	
	748				
		S43-07W	215	(65.5)	
	749				
		S39-53W	182	(55.5)	
	750				
		S24-25W	167	(50.9)	
	751				
		S13-49E	184	(56.1)	
	752				
		S08-58W	192	(58.5)	
	753				
		S13-04W	186	(56.7)	
	754				
		S24-14W	188	(57.3)	
	755				
		S34-51W	245	(74.7)	
	756				
		S05-12E	88	(26.8)	
	757				
		S13-58W	228	(69.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	758	S33-24W	109	(33.2)	
	759	S03-15E	88	(26.8)	
	760	S08-42E	112	(34.1)	Along the 4980 foot contour.
	761	S01-07W	102	(31.1)	
	762	S52-14E	90	(27.4)	
	763	S23-02E	312	(95.1)	
	764	S19-13E	437	(133.2)	
	765				Intersection of 4980 foot contour and a spur ridge.
	766	S24-44E	576	(175.6)	
	767	S03-39E	219	(66.8)	
	768	S08-57W	315	(96.0)	
	769	S02-33E	404	(123.1)	
	770	S02-26E	259	(78.9)	
	771	S17-23W	137	(41.8)	
	772	S26-18W	194	(59.1)	
	773	S36-13W	208	(63.4)	Descend spur ridge.
	774	S32-18W	402	(122.5)	
	775	S25-55W	355	(108.2)	
	776	S17-21W	402	(122.5)	
	777	S10-12W	333	(101.5)	
	778	S13-38W	204	(62.2)	
	779	S27-18E	379	(115.5)	
		S36-47E	396	(120.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	780				
		S31-27E	305	(93.0)	
	781				
		S47-10E	394	(120.1)	
	782				
		S47-59E	245	(74.7)	
	783				
		S53-05E	256	(78.0)	
	784				
		S56-36E	225	(68.6)	Descend spur ridge.
	785				
		S79-37E	61	(18.6)	
	786				
		S25-37E	382	(116.4)	
	787				
		S29-14E	260	(79.2)	
	788				
		S35-19E	353	(107.6)	
	789				
		S37-39E	326	(99.4)	
	790				
		S28-40E	342	(104.2)	
	791				
		S28-05E	287	(87.5)	
	792				
		S40-31E	289	(88.1)	

	793				Intersection of spur ridge and a point 500 feet Northwesterly andparallel to the centerline of USFS road 1800000.

		S39-55W	343	(104.5)	
	794				
		S46-28W	441	(134.4)	
	795				
		S48-40W	332	(101.2)	Paralleling USFS Road 1800000, 500 feet Northwesterly of centerline.
	796				
		S54-32W	295	(89.9)	
	797				
		S56-53W	302	(92.0)	
	798				
		S57-43W	360	(109.7)	
	799				
		S57-24W	72	(21.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	800				
		N66-48W	91	(27.7)	
	801				
		S88-06W	452	(137.8)	
	802				
		S77-54W	444	(135.3)	
	803				
		S76-51W	453	(138.1)	
	804				
		S72-39W	302	(92.0)	
	805				
		S70-24W	310	(94.5)	
	806				
		S49-27W	274	(83.5)	
	807				
		S41-59W	389	(118.6)	Paralleling USFS Road 1800000, 500 feet Northeasterly of centerline.
	808				
		S39-48W	320	(97.5)	
	809				
		S37-09W	326	(99.4)	
	810				
		S30-13W	302	(92.0)	
	811				
		S24-02W	314	(95.7)	
	812				
		S27-45W	327	(99.7)	
	813				
		S18-51W	263	(80.2)	
	814				
		S15-37W	264	(80.5)	
	815				
		S10-28W	226	(68.9)	
	816				
		S13-17W	479	(146.0)	
	817				
		S14-34W	318	(96.9)	
	818				
		S09-33W	301	(91.7)	
	819				
		S03-18W	260	(79.2)	
	820				
		S11-06W	327	(99.7)	
	821				
		S10-21W	412	(125.6)	
	822				
		S14-57W	337	(102.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	823				
		S16-34W	340	(103.6)	
	824				
		S16-51W	252	(76.8)	
	825				
		N81-17W	290	(88.4)	Paralleling USFS Road 1800000, 500 feet Northeasterly of centerline.
	826				
		N87-58W	254	(77.4)	
	827				
		S81-21W	173	(52.7)	
BUMPING LAKE NE Map #3	828				
		S87-49W	131	(39.9)	
	829				
		S57-40W	129	(39.3)	
	830				
		S59-52W	179	(54.6)	
	831				
		N57-17W	179	(54.6)	
	832				
		N57-42W	148	(45.1)	
	833				
		N63-36W	153	(46.6)	
	834				Intersection of a point 500 feet Northerly of and parallel to USFS Road 1800000 and a spur ridge.
		N78-24W	279	(85.0)	Ascend spur ridge.
	835				Intersection of spur ridge and 3600 foot contour.
		N84-46W	339	(103.3)	
	836				
		N89-17W	320	(97.5)	
	837				
		S66-31W	241	(73.5)	
	838				
		S79-21W	103	(31.4)	Along the 3600 foot contour.
	839				
		N51-56W	105	(32.0)	
	840				
		N67-26W	96	(29.3)	
	841				
		N89-11W	210	(64.0)	
	842				
		N81-07W	162	(49.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	843				
		S83-45W	147	(44.8)	
	844				
		S63-12W	337	(102.7)	
	845				
		S72-20W	234	(71.3)	
	846				
		S66-41W	260	(79.2)	
	847				
		S61-19W	267	(81.4)	
	848				
		S69-58W	508	(154.8)	
	849				Along the 3600 foot contour.
		S78-37W	340	(103.6)	
	850				
		S77-50W	507	(154.5)	
	851				
		N76-03W	174	(53.0)	
	852				
		N82-15W	230	(70.1)	
	853				
		S87-37W	144	(43.9)	
	854				
		S61-34W	179	(54.6)	
	855				
		S63-37W	281	(85.6)	
	856				
		S53-42W	238	(72.5)	
	857				
		S54-15W	339	(103.3)	
	858				
		S49-10W	428	(130.5)	
	859				
		S53-28W	571	(174.0)	
	860				
		S59-14W	397	(121.0)	
	861				
		S79-03W	158	(48.2)	
	862				
		N48-29W	116	(35.4)	
	863				
		N52-28W	174	(53.0)	
	864				
		N67-13W	54	(16.5)	
	865				
		S01-57E	88	(26.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	866				
		S22-11W	170	(51.8)	
	867				
		S27-10W	127	(38.7)	
	868				
		S48-25W	95	(29.0)	
	869				
		S82-04W	160	(48.8)	
	870				
		S60-59W	157	(47.9)	
	871				
		S43-47W	168	(51.2)	
	872				Along the 3600 foot contour.
		S56-49W	186	(56.7)	
	873				
		S85-38W	170	(51.8)	
	874				
		S43-39W	300	(91.4)	
	875				
		S53-02W	223	(68.0)	
	876				
		S45-24W	205	(62.5)	
	877				
		S53-08W	180	(54.9)	
	878				
		S69-51W	180	(54.9)	
	879				Intersection of 3600 foot contour and Strawberry Creek.
		N76-36W	194	(59.1)	
	880				Ascend Strawberry Creek.
		N57-13W	194	(59.1)	
	881				Intersection of Strawberry Creek and 3680 foot contour.
		S12-24E	196	(59.7)	
	882				
		S01-26W	240	(73.2)	
	883				
		S14-22W	298	(90.8)	Along the 3680 foot contour.
	884				
		S16-29W	222	(67.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	885				
		S47-58W	109	(33.2)	
	886				
		S46-07W	180	(54.9)	
	887				
		S25-57W	126	(38.4)	Along the 3680 foot contour.
	888				
		S13-20W	260	(79.2)	
	889				
		S19-27W	213	(64.9)	
	890				
		S33-31W	181	(55.2)	
	891				
		S53-43W	135	(41.1)	
	892				
		S64-48W	38	(11.6)	
	893				Intersection of 3680 foot contour and unnamed stream.
		N79-29W	142	(43.3)	
	894				
		N70-33W	177	(53.9)	Ascend unnamed stream.
	895				
		S83-17W	154	(46.9)	
	896				
		S32-38E	106	(32.3)	
	897				Intersection of unnamed stream and 3760 foot contour.
		S34-51E	96	(29.3)	
	898				
		S04-05W	70	(21.3)	
	899				
		S17-42W	171	(52.1)	
	900				
		S21-22W	173	(52.7)	Along the 3760 foot contour.
	901				
		S19-16W	176	(53.6)	
	902				
		S12-22W	191	(58.2)	
	903				
		S14-31W	176	(53.6)	
	904				
		S07-59W	159	(48.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	905				
		S02-02E	197	(60.0)	
	906				
		S01-06E	104	(31.7)	
	907				
		S11-41E	59	(18.0)	
	908				
		S32-56E	125	(38.1)	
	909				
		S33-22E	147	(44.8)	
	910				
		S15-49E	180	(54.9)	
	911				
		S15-59W	236	(71.9)	Along the 3760 foot contour.
	912				
		S22-41W	231	(70.4)	
	913				
		S47-12W	110	(33.5)	
	914				
		S89-39W	162	(49.4)	
	915				
		S68-30W	207	(63.1)	
	916				
		S48-04W	211	(64.3)	
	917				
		S45-59W	412	(125.6)	
	918				
		S50-40W	279	(85.0)	
	919				
		S46-25W	258	(78.6)	
	920				
		S44-38W	222	(67.7)	
	921				Intersection of 3760 foot contour and unnamed creek.
		S23-40E	257	(78.3)	
	922				
		S23-23E	169	(51.5)	Descend unnamed creek.
	923				
		S06-40E	172	(52.4)	
	924				Intersection of 3600 foot contour and unnamed creek.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	925	S49-46W	289	(88.1)	
	926	S21-24W	238	(72.5)	
	927	S23-04W	227	(69.2)	
	928	S24-25W	273	(83.2)	
	929	S45-20W	124	(37.8)	
BUMPING LAKE SE Map #7	930	S19-58W	568	(173.1)	
	931	S04-24W	52	(15.8)	
	932	S21-42W	211	(64.3)	Along the 3600 foot contour.
	933	S45-33W	220	(67.1)	
	934	S44-00W	245	(74.7)	
	935	S31-36W	122	(37.2)	
	936	S03-11W	144	(43.9)	
	937	S25-46W	129	(39.3)	
	938	S22-56W	169	(51.5)	
	939	S38-25W	222	(67.7)	
	940	S49-32W	179	(54.6)	
	941	S48-39W	200	(61.0)	
	942	S37-43W	268	(81.7)	
	943	S35-57W	225	(68.6)	
	944	S26-47W	235	(71.6)	
	945	S24-14W	219	(66.8)	
	946	S26-52W	334	(101.8)	
	947	S34-39W	197	(60.0)	
		S56-42W	160	(48.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	948				
		S48-22W	144	(43.9)	
	949				
		S46-56W	167	(50.9)	
	950				
		S34-16W	327	(99.7)	
	951				
		S37-10W	1026	(312.7)	
	952				
		S32-10W	302	(92.0)	
	953				
		S34-04W	171	(52.1)	
	954				
		S48-45W	152	(46.3)	Along the 3600 foot contour.
	955				
		S57-55W	158	(48.2)	
	956				
		S19-23W	114	(34.7)	
	957				
		S29-58W	196	(59.7)	
	958				
		S40-36W	221	(67.4)	
	959				
		S53-27W	433	(132.0)	
	960				
		S64-02W	260	(79.2)	
	961				
		S43-43W	252	(76.8)	
	962				
		S44-10W	290	(88.4)	
	963				
		S35-29W	214	(65.2)	
	964				
		S46-42W	166	(50.6)	
	965				
		S47-09W	188	(57.3)	
	966				
		S62-03W	111	(33.8)	
	967				
		S80-13W	118	(36.0)	
	968				
		S53-08W	120	(36.6)	
	969				
		S41-25W	136	(41.5)	
	970				
		S30-32W	91	(27.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	971				
		S59-18W	74	(22.6)	
	972				
		S85-41W	106	(32.3)	
	973				
		S86-29W	130	(39.6)	
	974				
		S40-55W	79	(24.1)	
	975				
		S35-45W	123	(37.5)	
	976				
		S52-16W	212	(64.6)	
	977				
		S67-08W	180	(54.9)	
	978				
		S86-02W	202	(61.6)	
	979				
		N82-43W	190	(57.9)	
	980				
		S58-30W	218	(66.4)	
	981				
		S68-59W	971	(296.0)	Along the 3600 foot contour.
	982				
		N61-47W	186	(56.7)	
	983				
		S81-16W	310	(94.5)	
	984				
		S86-42W	208	(63.4)	
	985				
		S72-41W	114	(34.7)	
	986				
		N88-36W	164	(50.0)	
	987				
		N67-59W	192	(58.5)	
	988				
		S77-03W	357	(108.8)	
	989				
		S89-36W	292	(89.0)	
	990				
		N76-27W	401	(122.2)	
	991				
		S63-26W	165	(50.3)	
	992				
		S70-06W	223	(68.0)	
	993				
		S86-01W	231	(70.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	994				
		N76-57W	226	(68.9)	
	995				
		S49-51W	167	(50.9)	
	996				
		S69-02W	229	(69.8)	
	997				
		S83-02W	461	(140.5)	
	998				
		S77-26W	322	(98.1)	
	999				
		N89-10W	410	(125.0)	
	1000				
		S86-35W	303	(92.4)	Along the 3600 foot contour.
	1001				
		N84-22W	326	(99.4)	
	1002				
		S87-44W	252	(76.8)	
	1003				
		S73-59W	239	(72.8)	
	1004				
		S75-51W	241	(73.5)	
	1005				
		S70-01W	211	(64.3)	
	1006				
		S77-07W	251	(76.5)	
	1007				
		S47-22W	171	(52.1)	
	1008				
		S42-37W	272	(82.9)	
	1009				
		S60-07W	217	(66.1)	
	1010				
		S64-35W	224	(68.3)	
	1011				
		S72-56W	239	(72.8)	
	1012				
		S76-55W	203	(61.9)	
	1013				
		S84-29W	229	(69.8)	
	1014				
		S82-17W	238	(72.5)	
	1015				
		S45-00W	82	(25.0)	
	1016				
		S29-45W	81	(24.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1017				
		S10-34W	120	(36.6)	
	1018				
		S31-55W	144	(43.9)	
	1019				
		S68-58W	84	(25.6)	
	1020				
		S74-03W	87	(26.5)	
	1021				
		S33-41W	58	(17.7)	
	1022				
		S10-57W	63	(19.2)	
	1023				
		S36-52W	50	(15.2)	
	1024				
		S61-07W	132	(40.2)	Along the 3600 foot contour.
	1025				
		S88-29W	302	(92.0)	
	1026				
		S80-08W	93	(28.3)	
	1027				
		S15-10W	122	(37.2)	
	1028				
		S38-12W	293	(89.3)	
	1029				
		S43-25W	256	(78.0)	
	1030				
		S65-08W	242	(73.8)	
	1031				
		S76-05W	225	(68.6)	
	1032				
		S78-34W	343	(104.5)	
	1033				
		S78-20W	188	(57.3)	
	1034				
		S88-01W	116	(35.4)	
	1035				
		S17-34E	126	(38.4)	
	1036				
		S59-09E	168	(51.2)	
	1037				
		S54-45E	142	(43.3)	
	1038				
		S17-12W	88	(26.8)	
	1039				
		S18-26W	164	(50.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1040				
		S14-51E	172	(52.4)	
	1041				
		S07-10E	337	(102.7)	
	1042				
		S05-34W	412	(125.6)	
	1043				
		S14-51W	308	(93.9)	
	1044				
		S21-05W	178	(54.3)	
BUMPING LAKE SW Map #8	1045				
		S27-02W	220	(67.1)	
	1046				
		S34-37W	102	(31.1)	
	1047				
		S22-13W	130	(39.6)	
	1048				
		S16-02W	83	(25.3)	Along the 3600 foot contour.
	1049				
		S01-01W	56	(17.1)	
	1050				
		S07-11E	216	(65.8)	
	1051				
		S02-14W	154	(46.9)	
	1052				
		S34-18W	130	(39.6)	
	1053				
		S28-02W	157	(47.9)	
	1054				
		S24-33E	89	(27.1)	
	1055				
		S06-45E	77	(23.5)	
	1056				
		S13-41W	80	(24.4)	
	1057				
		S28-40W	158	(48.2)	
	1058				
		S25-54W	114	(34.7)	
	1059				
		S21-11W	86	(26.2)	
	1060				
		S19-03E	89	(27.1)	
	1061				
		S40-36E	65	(19.8)	
	1062				
		S84-28E	135	(41.1)	
	1063				
		N67-23E	52	(15.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1064				
		S68-12E	54	(16.5)	
	1065				
		S38-13E	60	(18.3)	
	1066				
		S11-55E	92	(28.0)	
	1067				
		S13-16W	109	(33.2)	
	1068				
		S21-24W	79	(24.1)	
BUMPING LAKE SW Map #8	1069				
		S44-10W	49	(14.9)	
	1070				
		N57-16W	17	(5.2)	
	1071				
		S22-48W	95	(29.0)	
	1072				
		S11-36W	159	(48.5)	
	1073				
		S24-40W	242	(73.8)	Along the 3600 foot contour.
	1074				
		S66-24W	147	(44.8)	
	1075				
		S72-13W	193	(58.8)	
	1076				
		S07-07W	73	(22.3)	
	1077				
		S34-26W	127	(38.7)	
	1078				
		S03-31W	114	(34.7)	
	1079				
		S33-12E	97	(29.6)	
	1080				
		S46-38E	198	(60.4)	
	1081				
		S52-55E	313	(95.4)	
	1082				
		S03-30E	98	(29.9)	
	1083				
		S23-34W	103	(31.4)	
	1084				
		S72-47W	149	(45.4)	
	1085				
		S85-31W	115	(35.1)	
	1086				
		S16-39W	122	(37.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SW Map #8	1087				
		S01-00E	82	(25.0)	
	1088				Along the 3600 foot contour.
		S36-09E	110	(33.5)	
	1089				Intersection of 3600 foot contour and Cougar Creek.
		N84-19E	344	(104.9)	Descend Cougar Creek.
BUMPING LAKE SE Map #7	1090				Junction of Cougar Creek and Bumping River.
		N72-09E	4376	(1333.8)	
	1091				Western most point of an unnamed lake at ordinary highwater.
		S43-47E	66	(20.1)	
	1092				
		S54-50E	108	(32.9)	
	1093				
		S00-00E	162	(49.4)	Along South shore of said unnamed lake.
	1094				
		N73-30E	169	(51.5)	
	1095				
		N72-28E	80	(24.4)	
	1096				
		N47-23E	68	(20.7)	
	1097				Outlet of said unnamed lake at ordinary highwater.
		S60-44E	381	(116.1)	
	1098				
		S71-12E	298	(90.8)	
	1099				
		S72-08E	284	(86.6)	Descend right bank of unnamed stream.
	1100				
		S62-05E	419	(127.7)	
	1101				
		S77-03E	205	(62.5)	
	1102				
		S86-18E	279	(85.0)	
	1103				
		S88-13E	320	(97.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1104				
		S89-37E	296	(90.2)	
	1105				
		S85-25E	325	(99.1)	
	1106				
		S78-29E	265	(80.8)	Descend right bank of unnamed stream.
	1107				
		S88-01E	174	(53.0)	
	1108				
		N73-59E	616	(187.8)	
	1109				
		S86-57E	150	(45.7)	
	1110				
		S81-52E	255	(77.7)	
	1111				
		S86-27E	258	(78.6)	
	1112				
		N84-01E	326	(99.4)	
	1113				
		N76-38E	251	(76.5)	
	1114				
		N77-42E	272	(82.9)	
	1115				Point on right bank of said unnamed stream where spur ridge off Miners Ridge intersects stream.
		S07-41E	254	(77.4)	
	1116				
		S06-45W	170	(51.8)	
	1117				
		S24-27W	169	(51.5)	
	1118				
		S32-40W	219	(66.8)	
	1119				
		S01-58W	232	(70.7)	Ascend spur ridge.
	1120				
		S01-14E	374	(114.0)	
	1121				
		S03-40E	313	(95.4)	
	1122				
		00-00S	258	(78.6)	
	1123				
		S04-32E	126	(38.4)	
	1124				
		S25-51W	213	(64.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1125				
		S32-20W	329	(100.3)	
	1126				
		S33-27W	134	(40.8)	
	1127				
		S39-08W	263	(80.2)	Ascend spur ridge.
	1128				
		S33-21W	287	(87.5)	
	1129				
		S22-59W	215	(65.5)	
	1130				
		S02-04E	222	(67.7)	
	1131				
		S11-06E	218	(66.4)	
	1132				
		S07-36E	227	(69.2)	
	1133				
		S08-18E	97	(29.6)	
	1134				Point on Miners Ridge.
		S20-15W	179	(54.6)	
	1135				
		S32-19W	267	(81.4)	
	1136				
		S47-15W	180	(54.9)	
	1137				
		S40-30W	234	(71.3)	
	1138				
		S60-10W	157	(47.9)	
	1139				
		S77-25W	230	(70.1)	Along Miners Ridge.
	1140				
		S84-36W	181	(55.2)	
	1141				
		S87-43W	150	(45.7)	
	1142				
		N81-10W	208	(63.4)	
	1143				
		N81-31W	231	(70.4)	
	1144				
		S21-42W	211	(64.3)	
	1145				
		S36-30W	124	(37.8)	
	1146				
		S47-32W	160	(48.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1147				
		S49-02W	241	(73.5)	
	1148				
		S49-11W	233	(71.0)	
	1149				
		S41-24W	248	(75.6)	
	1150				
		S41-30W	69	(21.0)	
	1151				
		S03-54W	88	(26.8)	
	1152				
		S04-24E	183	(55.8)	
	1153				
		S03-43W	200	(61.0)	Along Miners Ridge.
	1154				
		S00-46E	148	(45.1)	
	1155				
		S26-27W	211	(64.3)	
	1156				
		S35-30W	369	(112.5)	
	1157				
		S35-39W	357	(108.8)	
	1158				
		S31-24W	223	(68.0)	
	1159				
		S17-29W	153	(46.6)	
	1160				
		S01-00W	246	(75.0)	
	1161				
		S25-31W	98	(29.9)	
	1162				
		S54-10W	178	(54.3)	
	1163				
		S66-13W	203	(61.9)	
	1164				
		S69-09W	135	(41.1)	
	1165				
		S69-46W	40	(12.2)	
	1166				
		S14-02E	41	(12.5)	
	1167				
		S13-54E	196	(59.7)	
	1168				
		00-00S	228	(69.5)	
	1169				
		S05-24W	255	(77.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1170				
		S19-49W	236	(71.9)	
	1171				
		S32-00W	264	(80.5)	
	1172				
		S49-17W	303	(92.4)	
	1173				
		S53-43W	270	(82.3)	
	1174				
		S61-15W	258	(78.6)	
	1175				Along Miners Ridge.
		S55-55W	239	(72.8)	
	1176				
		S67-18W	212	(64.6)	
	1177				
		S84-28W	187	(57.0)	
	1178				
		S70-16W	278	(84.7)	
	1179				
		S79-29W	142	(43.3)	
	1180				
		N68-24W	103	(31.4)	
	1181				Miners Ridge Lookout site, elevation 6072 feet.
		N62-18W	136	(41.5)	
	1182				
		N56-43W	77	(23.5)	
	1183				
		S30-04W	337	(102.7)	Westerly of USFS Road 1809000. Generally along Miners Ridge.
	1184				
		S24-33W	294	(89.6)	
	1185				
		S00-30E	228	(69.5)	
	1186				
		S18-10W	135	(41.1)	
	1187				
		S12-25W	223	(68.0)	
	1188				
		S05-46W	199	(60.7)	
	1189				
		S03-05E	186	(56.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1190				
		S08-11W	281	(85.6)	
	1191				
		S04-13W	245	(74.7)	Westerly of USFS Road 1809000. Generally along Miners Ridge.
	1192				
		S14-54W	195	(59.4)	
	1193				
		S25-10W	256	(78.0)	
	1194				
		S28-44W	212	(64.6)	
	1195				
		S29-03W	227	(69.2)	
	1196				
		S29-32W	207	(63.1)	
	1197				An unnamed peak on Miners Ridge.
		S68-41E	88	(26.8)	
	1198				
		S79-29E	142	(43.3)	
	1199				
		S52-12E	147	(44.8)	
	1200				
		S31-28E	157	(47.9)	
	1201				
		S31-10E	340	(103.6)	Southerly along crest of Miners Ridge.
	1202				
		S06-12E	185	(56.4)	
	1203				
		S09-07W	164	(50.0)	
	1204				
		S29-03W	144	(43.9)	
	1205				
		S22-40W	197	(60.0)	
	1206				
		S31-35W	286	(87.2)	
	1207				
		S41-26W	443	(135.0)	
	1208				
		S42-04W	388	(118.3)	
	1209				
		S42-39W	381	(116.1)	
	1210				
		S40-23W	333	(101.5)	
	1211				
		S39-06W	165	(50.3)	
	1212				
		S23-20E	333	(101.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1213				
		S10-30E	307	(93.6)	
	1214				
		S18-01E	175	(53.3)	
	1215				
		S15-44E	295	(89.9)	
	1216				
		S09-03E	337	(102.7)	
	1217				
		S10-06E	297	(90.5)	
	1218				
		S11-46E	196	(59.7)	
	1219				
		S22-19E	205	(62.5)	
	1220				
		S23-12E	213	(64.9)	Southerly along crest of Miners Ridge.
	1221				
		S19-24E	187	(57.0)	
	1222				
		S06-05E	245	(74.7)	
	1223				
		S04-07W	279	(85.0)	
	1224				
		S00-41W	334	(101.8)	
	1225				
		S02-08W	321	(97.8)	
	1226				
		S02-11W	342	(104.2)	
	1227				
		S02-57E	310	(94.5)	
	1228				
		S06-14W	239	(72.8)	
	1229				
		S06-20W	272	(82.9)	
	1230				
		S06-09E	392	(119.5)	
	1231				
		S01-23E	416	(126.8)	
	1232				
		S03-10E	578	(176.2)	
	1233				
		S03-04W	431	(131.4)	
	1234				
		S05-04E	339	(103.3)	
	1235				
		S08-11E	267	(81.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1236				
		S02-52W	400	(121.9)	
	1237				
		S01-25W	402	(122.5)	
	1238				
		S02-05W	220	(67.1)	Southerly along crest of Miners Ridge.
	1239				
		S11-41W	415	(126.5)	
	1240				
		S13-33W	371	(113.1)	
	1241				
		S18-49W	192	(58.5)	
	1242				
		S05-01E	297	(90.5)	
	1243				
		S05-34W	330	(100.6)	
	1244				A point on the South end of Miners Ridge near 5600 foot contour.
		S00-25W	542	(165.2)	
1245		S00-17E	396	(120.7)	
1246		S00-48W	428	(130.5)	
1247		S02-16W	380	(115.8)	Descend.
1248		S01-26E	401	(122.2)	
1249		S01-53W	366	(111.6)	
1250		S00-18E	380	(115.8)	
1251		S05-12W	353	(107.6)	
	1252				A point in Deep Creek.
		S70-32E	246	(75.0)	
1253		N88-18E	270	(82.3)	Descend Deep Creek.
1254		S73-07E	186	(56.7)	
1255		S84-36E	255	(77.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE	1256				
		N87-14E	124	(37.8)	
	1257				
		S79-31E	203	(61.9)	
	1258				
		S74-53E	207	(63.1)	
	1259				
		N83-21E	242	(73.8)	
	1260				
		N65-24E	235	(71.6)	
	1261				
		N75-07E	296	(90.2)	
	1262				
		N77-34E	242	(73.8)	Descend Deep Creek.
	1263				
		N18-26E	183	(55.8)	
	1264				
		N15-19E	174	(53.0)	
	1265				
		N45-54E	181	(55.2)	
	1266				
		N74-16E	148	(45.1)	
	1267				
		N61-20E	146	(44.5)	
	1268				
		N65-10E	148	(45.1)	
	1269				
		N74-16E	288	(87.8)	
	1270				
		N48-49E	170	(51.8)	
	1271				
		N23-58E	276	(84.1)	
	1272				
		N27-54E	115	(35.1)	
	1273				
		N75-12E	110	(33.5)	
	1274				
		S86-35E	134	(40.8)	
	1275				
		N75-15E	39	(11.9)	
	1276				
		N38-51E	185	(56.4)	
	1277				
		N62-37E	126	(38.4)	
	1278				
		N77-09E	117	(35.7)	
	1279				
		N40-36E	148	(45.1)	
					60

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1280				
		N18-36E	213	(64.9)	
	1281				
		N23-36W	225	(68.6)	
	1282				
		N19-13W	280	(85.3)	
	1283				
		N19-47W	189	(57.6)	
	1284				
		N06-20W	91	(27.7)	
	1285				
		N36-06E	119	(36.3)	
	1286				
		N34-13E	121	(36.9)	Descend Deep Creek.
	1287				
		N55-16E	91	(27.7)	
	1288				
		N49-01E	323	(98.5)	
	1289				
		N01-21W	170	(51.8)	
	1290				
		N15-39W	260	(79.2)	
	1291				
		N17-32W	139	(42.4)	
	1292				
		N03-03W	150	(45.7)	
	1293				
		N15-31E	224	(68.3)	
	1294				
		N25-11E	296	(90.2)	
	1295				
		N05-24E	255	(77.7)	
	1296				
		N00-46E	300	(91.4)	
	1297				
		N24-52E	181	(55.2)	
	1298				
		N51-20E	77	(23.5)	
	1299				
		S68-45E	77	(23.5)	
	1300				
		S74-10E	139	(42.4)	
	1301				
		N48-01E	81	(24.7)	
	1302				
		N14-20E	93	(28.3)	
	1303				
		N07-04W	244	(74.4)	
					61

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1304				
		N05-24E	149	(45.4)	
	1305				
		N26-04E	205	(62.5)	
	1306				
		N31-16E	197	(60.0)	
	1307				
		N23-04E	117	(35.7)	
	1308				
		N23-45W	109	(33.2)	
	1309				
		N08-17W	111	(33.8)	
	1310				
		N26-07E	114	(34.7)	Descend Deep Creek.
	1311				
		N39-48E	62	(18.9)	
	1312				
		N81-38E	69	(21.0)	
	1313				
		N83-32E	107	(32.6)	
	1314				
		N23-40E	159	(48.5)	
	1315				
		N14-02E	445	(135.6)	
	1316				
		N14-16E	235	(71.6)	
	1317				
		N29-27E	195	(59.4)	
	1318				
		N30-43E	272	(82.9)	
	1319				
		N15-47E	301	(91.7)	
	1320				
		N06-57E	297	(90.5)	
	1321				
		N16-16E	250	(76.2)	
	1322				
		N24-45E	396	(120.7)	
	1323				
		N34-43E	309	(94.2)	
	1324				
		N31-31E	249	(75.9)	
	1325				
		N17-26E	254	(77.4)	
	1326				
		N20-19E	337	(102.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1327				
		N22-30E	277	(84.4)	
	1328				
		N08-18E	277	(84.4)	
	1329				
		N08-51E	156	(47.5)	
	1330				
		N37-20E	201	(61.3)	
	1331				
		N34-20E	245	(74.7)	
	1332				
		N27-13E	555	(169.2)	Descend Deep Creek.
	1333				
		N38-59E	162	(49.4)	
	1334				
		N48-18E	271	(82.6)	
	1335				
		N35-53E	254	(77.4)	
	1336				
		N75-04E	124	(37.8)	
	1337				
		N62-22E	289	(88.1)	
	1338				
		N55-18E	221	(67.4)	
	1339				
		N41-33E	235	(71.6)	
	1340				
		N63-07E	164	(50.0)	
	1341				
		N55-47E	121	(36.9)	
	1342				
		N29-08E	140	(42.7)	
	1343				
		N07-56E	246	(75.0)	
	1344				
		N14-02E	132	(40.2)	
	1345				
		N40-36E	184	(56.1)	
	1346				
		N64-25E	208	(63.4)	
	1347				
		N88-55E	106	(32.3)	

	1348				A point in Deep Creek at the 3840 foot contour.

		N64-24E	213	(64.9)	
	1349				Along the 3840 contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7		N52-49E	146	(44.5)	
	1350	N64-18E	208	(63.4)	
	1351	S81-02E	154	(46.9)	
	1352	N60-15E	81	(24.7)	
	1353	N35-38E	130	(39.6)	
	1354	N29-32E	345	(105.2)	
	1355	N17-11E	203	(61.9)	
	1356	N43-51E	141	(43.0)	Along the 3840 foot contour.
	1357	N29-52E	558	(170.1)	
	1358	N42-53E	76	(23.2)	
	1359	N54-56E	230	(70.1)	
	1360	N08-20E	83	(25.3)	
	1361	N07-53W	131	(39.9)	
	1362	N19-36E	125	(38.1)	
	1363	N42-07E	197	(60.0)	
	1364	N37-46E	309	(94.2)	
	1365	N37-18E	158	(48.2)	
	1366	N13-45E	194	(59.1)	
	1367	N14-30E	304	(92.7)	
	1368	N20-07E	215	(65.5)	
	1369	N18-55E	296	(90.2)	
	1370	N32-31E	216	(65.8)	
	1371	N36-02E	190	(57.9)	
	1372	N04-10W	248	(75.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1373	N45-00E	3	(.9)	
	1374	N16-17E	371	(113.1)	
	1375	N05-25E	350	(106.7)	Along the 3840 foot contour.
	1376	N02-56W	312	(95.1)	
	1377				A point on 3840 foot contour.
		N10-29W	352	(107.3)	Descending cross slope line.
	1378				A point on 3760 foot contour.
		N01-05W	316	(96.3)	
	1379	N02-04W	278	(84.7)	
	1380	N05-37E	225	(68.6)	
	1381	N32-40E	219	(66.8)	
	1382	N60-46E	193	(58.8)	
	1383	N60-52E	279	(85.0)	
	1384	N69-04E	297	(90.5)	Along the 3760 foot contour.
	1385	N81-31E	406	(123.7)	
	1386	N80-22E	108	(32.9)	
	1387	S63-26E	139	(42.4)	
	1388	S79-23E	98	(29.9)	
	1389	N55-20E	323	(98.5)	
	1390	N55-07E	692	(210.9)	
	1391	N45-00E	331	(100.9)	
	1392	N53-47E	352	(107.3)	
	1393	N64-09E	284	(86.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1394				
		N64-24E	213	(64.9)	
	1395				
		N53-58E	218	(66.4)	
	1396				
		N77-12E	135	(41.1)	
	1397				
		N47-48E	217	(66.1)	
	1398				
		N31-22E	192	(58.5)	
	1399				
		N18-58E	135	(41.1)	
	1400				
		N45-30E	163	(49.7)	Along the 3760 foot contour.
	1401				
		S70-17E	113	(34.4)	
	1402				
		S25-40E	171	(52.1)	
	1403				
		S15-30E	180	(54.9)	
	1404				
		S10-50E	234	(71.3)	
	1405				
		S12-57E	103	(31.4)	
	1406				
		S26-34E	72	(21.9)	
	1407				
		N37-15E	121	(36.9)	
	1408				
		N00-32W	214	(65.2)	
	1409				
		N06-43E	171	(52.1)	
	1410				
		N09-21W	160	(48.8)	
	1411				
		N15-01W	185	(56.4)	
	1412				
		N19-23W	114	(34.7)	
	1413				
		N46-01W	239	(72.8)	
	1414				
		N35-28W	179	(54.6)	
	1415				
		N14-02W	140	(42.7)	
	1416				
		N19-09E	201	(61.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1417				
		N60-10E	173	(52.7)	
	1418				
		N46-35E	154	(46.9)	
	1419				
		N04-12E	219	(66.8)	
	1420				
		N05-53E	137	(41.8)	
	1421				
		N24-42E	110	(33.5)	
	1422				
		N50-19E	122	(37.2)	
	1423				
		S84-48E	155	(47.2)	Along the 3760 foot contour.
	1424				
		S81-02E	77	(23.5)	
	1425				
		N32-00E	132	(40.2)	
	1426				
		N10-30E	126	(38.4)	
	1427				
		N22-53E	98	(29.9)	
	1428				
		N27-43E	133	(40.5)	
	1429				
		N06-47E	203	(61.9)	
	1430				
		N05-23E	213	(64.9)	
	1431				
		N04-16W	134	(40.8)	
	1432				
		N05-19E	86	(26.2)	
	1433				
		N45-00E	144	(43.9)	
	1434				
		N06-09W	131	(39.9)	
	1435				
		N15-00E	201	(61.3)	
	1436				
		N33-41E	101	(30.8)	
	1437				
		N01-16E	90	(27.4)	
	1438				
		N09-16W	186	(56.7)	
	1439				
		N11-04E	136	(41.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1440				
		N21-22E	99	(30.2)	
	1441				
		N24-46W	115	(35.1)	
	1442				
		N19-45W	83	(25.3)	
	1443				
		N10-18E	112	(34.1)	
	1444				
		N46-58W	123	(37.5)	
	1445				
		N06-39W	121	(36.9)	
	1446				
		N01-31W	340	(103.6)	Along the 3760 foot contour.
	1447				
		N16-25E	198	(60.4)	
	1448				
		N17-14E	270	(82.3)	
	1449				
		N17-37E	132	(40.2)	
	1450				
		N06-14W	111	(33.8)	
	1451				
		N03-22W	102	(31.1)	
	1452				
		N11-53E	155	(47.2)	
	1453				
		N25-34E	204	(62.2)	
	1454				
		N20-33E	256	(78.0)	
	1455				
		N39-28E	220	(67.1)	
	1456				
		N20-18E	156	(47.5)	
	1457				
		N12-00E	438	(133.5)	
	1458				
		N13-09E	202	(61.6)	
	1459				
		N15-10W	122	(37.2)	
	1460				
		N07-36W	121	(36.9)	
	1461				
		N24-24E	189	(57.6)	
	1462				
		N41-41E	171	(52.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1463				
		N70-21E	89	(27.1)	
	1464				
		N11-39E	337	(102.7)	
	1465				
		N05-38E	285	(86.9)	
	1466				
		N04-44E	291	(88.7)	
	1467				
		N11-57E	213	(64.9)	
	1468				
		N16-26W	127	(38.7)	
	1469				
		N25-58W	87	(26.5)	Along the 3760 foot contour.
	1470				
		N03-32W	146	(44.5)	
	1471				
		N01-04W	214	(65.2)	
	1472				
		N11-23E	314	(95.7)	
	1473				
		N30-13E	183	(55.8)	
	1474				
		N40-36E	184	(56.1)	
	1475				
		N29-45E	129	(39.3)	
	1476				
		N16-51E	138	(42.1)	
	1477				
		N09-52E	93	(28.3)	
	1478				
		N26-34E	143	(43.6)	
	1479				
		N56-49E	124	(37.8)	
	1480				
		N24-37E	211	(64.3)	
	1481				
		N27-34E	281	(85.6)	
	1482				
		N35-05E	320	(97.5)	
	1483				
		N24-22E	327	(99.7)	
	1484				
		N24-06E	250	(76.2)	
	1485				
		N30-30E	169	(51.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1486				
		N50-20E	107	(32.6)	
	1487				
		N18-19E	299	(91.1)	
	1488				
		N24-41E	192	(58.5)	
	1489				
		N24-17E	180	(54.9)	
	1490				
		N41-45E	174	(53.0)	
	1491				
		N59-52E	143	(43.6)	
	1492				
		N13-40E	152	(46.3)	Along the 3760 foot contour.
	1493				
		N18-26E	139	(42.4)	
	1494				
		N33-25E	232	(70.7)	
	1495				
		N50-58E	238	(72.5)	
	1496				
		N49-11E	174	(53.0)	
	1497				
		N45-00E	93	(28.3)	
	1498				
		N04-38E	223	(68.0)	
	1499				
		N14-29E	184	(56.1)	
	1500				
		N38-09E	249	(75.9)	
	1501				
		N23-39E	264	(80.5)	
	1502				
		N31-10E	301	(91.7)	
	1503				
		N34-05E	82	(25.0)	
	1504				
		N53-26E	309	(94.2)	
	1505				
		N41-25E	136	(41.5)	
	1506				
		N23-38W	210	(64.0)	
	1507				
		N06-28W	453	(138.1)	
	1508				
		N03-35W	353	(107.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1509				
		N05-20W	322	(98.1)	
	1510				
		N04-11W	164	(50.0)	
	1511				
		N14-02E	132	(40.2)	
	1512				
		N38-03E	117	(35.7)	
	1513				
		N02-32E	226	(68.9)	
	1514				
		N16-09W	302	(92.0)	
	1515				
		N08-38W	320	(97.5)	Along the 3760 foot contour.
	1516				
		N02-19W	248	(75.6)	
	1517				
		N18-26E	234	(71.3)	
	1518				
		N32-30E	173	(52.7)	
	1519				
		N45-00E	96	(29.3)	
	1520				
		N08-26E	109	(33.2)	
	1521				
		N08-50E	182	(55.5)	
	1522				
		N26-21E	234	(71.3)	
	1523				
		N20-32E	451	(137.5)	
	1524				
		N13-12E	315	(96.0)	
	1525				
		N20-40E	261	(79.6)	
	1526				
		N22-37E	104	(31.7)	
	1527				
		N28-30W	80	(24.4)	
	1528				
		N33-09W	117	(35.7)	
	1529				
		N12-01E	317	(96.6)	
	1530				
		N17-01E	475	(144.8)	
	1531				
		N17-38E	409	(124.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE SE Map #7	1532				
		N20-58E	386	(117.7)	
	1533				
		N39-48E	203	(61.9)	
	1534				
		N14-42E	165	(50.3)	
	1535				
		N17-42E	296	(90.2)	
	1536				
		N32-11E	338	(103.0)	
	1537				
		N36-40E	219	(66.8)	
	1538				
		N13-10E	97	(29.6)	Along the 3760 foot contour.
	1539				
		N40-31E	145	(44.2)	
	1540				
		N42-50E	150	(45.7)	
	1541				
		N06-31E	141	(43.0)	
BUMPING LAKE NE Map #3	1542				
		N56-51E	238	(72.5)	
	1543				
		N35-35E	168	(51.2)	
	1544				
		N22-00E	360	(109.7)	
	1545				
		N40-50E	379	(115.5)	
	1546				
		N47-43E	224	(68.3)	
	1547				
		N53-38E	226	(68.9)	
	1548				
		N73-22E	272	(82.9)	
	1549				
		N80-36E	135	(41.1)	
	1550				
		S74-24E	461	(140.5)	
	1551				
		S68-34E	375	(114.3)	
	1552				
		S67-33E	299	(91.1)	
	1553				
		S78-24E	159	(48.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	1554				Intersection of 3760 foot contour line and Thunder Creek.
		N46-15W	291	(88.7)	
	1555				
		N35-02W	355	(108.2)	
	1556				
		N16-43W	264	(80.5)	
	1557				
		N10-34W	213	(64.9)	
	1558				
		N12-46W	317	(96.6)	
	1559				
		N08-37E	387	(118.0)	
	1560				
		N10-14E	219	(66.8)	Descend Thunder Creek.
	1561				
		N16-10W	104	(31.7)	
	1562				
		N46-32W	106	(32.3)	
	1563				
		N58-31W	172	(52.4)	
	1564				
		N43-30W	272	(82.9)	
	1565				
		N34-56W	360	(109.7)	
	1566				
		N25-59W	267	(81.4)	
	1567				
		N28-40W	244	(74.4)	
	1568				
		N34-06W	194	(59.1)	
	1569				
		N56-05W	143	(43.6)	
	1570				
		N61-45W	91	(27.7)	
	1571				Intersection of Thunder Creek and a point on the right bank at the ordinary high waterline of Bumping River.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	1572	N13-51E	372	(113.4)	
	1573	N12-19E	300	(91.4)	
	1574	N03-15W	194	(59.1)	
	1575	N04-27W	284	(86.6)	
	1576	N09-17E	378	(115.2)	Descend along the ordinary high water line of the right bank of Bumping River.
	1577	N15-46E	265	(80.8)	
	1578	N27-16E	369	(112.5)	
	1579	N30-22E	182	(55.5)	
		N45-00E	112	(34.1)	
	1580				A point on the south boundary of H.E.S. 155.
		N75-39E	856	(260.9)	Along the south boundary of H.E.S. 155.
	1581				A point on the south boundary of H.E.S. 155
1582		N37-50E	108	(32.9)	
1583		N09-41E	166	(50.6)	
1584		N16-45E	108	(32.9)	
1585		N45-00E	86	(26.2)	
1586		N41-54E	144	(43.9)	
1587		N48-15E	125	(38.1)	
1588		N63-18E	187	(57.0)	Descend along the ordinary high water line of the right bank of Bumping River.
1589		N84-27E	176	(53.6)	
1590		N81-57E	93	(28.3)	
1591		N31-05E	262	(79.9)	
		N36-12E	190	(57.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BUMPING LAKE NE Map #3	1592				
		N42-31E	130	(39.6)	
	1593				
		N52-22E	210	(64.0)	
	1594				
		N85-21E	173	(52.7)	
	1595				
		N79-55E	211	(64.3)	
	1596				
		N82-21E	68	(20.7)	
	1597				
		N51-41E	79	(24.1)	
	1598				
		N26-22E	252	(76.8)	
	1599				
		N37-45E	196	(59.7)	
	1600				
		N52-15E	286	(87.2)	
	1601				
		N49-40E	261	(79.6)	Descend along the ordinary high water line of the right bank of Bumping River.
	1602				
		N64-32E	116	(35.4)	
	1603				
		N78-05E	92	(28.0)	
	1604				
		S65-47E	185	(56.4)	
	1605				
		S70-55E	141	(43.0)	
	1606				
		N86-03E	116	(35.4)	
	1607				
		S88-19E	102	(31.1)	
	1608				
		N33-41E	112	(34.1)	
	1609				
		N26-44E	156	(47.5)	
	1610				
		N32-13E	195	(59.4)	
	1611				
		N56-50E	121	(36.9)	
	1612				
		N72-10E	121	(36.9)	
	1613				
		N75-35E	145	(44.2)	
	1614				
		S74-34E	169	(51.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1615				
		S74-34E	0	(.0)	
	1616				
		N75-51E	258	(78.6)	
	1617				
		N77-36E	228	(69.5)	
	1618				
		N85-21E	235	(71.6)	
	1619				
		S79-02E	258	(78.6)	
	1620				
		S70-16E	308	(93.9)	
	1621				
		S63-01E	247	(75.3)	
	1622				
		S81-12E	170	(51.8)	
	1623				
		N71-01E	98	(29.9)	
	1624				
		N32-46E	87	(26.5)	
	1625				
		N20-36E	134	(40.8)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1626				
		N31-12E	83	(25.3)	
	1627				
		N71-43E	115	(35.1)	
	1628				
		N69-15E	102	(31.1)	
	1629				
		N18-26E	95	(29.0)	
	1630				
		N13-48E	180	(54.9)	
	1631				
		N14-08W	152	(46.3)	
	1632				
		N07-07W	81	(24.7)	
	1633				
		N14-02E	115	(35.1)	
	1634				
		N37-43E	67	(20.4)	
	1635				
		N03-48W	347	(105.8)	
	1636				
		N06-09W	392	(119.5)	
	1637				
		N14-48E	164	(50.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1638				
		N36-06E	178	(54.3)	
	1639				
		N43-59E	158	(48.2)	
	1640				
		N40-29E	225	(68.6)	
	1641				
		N23-56E	195	(59.4)	
	1642				
		N09-39W	149	(45.4)	
	1643				
		N18-01W	265	(80.8)	
	1644				
		N29-14W	403	(122.8)	
	1645				
		N25-56W	242	(73.8)	
	1646				
		N03-56W	160	(48.8)	
	1647				
		N26-26E	189	(57.6)	
	1648				
		N01-00E	203	(61.9)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1649				
		N46-16E	192	(58.5)	
	1650				
		N33-25E	232	(70.7)	
	1651				
		N08-39W	93	(28.3)	
	1652				
		N08-34W	94	(28.7)	
	1653				
		N00-53W	130	(39.6)	
	1654				
		N18-32E	182	(55.5)	
	1655				
		N21-09E	346	(105.5)	
	1656				
		N40-14E	136	(41.5)	
	1657				
		N53-32E	86	(26.2)	
	1658				
		N11-30E	120	(36.6)	
	1659				
		N03-47E	106	(32.3)	
	1660				
		N42-34E	133	(40.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1661				
		N54-10E	155	(47.2)	
	1662				
		S89-16E	78	(23.8)	
	1663				
		S71-21E	81	(24.7)	
	1664				
		S53-08E	195	(59.4)	
	1665				
		S52-06E	212	(64.6)	
	1666				
		S59-55E	190	(57.9)	
	1667				
		S73-26E	165	(50.3)	
	1668				
		N89-18E	164	(50.0)	
	1669				
		N63-12E	226	(68.9)	
	1670				Descend along the ordinary high- water line of the right bank of Bumping River.
		N40-56E	169	(51.5)	
	1671				
		N44-37E	107	(32.6)	
	1672				
		N78-04E	73	(22.3)	
	1673				
		S79-01E	68	(20.7)	
	1674				
		S88-17E	100	(30.5)	
	1675				
		N78-41E	56	(17.1)	
	1676				
		N43-48E	68	(20.7)	
	1677				
		N49-24E	18	(5.5)	
	1678				
		S89-05E	62	(18.9)	
	1679				
		S86-49E	180	(54.9)	
	1680				
		N80-07E	134	(40.8)	
	1681				
		N50-45E	106	(32.3)	
	1682				
		N65-56E	113	(34.4)	
	1683				
		N76-20E	76	(23.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1684				
		S56-01E	107	(32.6)	
	1685				
		S11-19E	92	(28.0)	
	1686				
		S06-35E	79	(24.1)	
	1687				
		S16-47W	121	(36.9)	
	1688				
		S03-35E	96	(29.3)	
	1689				
		S30-22E	115	(35.1)	
	1690				
		S59-28E	136	(41.5)	
	1691				
		S74-37E	113	(34.4)	
	1692				
		N77-20E	91	(27.7)	
	1693				
		N57-06E	101	(30.8)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1694				
		N28-01E	123	(37.5)	
	1695				
		N31-14E	71	(21.6)	
	1696				
		S66-12E	37	(11.3)	
	1697				
		S63-44E	84	(25.6)	
	1698				
		N60-31E	106	(32.3)	
	1699				
		N67-42E	150	(45.7)	
	1700				
		N41-31E	210	(64.0)	
	1701				
		N25-11E	167	(50.9)	
	1702				
		N38-07E	147	(44.8)	
	1703				
		N56-53E	220	(67.1)	
	1704				
		N35-56E	85	(25.9)	
	1705				
		N17-24E	194	(59.1)	
	1706				
		N32-17E	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1707				
		N54-33E	153	(46.6)	
	1708				
		N40-30E	171	(52.1)	
	1709				
		N39-26E	197	(60.0)	
	1710				
		N35-35E	320	(97.5)	
	1711				
		N41-29E	266	(81.1)	
	1712				
		N42-05E	236	(71.9)	
	1713				
		N58-33E	100	(30.5)	
	1714				
		S79-39E	117	(35.7)	
	1715				
		N78-52E	197	(60.0)	
	1716				
		N49-15E	162	(49.4)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1717				
		N34-46E	103	(31.4)	
	1718				
		N40-27E	80	(24.4)	
	1719				
		N49-26E	174	(53.0)	
	1720				
		N48-09E	205	(62.5)	
	1721				
		N27-59E	254	(77.4)	
	1722				
		N23-08E	239	(72.8)	
	1723				
		N10-17E	241	(73.5)	
	1724				
		N03-46E	228	(69.5)	
	1725				
		N26-45E	269	(82.0)	
	1726				
		S27-28W	286	(87.2)	
	1727				
		N26-21E	354	(107.9)	
	1728				
		N29-37E	269	(82.0)	
	1729				
		N31-26E	289	(88.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1730				
		N50-30E	214	(65.2)	
	1731				
		N58-20E	181	(55.2)	
	1732				
		N75-43E	166	(50.6)	
	1733				
		N44-16E	168	(51.2)	
	1734				
		N33-34E	407	(124.1)	
	1735				
		N20-30E	131	(39.9)	
	1736				
		N10-53E	238	(72.5)	
	1737				
		N05-23E	85	(25.9)	Descend along the ordinary high water line of the right bank of Bumping River.
	1738				
		N35-51E	147	(44.8)	
	1739				
		N41-21E	345	(105.2)	
	1740				
		N18-18E	271	(82.6)	
	1741				
		N03-09E	236	(71.9)	
	1742				
		N09-26E	281	(85.6)	
	1743				
		N11-04E	229	(69.8)	
	1744				
		N13-16E	126	(38.4)	
	1745				
		N55-49E	98	(29.9)	
	1746				
		N82-38E	117	(35.7)	
	1747				
		S74-26E	127	(38.7)	
	1748				
		S45-43E	112	(34.1)	
	1749				
		S56-02E	229	(69.8)	
	1750				
		S71-08E	124	(37.8)	
	1751				
		N82-52E	113	(34.4)	
	1752				
		N45-00E	136	(41.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1753				
		N54-20E	266	(81.1)	
	1754				
		N57-21E	169	(51.5)	
	1755				
		N63-26E	96	(29.3)	
	1756				
		N50-51E	271	(82.6)	
	1757				
		N42-04E	400	(121.9)	
	1758				
		N15-13E	118	(36.0)	
	1759				
		N02-40W	300	(91.4)	
	1760				
		N05-44W	200	(61.0)	
	1761				
		N02-14W	230	(70.1)	
	1762				
		N15-45E	236	(71.9)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1763				
		N21-19E	151	(46.0)	
	1764				
		N29-17E	170	(51.8)	
	1765				
		N48-18E	159	(48.5)	
	1766				
		N77-03E	219	(66.8)	
	1767				
		N69-31E	97	(29.6)	
	1768				
		N44-23E	130	(39.6)	
	1769				
		N37-12E	276	(84.1)	
	1770				
		N41-51E	270	(82.3)	
	1771				
		N52-07E	137	(41.8)	
	1772				
		N59-57E	258	(78.6)	
	1773				
		N71-51E	193	(58.8)	
	1774				
		N62-31E	334	(101.8)	
	1775				
		N54-22E	221	(67.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1776				
		N44-07E	273	(83.2)	
	1777				
		N32-53E	313	(95.4)	
	1778				
		N06-31E	220	(67.1)	
	1779				
		N10-27W	182	(55.5)	
	1780				
		N21-36E	160	(48.8)	
	1781				
		N26-09E	304	(92.7)	
	1782				
		N27-03E	211	(64.3)	
	1783				
		N39-07E	117	(35.7)	
	1784				
		N56-24E	190	(57.9)	
	1785				
		N15-00E	100	(30.5)	
	1786				
		N05-36W	154	(46.9)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1787				
		N05-15W	175	(53.3)	
	1788				
		N23-28W	141	(43.0)	
	1789				
		N36-06W	119	(36.3)	
	1790				
		N12-32W	111	(33.8)	
	1791				
		N14-56E	186	(56.7)	
	1792				
		N09-07E	189	(57.6)	
	1793				
		N17-11W	189	(57.6)	
	1794				
		N13-49W	193	(58.8)	
	1795				
		N14-24W	113	(34.4)	
	1796				
		N06-13E	157	(47.9)	
	1797				
		N40-42E	132	(40.2)	
	1798				
		N48-48E	618	(188.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1799				
		N56-28E	291	(88.7)	
	1800				
		N54-50E	236	(71.9)	
	1801				
		N69-51E	116	(35.4)	
	1802				
		N89-09E	270	(82.3)	
	1803				
		N84-43E	304	(92.7)	
	1804				
		N59-55E	146	(44.5)	
	1805				
		N31-23E	165	(50.3)	
	1806				
		N03-02E	132	(40.2)	Descend along the ordinary high- water line of the right bank of Bumping River.
	1807				
		N07-01W	139	(42.4)	
	1808				
		N15-32E	194	(59.1)	
	1809				
		N32-19E	138	(42.1)	
	1810				
		N60-46E	193	(58.8)	
	1811				
		N75-43E	332	(101.2)	
	1812				
		S66-48E	91	(27.7)	
	1813				
		S53-08E	260	(79.2)	
	1814				
		S69-43E	167	(50.9)	
	1815				
		S80-48E	325	(99.1)	
	1816				
		N89-44E	215	(65.5)	
	1817				
		S88-49E	194	(59.1)	
	1818				Point on Bumping River where East line of Section 14, T.17N., R.13E., W.M. intersects right bank of Bumping River.
		S01-11E	628	(191.4)	Along East line of said Section 14.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1819			Southeast corner of said Section 14.
		S00-30E	453 (138.1)	Along East line of Section 23, T.17N., R.13E., W.M.
	1820			Intersection of East line of said Section 23 and spur ridge to Devils Rim.
		S39-38E	166 (50.6)	
1821		S32-49E	275 (83.8)	
1822		S21-06E	333 (101.5)	
1823		S21-25E	364 (110.9)	
1824		S21-35E	201 (61.3)	
1825		S04-25E	519 (158.2)	
1826		S05-25E	138 (42.1)	
1827		S06-07W	262 (79.9)	Ascend spur ridge.
1828		S20-23W	261 (79.6)	
1829		S21-36W	258 (78.6)	
1830		S16-42W	334 (101.8)	
1831		S13-58W	373 (113.7)	
1832		S08-46W	243 (74.1)	
1833		S05-57E	145 (44.2)	
1834		S24-42E	220 (67.1)	
1835		S40-57E	281 (85.6)	
1836		S28-40E	281 (85.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1837				Intersection of spur ridge and Devils Rim Ridge.
		S17-42W	224	(68.3)	
	1838				
		S26-52W	679	(207.0)	
	1839				
		S19-33W	227	(69.2)	
	1840				
		S00-36W	191	(58.2)	
	1841				
		S01-00E	271	(82.6)	
	1842				
		S35-12E	179	(54.6)	
	1843				
		S47-29E	309	(94.2)	
	1844				
		S49-33E	294	(89.6)	
	1845				
		S53-37E	325	(99.1)	Along crest of ridge.
	1846				
		S52-07E	262	(79.9)	
	1847				
		S43-26E	233	(71.0)	
	1848				
		S39-57E	338	(103.0)	
	1849				
		S28-37E	376	(114.6)	
	1850				
		S21-34E	180	(54.9)	
	1851				
		S14-27E	445	(135.6)	
	1852				
		S11-23E	147	(44.8)	
	1853				
		S13-08W	92	(28.0)	
	1854				
		S14-52E	253	(77.1)	
	1855				
		S04-24E	143	(43.6)	
	1856				
		S10-42W	146	(44.5)	
	1857				
		S21-52W	158	(48.2)	
	1858				
		S36-50W	389	(118.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1859				
		S34-00W	100	(30.5)	
	1860	S29-33W	146	(44.5)	Along crest of ridge.
	1861	S24-27W	193	(58.8)	
	1862	S18-37W	520	(158.5)	
	1863				Unnamed peak on ridge, approximate elevation 5235 feet.
		S24-42W	275	(83.8)	
	1864	S00-27E	126	(38.4)	
	1865	S37-58E	167	(50.9)	
	1866	S42-21E	488	(148.7)	
	1867	S20-08E	160	(48.8)	Along crest of ridge.
	1868	S19-40E	190	(57.9)	
	1869	S42-32E	229	(69.8)	
	1870	S45-00E	255	(77.7)	
	1871	S37-32E	174	(53.0)	
	1872	S09-25E	214	(65.2)	
	1873	S06-46W	280	(85.3)	
	1874	S19-28W	333	(101.5)	
	1875	S07-52W	278	(84.7)	
	1876	S32-45W	287	(87.5)	
	1877	S38-25W	340	(103.6)	
	1878	S12-28W	185	(56.4)	
	1879	S12-51E	175	(53.3)	
	1880	S20-23E	233	(71.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1881				Along crest of ridge.
		S45-00E	266	(81.1)	
	1882				Unnamed peak on ridge, approximate elevation 5653 feet.
		S12-15W	405	(123.4)	
	1883				
		S15-25W	342	(104.2)	
	1884				
		S01-57E	147	(44.8)	
	1885				
		S15-48E	165	(50.3)	Along crest of ridge.
	1886				
		S06-08W	206	(62.8)	
	1887				
		S24-01W	211	(64.3)	
	1888				
		S19-35W	236	(71.9)	
	1889				
		S08-51W	357	(108.8)	
	1890				
		S09-58W	277	(84.4)	
	1891				
		S01-47W	128	(39.0)	
	1892				
		S19-11W	97	(29.6)	
	1893				
		S13-13W	319	(97.2)	
	1894				
		S04-26W	272	(82.9)	
	1895				
		S02-05E	275	(83.8)	
	1896				
		S06-58E	181	(55.2)	
	1897				
		S08-50E	163	(49.7)	
	1898				Intersection of crest of ridge and 5800 foot contour.
		S28-30W	239	(72.8)	
	1899				
		S25-57W	167	(50.9)	Along the 5800 foot contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1900				
		S16-20W	164	(50.0)	
	1901				
		S34-45W	195	(59.4)	
	1902				
		S45-28W	346	(105.5)	
	1903				
		S55-11W	324	(98.8)	
	1904				
		S49-50W	226	(68.9)	
	1905				
		S37-47W	225	(68.6)	Along the 5800 foot contour.
	1906				
		S33-36W	175	(53.3)	
	1907				
		S32-08W	194	(59.1)	
	1908				
		S26-52W	84	(25.6)	
	1909				
		S72-58W	116	(35.4)	
	1910				
		N88-38W	126	(38.4)	
	1911				
		N86-21W	94	(28.7)	
	1912				
		S65-36W	107	(32.6)	
	1913				
		S53-00W	91	(27.7)	
	1914				
		S55-29W	58	(17.7)	
	1915				
		S82-48W	96	(29.3)	
	1916				
		S59-42W	103	(31.4)	
	1917				
		S44-05W	88	(26.8)	
	1918				
		S31-24W	111	(33.8)	
	1919				
		S32-19W	58	(17.7)	
	1920				
		S89-05W	62	(18.9)	
	1921				
		S63-12W	111	(33.8)	
	1922				
		S50-26W	119	(36.3)	
	1923				
		S71-01W	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1924				
		N72-31W	77	(23.5)	
	1925				
		S72-49W	102	(31.1)	
	1926				
		S53-01W	106	(32.3)	
	1927				
		S37-27W	118	(36.0)	
	1928				
		S34-59W	321	(97.8)	
	1929				
		S38-01W	279	(85.0)	
	1930				
		S44-34W	281	(85.6)	
	1931				
		S46-16W	321	(97.8)	
	1932				
		S50-52W	380	(115.8)	Along the 5800 foot contour line.
	1933				
		S65-04W	455	(138.7)	
	1934				
		S66-27W	348	(106.1)	
	1935				
		S70-40W	263	(80.2)	
	1936				
		S73-45W	207	(63.1)	
	1937				
		S79-53W	114	(34.7)	
	1938				
		S51-20W	90	(27.4)	
	1939				
		S33-29W	152	(46.3)	
	1940				
		S33-41W	90	(27.4)	
	1941				
		S46-49W	134	(40.8)	
	1942				
		S40-13W	254	(77.4)	
	1943				
		S33-25W	232	(70.7)	
	1944				
		S03-05W	130	(39.6)	
	1945				
		S05-54W	185	(56.4)	
	1946				
		S10-21W	117	(35.7)	
	1947				
		S09-11W	201	(61.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1948				
		S16-31E	151	(46.0)	
	1949				
		S31-30E	167	(50.9)	
	1950				
		S17-47W	193	(58.8)	
	1951				
		S03-02W	264	(80.5)	
	1952				
		S40-52W	206	(62.8)	
	1953				
		S30-58W	52	(15.8)	
	1954				
		S23-17W	86	(26.2)	
	1955				
		S57-33W	192	(58.5)	
	1956				
		S64-20W	143	(43.6)	Along the 5800 foot contour.
	1957				
		S77-18W	73	(22.3)	
	1958				
		S28-01W	123	(37.5)	
	1959				
		S29-29W	79	(24.1)	
	1960				
		S51-53W	83	(25.3)	
	1961				
		S57-52W	102	(31.1)	
	1962				
		S58-33W	100	(30.5)	
	1963				
		S32-26W	127	(38.7)	
	1964				
		S21-48W	86	(26.2)	
	1965				
		S17-32W	100	(30.5)	
	1966				
		S04-12W	68	(20.7)	
	1967				
		S01-20W	86	(26.2)	
	1968				
		S08-40W	119	(36.3)	
	1969				Intersection of 5800 foot contour and a line which is 300 feet Northwesterly of the centerline of USFS road 1600000.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4		S48-01W	108	(32.9)	
	1970	S82-29W	107	(32.6)	
	1971	N86-13W	136	(41.5)	
	1972	N82-41W	149	(45.4)	
	1973	N88-47W	188	(57.3)	
	1974	S72-45W	152	(46.3)	
	1975	S49-37W	114	(34.7)	
	1976	S18-03W	139	(42.4)	
	1977	S11-22W	193	(58.8)	Paralleling USFS road 1600000, 300 feet Westerly of centerline.
	1978	S09-30E	273	(83.2)	
	1979	S20-13E	202	(61.6)	
	1980	S27-27E	230	(70.1)	
	1981	S34-17E	213	(64.9)	
	1982	S31-33E	134	(40.8)	
	1983	S20-07E	76	(23.2)	
	1984	S11-36W	119	(36.3)	
	1985	S20-36W	168	(51.2)	
	1986	S32-22W	120	(36.6)	
	1987	S19-24W	169	(51.5)	
	1988	S11-38W	273	(83.2)	
	1989	S18-08W	180	(54.9)	
	1990	S05-32E	135	(41.1)	
	1991	S20-56E	123	(37.5)	
	1992	S30-13E	119	(36.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OLD SCAB MOUNTAIN Map #4	1993				
		S10-03E	80	(24.4)	
	1994				
		S09-11W	100	(30.5)	
	1995				
		S51-57E	88	(26.8)	
TIMBER WOLF MOUNTAIN Map #6	1996				
		S09-28E	55	(16.8)	
	1997				
		S71-51E	64	(19.5)	
	1998				
		S07-36E	61	(18.6)	
	1999				
		S36-45W	99	(30.2)	Paralleling USFS road 1600000, 300 feet Westerly of centerline
	2000				
		S61-20W	158	(48.2)	
	2001				
		S74-43W	144	(43.9)	
	2002				
		S53-02W	121	(36.9)	
	2003				
		S31-07W	186	(56.7)	
	2004				
		S21-07W	203	(61.9)	
	2005				
		S22-03W	381	(116.1)	
	2006				
		S31-00W	237	(72.2)	
	2007				
		S20-40W	178	(54.3)	
	2008				
		S05-53W	127	(38.7)	

	2009				A point 300 feet westerly of center center line of USFS road 1600000 that also intersects with ridge above Clover Springs.

		S08-28E	95	(29.0)	
	2010				
		S41-14E	129	(39.3)	
	2011				
		S43-08E	152	(46.3)	Along ridge top.
	2012				
		S54-25E	302	(92.0)	
	2013				
		S54-25E	385	(117.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2014				
		S58-10E	326	(99.4)	
	2015				
		S57-48E	310	(94.5)	
	2016				
		S65-36E	356	(108.5)	
	2017				
		S73-57E	145	(44.2)	
	2018				
		S89-47E	264	(80.5)	
	2019				
		S87-08E	220	(67.1)	Along ridge top.
	2020				
		S71-11E	96	(29.3)	
	2021				
		S58-43E	316	(96.3)	
	2022				
		S66-52E	232	(70.7)	
	2023				
		S59-58E	296	(90.2)	
	2024				
		S48-45E	270	(82.3)	
	2025				
		S26-34E	27	(8.2)	
	2026				
		S53-32E	86	(26.2)	
	2027				
		N85-48E	68	(20.7)	
	2028				
		N78-34E	86	(26.2)	
	2029				
		S89-08E	66	(20.1)	
	2030				
		S82-20E	105	(32.0)	
	2031				
		S62-50E	85	(25.9)	
	2032				Intersection of ridge top and a line which is 10 feet southwesterly of and parallel to the centerline of USFS road 1611696 (four-wheel drive route).
	2033	S25-58E	85	(25.9)	Paralleling USFS Road 1611696 (four-wheel drive route) 10 feet southerly of centerline.
		S01-00E	173	(52.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2034				
		S36-52E	200	(61.0)	
	2035				
		S34-46E	147	(44.8)	
	2036				
		S45-27E	177	(53.9)	
	2037				
		S60-06E	177	(53.9)	
	2038				
		S68-26E	220	(67.1)	
	2039				
		S64-29E	123	(37.5)	Paralleling USFS road 1611696
	2040				(four-wheel drive route) 10 feet
		S27-14E	116	(35.4)	Southerly of centerline.
	2041				
		S20-10E	189	(57.6)	
	2042				
		S26-08E	177	(53.9)	
	2043				
		S35-07E	78	(23.8)	
	2044				
		S59-15E	141	(43.0)	
	2045				
		S55-18E	221	(67.4)	
	2046				
		S57-33E	179	(54.6)	
	2047				
		S58-59E	167	(50.9)	
	2048				
		S47-11E	129	(39.3)	
	2049				
		S30-46E	98	(29.9)	
	2050				
		S55-11E	140	(42.7)	
	2051				
		S57-53E	231	(70.4)	
	2052				
		S43-34E	197	(60.0)	
	2053				
		S34-43E	246	(75.0)	
	2054				
		S25-54E	195	(59.4)	
	2055				
		S18-20E	184	(56.1)	
	2056				
		S18-03E	142	(43.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2057				
		S34-58E	236	(71.9)	
	2058				
		S54-56E	197	(60.0)	
	2059				
		S66-10E	178	(54.3)	
	2060				
		S71-08E	374	(114.0)	
	2061				
		S71-02E	139	(42.4)	
	2062				
		S44-00E	122	(37.2)	
	2063				
		S17-59E	198	(60.4)	
	2064				
		S16-57E	244	(74.4)	
	2065				
		S24-37E	238	(72.5)	
	2066				
		S27-18E	246	(75.0)	Paralleling USFS road 1611696
	2067				(four-wheel drive route) 10 feet
		S32-07E	213	(64.9)	Southerly of centerline.
	2068				
		S26-55E	216	(65.8)	
	2069				
		S39-51E	150	(45.7)	
	2070				
		S40-32E	200	(61.0)	
	2071				
		S57-45E	176	(53.6)	
	2072				
		S41-38E	193	(58.8)	
	2073				
		S38-40E	109	(33.2)	
	2074				
		S60-20E	281	(85.6)	
	2075				
		S62-39E	326	(99.4)	
	2076				
		S64-39E	273	(83.2)	
	2077				
		S63-48E	70	(21.3)	
	2078				
		S42-36E	168	(51.2)	
	2079				
		S48-09E	295	(89.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2080				
		S49-30E	171	(52.1)	
	2081				
		S40-01E	212	(64.6)	
	2082				
		S40-30E	288	(87.8)	
	2083				
		S48-01E	188	(57.3)	
	2084				
		S65-45E	144	(43.9)	
	2085				
		S68-15E	186	(56.7)	
	2086				
		S56-10E	226	(68.9)	Paralleling USFS road 1611696
	2087				(four-wheel drive route) 10 feet
		S67-51E	215	(65.5)	Southerly of centerline.
	2088				
		S76-25E	281	(85.6)	
	2089				
		S82-34E	270	(82.3)	
	2090				
		S84-41E	443	(135.0)	
	2091				
		N83-09E	411	(125.3)	
	2092				
		N88-27E	334	(101.8)	
	2093				
		N85-17E	268	(81.7)	
	2094				
		S86-25E	80	(24.4)	
	2095				
		S78-41E	138	(42.1)	
	2096				
		N85-14E	157	(47.9)	
	2097				
		N74-19E	59	(18.0)	
	2098				
		S67-53E	242	(73.8)	
	2099				
		N86-06E	88	(26.8)	
	2100				
		N80-44E	447	(136.2)	
	2101				
		S72-00E	249	(75.9)	
	2102				
		S42-02E	164	(50.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2103				
		S41-40E	146	(44.5)	
	2104				
		S12-26E	209	(63.7)	
	2105				
		S03-45E	122	(37.2)	
	2106				
		S05-55E	242	(73.8)	
	2107				
		S11-45E	182	(55.5)	
	2108				
		S26-02E	144	(43.9)	
	2109				
		S45-00E	192	(58.5)	
	2110				
		S51-41E	292	(89.0)	Paralleling USFS road 1611696
	2111				(four-wheel drive route) 10 feet
		S40-58E	201	(61.3)	Southerly of centerline.
	2112				
		S36-26E	185	(56.4)	
	2113				
		S34-35E	231	(70.4)	
	2114				
		S46-31E	80	(24.4)	
	2115				
		S71-03E	71	(21.6)	
	2116				
		N85-34E	311	(94.8)	
	2117				
		S74-29E	149	(45.4)	
	2118				
		S62-24E	296	(90.2)	
	2119				
		S70-53E	238	(72.5)	
	2120				
		S64-54E	193	(58.8)	
	2121				
		S86-13E	197	(60.0)	
	2122				
		S71-25E	129	(39.3)	
	2123				
		S29-23E	155	(47.2)	
	2124				
		S58-37E	276	(84.1)	
	2125				
		S57-45E	244	(74.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2126				
		S62-23E	244	(74.4)	
	2127				
		S64-26E	229	(69.8)	
	2128				
		S71-43E	245	(74.7)	
MEEKS TABLE Map #5	2129				
		S69-33E	180	(54.9)	
	2130				
		S65-42E	102	(31.1)	
	2131				
		S74-15E	446	(135.9)	
	2132				
		S68-30E	71	(21.6)	Paralleling USFS road 1611696
	2133				(four-wheel drive route) 10 feet
		S54-34E	264	(80.5)	Southerly of centerline.
	2134				
		S54-46E	237	(72.2)	
	2135				
		S66-43E	180	(54.9)	
	2136				
		S64-12E	133	(40.5)	
	2137				
		S82-52E	234	(71.3)	
	2138				
		N80-50E	194	(59.1)	
	2139				
		N80-32E	158	(48.2)	
	2140				A point 10 feet southerly of and parallel to centerline of USFS road 1611696 south of the intersection of said road and USFS road 1611000.
		S02-11E	184	(56.1)	Southerly.
	2141				A point 200 feet southerly of and parallel to centerline of USFS road 1611696.
		N69-19E	105	(32.0)	
	2142				
		S59-31E	223	(68.0)	Paralleling USFS road 1611696,
	2143				200 feet southerly of centerline.
		S87-50E	396	(120.7)	
	2144				
		S78-19E	89	(27.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2145				
		S63-06E	157	(47.9)	
	2146				
		S53-35E	152	(46.3)	
	2147				
		S75-58E	111	(33.8)	Paralleling USFS road 1611696, 200 feet Southerly of centerline.
	2148				
		S83-32E	142	(43.3)	
	2149				
		N86-49E	126	(38.4)	
	2150				
		S86-10E	194	(59.1)	
	2151				
		S88-30E	192	(58.5)	
	2152				
		S82-17E	194	(59.1)	
	2153				
		S74-03E	437	(133.2)	
	2154				
		S72-28E	362	(110.3)	
	2155				
		S76-24E	544	(165.8)	
	2156				A point 200 feet southerly of centerline of USFS road 1611696 and junction of USFS road 1613622.
		S69-49E	322	(98.1)	
	2157				
		S54-27E	392	(119.5)	
	2158				
		S50-53E	331	(100.9)	
	2159				
		S49-48E	321	(97.8)	
	2160				
		S49-06E	208	(63.4)	
	2161				
		S65-13E	57	(17.4)	
	2162				
		N87-28E	68	(20.7)	Paralleling USFS road 1613622, 200 feet southerly of centerline.
	2163				
		N79-23E	277	(84.4)	
	2164				
		N88-48E	96	(29.3)	
	2165				
		S65-42E	158	(48.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

MEEKS	2166				
TABLE		S46-15E	226	(68.9)	
Map #5	2167				
		S43-59E	199	(60.7)	
	2168				
		S60-34E	90	(27.4)	
	2169				
		S88-13E	96	(29.3)	
	2170				
		N69-15E	274	(83.5)	Paralleling USFS road 1613622, 200 feet southerly of centerline.
	2171				
		N85-28E	126	(38.4)	
	2172				
		N89-10E	206	(62.8)	
	2173				
		S79-23E	98	(29.9)	
	2174				
		S66-05E	126	(38.4)	
	2175				
		S53-48E	102	(31.1)	
	2176				
		S27-15E	74	(22.6)	
	2177				
		S01-43E	100	(30.5)	
	2178				
		S14-20E	186	(56.7)	
	2179				
		S17-37E	155	(47.2)	
	2180				
		S43-01E	144	(43.9)	
	2181				
		S49-29E	154	(46.9)	
	2182				
		S66-44E	124	(37.8)	
	2183				
		S68-38E	198	(60.4)	

	2184				A point 200 feet southerly of centerline of USFS road 1613622 and intersection with spur ridge.

		S20-04E	289	(88.1)	
	2185				
		S02-01E	142	(43.3)	Descend spur ridge.
	2186				
		S00-59W	116	(35.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2187				
		S15-10W	111	(33.8)	
	2188				
		S11-46W	98	(29.9)	
	2189				
		S12-51W	94	(28.7)	
	2190				
		S24-30W	149	(45.4)	
	2191				
		S33-14W	177	(53.9)	
	2192				
		S25-18W	183	(55.8)	
	2193				Descend spur ridge.
		S34-46W	251	(76.5)	
	2194				
		S13-14W	70	(21.3)	
	2195				
		S50-57W	68	(20.7)	
	2196				
		S10-31W	142	(43.3)	
	2197				
		S01-58E	262	(79.9)	
	2198				
		S12-01W	207	(63.1)	
	2199				Intersection of spur ridge and North Fork Rattlesnake Creek.
		S18-13W	259	(78.9)	
	2200				
		S16-03W	145	(44.2)	
	2201				
		S34-10W	102	(31.1)	Ascend.
	2202				
		S45-00W	147	(44.8)	
	2203				
		S43-38W	591	(180.1)	
	2204				
		S39-40W	730	(222.5)	
	2205				Unnamed peak, approximate elevation 3618 feet.
		N89-04W	306	(93.3)	Westerly.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MEEKS TABLE Map #5	2206			A point on the East line of Section 5, T.15N., R.14E., W.M.
		S00-58W	1843 (561.7)	Along East line of said Section 5.
	2207			Southeast corner of said Section 5.
		N50-03W	1367 (416.7)	
	2208			A point on the 3720 foot contour.
		N82-44W	308 (93.9)	
	2209			
		N78-51W	212 (64.6)	
	2210			
		N66-57W	197 (60.0)	
	2211			Ascend spur ridge.
		N62-49W	166 (50.6)	
	2212			
		N58-25W	143 (43.6)	
	2213			
		N43-37W	146 (44.5)	
	2214			Intersection of spur ridge and elevation 4200 foot contour, southerly from Meeks Table.
		N69-22W	173 (52.7)	
	2215			
		N71-53W	116 (35.4)	
	2216			
		S79-03W	153 (46.6)	
	2217			
		S81-12W	229 (69.8)	Along the 4200 foot contour.
	2218			
		S68-31W	202 (61.6)	
	2219			
		S64-58W	201 (61.3)	
	2220			
		S66-54W	319 (97.2)	
	2221			
		S88-33W	278 (84.7)	
	2222			
		N80-50W	283 (86.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2223				
		N69-14W	257	(78.3)	
	2224				
		N71-16W	302	(92.0)	
	2225				
		N68-53W	230	(70.1)	
	2226				
		N64-01W	267	(81.4)	
	2227				
		N57-25W	243	(74.1)	
	2228				
		N60-07W	155	(47.2)	
	2229				
		N37-16W	173	(52.7)	
	2230				
		N49-16W	190	(57.9)	
	2231				
		N57-29W	177	(53.9)	Along the 4200 foot contour.
	2232				
		N65-16W	251	(76.5)	
	2233				
		N68-44W	179	(54.6)	
	2234				
		N44-28W	151	(46.0)	
	2235				
		N28-00W	143	(43.6)	
	2236				
		N13-20W	199	(60.7)	
	2237				
		N46-08W	143	(43.6)	
	2238				
		N57-20W	185	(56.4)	
	2239				
		N71-34W	231	(70.4)	
	2240				
		N71-06W	268	(81.7)	
TIMBER WOLF MOUNTAIN Map #6	2241				
		N66-02W	49	(14.9)	
	2242				
		S33-14W	35	(10.7)	
	2243				
		S30-23E	101	(30.8)	
	2244				
		S51-51W	53	(16.2)	
	2245				
		S75-18W	189	(57.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2246				
		N56-40W	45	(13.7)	
	2247				Along the 4200 foot contour.
		N24-12W	151	(46.0)	
	2248				
		N31-57W	100	(30.5)	
	2249				Intersection of 4200 foot contour and a point 200 feet easterly of and parallel to centerline of USFS road 1502130.
		N09-28W	67	(20.4)	
	2250				
		N17-03E	157	(47.9)	
	2251				
		N24-02W	81	(24.7)	
	2252				
		N44-01W	82	(25.0)	
	2253				
		N63-26W	206	(62.8)	
	2254				
		N72-31W	246	(75.0)	Paralleling USFS road 1502130, 200 feet Northerly of centerline.
	2255				
		S89-12W	72	(21.9)	
	2256				
		S73-25W	147	(44.8)	
	2257				
		S69-14W	62	(18.9)	
	2258				
		N66-14W	119	(36.3)	
	2259				
		N55-58W	182	(55.5)	
	2260				
		N68-27W	169	(51.5)	
	2261				
		N76-43W	148	(45.1)	
	2262				
		S80-32W	103	(31.4)	
	2263				
		S66-39W	96	(29.3)	
	2264				
		S61-49W	142	(43.3)	
	2265				
		N78-29W	55	(16.8)	
	2266				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER		N76-28W	111	(33.8)	Paralleling USFS road 1502130, 200
WOLF	2267				feet Northerly from centerline.
MOUNTAIN		N60-57W	227	(69.2)	
Map #6	2268				
		N58-25W	189	(57.6)	
	2269				A point 200 feet Northerly of and parallel with the end of USFS road 1502130.
		N32-31W	95	(29.0)	
	2270				
		N16-42E	52	(15.8)	
	2271				Northerly.
		N14-41E	43	(13.1)	
	2272				
		N32-54W	40	(12.2)	
	2273				A point on spur ridge.
		S80-55W	196	(59.7)	
	2274				
		S76-01W	269	(82.0)	
	2275				
		S88-07W	212	(64.6)	
	2276				
		N82-36W	155	(47.2)	
	2277				
		N70-58W	181	(55.2)	
	2278				
		N68-36W	318	(96.9)	Ascend spur ridge.
	2279				
		N79-36W	332	(101.2)	
	2280				
		N85-12W	323	(98.5)	
	2281				
		S86-25W	208	(63.4)	
	2282				
		N78-58W	209	(63.7)	
	2283				
		N71-30W	277	(84.4)	
	2284				
		N43-03W	83	(25.3)	
	2285				
		N59-02W	87	(26.5)	
	2286				
		S83-52W	150	(45.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2287				
		N87-14W	166	(50.6)	
	2288				
		S73-10W	169	(51.5)	
	2289				
		S80-50W	63	(19.2)	Ascend spur ridge.
	2290				
		S58-30W	36	(11.0)	
	2291				
		S45-00W	112	(34.1)	
	2292				
		S37-32W	87	(26.5)	
	2293				Point where spur ridge turns sharply to the South.
		S14-47E	129	(39.3)	
	2294				
		S12-43E	127	(38.7)	
	2295				
		S03-48E	196	(59.7)	Along spur ridge.
	2296				
		S00-39W	178	(54.3)	
	2297				
		S05-48E	119	(36.3)	
	2298				
		S18-53W	120	(36.6)	
	2299				
		S18-35W	126	(38.4)	
	2300				Unnamed peak on spur ridge, approximate elevation 4833 feet.
		S81-15W	132	(40.2)	
	2301				
		S84-44W	207	(63.1)	
	2302				
		S82-22W	211	(64.3)	Along spur ridge.
	2303				
		S78-45W	179	(54.6)	
	2304				
		S78-22W	104	(31.7)	
	2305				
		S66-29W	218	(66.4)	
	2306				
		S68-09W	201	(61.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2307				
		S71-45W	192	(58.5)	
	2308				
		S83-25W	79	(24.1)	
	2309				
		S83-31W	168	(51.2)	
	2310				
		N84-23W	306	(93.3)	Along spur ridge.
	2311				
		N82-52W	105	(32.0)	
	2312				
		S74-29W	56	(17.1)	
	2313				Intersection of spur ridge and 5000 foot contour.
		S70-05W	73	(22.3)	
	2314				
		S83-31W	177	(53.9)	
	2315				
		N55-52W	146	(44.5)	
	2316				
		N46-32W	106	(32.3)	Along the 5000 foot contour.
	2317				
		N80-28W	133	(40.5)	
	2318				
		S77-28W	138	(42.1)	
	2319				
		S48-15W	125	(38.1)	
	2320				
		S00-41W	84	(25.6)	
	2321				
		S33-41E	50	(15.2)	
	2322				
		S58-14W	74	(22.6)	
	2323				
		S89-31W	120	(36.6)	
	2324				
		N82-10W	81	(24.7)	
	2325				
		N71-34W	66	(20.1)	
	2326				
		S43-45W	65	(19.8)	
	2327				
		S79-48W	51	(15.5)	
	2328				
		N89-08W	66	(20.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2329				
		N84-29W	115	(35.1)	
	2330				
		N67-13W	54	(16.5)	
	2331				
		N85-33W	90	(27.4)	
	2332				
		S49-51W	42	(12.8)	
	2333				
		S36-15E	56	(17.1)	
	2334				
		S46-51E	44	(13.4)	Along the 5000 foot contour.
	2335				
		S16-59E	38	(11.6)	
	2336				
		S25-28W	47	(14.3)	
	2337				
		S84-17W	40	(12.2)	
	2338				
		S79-34W	39	(11.9)	
	2339				
		S41-38W	24	(7.3)	
	2340				Point on 5000 foot contour.
		S26-34E	29	(8.8)	
	2341				
		S42-35E	50	(15.2)	
	2342				
		S18-02E	90	(27.4)	
	2343				
		S60-15E	16	(4.9)	
	2344				Descend.
		S33-49E	124	(37.8)	
	2345				
		S38-31E	132	(40.2)	
	2346				
		S62-12E	124	(37.8)	
	2347				
		S54-40E	126	(38.4)	
	2348				
		S56-04E	66	(20.1)	
	2349				A point 100 feet Northerly of USFS trail 982.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WOLF MOUNTAIN Map #6	2350	S60-25E	128	(39.0)	
	2351	S76-20E	152	(46.3)	
	2352	S87-19E	64	(19.5)	
	2353	S61-26E	90	(27.4)	
	2354	S68-50E	100	(30.5)	
	2355	S56-37E	154	(46.9)	
	2356	S52-09E	233	(71.0)	Descend, northerly of USFS trail 982.
	2357	S45-00E	246	(75.0)	
	2358	S38-01E	239	(72.8)	
		S47-28E	132	(40.2)	
	2359				A point on spur ridge at USFS trail 982, trailhead.
	2360	S70-09E	141	(43.0)	
	2361	S61-53E	183	(55.8)	
2362		S45-27E	180	(54.9)	
2363		S28-48E	149	(45.4)	
2364		S15-30E	123	(37.5)	Descend spur ridge.
2365		S05-03W	113	(34.4)	
2366		S17-09W	170	(51.8)	
2367		S09-08E	113	(34.4)	
2368		S06-47E	127	(38.7)	
2369		S16-05E	108	(32.9)	
2370		S32-27E	153	(46.6)	
		S37-33E	136	(41.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2371				
		S11-14W	154	(46.9)	
	2372				
		S05-57E	97	(29.6)	Descend spur ridge.
	2373				
		S64-53E	35	(10.7)	
	2374				Unnamed peak on spur ridge, elevation approximately 4574 feet.
		S73-58E	166	(50.6)	
	2375				
		S71-05E	262	(79.9)	
	2376				
		S48-14E	138	(42.1)	
	2377				
		S44-25E	70	(21.3)	
	2378				
		S45-25E	191	(58.2)	
	2379				
		S33-30E	167	(50.9)	
	2380				
		S03-52E	148	(45.1)	
	2381				
		S00-44E	156	(47.5)	Along spur ridge.
	2382				
		S04-33W	177	(53.9)	
	2383				
		S25-20W	145	(44.2)	
	2384				
		S38-13W	162	(49.4)	
	2385				
		S40-11W	135	(41.1)	
	2386				
		S42-41W	105	(32.0)	
	2387				
		S01-15W	46	(14.0)	
	2388				
		S25-10E	73	(22.3)	
	2389				
		S40-36E	55	(16.8)	
	2390				Unnamed peak on spur ridge, elevation approximately 4460 feet.
		S54-17E	110	(33.5)	Along spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2391				
		S27-40E	93	(28.3)	
	2392				
		S17-34E	83	(25.3)	
	2393				
		S33-55E	143	(43.6)	
	2394				
		S42-21E	199	(60.7)	
	2395				
		S43-59E	240	(73.2)	
	2396				
		S58-12E	201	(61.3)	Along spur ridge.
	2397				
		S50-51E	181	(55.2)	
	2398				
		S45-32E	150	(45.7)	
	2399				
		S47-55E	125	(38.1)	
	2400				
		S24-20E	160	(48.8)	
	2401				
		S75-32E	96	(29.3)	
	2402				
		N77-54E	72	(21.9)	
	2403				
		N45-41E	179	(54.6)	
	2404				
		N30-00E	82	(25.0)	
	2405				
		N50-44E	248	(75.6)	
	2406				
		N57-12E	177	(53.9)	
	2407				
		N13-08E	31	(9.4)	
	2408				Unnamed peak on spur ridge, approximate elevation 4369 feet.
		N30-43E	2240	(682.8)	
	2409				Unnamed peak on spur ridge. Approximate elevation 4420 feet.
		S42-25E	141	(43.0)	
	2410				
		S43-01E	144	(43.9)	Along spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2411				
		S40-53E	177	(53.9)	
	2412				
		S53-45E	223	(68.0)	
	2413				
		S59-11E	211	(64.3)	
	2414				
		S69-27E	60	(18.3)	Along spur ridge.
	2415				
		N66-28E	68	(20.7)	
	2416				
		N69-14E	381	(116.1)	
	2417				
		N72-23E	291	(88.7)	
	2418				
		N81-46E	293	(89.3)	
	2419				Unnamed peak on spur ridge, approximate elevation 4300 feet.
		S68-42E	127	(38.7)	
	2420				
		S45-13E	180	(54.9)	
	2421				
		S36-22E	113	(34.4)	
	2422				
		S22-54E	447	(136.2)	
	2423				
		S47-11E	129	(39.3)	
	2424				
		S59-34E	225	(68.6)	Along spur ridge.
	2425				
		S62-58E	163	(49.7)	
	2426				
		S68-12E	124	(37.8)	
	2427				
		S51-59E	169	(51.5)	
	2428				
		S48-13E	164	(50.0)	
	2429				
		S29-15E	229	(69.8)	
	2430				
		S44-35E	197	(60.0)	
	2431				
		S38-18E	152	(46.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2432				
		S37-02E	71	(21.6)	
	2433				
		S24-24E	119	(36.3)	
	2434				
		S26-01E	141	(43.0)	
	2435				
		S43-56E	76	(23.2)	Along spur ridge.
MEEKS TABLE Map #5	2436				
		S49-53E	116	(35.4)	
	2437				
		S70-34E	126	(38.4)	
	2438				
		S58-48E	249	(75.9)	
	2439				
		S58-20E	181	(55.2)	
	2440				
		S62-54E	193	(58.8)	
	2441				Unnamed peak on spur ridge, approximate elevation 3860 feet.
		S65-21E	94	(28.7)	
	2442				
		S21-48E	129	(39.3)	
	2443				
		S28-25E	166	(50.6)	
	2444				
		S41-49E	51	(15.5)	Descend minor spur ridge.
	2445				
		S63-26E	63	(19.2)	
	2446				
		S74-15E	195	(59.4)	
	2447				
		S69-18E	223	(68.0)	
	2448				
		S48-07E	78	(23.8)	
	2449				
		S29-29E	159	(48.5)	
	2450				
		S19-07E	266	(81.1)	
	2451				
		S23-20E	285	(86.9)	
	2452				
		S12-48E	203	(61.9)	
	2453				
		S10-32E	159	(48.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2454				
		S21-39E	136	(41.5)	
	2455				
		S36-56E	171	(52.1)	Descend minor spur ridge.
	2456				
		S46-56E	231	(70.4)	
	2457				A point on ordinary high waterline on left bank of Rattlesnake Creek, point is opposite small unnamed stream on right bank.
		S55-48W	189	(57.6)	
	2458				
		S35-45W	62	(18.9)	
	2459				
		S17-48W	114	(34.7)	Ascend along the ordinary highwater line of the left bank of Rattle- snake Creek.
	2460				
		S22-15W	190	(57.9)	
	2461				
		S36-18W	79	(24.1)	
	2462				
		S51-20W	115	(35.1)	
	2463				
		S67-07W	167	(50.9)	
	2464				
		S77-43W	127	(38.7)	
	2465				
		N81-38W	69	(21.0)	
	2466				
		N48-22W	72	(21.9)	
	2467				
		N85-46W	54	(16.5)	
	2468				
		S58-14W	49	(14.9)	
	2469				
		S50-06W	151	(46.0)	
	2470				
		S56-36W	113	(34.4)	
	2471				
		S81-02W	58	(17.7)	
	2472				
		N75-41W	146	(44.5)	
	2473				
		N71-40W	181	(55.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2474				
		N70-01W	140	(42.7)	
	2475	N83-58W	105	(32.0)	
	2476	S86-38W	102	(31.1)	
	2477	S41-53W	247	(75.3)	
TIMBER WOLF MOUNTAIN Map #6	2478	S34-00W	256	(78.0)	
	2479	S33-51W	300	(91.4)	
	2480	S44-47W	185	(56.4)	Ascend along the ordinary highwater line of the left bank of Rattle- snake Creek.
	2481	S68-12W	285	(86.9)	
	2482	S74-09W	315	(96.0)	
	2483	S69-53W	302	(92.0)	
	2484	S58-52W	230	(70.1)	
	2485	S69-35W	292	(89.0)	
	2486	S79-01W	236	(71.9)	
	2487	S62-02W	92	(28.0)	
	2488	S30-26W	73	(22.3)	
	2489	S54-07W	174	(53.0)	
	2490	S83-28W	193	(58.8)	
	2491	N66-15W	191	(58.2)	
	2492	N51-49W	226	(68.9)	
	2493	N74-18W	225	(68.6)	
	2494				A point on ordinary high waterline of left bank of Rattlesnake Creek.
		S42-59W	81	(24.7)	A line across Rattlesnake Creek.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2495				A point on ordinary high waterline of right bank of Rattlesnake Creek.
	2496	S16-20E	121	(36.9)	
	2497	S13-30E	180	(54.9)	
	2498	S07-13E	143	(43.6)	
	2499	S03-05W	260	(79.2)	Ascend spur ridge.
	2500	S30-46E	152	(46.3)	
	2501	S22-32E	102	(31.1)	
		S39-01W	75	(22.9)	
	2502				Intersection of spur ridge and 3200 foot contour.
	2503	S68-21E	136	(41.5)	
	2504	S89-16E	233	(71.0)	
	2505	S88-01E	174	(53.0)	
	2506	S72-02E	156	(47.5)	Along the 3200 foot contour.
	2507	S59-37E	101	(30.8)	
	2508	S86-02E	72	(21.9)	
	2509	N65-36E	201	(61.3)	
	2510	N65-01E	97	(29.6)	
	2511	S84-59E	114	(34.7)	
	2512	S44-30E	81	(24.7)	
	2513	S45-46E	53	(16.2)	
	2514	N84-17E	50	(15.2)	
		N36-41E	181	(55.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2515				
		N29-09E	109	(33.2)	
	2516				
		N44-12E	102	(31.1)	
	2517				
		N84-11E	109	(33.2)	
	2518				
		N89-43E	200	(61.0)	
	2519				
		N85-23E	62	(18.9)	
	2520				
		S53-08E	45	(13.7)	
	2521				
		S38-57E	181	(55.2)	
	2522				
		S40-36E	46	(14.0)	
	2523				
		S80-20E	48	(14.6)	
	2524				
		N11-34E	90	(27.4)	
	2525				
		N12-02E	201	(61.3)	Along the 3200 foot contour.
	2526				
		N21-35E	98	(29.9)	
	2527				
		N44-28E	307	(93.6)	
MEEKS TABLE Map #5	2528				
		N48-13E	290	(88.4)	
	2529				
		N60-44E	104	(31.7)	
	2530				
		S32-28E	196	(59.7)	
	2531				
		N59-37E	67	(20.4)	
	2532				
		N14-02E	124	(37.8)	
	2533				
		N14-02W	202	(61.6)	
	2534				
		N09-10W	63	(19.2)	
	2535				
		N55-00E	73	(22.3)	
	2536				
		N58-11E	425	(129.5)	
	2537				
		N67-28E	363	(110.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2538				
		N62-06E	344	(104.9)	Along the 3200 foot contour.
	2539				
		N64-38E	278	(84.7)	
	2540				
		N76-51E	316	(96.3)	
	2541				
		N70-58E	61	(18.6)	
	2542				
		N68-47E	307	(93.6)	
	2543				
		N75-31E	316	(96.3)	
	2544				Intersection of 3200 foot contour and minor spur ridge.
		S25-52W	291	(88.7)	
	2545				
		S22-53W	285	(86.9)	
	2546				
		S35-02W	237	(72.2)	
	2547				
		S24-49W	279	(85.0)	
	2548				
		S23-00W	274	(83.5)	Ascend minor spur ridge.
	2549				
		S25-03W	187	(57.0)	
	2550				
		S05-59W	163	(49.7)	
	2551				
		S04-42W	146	(44.5)	
	2552				
		S12-54E	148	(45.1)	
	2553				
		S29-49E	197	(60.0)	
	2554				
		S22-16E	203	(61.9)	
	2555				A point on spur ridge.
		S05-25W	159	(48.5)	
	2556				
		S30-27W	270	(82.3)	
	2557				Along spur ridge.
		S35-53W	232	(70.7)	
	2558				
		S16-49W	245	(74.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MEEKS TABLE Map #5	2559				
		S11-08W	192	(58.5)	
	2560				
		S03-55W	190	(57.9)	
	2561				
		S04-31W	267	(81.4)	
	2562				
		S01-17E	224	(68.3)	
	2563				
		S03-43E	154	(46.9)	
	2564				
		S01-00E	298	(90.8)	
	2565				
		S03-11W	180	(54.9)	
	2566				
		S10-17W	207	(63.1)	Along spur ridge.
	2567				
		S02-13W	232	(70.7)	
	2568				
		S10-31W	312	(95.1)	
	2569				
		S17-36W	390	(118.9)	
	2570				
		S40-07W	307	(93.6)	
	2571				
		S53-19W	313	(95.4)	
	2572				
		S61-59W	177	(53.9)	
	2573				
		S38-27W	217	(66.1)	
	2574				
		S41-51W	334	(101.8)	
	2575				
		S60-46W	96	(29.3)	
	2576				
		S20-55W	109	(33.2)	
	2577				
		S14-02W	301	(91.7)	
	2578				
		S22-00W	366	(111.6)	
TIMBER WOLF MOUNTAIN Map #6	2579				
		S70-45W	243	(74.1)	
	2580				
		S82-06W	204	(62.2)	
	2581				
		S87-28W	68	(20.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2582				
		S60-41W	84	(25.6)	
	2583				
		S51-03W	181	(55.2)	
	2584				
		S53-49W	198	(60.4)	
	2585				
		S50-38W	115	(35.1)	
	2586				
		S32-21W	155	(47.2)	
	2587				
		S25-27W	275	(83.8)	
	2588				
		S23-28W	141	(43.0)	
	2589				
		S30-58W	70	(21.3)	Along spur ridge.
	2590				
		S40-31W	135	(41.1)	
	2591				
		S60-24W	101	(30.8)	
	2592				
		S42-51W	207	(63.1)	
	2593				
		S28-29W	107	(32.6)	
	2594				
		S21-00W	134	(40.8)	
	2595				
		S33-31W	92	(28.0)	
	2596				
		S46-16W	255	(77.7)	
	2597				
		S31-49W	93	(28.3)	
	2598				
		S23-34W	145	(44.2)	
	2599				
		S22-03W	386	(117.7)	
	2600				
		S29-50W	86	(26.2)	
	2601				
		S42-24W	93	(28.3)	
	2602				
		S46-21W	120	(36.6)	
	2603				
		S47-08W	171	(52.1)	
	2604				
		S55-12W	200	(61.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2605				
		S56-57W	123	(37.5)	
	2606				
		S68-44W	179	(54.6)	
	2607				
		S74-19W	263	(80.2)	
	2608				
		S67-26W	167	(50.9)	Along spur ridge.
	2609				
		S58-59W	184	(56.1)	
	2610				
		S62-37W	472	(143.9)	
	2611				
		S83-01W	99	(30.2)	
	2612				Intersection of spur ridge and 6200 foot contour.
		N75-51W	131	(39.9)	
	2613				
		N57-03W	149	(45.4)	Along 6200 foot contour, partially circling Timberwolf Mountain to Northwest.
	2614				
		N44-14W	105	(32.0)	
	2615				
		N06-43W	171	(52.1)	
	2616				
		N14-53W	148	(45.1)	
	2617				
		N38-32W	75	(22.9)	
	2618				
		N50-07W	95	(29.0)	
	2619				
		N61-23W	226	(68.9)	
	2620				
		N51-33W	43	(13.1)	
	2621				
		N29-08W	129	(39.3)	
	2622				
		N37-31W	71	(21.6)	
	2623				
		N54-05W	107	(32.6)	
	2624				
		N17-57W	75	(22.9)	
	2625				
		N05-23E	53	(16.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2626				
		N57-06W	219	(66.8)	
	2627				
		N27-52W	79	(24.1)	
	2628				
		N30-18W	89	(27.1)	
	2629				
		N50-16W	108	(32.9)	
	2630				
		N55-52W	146	(44.5)	Along 6200 foot contour, partially circling Timberwolf Mountain to Northwest.
	2631				
		N45-49W	99	(30.2)	
	2632				
		N13-36W	64	(19.5)	
	2633				
		N31-53W	150	(45.7)	
	2634				
		N52-54W	51	(15.5)	
	2635				
		S56-19W	54	(16.5)	
	2636				
		S43-01W	62	(18.9)	
	2637				
		S12-53W	278	(84.7)	
	2638				
		S21-10E	166	(50.6)	
	2639				
		S21-22W	222	(67.7)	
	2640				
		S11-41W	148	(45.1)	
	2641				
		S02-19W	74	(22.6)	
	2642				
		S29-58E	98	(29.9)	
	2643				
		S65-11E	162	(49.4)	
	2644				
		S68-31E	197	(60.0)	
	2645				
		S47-17E	177	(53.9)	
	2646				
		S41-53E	286	(87.2)	
	2647				
		S41-59E	283	(86.3)	
	2648				
		S37-52E	438	(133.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2649				
		S38-55E	420	(128.0)	Along 6200 foot contour, partially circling Timberwolf Mountain to Northwest.
	2650				
		S35-31E	489	(149.0)	
	2651				
		S23-53E	143	(43.6)	
	2652				Intersection of 6200 foot contour and spur ridge Southeast of Timberwolf Mountain.
		S13-12E	166	(50.6)	
	2653				
		S10-23W	205	(62.5)	
	2654				
		S22-54W	175	(53.3)	
	2655				
		S39-31W	259	(78.9)	Along spur ridge.
	2656				
		S35-29W	214	(65.2)	
	2657				
		S25-20W	250	(76.2)	
	2658				
		S23-05W	258	(78.6)	
	2659				
		S28-38W	198	(60.4)	
	2660				
		S30-37W	196	(59.7)	
	2661				
		S28-22W	185	(56.4)	
	2662				
		S53-58W	163	(49.7)	
	2663				
		S59-45W	139	(42.4)	
	2664				
		S44-15W	107	(32.6)	
	2665				
		S08-49W	59	(18.0)	
	2666				
		S29-47E	183	(55.8)	
	2667				
		S27-47E	189	(57.6)	
	2668				
		S17-34E	146	(44.5)	
	2669				
		S48-09E	64	(19.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
TIMBER WOLF MOUNTAIN Map #6	2670				
		S61-36E	153	(46.6)	
	2671				
		S69-59E	298	(90.8)	
	2672				
		S01-00E	304	(92.7)	
	2673				
		S51-34E	285	(86.9)	
	2674				
		S38-16E	295	(89.9)	Along spur ridge.
	2675				
		S29-03E	216	(65.8)	
	2676				
		S08-31E	128	(39.0)	
RIMROCK LAKE Map #12	2677				
		S05-52E	362	(110.3)	
	2678				
		S03-10E	253	(77.1)	
	2679				
		S16-04E	206	(62.8)	
	2680				
		S28-27E	191	(58.2)	
	2681				
		S31-23E	117	(35.7)	
	2682				Intersection of spur ridge and West line of Section 31, T.15N., R.14E., W.M.
		S00-27E	3144	(958.3)	Along West line of said Section 31.
	2683				Southwest corner of said Section 31.
		S07-46W	5011	(1527.4)	
	2684				Unnamed peak on spur ridge, approximate elevation 5915 feet.
		S25-07W	106	(32.3)	
	2685				
		S42-30W	210	(64.0)	
	2686				
		S29-53W	163	(49.7)	Along spur ridge.
	2687				
		S27-08W	316	(96.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2688				
		S18-26W	76	(23.2)	
	2689				
		S16-07W	133	(40.5)	
	2690				
		S21-30W	142	(43.3)	
	2691				
		S23-27W	412	(125.6)	
	2692				
		S26-59W	304	(92.7)	Along spur ridge.
	2693				
		S24-59W	339	(103.3)	
	2694				
		S19-19W	227	(69.2)	
	2695				
		S19-52W	241	(73.5)	
	2696				
		S28-03W	240	(73.2)	
	2697				
		S25-32W	225	(68.6)	
	2698				
		S45-39W	185	(56.4)	
	2699				
		S54-10W	231	(70.4)	
	2700				
		S59-10W	217	(66.1)	
	2701				
		S65-33W	85	(25.9)	
	2702				
		N78-34W	91	(27.7)	

	2703				Intersection of spur ridge and a point 200 feet northerly of and parallel to the centerline of USFS road 1500199.

		N66-52W	104	(31.7)	
	2704				
		N64-08W	73	(22.3)	
	2705				
		S79-15W	102	(31.1)	Paralleling USFS Road 1500199, 200 feet Northerly of centerline.
	2706				
		S67-55W	194	(59.1)	
	2707				
		S62-01W	145	(44.2)	
	2708				
		S65-10W	252	(76.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2709				
		S78-06W	208	(63.4)	
	2710	N82-11W	103	(31.4)	
	2711	N79-05W	201	(61.3)	
	2712	N73-56W	137	(41.8)	
	2713	N82-04W	123	(37.5)	
	2714	S82-33W	224	(68.3)	
	2715	S74-49W	195	(59.4)	Paralleling USFS road 1500199, 200 feet Northerly of centerline.
	2716	S67-09W	152	(46.3)	
	2717	S64-22W	192	(58.5)	
	2718	S83-01W	156	(47.5)	
	2719	N85-48W	205	(62.5)	
	2720	N62-24W	149	(45.4)	
	2721	N62-44W	181	(55.2)	
	2722	N70-14W	136	(41.5)	
	2723	S85-52W	152	(46.3)	
	2724	S76-56W	172	(52.4)	
	2725	S70-27W	146	(44.5)	
	2726	S63-12W	215	(65.5)	
	2727	S64-35W	245	(74.7)	
	2728	S60-12W	143	(43.6)	
	2729	S50-04W	120	(36.6)	
	2730	S01-00W	122	(37.2)	
	2731	S43-25W	128	(39.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #2	2732			A point 200 feet northerly of and perpendicular to centerline of USFS road 1500199 at the end of said road.
	S41-58E	400	(138.7)	
	2733			A point 200 feet southerly of and perpendicular to centerline of USFS road 1500199 of the end of said road.
	N46-32E	237	(72.2)	
2734	N50-53E	179	(54.6)	
2735	N60-51E	179	(54.6)	
2736	N59-54E	160	(48.8)	
2737	N87-12E	102	(31.1)	Paralleling USFS road 1500199, 200 feet southerly of centerline.
2738	N89-38E	160	(48.8)	
2739	S64-31E	142	(43.3)	
2740	S71-34E	206	(62.8)	
2741	S73-46E	165	(50.3)	
2742	S76-29E	158	(48.2)	
2743	N88-17E	100	(30.5)	
2744	N85-36E	78	(23.8)	
	2745			Intersection of paralleling line 200 feet south of USFS road 1500199 and spur ridge.
	S47-15E	72	(21.9)	
2746	S06-57E	83	(25.3)	Along spur ridge northeast of Thunder Creek Basin.
2747	S37-48E	73	(22.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2748				
		S61-56E	68	(20.7)	
	2749				
		S82-22E	83	(25.3)	
	2750				
		S74-38E	230	(70.1)	
	2751				
		S73-35E	287	(87.5)	Along spur ridge Northeast of Thunder Creek Basin.
	2752				
		S74-09E	344	(104.9)	
	2753				
		S70-23E	351	(107.0)	
	2754				
		S68-23E	176	(53.6)	
	2755				
		S63-13E	353	(107.6)	
	2756				
		S62-45E	264	(80.5)	
	2757				
		S65-10E	414	(126.2)	
	2758				
		S63-15E	275	(83.8)	
	2759				
		S55-12E	272	(82.9)	
	2760				
		S60-18E	172	(52.4)	
	2761				Unnamed peak on spur ridge, approximate elevation 6049 feet.
		S45-15E	159	(48.5)	
	2762				
		S26-58E	128	(39.0)	
	2763				
		S06-45E	77	(23.5)	
	2764				
		S22-19W	266	(81.1)	Descend spur ridge southerly to Thunder Creek.
	2765				
		S27-40W	209	(63.7)	
	2766				
		S26-57W	196	(59.7)	
	2767				
		S24-31W	176	(53.6)	
	2768				
		S15-34W	227	(69.2)	
	2769				
		S16-02W	250	(76.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2770				
		S14-19W	251	(76.5)	
	2771				
		S09-07W	271	(82.6)	
	2772				
		S12-16W	212	(64.6)	
	2773				
		S04-28W	385	(117.3)	
	2774				
		S05-43W	191	(58.2)	
	2775				
		S01-00W	197	(60.0)	
	2776				
		S11-08W	249	(75.9)	
	2777				
		S13-41W	241	(73.5)	Descend spur ridge southerly to Thunder Creek.
	2778				
		S08-38W	193	(58.8)	
	2779				
		S10-20E	173	(52.7)	
	2780				
		S18-10E	208	(63.4)	
	2781				
		S22-07E	167	(50.9)	
	2782				
		S03-56W	160	(48.8)	
	2783				
		S15-59W	178	(54.3)	
	2784				
		S33-58W	295	(89.9)	
	2785				
		S36-07W	256	(78.0)	
	2786				
		S33-31W	270	(82.3)	
	2787				
		S28-05W	219	(66.8)	
	2788				
		S21-51E	223	(68.0)	
	2789				
		S27-24E	309	(94.2)	
	2790				
		S15-59E	200	(61.0)	
	2791				
		S11-13E	370	(112.8)	
	2792				
		S02-20W	343	(104.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2793				
		S07-41W	576	(175.6)	
	2794				
		S11-38W	461	(140.5)	
	2795				
		S22-11W	111	(33.8)	
	2796				
		S12-09W	323	(98.5)	
	2797				
		S20-51W	301	(91.7)	Descend spur ridge southerly to Thunder Creek.
	2798				
		S23-08W	216	(65.8)	
	2799				
		S24-57W	285	(86.9)	
	2800				
		S34-45W	254	(77.4)	
	2801				
		S35-15W	276	(84.1)	
	2802				
		S21-53W	137	(41.8)	
	2803				
		S29-56W	76	(23.2)	
	2804				
		S42-53W	363	(110.6)	
	2805				
		S60-15W	32	(9.8)	
	2806				
		S38-37W	178	(54.3)	
	2807				Intersection of spur ridge and Thunder Creek.
		S31-20W	54	(16.5)	Ascend.
	2808				
		S15-27W	79	(24.1)	
	2809				A point on the 3800 foot contour.
		S43-22E	50	(15.2)	
	2810				
		S21-48E	65	(19.8)	Along the 3800 foot contour.
	2811				
		S19-13W	70	(21.3)	
	2812				
		S36-43W	147	(44.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2813				
		S48-06W	91	(27.7)	
	2814				
		S72-30W	156	(47.5)	
	2815				
		S87-02W	116	(35.4)	
	2816				
		N71-08W	83	(25.3)	
	2817				
		S79-42W	89	(27.1)	
	2818				
		N71-25W	116	(35.4)	
	2819				
		N65-25W	130	(39.6)	Along the 3800 foot contour.
	2820				
		N78-51W	67	(20.4)	
	2821				
		S59-25W	51	(15.5)	
	2822				
		S21-48E	86	(26.2)	
	2823				
		S32-25E	88	(26.8)	
	2824				
		S33-41E	50	(15.2)	
	2825				
		S48-49E	138	(42.1)	
	2826				
		S49-05E	179	(54.6)	
	2827				
		S43-19E	121	(36.9)	
	2828				Intersection of 3800 foot contour and spur ridge.
		N89-32W	3081	(939.1)	
	2829				Unnamed peak, approximate elevation 4412 feet.
		S64-00W	1266	(385.9)	
	2830				A point in unnamed tributary of Kitten Creek.
		S68-34W	1210	(368.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2831				Unnamed peak, approximate elevation 4617 feet.
		S83-38W	2261	(689.2)	
	2832				Unnamed peak, approximate elevation 4524 feet, on spur ridge between Kitten Creek and Wildcat Creek.
		N83-56W	322	(98.1)	
2833		N80-05W	169	(51.5)	
2834		N70-41W	330	(100.6)	
2835		N75-33W	369	(112.5)	Ascend spur ridge.
2836		N75-58W	280	(85.3)	
2837		N64-10W	177	(53.9)	
2838		N71-43W	226	(68.9)	
2839		N72-42W	128	(39.0)	
	2840				A point 100 feet Northerly of and perpendicular to centerline of USFS road 1362650.
		N81-37W	158	(48.2)	
2841		N80-52W	252	(76.8)	
2842		N78-44W	271	(82.6)	
2843		N75-21W	293	(89.3)	
2844		N51-20W	102	(31.1)	100 feet Northerly of and parallel to the centerline of USFS road 1362650.
2845		N67-39W	176	(53.6)	
2846		N72-33W	73	(22.3)	
2847		N51-10W	250	(76.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2848				
		N61-35W	374	(114.0)	100 feet Northerly of and parallel to the centerline of USFS road 1362650.
	2849	N62-50W	127	(38.7)	
	2850				A point 100 feet Northerly and perpendicular to centerline of USFS road 1362650.
		N52-22W	1551	(472.7)	
	2851				Point on spur ridge, approximate elevation 4940 feet.
		S89-22W	2183	(665.4)	
	2852				Center of unnamed stream, approximate elevation 4980 feet.
		S00-05W	1515	(461.8)	
	2853				Unnamed peak, approximate elevation 5152 feet.
		S00-08W	1281	(390.4)	
	2854				A point in Wildcat Creek.
		S07-20W	71	(21.6)	
	2855	S23-12W	76	(23.2)	
	2856	S40-08W	200	(61.0)	Ascend spur ridge.
	2857	S33-37W	201	(61.3)	
	2858	S28-18W	207	(63.1)	
	2859	S42-06W	112	(34.1)	
	2860	S33-55W	213	(64.9)	
	2861	S20-20W	181	(55.2)	
	2862				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2863	S14-12W	265	(80.8)	
	2864	S09-28W	249	(75.9)	
	2865	S12-04W	373	(113.7)	Ascend spur ridge.
	2866	S10-05W	240	(73.2)	
	2867	S10-06W	279	(85.0)	
	2868	S02-08W	268	(81.7)	
		S04-49E	179	(54.6)	
	2869				Intersection of spur ridge and crest of Russell Ridge.
		S78-21W	406	(123.7)	Along Russell Ridge.
	2870				A point 100 feet Northerly of and perpendicular to the centerline of USFS road 1382622.
2871		S80-07W	134	(40.8)	
2872		S69-43W	98	(29.9)	
2873		N89-01W	58	(17.7)	
2874		N66-48W	107	(32.6)	
2875		N38-48W	184	(56.1)	
2876		N59-25W	332	(101.2)	
2877		N74-19W	204	(62.2)	100 feet Northerly of and parallel to the centerline of USFS road 1382622.
2878		N74-16W	181	(55.2)	
2879		N69-21W	230	(70.1)	
2880		N72-50W	298	(90.8)	
2881		N66-35W	179	(54.6)	
		N77-38W	191	(58.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2882				
		N74-36W	143	(43.6)	
	2883				
		N71-42W	137	(41.8)	
	2884				
		N52-07W	262	(79.9)	
	2885				100 feet Northerly of and parallel to the centerline of USFS road 1382622.
		N54-44W	151	(46.0)	
	2886				
		N76-49W	162	(49.4)	
	2887				
		N84-34W	127	(38.7)	
	2888				
		N86-24W	223	(68.0)	
	2889				
		N89-11W	210	(64.0)	
	2890				
		N85-44W	323	(98.5)	
	2891				
		N85-27W	240	(73.2)	
	2892				
		N83-38W	225	(68.6)	
	2893				A point 100 feet Northerly of and perpendicular to centerline of USFS road 1382622.
		N47-22W	120	(36.6)	
	2894				
		N52-52W	212	(64.6)	
	2895				
		N41-45W	125	(38.1)	
	2896				
		N70-09W	77	(23.5)	
	2897				
		N89-30W	116	(35.4)	Along Russell Ridge.
	2898				
		S76-36W	86	(26.2)	
	2899				
		S87-39W	122	(37.2)	
	2900				
		N77-08W	202	(61.6)	
	2901				
		N79-54W	234	(71.3)	
	2902				
		N80-22W	382	(116.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
RIMROCK LAKE Map #12	2903				
		N64-46W	232	(70.7)	
	2904				
		N71-10W	183	(55.8)	
	2905				Along Russell Ridge.
		N74-41W	87	(26.5)	
	2906				
		N75-58W	58	(17.7)	
	2907				A point 100 feet Northerly of and perpendicular to centerline of USFS road 1382622.
		N76-54W	252	(76.8)	
	2908				
		N85-41W	146	(44.5)	
	2909				
		N59-08W	96	(29.3)	
	2910				
		N62-07W	137	(41.8)	
	2911				
		N74-29W	168	(51.2)	100 feet Northerly of and parallel to centerline of USFS road 1382622 and USFS road 1382654.
	2912				
		N78-52W	192	(58.5)	
	2913				
		N73-49W	97	(29.6)	
	2914				
		S86-05W	146	(44.5)	
	2915				
		N62-57W	106	(32.3)	
WHITE PASS NE Map #11	2916				
		S79-07W	79	(24.1)	
	2917				
		S79-14W	187	(57.0)	
	2918				
		S87-20W	150	(45.7)	
	2919				
		N88-05W	90	(27.4)	
	2920				
		N79-15W	102	(31.1)	
	2921				
		N81-46W	230	(70.1)	
	2922				
		N76-53W	137	(41.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	2923				100 feet Northerly of and parallel to centerline of USFS road 1382622 and USFS road 1382654.
		N66-45W	139	(42.4)	
	2924	N61-57W	138	(42.1)	
	2925				A point 100 feet Northerly of and perpendicular to centerline of USFS road 1382654.
		N54-34W	119	(36.3)	
	2926				
		N72-08W	95	(29.0)	
	2927				
		N65-46W	110	(33.5)	
	2928				
		N69-41W	86	(26.2)	
	2929				Across road 1382654.
		N68-05W	88	(26.8)	
	2930				
		N86-32W	66	(20.1)	
	2931				Intersection of Russell Ridge and spur ridge East of Muddy Creek Basin.
		S61-08W	89	(27.1)	
	2932				
		S29-25W	108	(32.9)	
	2933				
		S23-00W	266	(81.1)	
	2934				
		S36-15W	130	(39.6)	Descend spur ridge.
	2935				
		S33-36W	175	(53.3)	
	2936				
		S48-44W	196	(59.7)	
	2937				
		S44-14W	211	(64.3)	
	2938				
		S40-17W	275	(83.8)	
	2939				
		S47-40W	183	(55.8)	
	2940				
		S38-57W	121	(36.9)	
	2941				
		S21-31W	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS Map #11	2942				
		S27-49W	144	(43.9)	
	2943				
		S21-54W	209	(63.7)	
	2944				
		S25-21W	189	(57.6)	
	2945				
		S25-48W	299	(91.1)	
	2946				
		S33-04W	178	(54.3)	
	2947				
		S25-58W	171	(52.1)	
	2948				
		S27-32W	186	(56.7)	Descend spur ridge.
	2949				
		S10-37W	98	(29.9)	
	2950				
		S15-27W	158	(48.2)	
	2951				
		S13-15W	249	(75.9)	
	2952				
		S16-59W	212	(64.6)	
	2953				
		S09-18W	223	(68.0)	
	2954				
		S06-04W	95	(29.0)	
	2955				
		S07-07E	177	(53.9)	
	2956				
		S12-08E	176	(53.6)	
	2957				
		S08-31E	209	(63.7)	
	2958				
		S04-21E	185	(56.4)	
	2959				
		S11-08W	192	(58.5)	
	2960				
		S20-18W	107	(32.6)	
	2961				
		S11-27W	166	(50.6)	
	2962				
		S01-50W	250	(76.2)	
	2963				
		S08-22W	172	(52.4)	
	2964				
		S01-28E	156	(47.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	2965				
		S05-57E	97	(29.6)	Descend spur ridge.
	2966	S13-19W	191	(58.2)	
	2967				Intersection of spur ridge and the 3440 foot contour.
		N81-34W	55	(16.8)	
	2968				
		N60-12W	119	(36.3)	
	2969				
		N47-08W	247	(75.3)	
	2970				
		N57-03W	129	(39.3)	
	2971				
		N70-18W	86	(26.2)	
	2972				
		S70-12W	80	(24.4)	
	2973				
		N76-19W	118	(36.0)	
	2974				Along the 3440 foot contour.
		N67-45W	309	(94.2)	
	2975				
		N59-41W	212	(64.6)	
	2976				
		N53-17W	216	(65.8)	
	2977				
		N45-00W	171	(52.1)	
	2978				
		N47-26W	200	(61.0)	
	2979				
		N54-46W	133	(40.5)	
	2980				
		N56-05W	70	(21.3)	
	2981				
		S80-16W	71	(21.6)	
	2982				
		S30-58W	146	(44.5)	
	2983				
		S73-13W	121	(36.9)	
	2984				
		S82-03W	181	(55.2)	
	2985				
		N88-34W	120	(36.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	2986				
		N59-02W	122	(37.2)	
	2987				
		N32-19W	174	(53.0)	
	2988				
		N34-50W	124	(37.8)	
	2989				
		N61-59W	177	(53.9)	
	2990				
		N67-40W	237	(72.2)	
	2991				
		N82-22W	113	(34.4)	
	2992				
		N61-26W	128	(39.0)	
	2993				
		N66-48W	190	(57.9)	
	2994				
		N54-51W	120	(36.6)	Along the 3440 foot contour.
	2995				
		N48-17W	173	(52.7)	
	2996				
		N62-51W	217	(66.1)	
	2997				
		N35-37W	156	(47.5)	
	2998				
		N30-10W	86	(26.2)	
	2999				
		N59-54W	102	(31.1)	
	3000				
		N44-26W	141	(43.0)	
	3001				
		N23-45W	109	(33.2)	
	3002				
		N12-51W	94	(28.7)	
	3003				
		N47-58W	109	(33.2)	
	3004				
		N35-35W	134	(40.8)	
	3005				
		N38-36W	133	(40.5)	
	3006				
		N38-10W	202	(61.6)	
	3007				
		N38-48W	65	(19.8)	
	3008				
		N00-00W	58	(17.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3009				
		N53-32W	57	(17.4)	
	3010	N64-25W	183	(55.8)	
	3011	N63-46W	156	(47.5)	
	3012	N55-35W	173	(52.7)	
	3013	N35-57W	238	(72.5)	Along the 3440 foot contour.
	3014	N58-36W	159	(48.5)	
	3015	N52-26W	82	(25.0)	
	3016	N57-52W	92	(28.0)	
	3017	N83-40W	72	(21.9)	
	3018	S80-06W	87	(26.5)	
	3019	S84-29W	115	(35.1)	
	3020	N81-18W	99	(30.2)	
	3021	N75-41W	97	(29.6)	
	3022	N63-52W	120	(36.6)	
	3023	N56-10W	117	(35.7)	
	3024	N45-00W	79	(24.1)	
	3025				A point Northeasterly of Indian Creek on 3440 foot contour.
		S68-06W	110	(33.5)	
	3026	S38-33W	88	(26.8)	Crossing Indian Creek drainage.
	3027	S40-36W	111	(33.8)	
	3028	S35-54W	94	(28.7)	
	3029	S13-30W	77	(23.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3030				A point southwesterly of Indian Creek on 3440 foot contour.
		S34-11E	192	(58.5)	
	3031				
		S34-30E	256	(78.0)	
	3032				
		S29-29E	219	(66.8)	
	3033				
		S35-03E	221	(67.4)	
	3034				
		S30-58E	192	(58.5)	
	3035				
		S29-45E	218	(66.4)	
	3036				
		S25-06E	123	(37.5)	
	3037				
		S54-04E	85	(25.9)	Along the 3440 foot contour.
	3038				
		S63-26E	83	(25.3)	
	3039				
		S22-46E	121	(36.9)	
	3040				
		S12-54E	148	(45.1)	
	3041				
		S20-16E	118	(36.0)	
	3042				
		S24-53E	183	(55.8)	
	3043				
		S37-34E	49	(14.9)	
	3044				
		S31-59E	261	(79.6)	
	3045				
		S39-15E	226	(68.9)	
	3046				
		S27-30E	110	(33.5)	
	3047				
		S05-43E	90	(27.4)	
	3048				
		S61-58E	104	(31.7)	
	3049				
		S43-56E	151	(46.0)	
	3050				
		S33-23E	105	(32.0)	
	3051				
		S04-16E	94	(28.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3052				
		S53-36E	123	(37.5)	
	3053				
		S40-04E	140	(42.7)	
	3054				
		S35-18E	197	(60.0)	
	3055				
		S31-41E	166	(50.6)	
	3056				
		S28-06E	134	(40.8)	Along the 3440 foot contour.
	3057				
		S26-02E	144	(43.9)	
	3058				
		S28-11E	127	(38.7)	
	3059				
		S45-00E	132	(40.2)	
	3060				
		S47-17E	124	(37.8)	
	3061				
		S33-34E	136	(41.5)	
	3062				
		S21-48E	129	(39.3)	
	3063				
		S27-59E	162	(49.4)	
	3064				
		S22-18E	126	(38.4)	
	3065				Intersection of 3440 foot contour and a point 200 feet easterly of the centerline of USFS trail 1147.
		S44-35E	192	(58.5)	
	3066				
		S39-10E	160	(48.8)	
	3067				
		S26-23E	146	(44.5)	Paralleling USFS trail 1147, 200 feet northeasterly of centerline.
	3068				
		S16-12E	154	(46.9)	
	3069				
		S21-20E	113	(34.4)	
	3070				
		S08-02W	79	(24.1)	
	3071				
		S33-15W	73	(22.3)	
	3072				
		S48-13W	63	(19.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3073			A point 200 feet southerly of the junction of USFS trails 1147 and 1104.
	S84-57W	102	(31.1)	
3074	N81-13W	111	(33.8)	
3075	N69-45W	110	(33.5)	
3076	N72-27W	143	(43.6)	
3077	N73-18W	230	(70.1)	
3078	N69-51W	244	(74.4)	
3079	N67-55W	223	(68.0)	Paralleling USFS trail 1104, 200 feet southwesterly of centerline.
3080	N68-02W	190	(57.9)	
3081	N61-53W	214	(65.2)	
3082	N67-20W	197	(60.0)	
3083	N59-42W	117	(35.7)	
3084	N69-48W	153	(46.6)	
3085	N82-38W	179	(54.6)	
3086	S89-32W	122	(37.2)	
3087	N88-46W	140	(42.7)	
3088	N85-14W	84	(25.6)	
	3089			A point 200 feet southwesterly of and perpendicular to centerline of USFS trail 1104 on the 4000 foot contour.
	S80-48W	144	(43.9)	
3090	N88-41W	218	(66.4)	Along the 4000 foot contour.
3091	S88-52W	152	(46.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3092				
		N75-09W	172	(52.4)	
	3093				
		N86-22W	205	(62.5)	
	3094				
		N78-34W	192	(58.5)	
	3095				
		N75-41W	198	(60.4)	
	3096				
		N67-39W	176	(53.6)	
	3097				
		N56-54W	134	(40.8)	
	3098				
		N54-23W	91	(27.7)	
	3099				
		N49-39W	96	(29.3)	
	3100				
		N75-36W	76	(23.2)	
	3101				
		N60-15W	48	(14.6)	
	3102				
		N86-16W	46	(14.0)	Along the 4000 foot contour.
	3103				
		S48-07W	78	(23.8)	
	3104				
		S48-57W	123	(37.5)	
	3105				
		S62-24W	99	(30.2)	
	3106				
		S65-30W	99	(30.2)	
	3107				
		S79-28W	115	(35.1)	
	3108				
		S83-06W	125	(38.1)	
	3109				
		N72-33W	183	(55.8)	
	3110				
		N74-26W	291	(88.7)	
	3111				
		N69-55W	210	(64.0)	
	3112				
		N71-12W	146	(44.5)	
	3113				
		N70-21W	164	(50.0)	
	3114				
		N70-54W	162	(49.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3115				
		N67-31W	188	(57.3)	
	3116				
		N70-22W	182	(55.5)	
	3117				
		N63-04W	139	(42.4)	
	3118				
		N67-56W	245	(74.7)	
	3119				
		N47-02W	160	(48.8)	
	3120				
		N55-50W	135	(41.1)	
	3121				
		N43-02W	166	(50.6)	
	3122				
		N50-09W	142	(43.3)	
	3123				
		N26-48W	106	(32.3)	
	3124				
		N15-40W	85	(25.9)	Along the 4000 foot contour.
	3125				
		N30-58W	58	(17.7)	
	3126				
		N51-03W	60	(18.3)	
	3127				
		N89-08W	66	(20.1)	
	3128				
		S60-31W	53	(16.2)	
	3129				
		S58-26W	97	(29.6)	
	3130				
		S40-14W	68	(20.7)	
	3131				
		S11-46W	74	(22.6)	
	3132				
		S01-00E	53	(16.2)	
	3133				
		S05-53W	68	(20.7)	
	3134				
		S28-04W	68	(20.7)	
	3135				
		S81-28W	61	(18.6)	
	3136				
		N75-04W	62	(18.9)	
	3137				
		N56-37W	53	(16.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3138				
		N52-26W	66	(20.1)	
	3139				
		N73-04W	48	(14.6)	
	3140				
		S83-25W	79	(24.1)	
	3141				
		S68-19W	95	(29.0)	
	3142				
		S20-19W	58	(17.7)	
	3143				
		S11-09W	67	(20.4)	Along the 4000 foot contour.
	3144				
		S62-32W	56	(17.1)	
	3145				
		S88-56W	54	(16.5)	
	3146				
		N71-07W	80	(24.4)	
	3147				
		N72-50W	71	(21.6)	
	3148				
		N68-30W	71	(21.6)	
	3149				
		S83-45W	64	(19.5)	
	3150				
		N69-41W	86	(26.2)	
	3151				
		S87-33W	70	(21.3)	
	3152				
		N80-50W	63	(19.2)	
	3153				
		N52-13W	51	(15.5)	
	3154				A point on the 4000 foot contour.
		N03-57W	58	(17.7)	
	3155				
		N00-38W	90	(27.4)	
	3156				
		N00-43W	80	(24.4)	
	3157				Ascend.
		N23-33W	85	(25.9)	
	3158				
		N38-07W	83	(25.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3159	N83-05W	66	(20.1)	Ascend.
	3160				A point on the 4400 foot contour.
		S80-06W	87	(26.5)	
	3161	N67-29W	89	(27.1)	
	3162	N89-30W	114	(34.7)	
	3163	N69-02W	64	(19.5)	
	3164	N23-30W	50	(15.2)	
	3165	N59-47W	91	(27.7)	
	3166	N75-58W	103	(31.4)	
	3167	N80-18W	77	(23.5)	Along the 4400 foot contour.
	3168	N72-39W	67	(20.4)	
	3169	S79-37W	61	(18.6)	
	3170	S63-58W	96	(29.3)	
	3171	S50-06W	80	(24.4)	
	3172	S63-26W	85	(25.9)	
	3173	S83-11W	93	(28.3)	
	3174	N75-06W	97	(29.6)	
	3175	N70-48W	119	(36.3)	
	3176	N77-15W	109	(33.2)	
	3177	N87-13W	144	(43.9)	
	3178	S87-21W	108	(32.9)	
	3179	N86-31W	82	(25.0)	
	3180	S76-27W	115	(35.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3181				
		N86-02W	130	(39.6)	
	3182				
		N89-37W	150	(45.7)	
	3183				
		S88-40W	344	(104.9)	
	3184				
		S87-20W	280	(85.3)	
	3185				
		N88-51W	150	(45.7)	
	3186				
		N77-17W	232	(70.7)	
	3187				
		N90-00W	156	(47.5)	
	3188				
		S79-49W	79	(24.1)	
	3189				
		S70-27W	146	(44.5)	
	3190				
		S64-06W	346	(105.5)	
	3191				
		S76-29W	291	(88.7)	Along the 4400 foot contour.
	3192				
		S76-44W	144	(43.9)	
	3193				
		N62-32W	56	(17.1)	
	3194				
		N29-29W	53	(16.2)	
	3195				
		N51-53W	83	(25.3)	
	3196				
		N83-08W	109	(33.2)	
	3197				
		S87-31W	92	(28.0)	
	3198				
		N76-06W	216	(65.8)	
	3199				
		N73-05W	155	(47.2)	
	3200				
		N67-58W	141	(43.0)	
	3201				
		N83-02W	91	(27.7)	
	3202				
		S70-34W	72	(21.9)	
	3203				
		S33-16W	38	(11.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3204				
		S08-58W	38	(11.6)	
	3205				
		S42-56W	59	(18.0)	
	3206				
		N75-58W	66	(20.1)	
	3207				
		N65-03W	159	(48.5)	
	3208				
		N54-46W	246	(75.0)	
	3209				
		N42-01W	136	(41.5)	
	3210				
		N38-12W	137	(41.8)	Along the 4400 foot contour.
	3211				
		N24-17W	124	(37.8)	
	3212				
		N05-43W	60	(18.3)	
	3213				
		N41-11W	43	(13.1)	
	3214				
		N39-01W	75	(22.9)	
	3215				
		N28-14W	108	(32.9)	
	3216				
		N37-03W	133	(40.5)	
	3217				
		N65-18W	55	(16.8)	
	3218				
		S34-36W	70	(21.3)	
	3219				
		S28-35W	165	(50.3)	
	3220				
		S50-35W	94	(28.7)	
	3221				
		S67-49W	82	(25.0)	
	3222				
		N83-50W	74	(22.6)	
	3223				
		N64-22W	136	(41.5)	
	3224				
		N51-24W	146	(44.5)	
	3225				
		N66-24W	112	(34.1)	
	3226				
		N73-59W	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3227				
		S81-09W	91	(27.7)	
	3228				
		S46-09W	71	(21.6)	
	3229				
		S19-59W	94	(28.7)	
	3230				
		S09-54W	87	(26.5)	
	3231				
		S11-00W	73	(22.3)	
	3232				
		S57-24W	72	(21.9)	
	3233				
		S56-53W	55	(16.8)	Along the 4400 foot contour.
	3234				
		S89-12W	72	(21.9)	
	3235				
		N86-06W	88	(26.8)	
	3236				
		S68-49W	243	(74.1)	
	3237				
		S57-26W	128	(39.0)	
	3238				
		S74-18W	159	(48.5)	
	3239				
		S69-17W	254	(77.4)	
	3240				
		S84-22W	153	(46.6)	
	3241				
		S77-18W	177	(53.9)	
	3242				
		S83-25W	183	(55.8)	
	3243				
		S66-35W	171	(52.1)	
	3244				
		S79-30W	275	(83.8)	
	3245				
		S70-13W	174	(53.0)	
	3246				
		S88-25W	291	(88.7)	
	3247				
		S84-31W	251	(76.5)	
	3248				
		N82-41W	220	(67.1)	
	3249				
		N67-55W	189	(57.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3250				
		N69-32W	240	(73.2)	
	3251				
		N69-41W	328	(100.0)	
	3252				
		N63-55W	161	(49.1)	
	3253				
		N63-19W	232	(70.7)	
	3254				
		N53-44W	191	(58.2)	Along the 4400 foot contour.
	3255				
		N51-01W	189	(57.6)	
	3256				
		N51-32W	223	(68.0)	
	3257				
		N46-32W	265	(80.8)	
	3258				
		N50-47W	239	(72.8)	
	3259				
		N42-56W	157	(47.9)	
	3260				
		N44-12W	152	(46.3)	
	3261				
		N45-00W	168	(51.2)	
	3262				A point on 4400 foot contour Northwest of Dog Lake.
		S45-03W	1636	(498.7)	
	3263				Confluence of North Fork Clear Creek and an unnamed tributary.
		S44-53W	2860	(871.7)	
WHITE PASS NW Map #10	3264				A point in Deer Creek.
		N71-34W	13	(4.0)	
	3265				
		N45-34W	143	(43.6)	
	3266				
		N66-31W	216	(65.8)	Ascend Deer Creek.
	3267				
		N70-04W	229	(69.8)	
	3268				
		N86-15W	122	(37.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3269				
		S85-39W	277	(84.4)	
	3270				
		S80-17W	332	(101.2)	
	3271				
		S85-40W	132	(40.2)	
	3272				
		N74-03W	73	(22.3)	
	3273				Ascend Deer Creek.
		N83-04W	331	(100.9)	
	3274				
		S89-16W	156	(47.5)	
	3275				
		S87-28W	181	(55.2)	
	3276				
		S77-54W	115	(35.1)	
	3277				
		S64-25W	130	(39.6)	
	3278				
		S61-13W	382	(116.4)	
	3279				
		S70-19W	131	(39.9)	
	3280				
		S78-59W	115	(35.1)	
	3281				
		S86-25W	144	(43.9)	
	3282				A point in Deer Creek.
		S40-59W	162	(49.4)	
	3283				
		S36-46W	222	(67.7)	
	3284				
		S41-37W	191	(58.2)	
	3285				
		S51-58W	128	(39.0)	Ascend.
	3286				
		S62-39W	131	(39.9)	
	3287				
		S83-42W	155	(47.2)	
	3288				
		S84-00W	239	(72.8)	
	3289				
		N83-33W	169	(51.5)	
	3290				
		00-00W	330	(100.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NE Map #11	3291				
		S88-36W	286	(87.2)	
	3292				
		S88-04W	355	(108.2)	
	3293				
		S75-37W	201	(61.3)	
	3294				
		S73-10W	204	(62.2)	Ascend.
	3295				
		S61-59W	283	(86.3)	
	3296				
		S68-43W	243	(74.1)	
	3297				
		S50-21W	190	(57.9)	
	3298				
		S54-37W	169	(51.5)	
	3299				
		S45-25W	97	(29.6)	
	3300				A point on spur ridge.
		S36-35W	406	(123.7)	
	3301				
		S47-12W	110	(33.5)	Ascend spur ridge.
	3302				
		S48-36W	180	(54.9)	
	3303				
		S69-20W	178	(54.3)	
	3304				
		S67-40W	237	(72.2)	
	3305				
		S75-24W	171	(52.1)	
	3306				
		S73-34W	180	(54.9)	
	3307				A point where spur ridge joins crest of the Cascade Mountain range, also the boundary between Gifford Pinchot National Forest and Snoqualmie National Forest (administered by Wenatchee National Forest). Also the boundary between Yakima and Lewis Counties.
		N73-08W	300	(91.4)	Along crest of the Cascade Mountain Range.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3308				
		N72-01W	240	(73.2)	
	3309				
		N76-16W	93	(28.3)	
	3310				
		N89-38W	160	(48.8)	Along crest of the Cascade Mountain range.
	3311				
		S77-28W	129	(39.3)	
	3312				
		S71-40W	175	(53.3)	
	3313				
		N74-48W	84	(25.6)	
	3314				
		S81-52W	163	(49.7)	
	3315				
		N78-21W	99	(30.2)	
	3316				
		N57-57W	126	(38.4)	
	3317				
		N63-12W	106	(32.3)	
	3318				
		N52-34W	102	(31.1)	
	3319				A point in a saddle on the crest of the Cascade Mountain range, and common to the Gifford Pinchot National Forest and Snoqualmie National Forest (administered by Wenatchee National Forest).
		N88-56W	108	(32.9)	
	3320				Descend.
		N83-16W	179	(54.6)	
	3321				A point on the 5200 foot contour.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10		N74-35W	90	(27.4)	
	3322	N57-20W	156	(47.5)	
	3323	N60-31W	291	(88.7)	
	3324	N60-27W	189	(57.6)	
	3325	N59-46W	189	(57.6)	
	3326	N66-06W	106	(32.3)	
	3327	N88-53W	102	(31.1)	Along the 5200 foot contour.
	3328	S75-00W	58	(17.7)	
	3329	S50-04W	112	(34.1)	
	3330	S61-15W	94	(28.7)	
	3331	S82-36W	78	(23.8)	
	3332	S75-30W	60	(18.3)	
	3333	S41-46W	150	(45.7)	
	3334	S53-56W	127	(38.7)	
	3335	S52-07W	137	(41.8)	
	3336	S57-01W	156	(47.5)	
	3337	N88-05W	120	(36.6)	
	3338	N77-00W	107	(32.6)	
	3339	N62-31W	139	(42.4)	
	3340	N42-12W	58	(17.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3341				
		N58-24W	31	(9.4)	
	3342				
		S60-48W	78	(23.8)	
	3343				
		S78-08W	199	(60.7)	
	3344				
		S75-38W	129	(39.3)	
	3345				
		S66-22W	52	(15.8)	
	3346				
		S34-55W	65	(19.8)	
	3347				
		S19-38W	182	(55.5)	Along the 5200 foot contour.
	3348				
		S24-40W	175	(53.3)	
	3349				
		S33-23W	158	(48.2)	
	3350				
		S42-19W	91	(27.7)	
	3351				
		S12-26W	70	(21.3)	
	3352				
		S10-32W	87	(26.5)	
	3353				
		S25-26W	68	(20.7)	
	3354				
		S12-36E	78	(23.8)	
	3355				
		S03-42W	170	(51.8)	
	3356				
		S12-54W	381	(116.1)	
	3357				
		S15-45W	310	(94.5)	
	3358				
		S15-34W	317	(96.6)	
	3359				
		S17-48W	85	(25.9)	
	3360				
		S01-55E	120	(36.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3361				
		S08-34E	262	(79.9)	
	3362				
		S09-37E	317	(96.6)	
	3363				
		S15-29E	240	(73.2)	
	3364				
		S12-50E	81	(24.7)	
	3365				
		S29-33E	146	(44.5)	
	3366				
		S43-48E	204	(62.2)	
	3367				
		S55-57E	179	(54.6)	Along the 5200 foot contour.
	3368				
		S58-41E	167	(50.9)	
	3369				
		S84-57E	137	(41.8)	
	3370				
		S70-46E	46	(14.0)	
	3371				
		S26-11E	66	(20.1)	
	3372				
		S11-40W	64	(19.5)	
	3373				
		S06-17E	110	(33.5)	
	3374				
		S05-39W	254	(77.4)	
	3375				
		S27-56W	75	(22.9)	
	3376				
		S05-36W	154	(46.9)	
	3377				
		S04-14E	204	(62.2)	
	3378				
		S01-10W	196	(59.7)	
	3379				
		S26-05W	52	(15.8)	
	3380				
		S30-25W	53	(16.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3381				
		N63-10W	97	(29.6)	
	3382				
		S88-01W	116	(35.4)	
	3383				
		S84-11W	217	(66.1)	
	3384				
		S82-26W	175	(53.3)	
	3385				
		N84-20W	152	(46.3)	
	3386				
		N79-09W	149	(45.4)	
	3387				
		N01-00W	107	(32.6)	Along the 5200 foot contour.
	3388				
		N59-24W	134	(40.8)	
	3389				
		N85-52W	152	(46.3)	
	3390				
		S81-43W	160	(48.8)	
	3391				
		S85-16W	182	(55.5)	
	3392				
		S68-40W	363	(110.6)	
	3393				
		S70-34W	324	(98.8)	
	3394				
		S54-57W	82	(25.0)	
	3395				
		S58-31W	151	(46.0)	
	3396				
		S82-28W	122	(37.2)	
	3397				
		S85-43W	40	(12.2)	
	3398				
		N39-14W	77	(23.5)	
	3399				
		N27-45W	174	(53.0)	
	3400				
		N05-19W	291	(88.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3401				
		N00-26E	134	(40.8)	
	3402				
		N25-36W	211	(64.3)	
	3403				
		N26-04W	205	(62.5)	
	3404				
		N09-50W	99	(30.2)	
	3405				
		N08-58W	77	(23.5)	
	3406				
		N26-05W	52	(15.8)	
	3407				
		N68-53W	47	(14.3)	Along the 5200 foot contour.
	3408				
		N83-45W	64	(19.5)	
	3409				
		N79-38W	83	(25.3)	
	3410				
		N59-28W	45	(13.7)	
	3411				
		N50-15W	131	(39.9)	
	3412				
		N47-29W	130	(39.6)	
	3413				
		N25-36W	53	(16.2)	
	3414				
		N26-34W	40	(12.2)	
	3415				
		N79-57W	80	(24.4)	
	3416				
		N62-13W	84	(25.6)	
	3417				
		N75-29W	88	(26.8)	
	3418				
		N54-45W	92	(28.0)	
	3419				
		N29-56W	152	(46.3)	
	3420				
		N11-40W	129	(39.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3421				
		N09-46W	124	(37.8)	
	3422				
		N47-14W	127	(38.7)	
	3423				
		N36-20W	108	(32.9)	
	3424				
		N23-01W	79	(24.1)	
	3425				
		N04-56W	116	(35.4)	
	3426				
		N07-43W	119	(36.3)	
	3427				
		N21-48W	113	(34.4)	Along the 5200 foot contour.
	3428				
		N39-43W	77	(23.5)	
	3429				
		N35-29W	107	(32.6)	
	3430				
		N63-40W	113	(34.4)	
	3431				
		N48-07W	117	(35.7)	
	3432				
		N19-24W	133	(40.5)	
	3433				
		N08-08W	99	(30.2)	
	3434				
		N06-46W	161	(49.1)	
	3435				
		N12-38W	59	(18.0)	
	3436				
		N00-00W	68	(20.7)	
	3437				
		N01-00W	115	(35.1)	
	3438				
		N60-44W	104	(31.7)	
	3439				
		N50-57W	68	(20.7)	
	3440				
		N69-27W	43	(13.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3441				
		S76-56W	57	(17.4)	
	3442				
		S79-48W	51	(15.5)	
	3443				
		N72-10W	91	(27.7)	
	3444				
		N84-44W	76	(23.2)	
	3445				
		N45-51W	47	(14.3)	
	3446				
		N28-07W	66	(20.1)	
	3447				
		N01-41E	68	(20.7)	Along the 5200 foot contour.
	3448				
		N00-42E	162	(49.4)	
	3449				
		N22-42W	60	(18.3)	
	3450				
		N17-39W	92	(28.0)	
	3451				
		N10-23W	133	(40.5)	
	3452				
		N48-04W	79	(24.1)	
	3453				
		N46-04W	76	(23.2)	
	3454				
		N27-31W	54	(16.5)	
	3455				
		N04-40W	98	(29.9)	
	3456				
		N22-53W	49	(14.9)	
	3457				
		N41-16W	65	(19.8)	
	3458				
		N49-58W	98	(29.9)	
	3459				
		N57-56W	89	(27.1)	
	3460				
		N54-57W	94	(28.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3461				
		N65-09W	60	(18.3)	
	3462				
		N27-42W	90	(27.4)	
	3463				Along the 5200 foot contour.
		N24-53W	152	(46.3)	
	3464				
		N29-39W	142	(43.3)	
	3465				
		N29-34W	77	(23.5)	
	3466				
		N41-56W	79	(24.1)	
	3467				A point on a ridge, elevation 5200 feet.
		N58-21W	242	(73.8)	
3468		N62-14W	107	(32.6)	
3469		N56-04W	66	(20.1)	
3470		N30-33W	96	(29.3)	Descend ridge.
3471		N56-04W	202	(61.6)	
3472		N47-10W	150	(45.7)	
3473		N39-36W	105	(32.0)	
3474		N29-13W	68	(20.7)	
3475		N04-31W	76	(23.2)	
	3476				A point on the ridge, elevation 4960 feet.
		N08-27E	75	(22.9)	
3477		N49-01E	81	(24.7)	Descend.
3478		N73-30E	84	(25.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3479				
		N88-00E	86	(26.2)	
	3480	S86-22E	126	(38.4)	Descend.
	3481				A point on the 4880 foot contour.
		S65-15E	141	(43.0)	
	3482				
		S64-41E	82	(25.0)	
	3483				
		N84-26E	82	(25.0)	
	3484				
		S64-32E	47	(14.3)	
	3485				
		N68-16E	143	(43.6)	
	3486				
		N71-55E	103	(31.4)	Along the 4880 foot contour.
	3487				
		N68-34E	115	(35.1)	
	3488				
		N85-48E	136	(41.5)	
	3489				
		N74-42E	98	(29.9)	
	3490				
		N35-26E	64	(19.5)	
	3491				
		N03-06E	111	(33.8)	
	3492				
		N15-14E	221	(67.4)	
	3493				
		N33-46E	214	(65.2)	
	3494				
		N19-03E	147	(44.8)	
	3495				
		N22-16E	185	(56.4)	
	3496				
		N23-02E	138	(42.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3497				
		N10-00E	138	(42.1)	
	3498				
		N14-14E	439	(133.8)	
	3499				
		N10-05E	405	(123.4)	
	3500				
		N10-06E	496	(151.2)	
	3501				
		N16-10E	241	(73.5)	
	3502				
		N21-10E	266	(81.1)	
	3503				
		N23-55E	222	(67.7)	Along the 4880 foot contour.
	3504				
		N27-47E	253	(77.1)	
	3505				
		N34-13E	91	(27.7)	
	3506				
		N72-36E	87	(26.5)	
	3507				
		S87-45E	102	(31.1)	
	3508				
		S85-07E	82	(25.0)	
	3509				
		S87-20E	150	(45.7)	
	3510				
		N54-36E	47	(14.3)	
	3511				
		N08-29E	135	(41.1)	
	3512				
		N07-46E	274	(83.5)	
	3513				
		N13-14E	175	(53.3)	
	3514				
		N10-00E	86	(26.2)	
	3515				
		N43-14E	69	(21.0)	
	3516				
		N79-23E	98	(29.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3517				
		N77-14E	208	(63.4)	
	3518				
		N86-54E	166	(50.6)	
	3519				
		N51-55E	47	(14.3)	Along the 4880 foot contour.
	3520				
		N25-30E	121	(36.9)	
	3521				
		N31-02E	144	(43.9)	
	3522				
		N28-11E	142	(43.3)	
	3523				
		N34-09E	139	(42.4)	
	3524				
		N62-06E	135	(41.1)	
	3525				
		N63-34E	186	(56.7)	
	3526				
		N78-06E	189	(57.6)	
	3527				A point on the 4880 foot contour.
		N86-32E	331	(100.9)	
	3528				Descend.
		S89-46E	245	(74.7)	
	3529				
		N84-58E	285	(86.9)	
	3530				A point on the 4800 foot contour.
		N89-07E	260	(79.2)	
	3531				
		S77-46E	208	(63.4)	
	3532				Along the 4800 foot contour.
		S86-56E	280	(85.3)	
	3533				
		S84-42E	195	(59.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3534				
		N01-00E	65	(19.8)	
	3535				
		N57-39E	36	(11.0)	
	3536				
		N04-37E	136	(41.5)	
	3537				
		N11-43E	108	(32.9)	
	3538				
		N35-38E	148	(45.1)	
	3539				
		N48-09E	180	(54.9)	
	3540				
		N12-43W	159	(48.5)	Along the 4800 foot contour.
	3541				
		N04-19W	213	(64.9)	
	3542				
		N04-49E	179	(54.6)	
	3543				
		N09-40E	238	(72.5)	
	3544				
		N00-26E	132	(40.2)	
	3545				
		N15-57W	124	(37.8)	
	3546				
		N30-10W	86	(26.2)	
	3547				
		N06-33W	237	(72.2)	
	3548				
		N09-51W	269	(82.0)	
	3549				
		N32-53W	179	(54.6)	
	3550				
		N24-59W	291	(88.7)	
	3551				
		N26-56W	280	(85.3)	
	3552				
		N33-30W	163	(49.7)	
	3553				
		N41-32W	258	(78.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3554				
		N29-46W	296	(90.2)	
	3555				
		N38-26W	191	(58.2)	
	3556				
		N01-00W	279	(85.0)	
	3557				
		N22-25W	155	(47.2)	
	3558				
		N00-46E	150	(45.7)	
	3559				
		N41-08W	94	(28.7)	
	3560				
		N40-06W	149	(45.4)	Along the 4800 foot contour.
	3561				
		N24-20W	206	(62.8)	
	3562				
		N08-32W	182	(55.5)	
	3563				
		N12-40E	141	(43.0)	
	3564				
		N21-36E	109	(33.2)	
	3565				
		N22-09W	122	(37.2)	
	3566				
		N00-33W	206	(62.8)	
	3567				
		N13-24E	194	(59.1)	
	3568				
		N41-53W	156	(47.5)	
	3569				
		N43-55W	150	(45.7)	
	3570				
		N20-23W	121	(36.9)	
	3571				
		N01-00W	58	(17.7)	
	3572				
		N75-38W	85	(25.9)	
	3573				
		N78-31W	136	(41.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3574				
		N80-32W	109	(33.2)	
	3575				
		N77-46W	146	(44.5)	
	3576				
		N76-48W	215	(65.5)	
	3577				
		N01-00W	254	(77.4)	
	3578				
		N69-09W	112	(34.1)	
	3579				
		N45-00W	78	(23.8)	
	3580				
		N28-49W	228	(69.5)	Along the 4800 foot contour.
	3581				
		N32-32W	232	(70.7)	
	3582				
		N43-25W	51	(15.5)	
	3583				
		N87-46W	154	(46.9)	
	3584				
		S88-44W	136	(41.5)	
	3585				
		N84-39W	161	(49.1)	
	3586				
		N66-58W	138	(42.1)	
	3587				
		N70-53W	318	(96.9)	
	3588				
		N66-28W	270	(82.3)	
	3589				
		N80-32W	67	(20.4)	
	3590				
		N62-51W	305	(93.0)	
	3591				
		N58-47W	160	(48.8)	
	3592				
		N74-23W	167	(50.9)	
	3593				
		N70-55W	168	(51.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3594				
		N65-07W	197	(60.0)	
	3595				
		N71-19W	147	(44.8)	
	3596				
		N84-09W	383	(116.7)	
	3597				
		N82-27W	388	(118.3)	
	3598				
		N74-05W	303	(92.4)	
	3599				
		N74-05W	445	(135.6)	Along the 4800 foot contour.
	3600				
		N68-09W	669	(203.9)	
	3601				
		N64-04W	327	(99.7)	
	3602				
		N63-45W	161	(49.1)	
	3603				
		N48-40W	210	(64.0)	
	3604				
		N40-33W	246	(75.0)	
	3605				
		N39-43W	383	(116.7)	
	3606				
		N40-46W	115	(35.1)	
	3607				
		N60-41W	131	(39.9)	
	3608				
		N52-32W	286	(87.2)	
	3609				
		N54-08W	263	(80.2)	
	3610				
		N68-10W	277	(84.4)	
	3611				
		N67-55W	229	(69.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS NW Map #10	3612			A point 200 feet southwesterly of and perpendicular to the centerline of USFS Trail No. 57. Elevation 4800 feet.
	3613	N74-38W	219 (66.8)	
	3614	N53-13W	144 (43.9)	
	3615	N44-25W	210 (64.0)	
	3616	N48-56W	289 (88.1)	Paralleling USFS Trail No. 57, 200 feet southwesterly of centerline.
	3617	N60-52W	349 (106.4)	
	3618	N68-17W	238 (72.5)	
	3619	N71-58W	178 (54.3)	
	3620	N70-45W	225 (68.6)	
	3621	N60-15W	363 (110.6)	
	3622	N53-53W	444 (135.3)	
	3623	N58-15W	401 (122.2)	
	3624	N63-49W	329 (100.3)	
	3625	N01-00W	388 (118.3)	
		N74-44W	292 (89.0)	
	3626			A point 200 feet southwesterly of the centerline of USFS Trail No. 57.
	3627	N69-16W	189 (57.6)	
		N29-00W	115 (35.1)	Crossing USFS Trail No. 57.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WHITE PASS NW Map #10	3628			A point 200 feet easterly of and perpendicular to the centerline of USFS Road No. 45.
	3629	N26-46W	129 (39.3)	
	3630	N26-18W	97 (29.6)	Paralleling USFS Road No. 45, 200 feet easterly of centerline.
	3631	N39-08W	173 (52.7)	
		N25-40W	85 (25.9)	
	3632			A point in a draw which is 200 feet easterly of and perpendicular to the centerline of USFS Road No. 45.
	3633	N01-00W	80 (24.4)	
	3634	N00-31W	222 (67.7)	
	3635	N07-25W	410 (125.0)	Descend draw.
	3636	N03-49E	421 (128.3)	
	3637	N08-57W	418 (127.4)	
	3638	N08-28W	312 (95.1)	
	3639	N13-26W	159 (48.5)	
	3640	N01-03E	271 (82.6)	
		N16-58E	123 (37.5)	
	3641			A point in Summit Creek.
	3642	N83-25E	183 (55.8)	
	3643	N68-49E	257 (78.3)	Ascend Summit Creek.
		N58-03E	110 (33.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3644				
		N41-38E	108	(32.9)	
	3645				Ascend Summit Creek.
		N38-21E	85	(25.9)	
	3646				
		N67-33E	131	(39.9)	
	3647				A point 200 feet easterly of the improved portion of Soda Springs Campground.
		N08-45W	105	(32.0)	
	3648				
		N37-01W	163	(49.7)	
	3649				Paralleling the improved area of Soda Springs Campground, 200 feet easterly and northerly of improvements.
		N56-02W	115	(35.1)	
	3650				
		N60-30W	114	(34.7)	
	3651				
		N81-06W	116	(35.4)	
	3652				
		N71-16W	125	(38.1)	
	3653				
		N80-10W	76	(23.2)	
	3654				
		S79-01W	105	(32.0)	
	3655				A point 200 feet northerly of the improved portion of Soda Springs Campground.
		N01-21E	2255	(687.3)	Ascend
	3656				A point on the 3600 foot contour.
		S50-07E	182	(55.5)	
	3657				Along the 3600 foot contour.
		S62-03E	222	(67.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3658				
		S71-03E	213	(64.9)	
	3659	S84-48E	221	(67.4)	
	3660	N87-45E	204	(62.2)	Along the 3600 foot contour.
	3661	S84-06E	117	(35.7)	
	3662	S79-30E	137	(41.8)	
	3663	N79-18E	129	(39.3)	
	3664	N87-31E	138	(42.1)	
	3665	N83-43E	201	(61.3)	
	3666	N76-02E	215	(65.5)	
	3667	N60-55E	204	(62.2)	
	3668	N53-33E	162	(49.4)	
	3669				A point in Pony Creek, elevation 3600 feet.
		N15-41W	118	(36.0)	
	3670	N07-48W	221	(67.4)	
	3671	N12-58E	272	(82.9)	Ascend Pony Creek.
	3672	N25-35E	415	(126.5)	
	3673	N24-27E	181	(55.2)	
	3674	N27-33E	314	(95.7)	
	3675	N29-10E	246	(75.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3676				
		N25-28E	212	(64.6)	Ascend Pony Creek.
	3677	N39-17E	71	(21.6)	
	3678				Intersect south edge of timber harvest unit.
		N88-54E	104	(31.7)	
	3679	S89-41E	178	(54.3)	
	3680	S70-50E	149	(45.4)	
	3681	S77-50E	104	(31.7)	
	3682	S89-03E	60	(18.3)	Along southerly edge of timber harvest unit.
	3683	N54-28E	60	(18.3)	
	3684	N45-45E	107	(32.6)	
	3685	N50-23E	113	(34.4)	
	3686	N42-43E	88	(26.8)	
	3687	N45-00E	40	(12.2)	
	3688	S70-30E	51	(15.5)	
	3689	S58-32E	79	(24.1)	
	3690	S69-05E	73	(22.3)	
	3691	N26-03E	150	(45.7)	
	3692	N38-53E	159	(48.5)	
	3693	N01-00E	151	(46.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3694				
		N73-32E	166	(50.6)	
	3695	N81-55E	192	(58.5)	Along southerly edge of timber harvest unit.
	3696	N85-55E	112	(34.1)	
	3697	N85-51E	194	(59.1)	
	3698	N90-00E	114	(34.7)	
	3699	N53-08E	45	(13.7)	
	3700				A point on a ridge, elevation 4640 feet.
		N11-07W	296	(90.2)	
3701		N07-42W	246	(75.0)	
3702		N01-24W	246	(75.0)	
3703		N01-22E	500	(152.4)	Ascend ridge.
3704		N08-21E	296	(90.2)	
3705		N11-42E	316	(96.3)	
3706		N24-44E	239	(72.8)	
3707		N18-41E	215	(65.5)	
3708		N24-26E	264	(80.5)	
3709		N23-40E	301	(91.7)	
3710		N32-27E	244	(74.4)	
3711		N40-43E	218	(66.4)	
3712		N34-27E	166	(50.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3713				Top of peak, approximate elevation 5660 feet.
		N72-25W	169	(51.5)	
	3714				
		N88-35W	202	(61.6)	
	3715				
		N75-43W	174	(53.0)	
	3716				Descend ridge.
		N74-42W	277	(84.4)	
	3717				
		N60-02W	128	(39.0)	
	3718				
		N69-29W	140	(42.7)	
	3719				
		N90-00W	154	(46.9)	
	3720				
		N75-52W	152	(46.3)	
	3721				
		N72-51W	210	(64.0)	
	3722				
		N90-00W	94	(28.7)	
	3723				
		N81-50W	190	(57.9)	
	3724				A point in a saddle.
		N00-13W	260	(79.2)	
	3725				
		N01-55W	390	(118.9)	
	3726				Descend ridge.
		N03-06W	277	(84.4)	
	3727				
		N11-34W	254	(77.4)	
	3728				
		N10-35W	218	(66.4)	
	3729				
		N13-38W	238	(72.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3730				
		N13-51W	217	(66.1)	
	3731				
		N23-30W	251	(76.5)	
	3732				
		N24-03W	245	(74.7)	Descend ridge.
	3733				
		N27-48W	270	(82.3)	
	3734				
		N43-46W	295	(89.9)	
	3735				
		N52-37W	176	(53.6)	
	3736				
		N54-33W	162	(49.4)	
	3737				
		N75-38W	165	(50.3)	
	3738				
		N83-44W	156	(47.5)	
	3739				
		S75-58W	54	(16.5)	
	3740				Top of peak, approximate elevation 4961 feet.
		S83-25W	410	(125.0)	
	3741				
		N88-34W	120	(36.6)	
	3742				
		S79-45W	84	(25.6)	
	3743				Descend ridge.
		S51-12W	190	(57.9)	
	3744				
		S65-26W	166	(50.6)	
	3745				
		S68-30W	177	(53.9)	
	3746				
		S88-46W	371	(113.1)	
	3747				
		N85-19W	196	(59.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3748				
		N73-29W	218	(66.4)	
	3749				
		N72-19W	217	(66.1)	
	3750				
		N70-33W	213	(64.9)	
	3751				
		N63-08W	170	(51.8)	Descend ridge.
	3752				
		N64-40W	229	(69.8)	
	3753				
		N38-30W	169	(51.5)	
	3754				
		N40-57W	230	(70.1)	
	3755				
		N32-21W	226	(68.9)	
	3756				
		N29-03W	206	(62.8)	
	3757				
		N20-41W	249	(75.9)	
	3758				
		N10-13W	214	(65.2)	
	3759				
		N07-50W	81	(24.7)	
	3760				Intersect south line of Section 31, T. 15 N., R. 11 E., W.M.
		N88-05W	687	(209.4)	Along the south line of said Section 31.
	3761				The southeast corner of Section 36, T. 15 N., R. 10 E., W.M.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

WHITE PASS NW Map #10					
		N01-42E	3624	(1104.6)	Along the East line of said Section 36.
BUMPING LAKE SW Map #8	3762	N00-28W	730	(222.5)	
	3763				A point on East line of section 36, T.15N., R.10E., W.M. on a spur ridge, also boundary between Gifford Pinchot National Forest and Mount Rainier National Park.

	3764	N27-10E	466	(142.0)	
	3765	N32-41E	269	(82.0)	
	3766	N38-26E	278	(84.7)	
	3767	N30-04E	425	(129.5)	
	3768	N26-50E	372	(113.4)	Along ridge which is common boundary between Gifford Pinchot National Forest and Mount Rainier National Park.
	3769	N26-14E	308	(93.9)	
	3770	N41-53E	391	(119.2)	
	3771	N23-57E	372	(113.4)	
	3772	N31-53E	309	(94.2)	
		N35-18E	315	(96.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3773				
		N28-54E	296	(90.2)	
	3774				
		N25-47E	326	(99.4)	
	3775				
		S74-03E	284	(86.6)	
	3776				
		S51-42E	328	(100.0)	
	3777				
		N52-36E	428	(130.5)	
	3778				
		N55-26E	238	(72.5)	Along ridge which is common boundary between Gifford Pinchot National Forest and Mount Rainier National Park.
	3779				
		N51-31E	349	(106.4)	
	3780				
		N53-29E	412	(125.6)	
	3781				
		N52-50E	430	(131.1)	
	3782				
		N43-11E	89	(27.1)	
	3783				
		N33-49W	124	(37.8)	
	3784				
		N36-13W	245	(74.7)	
	3785				
		N10-31W	71	(21.6)	
	3786				
		N36-07E	137	(41.8)	
	3787				
		N50-47E	259	(78.9)	
	3788				
		N27-34E	257	(78.3)	
	3789				
		N31-05E	244	(74.4)	
	3790				
		N69-42E	127	(38.7)	
	3791				
		S86-08E	148	(45.1)	
	3792				
		S43-46E	165	(50.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3793				
		S46-58E	227	(69.2)	
	3794				
		S71-26E	141	(43.0)	
	3795				
		N66-41E	182	(55.5)	
	3796				
		N70-04E	170	(51.8)	
	3797				
		S81-52E	99	(30.2)	Along ridge which is common boundary between Gifford Pinchot National Forest and Mount Rainier National Park.
	3798				
		S60-06E	177	(53.9)	
	3799				
		S32-03E	145	(44.2)	
	3800				
		S88-59E	56	(17.1)	
	3801				
		N36-24E	345	(105.2)	
	3802				
		N33-53E	337	(102.7)	
	3803				
		N45-47E	155	(47.2)	
	3804				
		N66-13E	102	(31.1)	
	3805				
		N43-44E	255	(77.7)	
	3806				
		N90-00E	96	(29.3)	
	3807				
		S60-29E	183	(55.8)	
	3808				
		N87-49E	158	(48.2)	
	3809				
		S61-57E	155	(47.2)	
	3810				
		S70-12E	159	(48.5)	
	3811				
		N88-14E	226	(68.9)	
	3812				
		N82-11E	184	(56.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3813				
		S88-13E	320	(97.5)	
	3814				
		N57-31E	303	(92.4)	
	3815				Along ridge which is common boundary between Gifford Pinchot National Forest and Mount Rainier National Park.
		N69-05E	291	(88.7)	
	3816				
		N66-46E	208	(63.4)	
	3817				
		N80-25E	234	(71.3)	
	3818				
		N66-33E	322	(98.1)	
	3819				
		N69-31E	249	(75.9)	
3820		N75-35E	297	(90.5)	
	3821				
		N51-16E	129	(39.3)	

	3822				Intersection of ridge and crest of Cascade Mountain range. This point also marks common boundary of Mount Rainier National Park, Gifford Pinchot National Forest, and Snoqualmie National Forest (administered by Wenatchee National Forest).

		N01-00E	287	(87.5)	
3823					
		N19-41W	160	(48.8)	
3824					Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
		N08-36E	428	(130.5)	
3825					
		N11-19W	250	(76.2)	
3826					
		N41-04W	145	(44.2)	
3827					
		N71-27W	163	(49.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3828				
		N73-14W	218	(66.4)	
	3829				
		N33-05W	79	(24.1)	
	3830				
		N16-49W	235	(71.6)	
	3831				
		N38-30W	331	(100.9)	
	3832				
		N45-21W	228	(69.5)	
	3833				
		N36-22W	339	(103.3)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee Natinal Forest).
	3834				
		N25-10W	365	(111.3)	
	3835				
		N21-54W	330	(100.6)	
	3836				
		N27-02W	438	(133.5)	
	3837				
		N25-23W	345	(105.2)	
	3838				
		N06-22W	369	(112.5)	
	3839				
		N01-11W	340	(103.6)	
	3840				
		N04-37E	373	(113.7)	
	3841				
		N28-55W	230	(70.1)	
	3842				
		N03-24E	473	(144.2)	
	3843				
		N12-27W	255	(77.7)	
	3844				
		N01-41W	136	(41.5)	
	3845				
		N25-34E	229	(69.8)	
	3846				
		N36-25E	332	(101.2)	
	3847				
		N16-17E	210	(64.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3848				
		N24-32E	303	(92.4)	
	3849				
		N40-57E	281	(85.6)	
	3850				
		N45-53E	277	(84.4)	
	3851				
		N66-11E	158	(48.2)	
	3852				
		N81-52E	212	(64.6)	
	3853				
		N75-04E	109	(33.2)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3854				
		N38-35E	228	(69.5)	
	3855				
		N33-01E	310	(94.5)	
	3856				
		N43-43E	347	(105.8)	
	3857				
		N56-08E	172	(52.4)	
	3858				
		N78-09E	166	(50.6)	
	3859				
		S75-36E	338	(103.0)	
	3860				
		N78-29E	215	(65.5)	
	3861				
		N78-59E	298	(90.8)	
	3862				
		N75-15E	216	(65.8)	
	3863				
		N36-41E	64	(19.5)	
	3864				
		N15-33W	157	(47.9)	
	3865				
		N21-40W	387	(118.0)	
	3866				
		N36-24W	288	(87.8)	
	3867				
		N50-09W	165	(50.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3868				
		N58-31W	360	(109.7)	
	3869				
		N61-35W	139	(42.4)	
	3870				
		N47-13W	328	(100.0)	
	3871				
		N40-45W	277	(84.4)	
	3872				
		N49-18W	293	(89.3)	
	3873				
		N55-04W	89	(27.1)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3874				
		N28-02W	87	(26.5)	
	3875				
		N16-10W	104	(31.7)	
	3876				
		N09-41W	309	(94.2)	
	3877				
		N21-28W	317	(96.6)	
	3878				
		N13-48W	293	(89.3)	
	3879				
		N19-55W	73	(22.3)	
	3880				
		N67-50W	58	(17.7)	
	3881				
		N76-21W	216	(65.8)	
	3882				
		N76-08W	238	(72.5)	
	3883				
		N69-22W	290	(88.4)	
	3884				
		N45-08W	286	(87.2)	
	3885				
		N42-00W	270	(82.3)	
	3886				
		N28-25W	305	(93.0)	
	3887				
		N10-14W	242	(73.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3888				
		N02-41W	235	(71.6)	
	3889				
		N08-14W	154	(46.9)	
	3890				
		N27-32W	316	(96.3)	
	3891				
		N26-34W	45	(13.7)	
	3892				
		N11-21E	336	(102.4)	
	3893				
		N01-02E	166	(50.6)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3894				
		N40-28W	134	(40.8)	
	3895				
		N64-00W	135	(41.1)	
	3896				
		N57-29W	229	(69.8)	
	3897				
		N29-07W	101	(30.8)	
	3898				
		N14-35E	151	(46.0)	
	3899				
		N36-17E	331	(100.9)	
	3900				
		N33-46E	392	(119.5)	
	3901				
		N07-50E	81	(24.7)	
	3902				
		N27-43W	133	(40.5)	
	3903				
		N33-51W	197	(60.0)	
	3904				
		N23-50W	300	(91.4)	
	3905				
		N69-17W	127	(38.7)	
	3906				
		S81-29W	149	(45.4)	
	3907				
		N86-09W	224	(68.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3908				
		N77-51W	323	(98.5)	
	3909				
		N58-19W	261	(79.6)	
	3910				
		N27-51W	180	(54.9)	
	3911				
		N63-34W	202	(61.6)	
	3912				
		N37-17W	574	(175.0)	
	3913				
		N40-02W	196	(59.7)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3914				
		N51-26W	385	(117.3)	
	3915				
		N43-28W	502	(153.0)	
	3916				
		N43-17W	496	(151.2)	
	3917				
		N47-21W	155	(47.2)	
	3918				
		N67-59W	496	(151.2)	
	3919				
		N53-48W	190	(57.9)	
	3920				
		N28-50W	170	(51.8)	
	3921				
		N24-06W	208	(63.4)	
	3922				
		N59-16W	215	(65.5)	
	3923				
		N61-51W	178	(54.3)	
	3924				
		N42-04W	152	(46.3)	
	3925				
		N09-39E	101	(30.8)	
	3926				
		N56-33E	336	(102.4)	
	3927				
		N54-58E	355	(108.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3928				
		N41-14E	194	(59.1)	
	3929				
		N03-46E	76	(23.2)	
	3930				
		N35-12W	378	(115.2)	
	3931				
		N03-11W	54	(16.5)	
	3932				
		N59-06E	432	(131.7)	
	3933				
		N18-50E	90	(27.4)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3934				
		N12-23E	513	(156.4)	
	3935				
		N06-38E	260	(79.2)	
	3936				
		N02-42W	170	(51.8)	
	3937				
		N19-09W	177	(53.9)	
	3938				
		N21-00W	120	(36.6)	
	3939				
		N10-00W	363	(110.6)	
	3940				
		N11-30E	120	(36.6)	
	3941				
		N30-21E	129	(39.3)	
	3942				
		N17-47W	138	(42.1)	
	3943				
		N39-39W	136	(41.5)	
	3944				
		N40-45W	162	(49.4)	
	3945				
		N07-43W	194	(59.1)	
	3946				
		N23-02W	95	(29.0)	
	3947				
		N40-22W	568	(173.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3948				
		N52-12W	73	(22.3)	
	3949				
		S42-09W	100	(30.5)	
	3950				
		S64-39W	126	(38.4)	
	3951				
		N70-29W	117	(35.7)	
	3952				
		N47-01W	81	(24.7)	
	3953				
		N27-38W	168	(51.2)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3954				
		N13-18W	248	(75.6)	
	3955				
		N22-54W	350	(106.7)	
	3956				
		N25-13W	134	(40.8)	
	3957				
		N49-59W	138	(42.1)	
	3958				
		N89-39W	334	(101.8)	
	3959				
		S63-11W	202	(61.6)	
	3960				
		S53-19W	181	(55.2)	
	3961				
		S40-12W	110	(33.5)	
	3962				
		S40-59W	81	(24.7)	
	3963				
		S84-23W	235	(71.6)	
	3964				
		N69-31W	203	(61.9)	
	3965				
		N54-47W	208	(63.4)	
	3966				
		N46-25W	344	(104.9)	
	3967				
		N25-12W	207	(63.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3968				
		N12-46W	186	(56.7)	
	3969				
		N09-38E	281	(85.6)	
	3970				
		N21-11E	357	(108.8)	
	3971				
		N11-39E	367	(111.9)	
	3972				
		N17-36E	215	(65.5)	
	3973				
		N11-45W	128	(39.0)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3974				
		N28-01W	300	(91.4)	
	3975				
		N30-37W	569	(173.4)	
	3976				
		N25-21W	189	(57.6)	
	3977				
		N62-57W	106	(32.3)	
	3978				
		N84-56W	124	(37.8)	
	3979				
		N53-13W	144	(43.9)	
	3980				
		N34-38W	373	(113.7)	
	3981				
		N42-14W	190	(57.9)	
	3982				
		N44-32W	177	(53.9)	
	3983				
		N03-05W	391	(119.2)	
	3984				
		N30-58W	122	(37.2)	
	3985				
		N59-12W	187	(57.0)	
	3986				
		N56-31W	159	(48.5)	
	3987				
		N04-52W	94	(28.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WHITE PASS NW Map #10	3988				
		N18-36E	110	(33.5)	
	3989				
		N06-58E	181	(55.2)	
	3990				
		N27-42W	247	(75.3)	
	3991				
		N40-05W	272	(82.9)	
	3992				
		N20-58W	115	(35.1)	
	3993				
		N15-27E	79	(24.1)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	3994				
		N22-50E	144	(43.9)	
	3995				
		N29-48E	135	(41.1)	
	3996				
		N17-42E	99	(30.2)	
	3997				
		N33-13W	398	(121.3)	
	3998				
		N42-21W	214	(65.2)	
	3999				
		N29-34W	162	(49.4)	
	4000				
		N08-28W	367	(111.9)	
	4001				
		N24-53W	152	(46.3)	
	4002				
		N39-00W	129	(39.3)	
	4003				
		N57-06W	202	(61.6)	
	4004				
		N17-09W	210	(64.0)	
	4005				
		N26-34W	340	(103.6)	
	4006				
		N42-48W	221	(67.4)	
	4007				
		N20-51W	135	(41.1)	
	4008				
		N01-13E	234	(71.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CHINOOK PASS Map #9	4009	N07-24E	365	(111.3)	
	4010	N08-07E	637	(194.2)	
	4011	N04-09E	733	(223.4)	
	4012	N07-41W	449	(136.9)	
	4013	N22-11W	410	(125.0)	
	4014	N32-12W	342	(104.2)	Along crest of Cascade Mountain range. Common boundary between Mount Rainier National Park and Snoqualmie National Forest (administered by Wenatchee National Forest).
	4015	N63-08W	336	(102.4)	
	4016	N85-09W	225	(68.6)	
	4017	N63-06W	312	(95.1)	
	4018	N60-27W	284	(86.6)	
	4019	N76-07W	192	(58.5)	
	4020	N78-39W	279	(85.0)	
	4021	N79-00W	215	(65.5)	
	4022	S77-42W	80	(24.4)	
	4023	S79-32W	198	(60.4)	
	4024	N83-48W	231	(70.4)	
	4025	N80-47W	187	(57.0)	
	4026	N73-58W	181	(55.2)	
	4027	N56-19W	126	(38.4)	
	4028	N45-32W	77	(23.5)	
	4029	N06-05W	151	(46.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
CHINOOK PASS Map #1	4030			
	N00-13W	274	(83.5)	Along crest of Cascade Mountain
	4031			range. Common boundary between
	N00-00W	204	(62.2)	Mount Rainier National Park and
	4032			Snoqualmie National Forest
	N14-22W	129	(39.3)	(administered by Wenatchee National
	4033			Forest).
	N19-56W	109	(33.2)	
	1			Point of beginning.