


NATIONAL WILDERNESS PRESERVATION SYSTEM

Charles C. Deam Wilderness  
Wayne-Hoosier National Forest

I hereby certify that the legal description and map herewith represent the location of the boundary of the Charles C. Deam Wilderness on the Wayne-Hoosier National Forest as covered in the National Wilderness Preservation System by the Act of December 22, 1982.

Signed 3/20/89  
Date

  
Regional Forester



## WILDERNESS BOUNDARY DESCRIPTION

### Charles C. Deam Wilderness-Hoosier National Forest

The Charles C. Deam Wilderness is located on the Brownstown Ranger District of the Hoosier National Forest, Counties of Brown, Jackson, Monroe and Lawrence, State of Indiana. The boundary is delineated on a map entitled "Charles C. Deam Wilderness, Act of December 12, 1982, P.L. 97-384".

The boundary of the Charles C. Deam Wilderness is in two parcels and further defined in the following description. Distances listed as "approximate" are scaled from the above referenced map and are given for informational purposes only. Land corners, land lines and natural features control over these stated distances.

#### Parcel #1

Starting at a point on the North section line of Section 27, Township 7 North, Range 1 East, 2nd P.M., which is 0.25 miles east of the ~~SW~~ <sup>NW</sup> corner of said section which is the Point of Beginning.

1. Thence North along the west 1/16 line of Section 22, 0.5 mile to the Northeast corner of the NW 1/4, SW 1/4;

2. Thence West approximately 0.28 mile along the quarter line of Section 22 to the intersection with the 200 foot set back on the east side of centerline of State Highway 446;

3. Thence meandering in a general Northwesterly direction and being 200 feet east of centerline of State Highway 446 approximately 0.4 mile to a point on the North, 1/16 line of Section 21;

4. Thence leaving the 200 foot set back and running East along the North, 1/16 line of Section 21 approximately 0.05 mile to the West section line of Section 22;

5. Thence North along the West section line of Section 22 and Section 15 approximately 0.88 mile to the Southeast corner of the N 1/2 SE 1/4 NE 1/4, Section 16;

6. Thence West approximately 0.03 mile to the intersection of the 200 foot set back paralleling the east side of centerline of State Highway 446;

7. Thence Northwesterly along the 200 foot set back from the centerline of State Highway 446 to a point on a 100 foot set back on the south side of centerline of Hayes Road;



8. Thence leaving the 200 foot set back along State Highway 446, and meandering Easterly along the 100 foot set back, which parallels the southerly side of the centerline of Hayes Road, 0.42 mile to a point on the West 1/16 line of Section 15;

9. Thence North 0.75 mile to a point on the West 1/16 line of Section 10, that is 100 feet south of the centerline of the Burgoon Church road;

10. Thence East along the 100 foot set back on the south side of centerline of the Burgoon Church Road approximately 0.5 mile to the water's edge of Monroe Reservoir (Lake Monroe), said point being located in the SW 1/4 NE 1/4, Section 10, T7N, R1E;

11. Thence following the water's edge along the South side of Monroe Reservoir in a general Easterly direction approximately 15.5 miles to a point where the Middle Fork of Salt Creek intersects the north line of the SW 1/4 SE 1/4, Section 4, T7N, R2E;

12. Thence leaving the water's edge of Monroe Reservoir (Lake Monroe) and running East approximately 0.15 mile to the Northeast corner of SW 1/4 SE 1/4, Section 4;

13. Thence South 0.25 mile to the Southeast corner SW 1/4 SE 1/4, Section 4;

14. Thence East 0.25 mile to the section corner common to Sections 3, 4, 9 and 10;

15. Thence South 1.0 mile to the Southeast corner of Section 9;

16. Thence East 0.5 mile along the section line common to Sections 10 and 15 to the quarter line of Section 15;

17. Thence South 0.5 mile to the center section of Section 15;

18. Thence East along the quarter line of Section 15 0.25 mile to the NE corner of the NW 1/4 SE 1/4, Section 15;

19. Thence South 0.25 mile to the Northwest corner of the SE 1/4, SE 1/4, Section 15;

20. Thence East approximately 0.27 mile to a point on the South, 1/16 line Section 14, where it intersects with the Corps of Engineers fee taking line near Northwest bank of Combs Branch;

21. Thence meandering in a general Southerly direction along the Corps of Engineers fee taking line approximately 0.2 mile to the West bank of Combs Branch;



22. Thence Southwesterly with the west bank of Combs Branch approximately 0.04 mile to a point that is 100 feet northwest of centerline of old Jackson County Road 294;

23. Thence running Southwesterly along the 100 foot set back from the centerline of Jackson County Road 294 approximately 0.35 mile to a point on a 100 feet set back from the centerline of the Tower Ridge Road;

24. Thence meandering Westerly along the 100 foot set back on the North side of centerline of the Tower Ridge Road approximately 2.4 mile to the East side of the Terrell Ridge Road at the Hickory Ridge Fire Tower Site and a point approximately 0.19 mile West of the corner common to Sections 16, 17, 20 and 21;

25. Thence running Northerly on the east peripheral edge of the Hickory Ridge Fire Tower Site approximately 0.07 mile to a point;

26. Thence continuing along the peripheral edge of the Fire Tower site, Westerly approximately 0.07 mile;

27. Thence Southwesterly approximately 0.1 mile to the E 1/16 corner on the south section line of Section 17 and being 100 feet North of centerline of Tower Ridge Road;

28. Thence leaving the West peripheral edge of the Hickory Ridge Fire Tower Site and continuing in a Southwesterly direction along the 100 foot set back on the North side of the centerline of Tower Ridge Road approximately 1.19 mile to a point on the East section line of Section 19;

29. Thence leaving the 100 foot set back and running North along the East section line of Section 19 to the NE corner S 1/2 NE 1/4 NE 1/4, Section 19;

30. Thence West along the most Northerly 1/64 line of Section 19 approximately 0.20 mile to a point on a 100 foot set back North of the centerline of the Tower Ridge Road;

31. Thence Southwesterly along the 100 foot set back on the North side of the centerline of Tower Ridge Road approximately 2.25 mile to a point 100 feet north of the center line of the access road to the Todd Cemetery located in SW 1/4 NE 1/4, Section 26, T7N, R1E;

32. Thence leaving the 100 foot set back of Tower Ridge Road and running West along the 100 foot access set back and North side of Todd Cemetery approximately 0.08 mile to the quarterline of Section 26, T7N, R1E;

33. Thence running South on said quarterline and the west side of Todd Cemetery approximately 0.10 mile to a point 100 feet North of the centerline of the Tower Ridge Road;



34. Thence meandering in a general Northwesterly direction along the 100 foot set back approximately 0.65 mile to a point on the East line of Section 27;

35. Thence leaving the 100 foot set back and running North 0.24 mile to the Northeast corner of the NE 1/4, Section 27;

36. Thence West 0.25 mile to the Northwest corner of the NE 1/4 NE 1/4. Section 27;

37. Thence South 0.24 mile to a point on the west line of the NE 1/4 NE 1/4 that is 100 feet North of the centerline of the Tower Ridge Road;

38. Thence Westerly along the 100 foot set back on the north side of centerline of Tower Ridge Road approximately 0.50 mile to a point in the SE 1/4, NW 1/4, Section 27, Township 7 North, Range 1 East which is on the 200 foot set back on the east side of the centerline of State Road 446;

39. Thence running in a Northerly direction parallel with State Highway 446 and being 200 feet East of its centerline approximately 0.28 mile to a point;

40. Thence leaving the 200 foot set back of State Highway 446, and running East approximately 0.03 mile to a point;

41. Thence North approximately 0.05 mile to the North section line common to Sections 22 and 27;

42. Thence West along said section line approximately 0.06 mile to the Southeast corner of the SW 1/4, SW 1/4 of Section 22 which is the Point of Beginning.



PARCEL #2

Beginning at the SW corner of the SE 1/4 of Section 27, Township 7 North, Range 1 East, of 2nd P.M.;

1. Thence North on the quarter line of Section 27 0.63 mile to the Northwest corner of the S 1/2 SW 1/4 NE 1/4, Section 27;

2. Thence East 0.25 mile to a point on the east quarterline of Section 27;

3. Thence North 0.15 mile to a point 100 feet south of the centerline of the Tower Ridge Road;

4. Thence in a general Easterly direction along the 100 foot set back on the south side of the centerline of the Tower Ridge Road approximately 3.50 mile to a point on the west line of the SW 1/4 NE 1/4, Section 19, T7N, R2E;

5. Thence leaving the 100 foot set back and running South 106.6 feet;

6. Thence North 64 degrees east, 214.5 feet;

7. Thence North 106.6 feet to a point 100 feet south of the centerline of the Tower Ridge Road;

8. Thence Northeasterly along the 100 foot set back on the south side of the centerline of Tower Ridge Road approximately 0.26 mile to a point on the N-S centerline of the NE 1/4, Section 19, T7N, R2E;

9. Thence South 1880 feet to the SW corner of the SE 40 acres of the NE 1/4, Section 19, T7N, R2E;

10. Thence East 1220 feet to a point 100 feet from the centerline of Tower Ridge Road;

11. Thence in a general Easterly direction along the 100 foot set back south of the centerline of Tower Ridge Road approximately 0.60 mile to a point 100 feet west of the centerline of the Hunter's Creek Road;

12. Thence South along the 100 foot set back on the west side of the centerline of the Hunter's Creek Road approximately 1.1 mile to a point which is 893.6 feet east and 372.2 feet north of the southwest corner of the SE 1/4 NW 1/4 Section 29, said point being near the east bank of Hunter's Creek;

13. Thence west 366.6 feet;

14. Thence South 30 degrees west, 466.6 feet to a point on the E-W center section line of Section 29, that is 140.6 feet east of the southwest corner of the SE 1/4 NW 1/4, Section 29;



15. Thence West 1460.6 feet to the 1/4 corner on the N-S section line common to Sections 29 and 30;

16. Thence South on the section line common to Sections 29 and 30, 24.50 chains;

17. Thence West 10.00 chains;

18. Thence North 26 degrees west to the south 1/16 line of Section 30;

19. Thence West 14.90 chains to a point that is 10.40 chains west of the northwest corner of the SE 40 acres SE 1/4, Section 30;

20. Thence South 20.00 chains to the E-W section line common to Sections 30 and 31;

21. Thence East 10.40 chains to the NW corner of the NE 40 acres of the NE 1/4, Section 31, T7N, R2E;

22. Thence South on the west line of the NE 40 acres of the NE 1/4, Section 31, T7N, R2E approximately 0.12 mile to within 100 feet of the centerline of Hunter's Creek Road;

23. Thence Southwesterly along the 100 foot set back on the Northwesterly side of the centerline of Hunter's Creek Road approximately 0.75 mile to a point that intersects with the E-W centerline of Section 31;

24. Thence leaving the 100 foot set back and running West 14.10 feet;

25. Thence South 84 degrees 15 minutes West 1.48 chains to a fence corner;

26. Thence along fence line West 2.72 chains;

27. Thence leaving fence line South 62 degrees 00 minutes West 2.77 chains;

28. Thence South 49 degrees 00 minutes West 1.47 chains;

29. Thence South 21 degrees 00 minutes West 2.56 chains;

30. Thence South 54 degrees 00 minutes West 3.63 chains to a drainage;

31. Thence along drainage South 27 degrees 30 minutes East 2.54 chains;

32. Thence South 20 degrees 00 minutes East 1.94 chains;



104'  
33. Thence South 43 degrees 30 minutes East 1.58 chains to the 100 foot set back northwesterly side of the Hunter's Creek Road;

34. Thence Southwesterly along the 100 foot set back of the westerly side of the centerline of Hunter's Creek Road approximately 0.04<sup>211</sup> mile;

35. Thence leaving the 100 foot set back and running West approximately 600 feet to a point on the section line common to Section 31, T7N, R2E and Section 36, T7N, R1E;

36. Thence South along section line 7.48<sup>493.08'</sup> chains to the NE corner of SE 1/4 SE 1/4 of Section 36, T7N, R1E;

37. Thence West 8.73 chains; <sup>576.18'</sup>

38. Thence South 12 degrees 30 minutes West 1.25 chains; <sup>50 1/2'</sup>

39. Thence South 16 degrees 00 minutes West 2.00<sup>132'</sup> chains;

40. Thence South 8 degrees 30 minutes West 4.24<sup>279.84'</sup> chains;

41. Thence South 9 degrees 00 minutes West 164 feet to a point 100 feet northwest of the centerline of Hunter's Creek Road;

42. Thence Southwesterly along the 100 foot set back to a point that intersects with the west line of the SE 1/4 SE 1/4, Section 36, T7N, R1E;

43. Thence North approximately 32<sup>2112'</sup> chains to the E-W centerline of Section 36;


44. Thence West 0.50 mile to the NW corner of the NE 1/4 SW 1/4, Section 36, T7N R1E; <sup>7642'</sup>

45. Thence South 0.25 mile to the SW corner of the NE 1/4 SW 1/4, Section 36; <sup>1320'</sup>

46. Thence East 1220 feet to a point that is 100 feet West of the centerline of Mitchell Cemetery access road, which is located on the N - S centerline of Section 36;

47. Thence South 1220 feet along the 100 foot setback to a point that is 100 feet North of the centerline of the Hunter's Creek Road;

48. Thence Southwesterly along the 100 foot set back on the northwesterly side of Hunter's Creek Road approximately 0.50<sup>2640'</sup> mile to a point 100 feet east of centerline of Lawrence County Road L7N5E;





49. Thence Northerly along the 100 foot set back east of the centerline of Lawrence County Road L7N5E lane approximately 0.68/ mile to a point near the north end of said county road being approximately 200 feet north of where Tanyard Branch crosses the N-S section line common to Sections 35 and 36, T7N, R1E;

50. Thence Northwesterly following the contour along the northeast edge of Tanyard Branch Bottom approximately 0.25 mile to a point where a drainage from Cope Hollow intersects with Tanyard Branch;

51. Thence West approximately 0.1 mile to the west edge of Tanyard Branch Bottom;

52. Thence Southwesterly approximately 0.18 mile following the contour along the northwest edge of Tanyard Branch Bottom and Westerly up a ravine to within 200 feet of the centerline on the northeast side of State Highway 446, said point being approximately on the N-S center section line of Section 35;

53. Thence Northwesterly along the 200 foot set back northeast of the centerline of State Highway 446, approximately 0.75 mile to a point on the N-S centerline of NE 1/4, Section 34;

54. Thence leaving the 200 foot set back northeast of centerline of State Highway 446, and running North approximately 0.13 mile to the East 1/16 corner on the E-W section line common to Sections 27 and 34;

55. Thence West 0.25 mile to the SW corner of the SE 1/4 of Section 27; which is the Point of Beginning.