

Definition of Intent

The legal description of the Elk Wild and Scenic River is as shown on the maps enclosed in this document and is generally described in Public Law 100-557 and known as the Omnibus Oregon Wild and Scenic Rivers Act of 1988. This description is a result of the planning process described in the Elk Wild and Scenic River Decision Notice and final EA dated September 22, 1994.

Where the boundary is described as following a topographical feature, the actual location of the feature will control the described courses identifying that part of the said boundary. Unless specified in the description, calls to a stream will be to the thread and calls to a ridge shall be to the crest, calls to roads will be to the centerline of the road. Section subdivision lines and original General Land Office corners will be established under the rules of the United States Public Land Survey System.

The boundary determined in the planning process was plotted on U.S.G.S. 7 1/2 minute quadrangles which were used as the base maps for creating manuscripts. In the following description, bearings and distances shown are Grid Bearings and Grid Distances, based on the Oregon Coordinate System of 1927, South Zone derived from scanned manuscripts using LT4X software.

Closed Traverse generated from Line Trace Plus data
 Basis of Bearing: State Plane grid bearings
 Coordinate basis: State Plane grid coordinates
 State Plane Projection used,
 zone 3602 OREGON SOUTH ZONE, NAD 27

MAP #	ANGLE POINT	BEARING	DISTANCE (feet)	DESCRIPTION
1	1			The Point of Beginning (POB); N.E. corner of the S.W.1/4, N.E.1/4 of Section 7, T.33S., R.14W., Willamette Meridian (W.M.); Begin Recreation Segment; N=413477.91, E=952782.73
		N87/05W	1370.4	Along the north line of the S.W.1/4, N.E.1/4 of Section 7
	3			The N.W. corner of the S.W.1/4, N.E.1/4 of Section 7, T.33S., R.14W., W.M.; N=413549.34, E=951414.26
		S00/53W	3842.5	Along the north-south centerline of Section 7
	4			The North 1/4 corner of Section 18, T.33S., R.14W., W.M.; N=409707.29, E=951354.73
		S88/05E	2527.4	Along the north section line of Section 18
	5			The N.E. corner of Section 18, T.33S., R.14W., W.M.; N=409622.90, E=953880.73
		S02/51W	4064.0	Along the east section line of Section 18
	6			The N.W. corner of the S.W.1/4, S.W.1/4 of Section 17, T.33S., R.14W., W.M.; N=405563.91, E=953678.72
		S85/32E	977.0	Along the south line of the N.W.1/4, S.W.1/4 of Section 17

MAP #	ANGLE POINT	BEARING (feet)	DISTANCE	DESCRIPTION
7				The S.W. corner of the East 1/2, East 1/2, N.W.1/4, S.W.1/4, Section 17, T.33S., R.14W., W.M.; N=405487.91, E=954652.74
	N02/59E	1379.9		Along the west line of the East 1/2, East 1/2, N.W.1/4, S.W.1/4, Section 17
8				The N.W. corner of the East 1/2, East 1/2, N.W.1/4, S.W.1/4, Section 17, T.33S., R.14W., W.M.; N=406865.90, E=954724.75
	S86/12E	967.1		Along the north line of the S.W.1/4 of of Section 17
9				The N.E. corner of the West 1/2, N.E.1/4, S.W.1/4, Section 17, T.33S., R.14W., W.M.; N=406801.93, E=955689.77
1	S02/46W	2686.6		Along the east line of the West 1/2, N.E.1/4, S.W.1/4, and the east line of the West 1/2, S.E.1/4, S.W.1/4, Section 17
10				The S.E. corner of the West 1/2, S.E.1/4, S.W.1/4, Section 17, T.33S., R.14W., W.M.; N=404118.43, E=955560.48
	S85/34E	678.4		Along the south section line of Section 17
11				The South 1/4 corner of Section 17, T.33S., R.14W., W.M.; N=404066.04, E=956236.87
	S09/35W	146.4		Along the north-south centerline of Section 20
12				The intersection of the North-South centerline of Section 20, T.33S., R.14W., W.M. and the northeasterly edge of Right of Way for Forest Service Road 5502-020, as described in ATTACHMENT 1; N=403921.70, E=956212.51
	S41/02E	252.5		

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
13				N=403731.24, E=956378.30
	S11/22E	167.2		Along the northeasterly Right of Way for Forest Service Road 5502-020,
14				N=403567.33, E=956411.23
	S35/59E	129.9		
15				N=403462.25, E=956487.53
	S81/52E	427.7		Along the northeasterly Right of Way northeasterly for Forest Service Road 5502-020, as described in ATTACHMENT 1
16				N=403401.75, E=956910.94
	S31/01 E	292.5		
17				N=403151.12, E=957061.63
	S87/19E	182.5		
18				N=403142.57, E=957243.90
	S35/59E	129.9		
19				N=403037.49, E=957320.20
	S70/07E	172.1		
1	20			The westerly intersection of the approximate centerline of Forest Service Road 5502-000 and the private property described in ATTACHMENT 2; N=402978.96, E=957482.03
	S87/22E	20.5		
21				N=402978.02, E=957502.55
	N52/05E	189.4		
22				N=403094.41, E=957652.00

MAP #	ANGLE	BEARING	DISTANCE
POINT		(feet)	

DESCRIPTION

	N57/09E	176.7	
23			N=403190.25, E=957800.47
	N02/41E	41.1	
24			N=403231.32, E=957802.40
	N36/24E	74.1	
25			N=403290.94, E=957846.34
	N47/41E	58.1	
26			N=403330.06, E=957889.30
	N74/54E	218.5	
27			N=403386.99, E=958100.26
			Along the easterly lines of the private property described in ATTACHMENT 2.
28	N33/11E	166.9	N=403526.69, E=958191.65
	S49/26E	175.7	
29			N=403412.42, E=958325.15
	S64/42E	167.0	
30			N=403341.05, E=958476.09
	S47/30E	100.3	
31			N=403273.28, E=958550.06
	S42/19E	109.0	
32			N=403192.68, E=958623.44
	S32/06W	277.1	

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
1	33			N=402957.91, E=958476.19
		S67/21W	108.0	
	34			N=402916.32, E=958376.52
		S73/34W	133.2	
	35			N=402878.62, E=958248.76
		S76/32W	184.5	
	36			N=402835.64, E=958069.34
		S78/13W	82.2	
	37			N=402818.85, E=957988.84
				Along the easterly lines of the private property described in ATTACHMENT 2
		S55/10W	181.3	
	38			N=402715.28, E=957840.00
		S29/15W	91.9	
	39			N=402635.11, E=957795.11
		S42/18E	87.2	
	40			N=402570.65, E=957853.78
		S25/31W	71.1	
	41			The easterly intersection of the northerly boundary of Forest Service Road 5502-000 and the private property described in ATTACHMENT 2; N=402506.44, E=957823.13
		S02/41W	141.9	
	42			N=402364.69, E=957816.48
		S15/46E	128.2	

MAP # POINT	ANGLE (feet)	BEARING	DISTANCE	DESCRIPTION
43				N=402241.29, E=957851.32
S33/21E	275.8			Along the northeasterly Right of Way for Forest Service Road 5502-000 as described in ATTACHMENT 1; N=402010.91, E=958002.94
44				
S74/19E	270.5			N=401937.77, E=958263.38
45				
N81/23E	103.4			
1 46				N=401953.26, E=958365.61
S42/19E	172.1			
47				N=401826.05, E=958481.46
S87/18E	40.5			
48				N=401824.14, E=958521.95
S42/19E	57.4			Along the northeasterly Right of Way for Forest Service Road 5502-000 as described in ATTACHMENT 1; N=401781.72, E=958560.56
49				
S33/28E	91.8			
50				N=401705.12, E=958611.18
N26/06E	321.2			
51				The intersection of the east section line of Section 20, T.33S., R.14W., W.M. and the northeasterly edge of the Right of Way for Forest Service Road 5502-000, as described in ATTACHMENT 1; N=401993.55, E=958752.53
N02/41E	616.4			Along the east section line of Section 20
52				The N.E. corner of the S.E.1/4, N.E.1/4, Section 20, T.33S., R.14W., W.M.
N=402609.31, E=958781.35				
N85/17E	1095.7			Easterly

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
2	54			A point on the ridge between Bald Mountain Creek and Elk River; N=402698.34, E=959873.42
	S80/15E	302.8		
55				N=402647.04, E=960171.87
	S66/28E	915.8		
56				Ascend southeasterly along a ridge, toward the summit of Pearse Peak
	S69/35E	1197.9		N=402281.39, E=961011.54
57				N=401863.46, E=962134.20
	S86/54E	608.6		
58				N=401830.62, E=962741.90
	S81/15E	368.1		
2	59			A point on the summit of Pearse Peak; N=401774.60, E=963105.68
	S70/41E	148.8		
60				N=401725.38, E=963246.12
	S87/23E	315.8		
61				N=401710.99, E=963561.60
	S72/33E	247.1		
62				N=401636.85, E=963797.36
63	S75/55E	180.8		Easterly along a ridge, toward the summit of Purple Mountain. N=401592.85, E=963972.76
	S89/10E	385.3		
64				N=401587.31, E=964358.04
	S84/24E	262.3		

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
65				N=401561.72, E=964619.05
	S76/40E	211.7		
66				N=401512.89, E=964825.07
	S68/09E	192.3		
67				A point on the summit of Purple Mountain; N=401441.32, E=965003.54
	S37/12E	481.5	Southeasterly	
68				A point along the east-west centerline of Section 22, T.33S., R.14W., W.M.; N=401057.85, E=965294.69
	S87/23E	924.7		Easterly along the east-west centerline of Section 22
69				The N.E. corner of the S.W.1/4 of Section 22;
			N=401015.76, E=966218.43	
	S02/36W	760.3		Southerly along the north-south centerline of Section 22
70				A point on the north-south centerline of Section 22 which is on the divide between Bald Mountain Creek and Elk River; N=400256.28, E=966183.96
2	S49/49E	637.4		
71				N=399845.04, E=966670.98
	S46/20E	1329.4		
72				N=398927.06, E=967632.56
	S67/37E	450.4		
73				Southeasterly along the divide between Bald Mountain Creek and Elk River

MAP # POINT	ANGLE (feet)	BEARING	DISTANCE	DESCRIPTION
74	S74/21E	553.6		N=398755.54, E=968049.01 N=398606.13, E=968582.07
75	S80/44E	457.6		N=398532.41, E=969033.72
	N77/46E	120.3		Southeasterly along the divide between Bald Mountain Creek and Elk River
76				The northerly most point of Father Mountain; N=398557.90, E=969151.26
	N64/41E	5395.3		Northeasterly
77				A point with coordinates N=400865.68, E=974028.05
	N62/01E	2745.0		Northeasterly
78				A point in an un-named tributary of Elk River; N=402153.90, E=976451.92;
	N33/22E	1004.2		Northeasterly
79				A point in a borrow-pit, 50 feet northerly of and perpendicular to the centerline of Forest Service Road 5325-180; N=402992.63, E=977004.18
80	N62/02E	340.1		N=403N52.07, E=977304.56
81	N74/28E	308.0		N=403234.57, E=977601.28 50 feet northerly of and perpendicular to the centerline of Road 5325-180
82	N43/21E	271.2		N=403431.77, E=977787.39
	N80/05E	189.4		

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
2	83			N=403464.39, E=977973.92
		S43/38E	512.5	
	84			N=403093.48, E=978327.53
		S13/53E	789.3	
	85			N=402327.25, E=978516.99
		N81/01E	408.8	
	86			N=402391.14, E=978920.80
		N89/55E	508.9	50 feet northerly of and perpendicular to the centerline of Road 5325-180
	87			N=402391.92, E=979429.74
		N75/41E	458.8	
	88			N=402505.38, E=979874.33
		N85/59E	682.3	
	89			N=402553.21, E=980555.00
		N79/41E	489.9	
	90			N=402640.95, E=981037.00
		N67/44E	398.9	
	91			A point 50 feet northerly of and perpendicular to the centerline of Forest Service Road 5325-180 at the intersection with Forest Service Road 5325-182; N=402792.12, E=981406.17
		N30/07E	1065.6	Northeasterly
	92			A point at the end point of Forest Service Road 5325-182; N=403713.92, E=981940.80
		N52/40E	1275.0	Northeasterly

MAP # ANGLE BEARING DISTANCE
POINT (feet)

DESCRIPTION

93		A point on the ridge between Panther Creek and Elk River; N=404487.04, E=982954.63
	S02/36W 5256.7	Southerly
94		A point where Panther Creek intersects with and the West Fork of Panther Creek; N=399235.75, E=982716.84
	S28/58E 625.1	Southeasterly
2 95		A point where Panther Creek intersects with and the East Fork of Panther Creek; N=398688.89, E=983019.58
	N66/23E 2042.6	Northeasterly
96		A point with coodinates N=399506.93, E=984891.21
	N17/09E 5414.6	Northeasterly
97		A point with coordinates N=404680.92, E=986487.31
	N59/51E 2313.1	Northeasterly
98		A point at the end of an un-numbered logging spur on the prominent ridge in the S.E. 1/4 of Section 17, T.33S., R.14W., W.M.; N=405842.74, E=988487.47
	S64/39E 690.8	50 feet northerly of and perpendicular to the centerline of the logging spur
99		A point 50 feet northerly of and perpendicular to the centerline of said un-numbered logging spur and westerly of and perpendicular to the centerline of Forest Service Road 5544-000; N=405546.90, E=989111.73
	N59/04E 523.7	

MAP # ANGLE BEARING DISTANCE
POINT (feet)

DESCRIPTION

100			N=405816.16, E=989560.94
	N00/58E	277.5	
101			50 feet westerly of and perpendicular to the centerline of Road 5544-000 N=406093.62, E=989565.65
	N30/19W	340.6	
102			N=406387.68, E=989393.71
	N02/34E	147.3	
103			N=406534.79, E=989400.32
	N71/21E	198.3	
104			N=406598.22, E=989588.23
	N26/08E	789.9	
105			N=407307.41, E=989936.15
	N82/25E	183.6	
2	106		A point on a ridge, 50 feet northerly of and perpendicular to the centerline of Road 5544-000 where said Road turns in a southerly direction; N=407331.66, E=990118.12
	S78/14E	4356.0	Southeasterly
3	108		A point at the end point of Forest Service Road 5544-040; N=406461.91, E=994386.37
	S61/39E	701.6	
109			N=406128.69, E=995003.78 Southeasterly along the divide between Milbury Creek and Elk River
	S55/53E	452.0	
110			N=405875.12, E=995377.98
	S37/55E	664.5	
111			A high point on the divide, map elevation 1776 feet; N=405350.87, E=995786.28

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
	S43/10E		6529.7	Southeasterly
112				A point on the divide between McCurdy Creek and Blackberry Creek; N=400588.01, E=1000253.12
	S66/43E		400.0	
113				Along a spur ridge divide between McCurdy Creek and Blackberry Creek thence a divide between an un-named creek and South Fork of Elk River N=400429.95, E=1000620.57
	S47/29E		808.3	
115				N=399517.53, E=1001623.39
	S80/37E		706.5	
116				N=399402.30, E=1002320.48
	N80/46E		436.8	
117				N=399472.43, E=1002751.65
	N73/52E		195.4	
118				N=399526.71, E=1002939.36
	N85/25E		266.0	
119				N=399547.98, E=1003204.50
3	N78/14E		203.7	
120				N=399589.50, E=1003403.93
	N62/25E		166.8	
121				N=399666.72, E=1003551.78
	N50/58E		499.9	
122				Along a spur ridge divide between McCurdy Creek and Blackberry Creek thence a divide between McCurdy Creek and Blackberry Creek N=399981.53, E=1003940.07

MAP # ANGLE BEARING DISTANCE
POINT (feet)

DESCRIPTION

		Along a spur ridge between McCurdy Creek and thence a divide between an un-named and the South Fork of Elk River
123	N63/55E 361.3	N=400140.38, E=1004264.59
124	N39/28E 153.9	N=400259.21, E=1004362.44
	N14/17W 185.2	
125		N=400438.71, E=1004316.73
	N00/48E 1410.7	
126		N=401849.27, E=1004336.61
	N48/30W 436.3	
127		N=402138.42, E=1004009.86
	N28/22W 324.5	
128		N=402424.00, E=1003855.69
	N06/32W 418.1	
129		N=402839.38, E=1003808.13
	N28/03E 299.9	
130		N=403104.09, E=1003949.16
	N36/15E 413.5	
131		A point 50 feet southerly and perpendicular to the centerline of Forest Service Road 5325; N=403437.57, E=1004193.62
	N82/54E 1104.5	
132		N=403574.16, E=1005289.65 Northeasterly
	N47/37E 261.1	

MAP #	ANGLE POINT	BEARING (feet)	DISTANCE	DESCRIPTION
3	133		BEGIN WILD SEGMENT;	An internal boundary dividing the wild segment begins at point 133, from the recreation segment, thence northwesterly to the intersection of Elk River and the North Fork of Elk River, thence to Angle Point 150 N=403750.19, E=1005482.51
		N47/29E	843.0	
	134			N=404319.83, E=1006103.90
		N14/27E	1092.1	
	135			N=405377.31, E=1006376.48
		N28/37E	1121.0	
	136			N=406361.44, E=1006913.26 Northeasterly
		N54/49E	1142.4	
	137			N=407019.59, E=1007847.05
		N66/51E	1185.4	
	138			N=407485.72, E=1008936.97
		N76/20E	1326.4	
	139			N=407799.13, E=1010225.84
		N57/15E	1031.8	
	140			A point coordinates N=408357.32, E=1011093.57
		N12/49E	1378.3	Northerly
	141			Elk River Falls; N=409701.28, E=1011399.26

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
142	N04/09E	1438.9		Northerly
142				A point coordinates; N=411136.41, E=1011503.28
143	N84/59W	946.1		N=411219.07, E=1010560.84
144	S66/23W	1212.9		Southwesterly
145	S56/19W	1043.7		N=410733.32, E=1009449.49
3 145	S65/57W	1516.1		N=410154.57, E=1008580.92
146				N=409536.86, E=1007196.41
147	S68/48W	1481.1		N=409001.28, E=1005815.52
148	S49/35W	1206.6		Southwesterly
149	S27/29W	1314.4		N=408219.09, E=1004896.85
	S43/48W	960.0		N=407052.90, E=1004290.40
150	BEGIN RECREATION SEGMENT;			N=406360.03, E=1003625.91
				Internal Boundary. See discussion at Angle Point 133 of this description
151	S43/44W	597.7		Southwesterly
151				A point on a spur ridge which divides Elk River and the North Fork of Elk River; N=405928.10, E=1003212.74
	N37/18W	642.0		Northwesterly
MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION

POINT	(feet)	
152		A prominent point on a ridge; N=406438.85, E=1002823.77
	S49/09W 1526.0	Southwesterly
153		A point on a ridge; N=405440.81, E=1001669.38
	N41/03W 2892.5	Northwesterly
154		A point at the intersection of a tributary of Bungalow Creek and the west section line of Section 14, T.33S., R.13W., W.M.; N=407622.34, E=999770.07
	N01/53E 1849.4	Northerly
155		The N.E. corner of Section 15; T.33S., R.13W., W.M.; N=409470.71, E=999830.59
	N87/55W 5321.9	Westerly along the north section line of Section 15
3 156		The N.W. corner of Section 15; N=409663.97, E=994512.24
	N88/09W 1736.4	Westerly along the north section line of Section 16
2 157		N=409719.89, E=992776.7
	N87/23W 3349.3	
158		The N.E. corner of Section 17; T.33S., R.13W., W.M.; N=409872.32, E=989430.94
	N87/24W 1726.0	Westerly along the north section line of Section 17
159		A point 350 feet westerly of and perpendicular to Butler Creek, which is the Grassy Knob Wilderness Boundary; N=409950.85, E=987706.72

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
	S00/14W	82.2		
160				N=409868.66, E=987706.39
	S56/31W	686.0		350 feet northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary
161				N=409490.19, E=987134.18
	S22/47W	200.6		
162				N=409305.19, E=987056.51
	S48/54W	500.5		
163				N=408976.13, E=986679.35
	S14/36W	332.6		
164				N=408654.29, E=986595.54
	S12/51E	724.8		
165				N=407947.63, E=986756.74
	S29/31E	333.6		
166				N=407657.31, E=986921.14
	S19/16W	455.8		
167				N=407227.06, E=986770.79
	S76/06W	361.5		
168				N=407140.21, E=986419.90

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
2	S43/52W	186.8		
169				N=407005.55, E=986290.49
	S12/23W	406.6		
170				N=406608.44, E=986203.33
				350 feet northerly or westerly of and
				perpendicular to the Grassy Knob Wilderness
				Boundary
171	N83/15W	355.3		N=406650.24, E=985850.49
	S79/09W	205.9		
172				N=406611.46, E=985648.25
	S51/53W	314.9		
173				N=406417.06, E=985400.50
	S18/28W	955.9		
174				N=405510.39, E=985097.81
	S51/04W	637.7		
175				N=405109.62, E=984601.79
	S66/36W	308.5		
176				N=404987.12, E=984318.71
	N28/00W	787.8		
177				N=405682.71, E=983948.80
	N40/57W	380.5		
178				N=405970.05, E=983699.45
	N68/30W	513.1		
179				N=406158.04, E=983222.04

MAP # POINT	ANGLE (feet)	BEARING	DISTANCE	DESCRIPTION
----------------	-----------------	---------	----------	-------------

N43/30W 417.3

180

N=406460.80, E=982934.81

N73/29W 277.8

181

N=406539.80, E=982668.44

S81/15W 243.5

182

N=406502.76, E=982427.74

2

S53/01W 459.5

183

N=406226.39, E=982060.66

S29/58W 418.4

184

N=405863.95, E=981851.70; 350 feet
northerly or westerly of and perpendicular
to the Grassy Knob Wilderness Boundary
N=406012.99, E=981665.57

N51/19W 238.5

185

N47/11W 313.0

186

N=406225.72, E=981436.01

N80/29W 341.5

187

N=406282.18, E=981099.23

S69/37W 451.7

188

N=406124.92, E=980675.81

S45/00W 593.5

189

N=405705.24, E=980256.11

S33/57W 236.6

190

N=405509.01, E=980123.96

S18/13W 513.8

191

N=405020.96, E=979963.40

S54/14W 490.9

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
192				N=404734.00, E=979565.05
	N65/36W	249.0		
193				N=404836.89, E=979338.30
	N26/55W	375.9		
194				N=405172.03, E=979168.15
	N44/39W	913.3		
195				N=405821.76, E=978526.26
	N67/13W	213.5		
196				N=405904.42, E=978329.44
2	N84/25W	231.4		
197				N=405926.92, E=978099.13
	S85/01W	272.0		
198				N=405903.27, E=977828.17
				350 feet northerly or westerly of and
				perpendicular to the Grassy Knob Wilderness
	S73/08W	318.6		N=405810.86, E=977523.30
199				
	S43/18W	259.6		
200				N=405621.90, E=977345.25
	S02/33W	625.0		
201				N=404997.53, E=977317.43
	N85/30W	932.7		
202				N=405070.72, E=976387.64
	S83/22W	319.9		
203				N=405033.80, E=976069.83

MAP #	ANGLE	BEARING	DISTANCE
POINT		(feet)	

DESCRIPTION

	S70/01W	258.5	
204			N=404945.46, E=975826.84
	S48/05W	334.6	
205			N=404721.98, E=975577.85
	S23/07W	197.4	
206			N=404540.39, E=975500.35
	S58/11W	233.3	
207			N=404417.42, E=975302.12
	S02/33W	183.2	350 point northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary
208			N=404234.41, E=975293.97
	S56/39W	218.7	
209			N=404114.16, E=975111.25
	S24/13W	187.8	
210			N=403942.83, E=975034.21

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
2	S84/47W	427.6		
211				N=403903.96, E=974608.40
	S49/54W	419.0		
212				N=403634.04, E=974287.93 350 feet northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary
	S66/36W	308.4		
213				N=403511.51, E=974004.89
	S55/09W	349.1		
214				N=403312.03, E=973718.41
	S38/19W	316.3		
215				N=403063.85, E=973522.30
	S07/59W	813.5		
216				N=402258.26, E=973409.33
	S78/05W	628.4		
217				N=402128.58, E=972794.43
	S87/08W	502.9		
218				N=402103.47, E=972292.11
	N50/26W	820.1		
219				N=402625.89, E=971659.93
	N18/57W	1051.2		
220				N=403620.18, E=971318.62
	N45/36W	403.4		
221				N=403902.42, E=971030.44

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
	N80/19W	264.0		
222				N=403946.83, E=970770.22
	S78/00W	230.8		
223				N=403898.84, E=970544.49
	S51/31W	255.3		
224				N=403739.97, E=970344.63
2	S22/43W	357.4		
225				N=403410.30, E=970206.61
	N88/40W	308.2		
226				350 feet northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary;
	S75/54W	321.6		
227				N=403417.47, E=969898.49
	S50/30W	332.0		
228				N=403339.15, E=969586.59
	S20/52W	245.2		
229				N=403127.96, E=969330.46
	S73/02W	122.6		
230				N=402898.84, E=969243.16
	N59/20W	218.4		
231				N=402863.06, E=969125.90
	N82/44W	610.6		
232				N=402974.43, E=968938.08
				N=403051.72, E=968332.37

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
	N65/29W	174.5		
233				N=403124.11, E=968173.65
	N38/09W	1358.6		
234				N=404192.49, E=967334.34
	N16/18W	930.3		
235				N=405085.38, E=967073.28
	N52/40W	703.5		
236				N=405511.96, E=966513.87
	N76/48W	297.9		
237				N=405580.02, E=966223.86
	S86/38W	263.3		
238				N=405564.56, E=965961.03
2	N34/27W	384.1		
239				N=405881.27, E=965743.74
	N61/16W	206.1		
240				N=405980.35, E=965563.07
	N56/38W	251.2		350 feet northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary
241				N=406118.49, E=965353.27
	N24/34W	862.3		
242				N=406902.68, E=964994.79
	N56/30W	440.2		
243				N=407145.66, E=964627.73
	N78/36W	358.7		

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
244				N=407216.54, E=964276.15
	S75/02W	266.5		
245				N=407147.71, E=964018.64
	S60/04W	210.1		
246				N=407042.86, E=963836.61
	S34/53W	388.8		
247				N=406723.90, E=963614.28
				350 feet northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary
	N86/50W	4530.0		
1 248				N=406974.52, E=959091.19
	S83/41W	265.1		
249				N=406945.39, E=958827.75
	S54/56W	165.3		
250				N=406850.41, E=958692.43
	S08/18W	536.9		
251				N=406319.17, E=958614.94
	S78/39W	269.8		
252				N=406266.08, E=958350.42

MAP #	ANGLE	BEARING	DISTANCE	DESCRIPTION
POINT		(feet)		
1	N37/03W	278.0		
253				N=406487.97, E=958182.89
	N17/40W	691.8		
254				N=407147.15, E=957973.02
				350 feet northerly or westerly of and northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary.
255	N42/04W	789.9		N=407733.49, E=957443.74
	N03/03E	847.6		
256				N=408579.87, E=957488.90
	N22/20W	183.2		
257				N=408749.31, E=957419.30
	N45/03W	1387.9		
258				N=409729.91, E=956437.05
	N48/32W	425.9		
259				N=410011.86, E=956117.91
	N68/33W	561.9		
260				N=410217.36, E=955594.90
	N52/45W	168.7		
261				N=410319.48, E=955460.61
	N82/02W	549.5		
262				N=410395.68, E=954916.46
	N42/25E	216.2		
263				N=410555.31, E=955062.31

MAP # ANGLE BEARING DISTANCE
POINT (feet)

DESCRIPTION

	N24/55E 283.1	
264		N=410812.10, E=955181.64
	N03/18E 580.5	
265		N=411391.64, E=955214.98
	N07/00W 651.3	
266		N=412038.05, E=955135.59
1	N45/22W 519.2	
267		N=412402.82, E=954766.11
	N71/52W 319.9	350 feet northerly or westerly of and perpendicular to the Grassy Knob Wilderness Boundary
268		N=412502.38, E=954462.05
	S76/06W 265.1	
269		N=412438.70, E=954204.72
	S57/27W 564.9	
270		N=412134.70, E=953728.58
	N69/34W 542.5	
271		N=412324.13, E=953220.26
	N29/25W 276.7	
272		N=412565.13, E=953084.39
	N19/35W 634.3	
273		N=413162.75, E=952871.72
	N61/32E 215.7	
274		N=413265.53, E=953061.34
	N19/55E 206.3	

275

A point on the east-west centerline of the
N.E.1/4, Section 7, T.33S., R14W., W.M.;
N=413459.44, E=953131.60

1

N86/58W 349.4

Along the east-west centerline of the N.E.1/4,
Section 7

276

The Point of Beginning (POB); N.E. corner of
the S.W.1/4, N.E.1/4 of Section 7, T.33S.,
R.14W., Willamette Meridian W.M.;
N=952782.73, E=413477.91

NOTE: Angle Points were generated by computer. However, Angle Point 53, 107,
and 114 were intentionally deleted from the description.

4A - 19375

RIGHT-OF-WAY EASEMENT DEED
(Existing)

ENCLOSURE 1

THIS EASEMENT dated this 11 day of January, 1967 from the County of Curry, a political subdivision of the State of Oregon, hereinafter called "Grantor", to the United States of America called "Grantee".

WITNESSETH

Grantor, for and in consideration of \$1.00 received by Grantor, does hereby grant to Grantee and its assigns, subject to existing easements and valid rights a perpetual easement for a road along and across a strip of land, hereinafter defined as the "premises" over and across the following described lands in the County of Curry, State of Oregon:

SEC. 14N., T. 36N., R. 14W.,
NW1/4, NE1/4, SE1/4, Sec. 20, T. 33S., R. 14W.,
Willamette Meridian

The word "premises" when used herein means said strip of land whether or not there is an existing road located thereon. Except where it is defined more specifically, the word "road" shall mean roads now existing or hereafter constructed on the premises or any segment of such roads.

Said premises shall be 15 feet on each side of the centerline with such additional width as required for accommodation and protection of cuts and fills. If the road is located substantially as described herein, the centerline of said road as constructed is hereby deemed accepted by Grantor and Grantee as the true centerline of the premises granted. If any subsequent survey of the road shows that any portion of the road, although located substantially as described, crosses lands of the Grantor not described herein, the easement shall be amended to include the additional lands traversed; if any lands described herein are not traversed by the road as constructed, the easement traversing the same shall be terminated in the manner hereinafter provided.

The said strip of land being thirty feet in width and lying fifteen feet on each side of the hereinafter described centerline: Beginning at a point on the West boundary of the Northeast Quarter section 20, Township 33 South, Range 14 West, Willamette Meridian, two hundred and twenty-four feet South of the quarter corner between Sections 17 and 20 Township 33 South, Range 14 West, Willamette Meridian designated as engineers station 0+00 and bearing South 28 degrees 30 minutes East for four hundred thirty-two feet to engineers station 4+32, an angle point; Then bearing North 89 degrees 21 minutes East for one hundred forty-six feet to engineers station 5+78, an angle point; Then bearing South 75 degrees 39 minutes East for ninety feet to engineers station 6+68 an angle point; Then bearing South 79 degrees 56 minutes East two hundred eighty-six feet to engineers station 9+54 an angle point. Then bearing South 25 degrees 42 minutes East for two hundred twenty-eight feet to engineers station 11+82 an angle point. Thence bearing South 88 degrees 55 minutes East for two hundred forty-three feet to engineers station 14+25 an angle point. Then bearing South 19 degrees 20 minutes East for one hundred fourteen feet to engineer station 15+39 an angle point. Then bearing South 58 degrees 03 minutes East for seventy-two feet to engineers station 16+11 an angle point. Then bearing North 89 degrees 00 minutes East for one hundred fifty-nine feet to engineers station 17+70 an angle point. Then bearing South 06 degrees 42 minutes West for two hundred seven feet to engineers station 19+77 an angle point. Then bearing South 66 degrees 00 minutes East for three hundred forty-eight feet to engineers station 23+25 an angle point. Then bearing South 11 degrees 02 minutes East for two hundred twelve feet to engineers station 25+37 an angle point. Then bearing South 17 degrees 24 minutes East for one hundred twenty-four feet to engineer station 26+61 an angle point. Then bearing

Witnessed by Grantor at its execution
on January 11 1967
John L. Miller

South 28 degrees 56 minutes East for two hundred thirty-four feet to engineer station 28+95 an angle point. Then bearing South 72 degrees 26 minutes East for five hundred eight feet to engineers station 34+03 an angle point. Then bearing South 40 degrees 22 minutes East for three hundred eight-two feet to engineers station 37+85 an angle point. Then bearing North 83 degrees 02 minutes East for forty-nine feet to engineer station 38+34 an angle point. Then bearing North 06 degrees 24 minutes West for one hundred forty-eight feet to engineer station 39+82 an angle point. Then bearing North 24 degrees 56 minutes East for one hundred forty-nine feet to engineers station 41+31 an angle point. This same point lying on the East boundary of the North-east quarter, Section 20, 752 feet North of the Quarter corner between Sections 20 and 21, Township 33 South, Range 14 West, Willamette Meridian, in Curry County, State of Oregon. Right-of-Way described being the same as that described in volume 22, page 527, 528, March 26, 1934, Deed Records of Curry County, Oregon.

The acquiring agency is the Forest Service, Department of Agriculture.

This grant is made subject to the following terms, provisions, and conditions applicable to Grantee, its permittees, contractors and assigns:

- A. Except as hereinafter limited, Grantee shall have the right to use the road on the premises without cost for all purposes deemed necessary or desirable by Grantee in connection with the protection, administration, management, and utilization of Grantee's lands or resources, now or hereafter owned or controlled, subject to such traffic-control regulations and rules as Grantee may reasonably impose upon or require of other users of the road. Grantee shall have the right to construct, reconstruct and maintain roads within the premises.

Grantee alone may extend rights and privileges for use of the premises to other Government Departments and Agencies, states and local sub-divisions thereof, and subdivisions thereof, and to other users including members of the public.

- B. Grantee shall have the right to cut timber upon the premises to the extent necessary for constructing, reconstructing, and maintaining the road. Timber so cut shall, unless otherwise agreed to, be cut into logs of lengths specified by the timber owner and decked along the road for disposal by the owner of such timber.

This easement is granted subject to the following reservations by Grantor, for itself its permittees, contractors, assigns, and successors in interest.

1. The right to cross and recross the premises and road at any place by any reasonable means and for any purpose in such manner as will not interfere unreasonably with use of the road.
2. The right to all timber now or hereafter growing on the premises, subject to Grantee's right to cut such timber as hereinbefore provided.

It is agreed that the Grantor shall have the right to use the existing road described herein for all purposes deemed necessary or desirable by Grantor in connection with the protection, administration, management and utilization of Grantor's land or resources now or hereafter owned or controlled, subject however, to traffic control regulations as Grantee may reasonably impose under 36 CFR 212.7 (2)(1) and (2), and the bearing of road maintenance costs proportionate to use as provided in 36 CFR 212.7 (d).

If for a period of five (5) years the Grantee shall cease to use, or preserve for prospective future use, the road or any segment thereof for the purposes granted, or if at any time the Regional Forester determines that the road or any segment thereof is no longer needed for the purposes granted, the easement traversed thereby shall terminate. In the event of such nonuse or of such determination by the Regional Forester, the Regional Forester shall furnish to the Grantor, its successors, or assigns, a statement in recordable form evidencing termination.

IN WITNESS WHEREOF, the County of Curry has caused this instrument to be executed this 11th day of January 1967



ATTEST

CURRY COUNTY COURT

C. F. [Signature]
(County Judge)

[Signature]
(Commissioner)

[Signature]
(Commissioner)

Bernard L. Matier
Curry County Clerk.

by P. H. Hogue, Deputy.

State of Oregon } ss.
County of Curry

I hereby certify that the within instrument was filed for record at 4:30 o'clock P.M. and recorded in book 308-20 of Book of Records
BERNARD L. MATIER, County Clerk

[Signature]

State of Oregon } ss.
County of Curry

I hereby certify that the within instrument was filed for record at 9:55 o'clock P.M. and recorded in book 308-20 of Book of Records

change in description
on page 1 of instrument

BOOTH, Oregon, 2444
National Forest Ranger

WARRANTY DEED

KNOW ALL MEN BY THESE PRESENTS, That ETHEL S. CRUTCHER, for and in consideration of Ten and Other Dollars, to her paid by MAUDE S. KOHL and WINIFRED C. GUERIN, has granted, bargained, sold and conveyed, and by these presents does hereby grant, bargain, sell and convey unto the said Maude S. Kohl and Winifred C. Guerin, not as tenants in common, but with the express right of survivorship, all of the following real property, with the tenements, hereditaments, and appurtenances, situate in the County of Curry, State of Oregon, bounded and described as follows, to-wit:

That certain tract of land lying in the Northeast quarter of the Northeast quarter (NE $\frac{1}{4}$ NE $\frac{1}{4}$) of Section Twenty (20), Township Thirty-three (33) South, Range Fourteen (14) West, Willamette Meridian in Curry County, Oregon, described as follows:

Beginning at an iron pipe driven at a point 447.8 feet South and 627.0 feet West of the Northeast corner of said Section 20; thence South 54° 10' East 219.9 feet to an iron pipe; thence South 70° 43' East 139.5 feet to an iron pipe; thence South 57° 10' East 91.7 feet to an iron pipe; thence South 46° 42' East 108.2 feet to an iron pipe; thence South 27° 19' West 113.8 feet to an iron pipe; thence South 27° 49' West 133.5 feet to an iron pipe; thence South 50° 34' West 116.8 feet to an iron pipe; thence South 72° 11' West 95.4 feet to an iron pipe; thence South 70° 57' West 181.5 feet to an iron pipe; thence South 80° 17' West 75.5 feet to an iron pipe; thence South 64° 51' West 176.4 feet to an iron pipe; thence South 37° 17' West 239.9 feet to an iron pipe driven approximately on the Northerly boundary of McGribble Road; thence North 66° 41' West 380.7 feet to the approximate centerline of McGribble Road; thence North 13° 03' East 179.2 feet to the Northerly boundary of McGribble Road; thence following the approximate centerline of the proposed Forest Service access road North 52° 40' East 199.5 feet; thence North 36° 50' East 75.7 feet; thence North 61° 27' East 112.1 feet; thence North 34° 28' East 107.8 feet; thence North 8° 22' East 77.0 feet; thence leaving the approximate centerline of the proposed Forest Service access road North 72° 52' East 258.6 feet to an iron pipe; thence North 24° 01' East 171.6 feet to the point of beginning.

TO HAVE AND TO HOLD, The above described and granted premises unto the said Maude S. Kohl and Winifred C. Guerin, not as tenants in common, but with the express right of survivorship, and to the survivor, her heirs and assigns forever.

And said Ethel S. Crutcher, the grantor above named, does hereby covenant to and with said Maude S. Kohl and Winifred C. Guerin, their heirs, administrators, executors and assigns, that she is lawfully seized in fee simple of said premises, that the same are free and clear of encumbrances and that she will, and her heirs, administrators, executors and assigns will, forever warrant and defend the same against the lawful claims of all persons whomsoever.

IN WITNESS WHEREOF, I have hereunto set my hand and seal this 17th day of September, 1963.



Ethel S. Crutcher (SEAL)

STATE OF OREGON)
COUNTY OF CURRY) ss.

BE IT REMEMBERED, That on this 17th day of September, 1963, before me, a Notary Public in and for said County and State, personally appeared the within named Ethel S. Crutcher, to me personally known and known to me to be the identical individual described and who executed the foregoing instrument and acknowledged to me that she executed the same freely and voluntarily, for the uses and purposes therein contained.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Notarial Seal the day and year first above in this, my certificate, written.

[Signature]
Notary Public for Oregon
My Commission Expires: _____



Return to:
Maude S. Kohl
10 Box 276
Fort Green, Ore.
97445

Indexed in deeds

State of Oregon }
County of Curry } ss.

I hereby certify that the within instrument was filed for record 6-20-69 at 10:30 o'clock A M. and recorded in Book of Records Vol. 11 Page 313-14
BERNARD J. MATHER, County Clerk
[Signature] Deputy
Fee Rec'd 3.00

BOOK OF RECORDS