

NATIONAL WILD AND SCENIC RIVERS SYSTEM

Upper Rogue Wild and Scenic River

Rogue River-Siskiyou National Forest

I hereby certify that the boundary description and map made part of this description herewith represents the location of the boundary of the Upper Rogue Wild and Scenic River on the Rogue River-Siskiyou National Forest.

Signed Robert Romio Date 5/20/2009
ROBERTA ROMIO
Forest Land Surveyor
OR PLS 2878

I hereby certify and accept the boundary description and map of the Upper Rogue Wild and Scenic River on the Rogue River-Siskiyou National Forest as entered into the National Wild and Scenic Rivers System under Public Law 100-557.

Signed Mary Wagner Date JUNE 15 2009
MARY WAGNER
Regional Forester
Pacific Northwest Region
USDA Forest Service



NATIONAL WILD AND SCENIC RIVERS SYSTEM

Upper Rogue Wild and Scenic River

Rogue River – Siskiyou National Forest

Definition of Intent

This legal description of the Upper Rogue Wild and Scenic River boundary is shown on the map dated November 2008 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 100-557. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The mapping base for the Upper Rogue Wild and Scenic River is the Bureau of Land Management's GCDB, the USFS Land Status Record System and other local corporate data sets. Portions of the boundaries were surveyed by the Rogue River-Siskiyou National Forests in 1992 and 1993. Information for these points is included in an Appendix attached hereto and on file in the office of the Forest Supervisor. Cultural and geographic feature metes and bounds were determined from digitized USGS quadrangle maps. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

Total area of this description is approximately 11,840 acres.

UPPER ROGUE WILD AND SCENIC BOUNDARY DESCRIPTION

All bearings and distances are shown in the following description are based on the Oregon State Plane coordinate grid system, South Zone, and are included for descriptive purposes only. Land boundaries have been included although record bearing, distance, and monuments will prevail. Actual ground bearings and distances will prevail for calls to topographical features.

ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
1			Beginning at the Section Corner common to Sections 19, 20, 29 and 30, T. 32 S., R. 3 E., W.M.
	N88°03'W	888.5 (270.82)	Along the North line of Section 30, T.32 S., R 3 E., W.M.
2			Intersection of the centerline of Forest Road 64 and the North line of Section 30, T. 32 S., R. 3 E., W.M.
3	N02°42'W	445.3 (135.73)	Along the centerline of Forest Road 64.
	N29°06'W	347.3 (105.86)	
4			Intersection of the centerline of Forest Roads 64 and 6400-150.
5	N10°45'E	125.7 (38.31)	Along the centerline of Forest Road 64.
6	N43°43'E	122.5 (37.34)	
7	N19°30'E	103.3 (31.49)	
8	N06°24'W	164.2 (50.05)	
9	N33°13'W	200.6 (61.14)	
10	N08°25'E	166.6 (50.78)	
11	N51°15'E	337.3 (102.81)	
12	N23°35'E	163.3 (49.77)	
13	N09°26'W	97.3 (29.66)	
14	N47°54'W	112.6 (34.32)	



ANGLE		<u>DISTANCE</u>		DESCRIPTION
POINT	BEARING	FEET	(METERS)	
15	N76°37'W	147.9	(45.08)	Along the centerline of Forest Road 64.
16	S86°31'W	248.8	(75.83)	
17	S66°54'W	228.3	(69.59)	
18	N88°22'W	215.7	(65.75)	
19	N42°33'W	716.0	(218.24)	
20	N21°55'W	157.4	(47.98)	
21	N00°42'E	125.3	(38.19)	
22	N07°08'E	101.3	(30.88)	
23	N30°36'E	108.1	(32.95)	
24	N49°18'E	139.0	(42.37)	
	N87°20'E	300.3	(91.53)	
25				Intersection of the centerlines of Forest Roads 64 and 6400-200.
26	N66°10'E	45.6	(13.90)	Along the centerline of Forest Road 64.
27	N30°15'E	426.6	(130.03)	
28	N24°29'E	157.4	(47.98)	
29	N09°25'E	219.1	(66.78)	
30	N08°33'W	128.4	(39.14)	
31	N21°15'W	131.4	(40.05)	
32	N43°43'W	102.3	(31.18)	
33	N10°49'W	147.9	(45.08)	
34	N39°19'W	190.5	(58.06)	
35	N04°18'W	517.7	(157.80)	
36	N26°39'E	527.4	(160.75)	
37	N18°38'E	173.2	(52.79)	



	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
38	N46°17'E	131.5	(40.08)	Along the centerline of Forest Road 64.
39	S82°07'E	123.5	(37.64)	
40	N79°14'E	117.5	(35.81)	
41	N41°43'E	366.4	(111.68)	
42	N25°15'E	101.8	(31.03)	
43	N53°24'E	117.8	(35.91)	
44	N68°05'E	393.4	(119.91)	
45	N56°35'E	326.7	(99.58)	
46	N87°28'E	291.2	(88.76)	
47	N60°04'E	49.8	(15.18)	
48	N07°45'E	68.9	(21.00)	
49	N15°06'W	183.1	(55.81)	
50	N30°39'E	189.7	(57.82)	
51	N06°03'E	124.4	(37.92)	
52	N13°20'W	245.6	(74.86)	
53	N08°53'E	156.3	(47.64)	
54	N32°28'E	179.6	(54.74)	
55	N52°49'E	184.7	(56.30)	
56	N34°58'E	149.0	(45.42)	
57	N21°42'E	474.0	(144.48)	
58	N50°03'W	264.6	(80.65)	
59	N01°17'E	62.0	(18.90)	
60	N25°15'E	203.5	(62.03)	
61	N08°53'E	156.3	(47.64)	
	N17°49'W	284.2	(86.62)	

	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
62	N17°49'W	284.2	(86.62)	Along the centerline of Forest Road 64.
63	N14°17'E	137.8	(42.00)	
64	N32°15'E	180.7	(55.08)	
65	N11°43'W	137.8	(42.00)	
66	N27°20'W	129.4	(39.44)	
67	N11°20'W	254.1	(77.45)	
68	N11°02'E	83.9	(25.57)	
69	N59°21'E	210.0	(64.01)	
70	N48°33'E	277.8	(84.67)	
71	N35°26'E	223.1	(68.00)	
72	N10°51'E	116.6	(35.54)	
73	N18°08'W	190.3	(58.00)	
74	N01°17'E	99.4	(30.30)	
75	N21°23'E	154.0	(46.94)	
76	N03°27'E	547.9	(167.00)	
77	N35°21'W	502.1	(153.04)	
	N15°06'W	549.2	(167.40)	
78				Intersection of the centerlines of Forest Roads 64 and 6400-400.
79	N10°45'E	125.7	(38.31)	Along the centerline of Forest Road 64.
80	N30°20'E	106.4	(32.43)	
81	N43°16'E	278.0	(84.73)	
82	N53°14'E	301.7	(91.96)	



	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
83	N43°16'E	139.0	(42.37)	Along the centerline of Forest Road 64
84	N57°36'E	223.5	(68.12)	
85	N79°18'E	348.5	(106.22)	
86	N46°17'E	87.7	(26.73)	
87	N16°21'E	278.2	(84.80)	
88	N47°22'E	387.2	(118.02)	
89	N29°35'E	152.5	(46.48)	
90	N46°17'E	376.2	(114.67)	
91	N21°31'E	156.9	(47.82)	
92	N43°43'W	160.7	(48.98)	
93	N55°59'W	171.9	(52.40)	
94	N20°31'W	166.9	(50.87)	
95	N43°43'W	58.4	(17.80)	
96	S83°09'W	73.1	(22.28)	
97	N51°51'W	51.7	(15.76)	
98	N80°35'W	146.1	(44.53)	
99	N43°43'W	43.8	(13.35)	
100	N11°47'E	567.3	(172.91)	
101	N09°05'W	745.7	(227.29)	
102	N43°43'W	29.2	(8.90)	
103	S88°06'W	186.2	(56.75)	
104	N29°18'W	264.0	(80.47)	
	N66°55'W	55.6	(16.95)	



ANGLE		<u>DISTANCE</u>		DESCRIPTION
POINT	BEARING	FEET	(METERS)	
105	N39°19'W	190.5	(58.06)	Along the centerline of Forest Road 64
106	N51°09'W	169.4	(51.63)	
107	N64°16'W	249.6	(76.08)	
108	N37°23'W	132.3	(40.33)	
109	N15°19'E	170.4	(51.94)	
110				Intersection of the centerlines of Forest Roads 64 and 6400-600
111	N07°38'E	187.1	(57.03)	Along the centerline of Forest Road 64.
112	N52°41'W	140.5	(42.82)	
113	N22°41'W	101.7	(31.00)	
114	N11°09'E	241.2	(73.52)	
115	N28°28'W	83.3	(25.39)	
116	N54°20'W	237.8	(72.48)	
117	N22°41'W	101.7	(31.00)	
118	N01°17'E	186.0	(56.69)	
119	N40°23'E	213.0	(64.92)	
120	N53°24'E	117.8	(35.91)	
121	N74°11'E	140.5	(42.82)	
122	N55°45'E	88.9	(27.10)	
123	N42°55'E	124.4	(37.92)	
	N28°40'E	159.9	(48.74)	



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
124	N21°34'E	443.4	(135.15)	Along the centerline of Forest Road 64.
125	N01°17'E	134.3	(40.93)	
126	N25°15'E	101.8	(31.03)	
127	N07°38'E	187.1	(57.03)	
128	N17°54'W	251.6	(76.69)	
129	N31°27'W	171.9	(52.40)	
130	N05°03'W	187.1	(57.03)	
131				Intersection of the centerlines of Forest Road 64 and 6210.
132	N59°40'W	212.7	(64.83)	Along the centerline of Forest Road 64.
	N48°29'W	175.9	(53.61)	
133				Intersection of the centerline of Forest Road 64 and the thread of Kiter Creek.
134	N55°02'W	447.0	(136.25)	Along the centerline of Forest Road 64.
135	N41°44'W	423.9	(129.20)	
136	N31°57'W	358.2	(109.18)	
137	N24°19'W	549.8	(167.58)	
	N11°15'W	95.2	(29.02)	
138				Intersection of the centerlines of Forest Roads 64 and 6400-800.
139	N16°53'W	695.8	(212.08)	Along the centerline of Forest Road 64.
140	N00°53'W	547.9	(167.00)	
	N15°03'E	521.2	(158.86)	



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
141				Intersection of the centerlines Forest Roads 64 and 6400-885.
142		N28°42'E	314.2 (95.77)	Along the centerline of Forest Road 64.
143		N45°12'E	387.2 (118.02)	
144		N32°53'E	315.4 (96.13)	
145		N01°17'E	186.0 (56.69)	
146		N35°35'W	155.0 (47.24)	
147		N08°53'E	156.3 (47.64)	
148		N39°57'E	463.0 (141.12)	
149		N15°19'E	170.4 (51.94)	
150		N12°45'W	127.8 (38.95)	
151		N46°32'W	892.2 (271.94)	
152		N32°53'W	349.6 (106.56)	
153		N06°51'W	438.3 (133.59)	
154		N08°10'E	603.5 (183.95)	
155		N36°03'W	766.5 (233.63)	
156		N09°25'E	73.1 (22.28)	
157		N53°24'E	117.8 (35.91)	
158		N59°17'E	97.5 (29.72)	
159		N79°58'E	158.0 (48.16)	
160		N50°41'E	95.2 (29.02)	
160				Intersection of the centerlines of Forest Roads 64 and 6400-900.
161		N46°17'E	43.8 (13.35)	Along the centerline of Forest Road 64.
162		N09°25'E	73.1 (22.28)	



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
163		N04°52'W	675.4	(205.86)	Along the centerline of Forest Road 64.
164		N19°34'W	464.3	(141.52)	
165		N02°42'W	445.3	(135.73)	
166		N10°46'W	1088.0	(331.62)	
167		N08°25'E	166.6	(50.78)	
168		N24°47'E	259.1	(78.97)	
169		N40°48'E	535.7	(163.28)	
170		N16°13'E	160.4	(48.89)	
		N10°01'W	52.7	(16.06)	
171					Intersection of the centerlines of Forest Roads 64 and 66.
172		N09°01'W	115.5	(35.20)	Along the centerline of Forest Road 64.
173		N38°31'W	80.7	(24.60)	
174		S76°32'W	203.0	(61.87)	
175		N65°31'W	157.4	(47.98)	
176		N50°50'W	117.8	(35.91)	
177		N68°30'W	209.2	(63.76)	
		N83°11'W	321.7	(98.05)	
178					Intersection of the centerline of Forest Road 64 and the thread of Jim Creek.
179		N47°05'W	248.8	(75.83)	Along the centerline of Forest Road 64.
180		N53°11'W	533.2	(162.52)	
181		N32°58'W	587.4	(179.04)	
182		N45°50'W	394.7	(120.30)	
		N64°16'W	124.8	(38.04)	



ANGLE POINT	BEARING	<u>DISTANCE</u>		DESCRIPTION
		FEET	(METERS)	
183	S83°51'W	479.2	(146.06)	Along the centerline of Forest Road 64.
184	N79°15'W	125.7	(38.31)	
185	N64°45'W	203.5	(62.03)	
186	N47°13'W	358.6	(109.30)	
187	N57°07'W	157.7	(48.07)	
188	N45°57'W	562.9	(171.57)	
189	N27°01'W	152.5	(46.48)	
190				Intersection of the centerlines of Forest Roads 64 and 6470.
191	N87°35'E	320.9	(97.81)	Along the centerline of Forest Road 64.
	S79°58'E	135.9	(41.42)	
192				Intersection of the centerline of Forest Road 64 and the thread of Abbott Creek.
193	N84°34'E	353.7	(107.81)	Along the centerline of Forest Road 64.
194	N58°23'E	209.2	(63.76)	
195	N31°45'E	203.8	(62.12)	
196	N64°02'E	383.5	(116.89)	
197	N78°45'E	285.7	(87.08)	
	N70°26'E	232.2	(70.77)	
198				Intersection of the centerlines of Forest Roads 64 and 6400-992.
199	N15°19'E	85.2	(25.97)	Along the centerline of Forest Road 6400-992.
200	N55°02'W	37.3	(11.37)	
201	N11°15'W	95.2	(29.02)	
	N12°10'E	273.5	(83.36)	



ANGLE POINT BEARING	<u>DISTANCE</u>		DESCRIPTION
	FEET	(METERS)	
202	N17°02'E	418.6	(127.59)
203	N08°25'E	166.6	(50.78)
204	N27°00'E	309.6	(94.37)
205	N15°19'E	298.2	(90.89)
206			Intersection of the Centerline of Forest Road 6400-992 and the North line of Section 19, T. 31 S., R. 3 E., W.M.
	N89°56'E	1322.7	(403.16)
			Along the North line of Section 19, T. 31 S., R. 3 E., W.M.
207			Intersection of the North line of Section 19, T. 31 S., R. 3 E., W.M. and the centerline of Forest Road 68 .
208	N52°37'E	66.2	(20.18)
209	N31°59'E	384.5	(117.20)
210	N43°16'E	139.0	(42.37)
211	N27°26'E	633.0	(192.94)
	N29°42'E	1433.0	(436.78)
212			Intersection of the centerlines of Forest Roads 68 and 6510.
	N28°44'E	1187.5	(361.95)
			Along the centerline of Forest Road 6510.
213			Intersection of the centerlines of Forest Roads 6510 and 6510-820.
	N38°41'E	2483.6	(757.00)
			In a straight line
214			The Quarter Corner common to Sections 8 and 17, T. 31 S., R. 3 E., W.M.



ANGLE		<u>DISTANCE</u>		DESCRIPTION
POINT	BEARING	FEET	(METERS)	
	N25°11'E	1785.3	(544.16)	in a straight line
215				Highest point of ridgetop designated at elevation 3395, as shown on USGS quad sheet UNION CREEK, situated in the NW 1/4 SE 1/4 of Section 8, T. 31 S., R. 3 E., W.M.
Map page 2				
	N38°29'E	700.4	(213.48)	Following ridgeline
216				A point on ridgetop situated in the NW 1/4 SE 1/4, Section 8, T. 31 S., R. 3 E., W.M.
	S85°27'E	1086.5	(331.17)	Following ridgeline
217				Centerline at the terminus of Forest Road 6510-650.
	N66°14'E	2098.2	(639.53)	In a straight line
218				Centerline at the terminus of Forest Road 6510-655.
219	N52°37'E	66.2	(20.18)	Along the centerline of Forest Road 6510-655.
	N11°18'E	178.3	(54.35)	
220	N55°02'W	223.5	(68.12)	
221	N72°01'W	107.9	(32.89)	
222	N30°43'W	97.5	(29.72)	
223				Intersection of the centerlines of Forest Roads 6510-655 and 6510-656.
	N31°12'E	1740.1	(530.38)	In a straight line
224				A point in the centerline of Forest Road 6510-490, in the NE 1/4 NW 1/4 of Section 9, T. 31 S., R. 3 E., W.M.



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
225		N49°09'W	308.2	(93.94)	Along the centerline of Forest Road 6510-490.
226		N38°00'W	146.8	(44.74)	
227		N07°15'W	208.9	(63.67)	
228		N07°37'E	280.6	(85.53)	
229		N30°20'E	212.7	(64.83)	
230		N46°17'E	87.7	(26.73)	
231		N69°29'E	111.3	(33.92)	
232		S75°43'E	137.8	(42.00)	
233		S43°43'E	321.4	(97.96)	
234		S83°17'E	217.9	(66.42)	
235		N61°32'E	83.3	(25.39)	
236		N27°51'E	69.3	(21.12)	
		N36°07'W	221.1	(67.39)	
237					Intersection of the centerlines of Forest Roads 6510-490 and 6510.
238		N39°09'E	117.8	(35.91)	Along the centerline of Forest Road 6510.
239		N19°02'E	271.2	(82.66)	
240		N39°57'E	66.2	(20.18)	
241		N76°32'E	203.0	(61.87)	
242		N54°25'E	103.3	(31.49)	
243		N07°27'E	384.5	(117.20)	
244		N40°51'E	308.2	(93.94)	
245		N24°29'E	78.7	(23.99)	
246		N06°29'E	114.1	(34.78)	
		N34°28'W	318.2	(96.99)	



ANGLE POINT BEARING	<u>DISTANCE</u>		DESCRIPTION
	FEET	(METERS)	
247	N17°09'W	326.7 (99.58)	Along the centerline of Forest Road 6510.
248	N34°15'W	177.7 (54.16)	
249	N08°11'W	125.7 (38.31)	
250	N06°15'E	238.5 (72.69)	
251	N27°51'E	115.5 (35.20)	
252	N05°41'E	134.7 (41.06)	
253	N21°55'W	157.4 (47.98)	
254	N01°17'E	62.0 (18.90)	
255	N18°49'E	205.8 (62.73)	
256	N07°52'E	540.8 (164.84)	
257	N16°49'E	579.0 (176.48)	
258	N38°38'E	493.8 (150.51)	
259	N44°44'E	540.8 (164.84)	
260	N19°10'E	336.5 (102.57)	
261	N36°56'E	584.9 (178.28)	
262	N51°29'E	161.4 (49.19)	
263	N79°58'E	105.4 (32.13)	
264	N62°40'E	129.4 (39.44)	
265	N39°34'E	250.1 (76.23)	
266	N28°28'E	429.7 (130.97)	
267	N54°25'E	103.3 (31.49)	
268	N84°09'E	249.9 (76.17)	
269	N42°55'E	124.4 (37.92)	
270	N08°14'E	426.7 (130.06)	
271	N35°59'E	163.3 (49.77)	
272			

	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
273	N16°13'E	160.4	(48.89)	Along the centerline of Forest Road 6510.
	N39°57'E	330.7	(100.80)	
274				Intersection of the centerlines of Forest Roads 6510 and 6510-300.
275	N61°32'E	166.6	(50.78)	Along the centerline of Forest Road 6510-300
276	N78°17'E	275.7	(84.03)	
277	N85°34'E	519.1	(158.22)	
	N70°13'E	224.8	(68.52)	
278				Wild and Scenic Monument RWS34, Intersection of the centerlines of Forest Roads 6510-300 and 6510-390. See Appendix II
	S79°26'43"E	1722.00	(524.87)	In a straight line
278-A				Wild and Scenic Monument RWS34-A See Appendix II
	S79°26'43"E	1320.00	(402.34)	In a straight line
279				Wild and Scenic Monument RWS35, which is located on a point on top of ridgeline, in the SE 1/4 of the NE 1/4 of Section 34, T.30 S., R. 3 E., W.M. See Appendix II
	N03°39'10"W	339.58	(103.50)	Along ridgeline
280				Wild and Scenic Monument RWS35-A, which is a point located on a ridgetop in Section 34. See Appendix II
	N11°54'54"E	209.79	(63.94)	Along ridgeline.
281				Wild and Scenic Monument RWS35-B, which is located on a ridgetop in Section 34, T. 30 S., R. 3 E., W.M. See Appendix II

ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
N28°17'34"E	190.52	(58.06)	Along ridgeline.
282			Wild and Scenic Monument RWS35-C, which is located on a ridgetop in Section 34, T. 30 S., R. 3 E., W.M. See Appendix II
N63°23'22"E	157.22	(47.91)	Along ridgeline.
283			Wild and Scenic Monument RWS35-D, which is located on a ridgetop in Section 34, T. 30 S., R. 3 E., W.M. See Appendix II
N38°29'07"E	227.33	(69.28)	Along ridgeline.
284			Wild and Scenic Monument RWS35-E, which is located on a ridgetop in Section 34, T. 30 S., R. 3 E., W.M. See Appendix II
N37°24'32"E	143.94	(43.87)	Along ridgeline.
285			Wild and Scenic Monument RWS35-F, which is located on a ridgetop in Section 34, T. 30 S., R. 3 E., W.M. See Appendix II
N33°35'49"E	306.62	(93.42)	In a straight line
286			Wild and Scenic Monument RWS35-G, point located where ridgeline intersects East line of Section 34, T. 30 S., R. 3 E., W.M. See Appendix II
N01°30'10"E	1196.94	(364.83)	Along the East line of Section 34, T. 30 S., R. 3 E., W.M.
287			Wild and Scenic Monument RWS36, Section Corner common to Sections 26, 27, 34 and 35, T. 30 S., R. 3 E., W.M.



	ANGLE		DISTANCE		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
		N17°54'E	2376.5	(724.36)	In a straight line.
288					The U.S.G.S. Vertical Angle Benchmark, Y. 1931. Section 26, T. 30 S., R. 3 E., W.M. See Appendix II
		N23°35'E	2316.8	(706.16)	In a straight line.
289					The U.S.G.S. Vertical Angle Benchmark, Station Stella., Section 26, T. 30 S., R. 3 E., W.M. See Appendix II
		N52°50'E	1340.6	(408.62)	In a straight line.
290					Quarter Corner common to Sections 23 and 26, T. 30 S., R. 3 E., W.M.
		N30°02'E	2898.9	(883.59)	In a straight line
291					Intersection of the centerlines of Forest Roads 6510 and 6510-050
292		N25°23'E	430.1	(131.09)	Along the centerline of Forest Road 6510
293		N36°41'E	481.6	(146.79)	
294		N10°32'E	450.1	(137.19)	
295		N27°11'E	402.0	(122.53)	
296		N19°43'E	359.4	(109.55)	
		N10°01'W	474.1	(144.51)	
297					Intersection of the centerlines of Forest Roads 6510 and 6520.
298		N08°53'E	156.3	(47.64)	Along the centerline of Forest Road 6520.
299		N41°53'E	95.3	(29.05)	
300		N50°41'E	285.7	(87.08)	
301		N64°43'E	254.1	(77.45)	
302		N71°18'E	120.9	(36.85)	



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
303	N87°28'E	155.3	(47.34)	Along the centerline of Forest Road 6520.
	N46°17'E	263.0	(80.16)	
	N34°58'E	260.7	(79.46)	
	N11°09'E	241.2	(73.52)	
	N02°12'W	848.7	(258.68)	
307				Wild and Scenic Monument RWS40, point located at intersection of the centerlines of Forest Roads 6520 and 6515. See Appendix II
308	N04°53'W	384.5	(117.20)	Along the centerline of Forest Road 6520.
	N08°00'E	176.8	(53.89)	
	N42°55'E	248.8	(75.83)	
	N67°19'E	305.2	(93.03)	
	N40°45'E	227.5	(69.34)	
	N06°38'E	332.0	(101.19)	
	N15°58'E	448.5	(136.70)	
	N04°33'E	724.3	(220.77)	
	N13°37'E	338.4	(103.14)	
316				Wild and Scenic Monument RWS41, a point at the intersection of the centerlines of Forest Roads 6520 and 6520-060 See Appendix II
	N28°42'05"E	2037.00	(620.88)	in a straight line
316A				Wild and Scenic Monument RWS41-A A 5/8" iron pin, 24" long with 1-1/2 in. dia. cap Located in Section 12, T. 30 S., R. 4 E., W.M. See Appendix II
	N28°42'05"E	2253.00	(686.71)	in a straight line



ANGLE POINT BEARING	DISTANCE FEET (METERS)		DESCRIPTION
316B			Wild and Scenic Monument RWS41-B A 5/8" iron pin, 24" long with 1-1/2 in. dia. Cap Located in Section 12, T. 30 S., W.M. See Appendix
	N28°42'05"E	2163.44 (659.42)	In a straight line
317			Wild and Scenic Monument RWS42, which is in the centerline of Forest Road 6520 - 200, Located in the NE 1/4 of the NE 1/4, Section 12, T. 30 S., R. 4 E., W.M. See Appendix
	N22°26'E	3035.0 (925.07)	In a straight line.
318			Quarter Corner common to Section 1, T. 30 S., R. 3 E., and Section 6, T. 30 S., R. 4 E., W.M.
	N34°31'E	2902.6 (884.71)	In a straight line.
319			Intersection of the West edge of Hershberger Creek, and the North line of Section 6, T. 30 S., R. 4 E., W.M.
	S88°43'E	1053.7 (321.17)	Along North line of Section 6, T. 30 S., R. 4 E.
320			Quarter corner common to Section 6, T. 30 S., R. 4 E., and Section 31 T. 29 S., R. 4 E., W.M.
	S88°28'E	2427.7 (739.96)	In a straight line.
321			Intersection of the centerlines of Forest Roads 6530 and 6530-050. Section 31, T. 29 S., R. 4 E., W.M.
322	N14°14'W	386.0 (117.65)	Along the centerline of Forest Road 6530-050.
	N21°40'E	771.4 (235.12)	
323	N05°22'E	145.0 (44.20)	
324	N20°56'E	153.6 (46.82)	
325	N39°57'E	66.2 (20.18)	



ANGLE POINT BEARING	<u>DISTANCE</u>		DESCRIPTION
	FEET	(METERS)	
326	N21°25'E	660.2	(201.23) Along the centerline of Forest Road 6530-050
327	N42°38'E	344.0	(104.85)
328	N35°48'E	802.3	(244.54)
329	N06°51'W	219.1	(66.78)
330	N16°04'W	346.3	(105.55)
331	N06°29'E	114.1	(34.78)
332	N41°31'E	175.9	(53.61)
333	N52°26'E	477.6	(145.57)
334	N57°54'E	544.4	(165.93)
335	N66°30'E	147.9	(45.08)
336	N50°41'E	190.5	(58.06)
337	N32°43'E	871.7	(265.69)
338	Intersection of the centerlines of Forest Roads 6530-050 and 6530-060.		
339	N11°43'W	689.1	(210.04) Along the centerline of Forest Road 6530-060.
340	N08°28'W	670.8	(204.46)
341	N16°22'W	238.5	(72.69)
342	N31°54'W	320.9	(97.81)
343	N41°36'W	197.4	(60.17)
344	N15°57'W	313.7	(95.62)
345	N39°54'W	109.8	(33.47)
	N66°06'W	134.3	(40.93)
346	Intersection of the centerlines of Forest Road 6530-060 and State Highway 230.		



	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
347	N22°27'E	1030.2	(314.01)	Along the centerline of State Highway 230.
348	N17°28'E	333.5	(101.65)	
349	N24°38'E	495.1	(150.91)	
350	N32°15'E	301.2	(91.81)	
351	N51°08'E	865.1	(263.68)	
	N44°00'E	365.5	(111.40)	
352				Intersection of the centerlines of State Highway 230 and the North line of Section 29, T. 29 S., R. 4 E., W.M.
	N87°56'W	754.2	(229.88)	Along the North line of Section 29, T. 29 S., R. 4 E., W.M.
353				Quarter Corner common to Sections 20 and 29, T. 29 S., R. 4 E., W.M.
	N04°12'W	1836.9	(559.89)	In a straight line.
354				Centerline at the terminus of Forest Road 6540-997,
355	N51°29'E	80.7	(24.60)	Along the centerline of Forest Road 6540-997.
356	N01°17'E	103.3	(31.49)	
357	N21°55'W	78.7	(23.99)	
358	N43°43'W	292.2	(89.06)	
359	N18°22'W	153.6	(46.82)	
360	N07°09'W	282.0	(85.95)	
361	N34°15'W	88.9	(27.10)	
362	N11°15'W	95.2	(29.02)	
363	N26°29'E	194.1	(59.16)	
	N05°03'W	187.1	(57.03)	



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
364					
	N38°57'W		351.8	(107.23)	Along the centerline of Forest Road 6540-997.
365	N03°07'W		134.7	(41.06)	
366	N21°36'E		297.4	(90.65)	
367	S68°10'E		88.3	(26.91)	
368	S86°00'E		217.2	(66.20)	
369	N46°17'E		87.7	(26.73)	
370	N12°10'E		273.5	(83.36)	
371	N31°02'E		83.3	(25.39)	
372	N46°17'E		189.9	(57.88)	
373	S86°14'E		237.8	(72.48)	
374	N59°17'E		97.5	(29.72)	
375	N29°54'E		258.9	(78.91)	
376	N46°17'E		248.4	(75.71)	
377	N01°17'E		93.0	(28.35)	
378	N25°15'E		101.8	(31.03)	
379	S72°01'E		107.9	(32.89)	
380	S07°20'E		344.8	(105.10)	
381	S24°29'E		332.7	(101.41)	
382	S06°29'W		684.6	(208.67)	
383	S23°05'W		111.3	(33.92)	
384	S22°41'E		101.7	(31.00)	
385	S88°43'E		31.0	(09.45)	
386	N32°54'E		315.4	(96.13)	
387	N54°25'E		155.0	(47.24)	
388	N34°11'E		209.2	(63.76)	



ANGLE POINT BEARING	<u>DISTANCE</u>		DESCRIPTION
	FEET	(METERS)	
389			
	N62°50'E	282.0 (85.95)	Along the centerline of Forest Road 6540-997.
390			
	N69°29'E	55.6 (16.95)	
391			
	S84°09'E	259.1 (78.97)	
392			
	S59°39'E	106.4 (32.43)	
393			
	S88°43'E	186.0 (56.69)	
394			Intersection of the centerlines of Forest Roads 6540 and 6540-997.
	N25°26'E	1313.3 (400.29)	In a straight line.
395			Section Corner common to Sections 16, 17, 20 and 21, T. 29 S., R. 4 E., W.M.
	N37°02'E	5410.2 (1649.03)	In a straight line.
396			Centerline of Forest Road 6500-520, Section 16, T.29 S., R. 4 E., W.M.
397	S39°38'E	205.1 (62.51)	Along the centerline of Forest Road 6500-520.
	S63°22'E	217.2 (66.20)	
398			
	N01°17'E	31.0 (09.45)	
399			Intersection of the centerlines of Forest Road 6500-520 and State Highway 230.
400	N34°59'E	37.2 (11.34)	Along the centerline of State Highway 230.
	N05°50'W	166.6 (50.78)	
401			
	N09°43'E	282.0 (85.95)	
402			
	N21°25'E	660.2 (201.23)	
403			Intersection of the centerline of State Highway 230 and the North line of Section 16, T. 29 S., R. 4 E., W.M.



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
	S87°58'E	1560.0	(475.49)	Along the North line of Section 16, T. 29 S., R. 4 E., W.M.
404				Section Corner common to Sections 9, 10, 15, and 16, T. 29 S. R. 4 E., W.M.
	N57°47'E	5017.0	(1529.18)	in a straight line
405				Centerline of Forest Road 6530-900, Located in the NE1/4 of Section 10, T. 29 S., R. 4 E., W.M.
	N11°28'E	2571.5	(783.79)	in a straight line
406				A point on section line, 600 ft. West of Section Corner common to Sections 2, 3, 10, and 11, T. 29 S., R. 4 E., W.M.
	N01°01'E	4421.5	(1347.68)	In a straight line.
407				A point which is on the South Right-of-Way line of State Highway 230; (Refer to Oregon Dept. of Transportation Plans, Project # 43-1 (1) for the varying right-of-way limits)
408	N44°00'E	3852.8	(1174.34)	Along the Southerly Right-of Way line of State Highway 230.
409	N60°19'E	542.1	(165.23)	
410	N77°47'E	265.6	(80.96)	
411	S88°43'E	2840.9	(865.91)	
412	S78°25'E	115.5	(35.20)	
413	N84°09'E	166.6	(50.78)	
414	S88°43'E	13099.0	(3992.58)	
415	N85°59'E	1006.4	(306.75)	
	N80°46'E	735.5	(224.18)	



Page 23

ANGLE	DISTANCE		DESCRIPTION
POINT BEARING	FEET	(METERS)	
416	N84°19'E	1873.3	(570.98)
417	S88°34'E	3925.6	(1196.53)
418			Point at the intersection of the Southerly Right-of-Way line of State Highway 230, and the east line of Section 33, T. 28 S., R. 5 E., W.M.
	S01°56'W	2768.8	(843.93)
			along the section line common to sections 33 & 34, T. 28 S., R. 5 E., W.M.
419			Section Corner common to Sections 33 & 34, T. 28 S., R. 5 E., W.M. and Sections 3 and 4 T. 29 S., R. 5 E., W.M.
	S01°44'W	2644.7	(806.11)
			Along the East line of Section 4, T. 29 S., R. 5 E., W.M.
420			The Quarter Corner common to Sections 3 and 4, T. 29 S., R. 5 E., W.M., said point being on the Crater Lake National Park Boundary.
	N88°30'W	5258.2	(1602.70)
			Along the Crater Lake National Park Boundary.
421			The Quarter Corner common to Sections 5 and 4, T. 29 S., R. 5 E., W.M.
	N87°59'W	1611.7	(491.25)
			Along the Crater Lake National Park Boundary.
422			A point where the Park boundary intersects a ridgetop leaving the Park in a northwesterly direction, near the topographic elevation point marked 5276 on the USGS quad sheet PUMICE DESERT, in Section 5, T. 29 S., R. 5 E., W.M.
423	N88°43'W	41.3	(12.59)
			Along said ridgetop.
424	N41°59'W	241.2	(73.52)
425	N65°31'W	78.7	(23.99)



	ANGLE POINT BEARING	DISTANCE		DESCRIPTION
		FEET	(METERS)	
426	N85°25'W	538.1	(164.01)	Along said ridgetop
427	N62°09'W	392.7	(119.70)	
428	N56°09'W	441.3	(134.51)	
429	N76°57'W	253.3	(77.21)	
430	S79°58'W	158.0	(48.16)	
431	N85°51'W	206.9	(63.06)	
432	N41°20'W	350.9	(106.95)	
433	N53°04'W	584.8	(178.25)	
434	N62°09'W	254.1	(77.45)	
435	N70°54'W	303.8	(92.60)	
	N85°08'W	165.6	(50	
436				A point on ridgetop, 30 feet east of the centerline of Forest Road 6530. Located in the NW 1/4 of Section 50, T. 29 S. R 5 E., W.M.
	N04°01'E	651.6	(198.61)	In a straight line.
437				A point which is 30 feet North of the centerline of Forest road 6530-760.
438	N62°54'W	355.8	(108.45)	Parallel with Forest Road 6530-760, 30 feet Northerly from centerline.
439	N81°36'W	666.3	(203.09)	
440	N63°22'W	217.2	(66.20)	
441	N82°01'W	176.8	(53.89)	
442	N64°29'W	226.6	(69.07)	
443	N80°24'W	428.1	(130.49)	
444	N70°17'W	228.7	(69.71)	
	N85°05'W	652.1	(198.76)	



ANGLE	DISTANCE		DESCRIPTION	
POINT BEARING	FEET	(METERS)		
445	S79°58'W	105.4	(32.13)	Parallel with Forest Road 6530-760, 30 feet Northerly from centerline.
446	N78°06'W	168.2	(51.27)	
447	N62°09'W	184.8	(56.33)	
448	N76°23'W	338.4	(103.14)	
449	N83°17'W	217.9	(66.42)	
450	N72°01'W	215.7	(65.75)	
451	N86°36'W	279.1	(85.07)	
452	A point which is 30 feet North of the intersections of the centerlines of Forest Roads 6530-760 and 6530.			
453	N64°25'W	351.4	(107.11)	Parallel with Forest Road 6530, 30 feet Northerly from centerline.
454	N77°24'W	158.0	(48.16)	
455	S86°53'W	269.4	(82.11)	
456	S75°20'W	451.2	(137.53)	
457	S52°37'W	264.6	(80.65)	
458	S40°34'W	293.7	(89.52)	
459	S68°05'W	78.7	(23.99)	
460	N84°38'W	145.0	(44.20)	
461	N72°58'W	418.6	(127.59)	
462	N80°35'W	219.1	(66.78)	
463	S79°16'W	496.4	(151.30)	
464	S88°11'W	382.8	(116.68)	
465	N82°14'W	457.5	(139.45)	
466	N86°02'W	661.9	(201.75)	
	S85°48'W	757.6	(230.92)	



ANGLE POINT	BEARING	DISTANCE		DESCRIPTION
		FEET	(METERS)	
467	S71°29'W	274.5	(83.67)	Parallel with Forest Road 6530, 30 feet Northerly from centerline
468	S81°21'W	419.5	(127.86)	
469	S75°28'W	644.2	(196.35)	
470	S58°45'W	710.7	(216.62)	
471				A point 30 feet Northerly from the intersections of the centerlines of Forest Roads 6530 and 6530-777.
472	S55°02'W	192.2	(58.58)	Parallel with Forest Road 6530, 30 feet Northerly from centerline.
473	S47°10'W	474.9	(144.75)	
474	S29°35'W	457.6	(139.48)	
475	S34°48'W	954.1	(290.81)	
476	S30°57'W	939.2	(286.27)	
477	S41°31'W	175.9	(53.61)	
478	S33°07'W	352.6	(107.47)	
479	S31°46'W	1282.8	(391.00)	
480	S25°31'W	226.6	(69.07)	
481	S11°47'W	283.7	(86.47)	
482	S45°07'W	358.0	(109.12)	
	S15°19'W	42.6	(12.98)	
483				A point which is 30 feet Northerly of the intersection of the centerlines of Forest Roads 6530 and 6530-796.
	S74°31'W	47.2	(14.39)	To the centerline intersection of Forest Roads 6530 and 6530-796
484				A point at the centerline intersections of Forest Roads 6530 and 6530-796.



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
		S18°56'W	2099.7	(639.99)	In a straight line
485					A point at the centerline intersections of Forest Roads 6530-800 and 6530-810.
486		S15°49'E	140.5	(42.82)	Along the centerline of Forest Road 6530-810.
487		S40°42'E	139.0	(42.37)	
488		S18°25'E	888.8	(270.91)	
489		S05°22'W	145.0	(44.20)	
490		S17°47'W	290.9	(88.67)	
491		S41°53'W	190.5	(58.06)	
492		S59°00'W	232.2	(70.77)	
493		S77°15'W	170.4	(51.94)	
494		S48°01'W	241.2	(73.52)	
495		S21°16'W	120.9	(36.85)	
496		S44°00'W	182.8	(55.72)	
497		S84°57'W	374.2	(114.06)	
498		S74°11'W	140.5	(42.82)	
499		S48°24'W	394.7	(120.30)	
500		S64°43'W	138.6	(42.25)	
501		S84°34'W	176.8	(53.89)	
502		S72°51'W	196.0	(59.74)	
503		S60°19'W	301.2	(91.81)	
504		S36°16'W	126.1	(38.44)	
505		S01°00'E	258.5	(78.79)	
506		S27°51'W	369.6	(112.65)	

	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
507	S59°17'W	97.5	(29.72)		Along the centerline of Forest Road 6530-810.
508	S83°31'W	229.4	(69.92)		
509	S39°49'W	713.1	(217.35)		
510	S14°17'W	137.8	(42.00)		
	S01°26'E	217.2	(66.20)		
511					A point in the centerline of Forest Road 6530-810, which bears N70°34'E, 3357.7 feet from the ¼ corner common to Sections 15 & 16, T. 29 S., R. 4 E., W.M.
	S70°34'W	3357.7	(1023.43)		In a straight line
512					The Quarter Corner common to Sections 15 and 16, T. 29 S., R. 4 E., W.M.
	S30°14'W	1771.0	(539.80)		In a straight line
513					Centerline at the terminus of Forest Road 6530-325. Located in the SE1/4 of Section 16, T.29 S., R.4 E., W.M.
	S28°05'W	2291.6	(698.48)		In a straight line
514					A 5/8" iron pin with cap marked RWS-AP514 which is in the centerline at the terminus of Forest Road 6530-310. Located in the NE1/4 of Section 21, T.29 S., R.4 E., W.M.
	S50°42'W	3977.67	(1212.40)		In a straight line
515					A 5/8" iron pin with cap marked RWS-AP515 which is in the centerline at the terminus of Forest Road 6530-230. Located in the NW1/4 of Section 21, T.29 S., R.4 E., W.M.
516	S36°42'W	570.4	(173.86)		Along the centerline of Forest Road 6530-230.
517	S26°18'W	513.0	(156.36)		
518	S34°58'W	186.2	(56.75)		



	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
519	S14°17'W	137.8	(42.00)	Along the centerline of Forest Road 6530-230.
520	S46°17'W	43.8	(13.35)	
521	S06°03'W	248.8	(75.83)	
522	S05°50'E	249.9	(76.17)	
523	S27°19'E	129.4	(39.44)	
524	S02°32'E	621.2	(189.34)	
525	S17°44'E	316.9	(96.59)	
526	S38°11'E	455.0	(138.68)	
527	S09°01'E	231.0	(70.41)	
528	S19°16'E	353.0	(107.59)	
529	S00°30'E	330.7	(100.80)	
530	S07°53'E	324.4	(98.88)	
	S14°40'E	300.8	(91.68)	
531				Intersection of the centerlines of Forest Roads 6530-230 and 6530.
Map page 2				
532	S32°15'W	542.1	(165.23)	Along the centerline of Forest Road 6530.
533	S10°45'W	62.8	(19.14)	
534	S35°59'W	163.3	(49.77)	
535	S26°18'W	342.0	(104.24)	
536	S37°07'W	229.4	(69.92)	
537	S13°49'W	95.3	(29.05)	
538	S29°21'W	526.9	(160.60)	
539	S38°51'W	169.4	(51.63)	
540	S13°49'W	95.2	(29.02)	



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
541	S29°03'W	443.6	(135.21)	Along the centerline of Forest Road 6530.	
542	S46°17'W	73.1	(22.28)		
543	S30°15'W	661.3	(201.56)		
544	S22°27'W	343.4	(104.67)		
545	S03°55'E	342.3	(104.33)		
546	S09°49'W	208.9	(63.67)		
547	S27°51'W	115.5	(35.20)		
548	S48°53'W	321.8	(98.08)		
549	S31°02'W	83.3	(25.39)		
550	S18°22'E	153.6	(46.82)		
551	S34°50'E	473.2	(144.23)		
552	S19°16'E	88.3	(26.91)		
553	S00°25'W	681.9	(207.84)		
554	S20°56'W	153.6	(46.82)		
	S49°18'W	139.0	(42.37)		
555	Intersection of the centerline of Forest Road 6530 and the thread of National Creek.				
556	S46°17'W	87.7	(26.73)	Along the centerline of Forest Road 6530.	
557	S61°08'W	370.3	(112.87)		
558	S75°20'W	150.4	(45.84)		
	S61°32'W	166.6	(50.78)		
559	Intersection of the centerlines of Forest Roads 6530 and the North beginning of 6535.				
560	S49°18'W	139.0	(42.37)	Along the centerline of Forest Road 6530.	
	S71°18'W	241.8	(73.70)		



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
561	S58°33'W	171.9	(52.40)	Along the centerline of Forest Road 6530.
562				Intersection of the centerlines of Forest Roads 6530 and 6535.
563	S41°25'E	182.8	(55.72)	Along the centerline of Forest Road 6535.
564	S24°11'E	240.3	(73.24)	
565	S36°12'E	390.5	(119.02)	
566	S18°22'E	153.6	(46.82)	
567	S07°53'E	324.4	(98.88)	
568	S44°00'W	182.8	(55.72)	
569	S81°49'W	125.7	(38.31)	
570	S69°55'W	255.2	(77.79)	
571	S49°52'W	234.2	(71.38)	
	S27°51'W	92.4	(28.16)	
572				Intersection of the centerlines of Forest Roads 6535 and 6535-900.
573	S19°43'W	196.0	(59.74)	Along the centerline of Forest Road 6535-900.
574	S33°03'W	255.2	(77.79)	
575	S40°16'W	558.2	(170.14)	
576	S06°29'W	228.2	(69.56)	
577	S19°16'E	88.3	(26.91)	
	S12°36'W	52.7	(16.06)	
578				Intersection of the centerlines of Forest Roads 6535-900 and 6500-100.



	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
579	S44°26'W	226.6	(69.07)	Along the centerline of Forest Road 6500-100.
580	S13°49'W	381.0	(116.13)	
581	S41°53'W	476.2	(145.15)	
582	S18°23'W	421.5	(128.47)	
583	S39°26'W	183.9	(56.05)	
584	S50°06'W	329.5	(100.43)	
585	S77°53'W	223.0	(67.97)	
	S89°36'W	351.4	(107.11)	
586				Intersection of the centerlines of Forest Roads 6500-100 and 6500-190.
587	S79°58'W	579.4	(176.60)	Along the centerline of Forest Road 6500-100.
588	S51°46'W	535.7	(163.28)	
589	S54°49'W	295.5	(90.07)	
590	S70°44'W	88.3	(26.91)	
591	S73°38'W	238.5	(72.69)	
592	N85°08'W	165.6	(50.47)	
593	N73°12'W	193.0	(58.83)	
594	S59°17'W	194.9	(59.41)	
595	S88°11'W	382.8	(116.68)	
596	S79°58'W	263.4	(80.28)	
597	S57°35'W	111.8	(34.08)	
598	S25°15'W	101.7	(31.00)	
599	S01°17'W	113.6	(34.63)	
600	S25°17'E	184.8	(56.33)	
	S37°49'E	213.0	(64.92)	



ANGLE POINT BEARING	DISTANCE		DESCRIPTION
	FEET	(METERS)	
601	S65°53'E	425.9	(129.81)
602	S43°43'E	350.6	(106.86)
603	S22°21'E	180.4	(54.99)
604	S13°04'E	458.5	(139.75)
605	S54°25'W	103.3	(31.49)
606	Intersection of the centerline of Forest Road 6500-100 and the thread of Copeland Creek.		
607	N82°23'W	93.6	(28.53)
608	N23°10'W	249.6	(76.08)
609	N50°50'W	235.6	(71.81)
610	S87°42'W	165.6	(50.47)
611	S53°24'W	235.6	(71.81)
612	N75°43'W	137.8	(42.00)
613	N51°51'W	206.6	(62.97)
614	N74°41'W	85.2	(25.97)
	S70°21'W	376.0	(114.61)
615	Centerline of Forest Road 6500-100, Section 7, T. 30 S., R. 4 E. W.M. From which the Quarter corner of sections 6 & 7, T.30 S., R.4 E., W.M. bears S88°43'E		
	N88°43'W	134.3	(40.93)
	In a straight line		
616	The Quarter Corner common to Sections 6 and 7, T. 30 S., R. 4 E., W.M.		
	N88°23'W	1735.5	(528.98)
	Along the North line of Section 7, T. 30 S., R. 4 E., W.M.		



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
617				Intersection of the North line of Section 7 and the centerline of State Highway 230.
618		S23°37'E	318.9 (97.20)	Along the centerline of State Highway 230.
619		S01°17'W	93.0 (28.35)	
620		S08°00'W	176.8 (53.89)	
621		S21°05'W	274.5 (83.67)	
622		S28°46'W	291.1 (88.73)	
623		S01°19'E	910.0 (277.37)	
		S00°54'W	1549.6 (472.32)	
624				Intersection of the centerlines of State Highway 230 and Forest Road 6500-320.
625		S00°19'E	1839.6 (560.71)	Along the centerline of State Highway 230.
626		S09°25'W	365.2 (111.31)	
627		S23°50'W	592.8 (180.69)	
		S27°44'W	2226.9 (697.76)	
628				Intersection of the centerlines of State Highway 230 and Forest Road 6500-300
629		S26°18'W	1026.0 (312.73)	Along the centerline of State Highway 230
630		S28°36'W	1058.1 (322.51)	
631		S27°17'W	2804.5 (854.81)	
		S39°52'W	2220.0 (676.66)	
632				Intersection of the centerlines of State Highway 230 and Forest Road 6500-100
		S08°53'W	5544.6 (1690.00)	In a straight line.



ANGLE POINT BEARING		<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
633		Intersection of the centerlines of Forest Roads 6260 and 6260-193.		
634	S08°00'W	176.8	(53.89)	Along the centerline of Forest Road 6260.
	S05°18'E	270.4	(82.42)	
635	S55°45'W	88.9	(27.10)	
636	S76°40'W	245.6	(74.86)	
637	S43°16'W	278.0	(84.73)	
638	S32°50'W	691.0	(210.62)	
639	S47°50'W	540.8	(164.84)	
640	S34°58'W	186.2	(56.75)	
641	S44°10'W	394.7	(120.30)	
642	S24°29'W	157.4	(47.98)	
643		Intersection of the centerlines of Forest Road 6260 and State Highway 62.		
	S20°23'W	4547.7	(1386.14)	In a straight line.
644		Intersection of the thread of Union Creek and the North line of Section 2, T. 31 S., R.3 E. W.M.		
645	S28°56'W	244.9	(74.65)	Along the thread of Union Creek.
	S05°50'E	166.6	(50.78)	
646	S46°17'W	219.1	(66.78)	
647	S86°05'W	114.1	(34.78)	
648	N36°17'W	169.4	(51.63)	
649	N79°15'W	62.8	(19.14)	
650	S44°44'W	270.4	(82.42)	
651	S84°57'W	374.2	(114.06)	
652				



	ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
653	N86°26'W	258.5	(78.79)	Along the thread of Union Creek.
654	S51°40'W	388.9	(118.54)	
655	S82°45'W	208.9	(63.67)	
656	S40°34'W	146.8	(44.74)	
657	S23°54'W	134.3	(40.93)	
658	S58°49'W	134.7	(41.06)	
659	S39°57'W	198.5	(60.50)	
660	S76°49'W	330.7	(100.80)	
661	S46°17'W	87.7	(26.73)	
662	S02°17'E	165.6	(50.47)	
663	S55°02'W	192.2	(58.58)	
664	S74°35'W	215.7	(65.75)	
665	N79°15'W	62.8	(19.14)	
666	N33°42'W	126.1	(38.44)	
667	N79°15'W	125.7	(38.31)	
668	N33°00'W	275.1	(83.85)	
669	N79°15'W	188.5	(57.45)	
670	S85°34'W	207.6	(63.28)	
	N83°00'W	207.6	(63.28)	
671	Intersection of the thread of Union Creek and the centerline of State Highway 62.			
672	S87°20'W	300.3	(91.53)	Along the thread of Union Creek.
673	S62°40'W	258.9	(78.91)	
674	N83°57'W	124.4	(37.92)	
	N47°32'W	109.8	(33.47)	

ANGLE POINT BEARING	<u>DISTANCE</u> FEET (METERS)		DESCRIPTION
675	N03°53'E	227.5 (69.34)	Along the thread of Union Creek.
676	N34°45'W	140.5 (42.82)	
677	N27°51'E	115.5 (35.20)	
678	N56°43'W	97.5 (29.72)	
679	N88°43'W	186.0 (56.69)	
680	S49°18'W	139.0 (42.37)	
681	N88°43'W	62.0 (18.90)	
682	N47°05'W	124.4 (37.92)	
683	N05°06'E	155.3 (47.34)	
684			Intersection of the thread of Union Creek and the centerline of Forest Road 6200-400.
	S73°01'W	2273.7 (693.03)	In a straight line
685			Point in the centerline of Forest Road 6200-410 (The road to the Union Creek Summer Homes). Section 3, T. 31 S., R. 3 E.,
	S11°24'W	3767.2 (1148.24)	In a straight line
686			Section Corner common to Sections 3, 4, 9, and 10 T. 31 S., R. 3 E., W.M.
	S01°58'W	2624.1 (799.83)	Along the East line of Section 9, T. 31 S., R. 3 E., W.M.
687			Quarter Corner common to Sections 9 & 10, T. 31 S., R. 3 E., W.M.
	S45°57'W	3718.3 (1133.34)	In a straight line
688			Quarter Corner common to Sections 9 and 16, T. 31 S. R. 3 E., W.M.



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
		S60°19'W	1144.5	(348.84)	In a straight line.
689					Intersection of the centerlines of Forest Roads 6800-170 and 6800-114.
		S48°40'W	2990.3	(911.45)	In a straight line.
690					Intersection of the centerlines of Forest Roads 6800-116 and 6800-114.
		S46°21'W	7034.6	(2144.15)	In a straight line.
691					Intersection of the Centerlines of Forest Roads 68 and 6800-200.
		S25°36'E	4088.6	(1246.21)	In a straight line.
692					Intersection of the centerlines of Forest Roads 6210-300 and 6210-370, Section 29, T. 31 S., R. 3 E., W.M.
693		S05°03'E	93.6	(28.53)	Along the centerline of Forest Road 6210-300.
694		S14°47'W	265.6	(80.96)	
695		S03°35'W	258.5	(78.79)	
696		S01°44'E	196.6	(59.92)	
697		S14°40'E	300.8	(91.68)	
698		S24°38'E	827.0	(252.07)	
699		S30°03'E	278.2	(84.80)	
700		S21°55'E	472.0	(143.87)	
701		S27°29'E	601.0	(183.19)	
702		S21°30'E	560.2	(170.75)	
		S12°04'E	626.4	(190.93)	



ANGLE	DISTANCE		DESCRIPTION
POINT BEARING	FEET	(METERS)	
703	S03°51'W	692.8	Along the centerline of Forest Road 6210-300.
704	S10°15'W	397.4	
705	S20°21'W	601.1	
706	S31°21'W	226.8	
707	S24°02'W	347.3	
708	S07°37'W	93.6	
709	S25°54'W	545.5	
710	S19°43'W	490.0	
711	S26°45'W	240.3	
712	S08°59'W	385.7	
713	S16°04'E	173.2	
714	S04°26'E	207.6	
715	S21°06'E	189.9	
716	S31°06'E	1003.1	
717	S19°53'E	343.4	
718	S43°43'E	87.7	
719	S26°11'E	291.1	
720	S34°28'E	318.2	
721	S25°17'E	231.0	
722	S17°38'E	382.2	
723	S05°03'E	280.6	
724	S13°14'W	549.1	
725	Intersection of the centerlines of Forest Roads 6210-300 and 6210.		



	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
726		S10°02'E	158.0	(48.16)	Along the centerline of Forest Road 6210.
727		S11°54'W	168.2	(51.27)	
728		S26°18'W	171.0	(52.12)	
729		S49°39'W	124.4	(37.92)	
730		S32°15'W	120.5	(36.73)	
731		S09°25'W	219.1	(66.78)	
732		S21°55'E	78.7	(23.99)	
733		S51°09'E	169.4	(51.63)	
734		S65°53'E	213.0	(64.92)	
735		S74°41'E	213.0	(64.92)	
736		S84°46'E	300.3	(91.53)	
		S43°43'E	58.4	(17.80)	
737					Intersection of the centerlines of Forest Roads 6210 and 6210-500.
738		S32°05'W	625.4	(190.62)	Along the centerline of Forest Road 6210-500.
739		S01°17'W	51.7	(15.76)	
740		S35°35'E	258.3	(78.73)	
741		S23°29'E	147.9	(45.08)	
742		S12°36'W	105.4	(32.13)	
743		S20°31'E	111.3	(33.92)	
744		S19°43'W	65.3	(19.90)	
745		S52°11'W	213.0	(64.92)	
746		S37°19'W	140.5	(42.82)	
747		S55°02'W	192.2	(58.58)	
748		S41°05'W	161.4	(49.19)	



	ANGLE POINT BEARING	DISTANCE		DESCRIPTION
		FEET	(METERS)	
749	S05°55'W	383.5	(116.89)	Along the centerline of Forest Road 6210-500.
750	S18°49'W	205.8	(62.73)	
751	S06°03'W	124.4	(37.92)	
752	S19°45'E	287.8	(87.72)	
753	S47°05'E	124.4	(37.92)	
754	S88°43'E	72.3	(22.04)	
755	N62°14'E	106.4	(32.43)	
756	N84°09'E	83.3	(25.39)	
757	S61°04'E	244.9	(74.65)	
758	S49°47'E	345.3	(105.25)	
759	S20°31'E	222.5	(67.82)	
760	S41°14'E	168.2	(51.27)	
761	S88°43'E	93.0	(28.35)	
762	S48°55'E	161.4	(49.19)	
763	S11°03'E	338.4	(103.14)	
764	S31°37'E	209.2	(63.76)	
765	S10°02'E	105.4	(32.13)	
766	S01°17'W	175.6	(53.52)	
767	S38°41'W	221.1	(67.39)	
768	S01°17'W	82.6	(25.18)	
	S31°37'E	209.2	(63.76)	
769	Intersection of the centerlines of Forest Roads 6210-500 and 6210-508.			
770	S63°42'E	171.0	(52.12)	Along the centerline of Forest Road 6210-500.
	N85°51'E	217.9	(66.42)	



ANGLE POINT BEARING	<u>DISTANCE</u>		DESCRIPTION
	FEET	(METERS)	
771	S74°41'E	85.2 (25.97)	Along the centerline of Forest Road 6210-500
772	S05°06'W	155.3 (47.34)	
773	S23°05'W	278.2 (84.80)	
774	S01°12'E	237.8 (72.48)	
775	S44°39'W	511.6 (155.94)	
776	S37°32'W	192.2 (58.58)	
777	S01°17'W	144.6 (44.07)	
778	S18°22'E	153.6 (46.82)	
779	S04°28'W	186.2 (56.75)	
780	S11°15'E	95.2 (29.02)	
781	S28°47'E	226.8 (69.13)	
782	S03°41'E	238.5 (72.69)	
783	S23°44'E	171.0 (52.12)	
784	S15°19'W	85.2 (25.97)	
785	S42°49'W	483.0 (147.22)	
786	S13°49'W	95.2 (29.02)	
787	S39°57'W	132.3 (40.33)	
788	S19°43'W	196.0 (59.74)	
789	S52°37'W	330.7 (100.80)	
790	S17°14'W	150.4 (45.84)	
791	S36°17'W	126.1 (38.44)	
792	S57°36'W	260.7 (79.46)	
793	S49°39'W	248.8 (75.83)	
794	S63°31'W	221.8 (67.60)	
795	S42°55'W	124.4 (37.92)	
796			

	ANGLE		<u>DISTANCE</u>		DESCRIPTION
	POINT	BEARING	FEET	(METERS)	
797		S59°05'W	329.6	(100.46)	Along the centerline of Forest Road 6210-500.
		S71°18'W	120.9	(36.85)	
798	Intersection of the centerlines of Forest Roads 6210-500 and 6210-540.				
799		S60°19'W	60.2	(18.35)	Along the centerline of Forest Road 6210-500.
		S24°29'W	314.7	(95.92)	
800		S12°36'W	421.4	(128.44)	
801		S01°00'E	258.5	(78.79)	
802		S28°28'E	249.9	(76.17)	
803		S10°02'E	421.4	(128.44)	
804		S09°03'W	229.4	(69.92)	
805		S11°51'E	318.2	(96.99)	
806		S12°36'W	105.4	(32.13)	
807		S05°50'E	166.6	(50.78)	
808		S09°25'W	146.1	(44.53)	
809		S20°31'E	55.6	(16.95)	
810		S04°39'W	351.9	(107.26)	
811	Intersection of the centerlines of Forest Roads 6210-500 and 6210-565.				
812		S04°26'E	207.6	(63.28)	Along the centerline of Forest Road 6210-500.
		S13°49'W	190.5	(58.06)	
813		S01°44'E	196.6	(59.92)	
814		S28°18'W	591.4	(180.26)	
815		S11°42'W	514.7	(156.88)	
816		S34°01'W	171.9	(52.40)	



ANGLE POINT	BEARING	<u>DISTANCE</u>		DESCRIPTION
		FEET	(METERS)	
817	S23°05'W	389.4	(118.69)	Along the centerline of Forest Road 6210-500
818	S11°13'W	839.0	(255.73)	
819	S29°30'W	480.7	(146.52)	
820	S16°21'W	278.2	(84.80)	
821	S37°19'W	140.5	(42.82)	
822				Intersection of the centerlines of Forest Roads 6210-500 and 6210-020.
	S33°40'W	2874.6	(876.18)	In a straight line.
1				Point of Beginning, which is the Section Corner common to Sections 19, 20, 29, and 30, T. 32 S., R. 3 E., W.M.

Containing 11,840 acres, more or less



The following delineates the line separating the designated Wild and Scenic river areas. The area North of the line is designated Wild river area. The area south of the line is designated Scenic river area.

406	600 ft. West of the Section Corner common to Sections 2, 3, 10 and 11, T. 29 S. R. 4 E. W.M.
Easterly	In a straight line.
823	A point in the thread of the Rogue River, 528 ft. upstream from the river crossing at the centerline Forest Road 6530.
Easterly	In a straight line.
483	A point which is 30 feet North of the intersection of the Centerlines of Forest Roads 6530 and 6530-796

The following delineates the area separating the designated Wild and Scenic river areas.

The northeast quarter of Section 4, T.29 S., R.5 E., W.M. is designated Scenic river area.



Appendix:

This appendix describes the Wild and Scenic Monuments as set listed in the description for the Upper Rogue Wild and Scenic River. The Angle Point numbers found on the far left of this page coincide with those in the description. These points can be found as described in the MISTLE job folder (92-19 WS) the MAST job folder (92-18 WS), and the POLO job folder (93-4 WS) found in the Rogue River-Siskiyou NF headquarters, Medford, Oregon. MISTLE references can also be found in the Jackson County Surveyors office under survey number 13302, Dated January 4th, 1993.

Angle Point #	Field (Survey) #	Description
215	RWS26	Size 60-D spike References: 3" Cedar S 40°W, 34.9 ft. 6" Fir N 82°W, 14.9 ft.
216	RWS27	Size 60-D spike References: 7" Fir N 55°E, 6.4 ft. 12" Fir N 08°W, 16.2 ft.
217	RWS31	Size 60-D spike References: 18" Fir S 18°W, 51.2 ft. 50" Fir N 16°W, 35.5 ft.
278	RWS34	A 5/8 in. diameter iron pin 24 in. long set at the Junction of Forest Roads 6510-300 and 6510-390, 2 in. below gravel surface, with a 1-1/2 diameter aluminum cap marked: RWS 34 References: 11" Fir S 08°E, 61.6 ft. 9" Fir N 59°W, 32.3 ft.
278A	RWS34-A	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 34-A References: 28" Fir N 38°W, 13.9 ft. 30" Fir S 74°E, 76.9 ft.
279	RWS35	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 35 References: 14" Fir S 51°E, 34.7 ft. 16" Fir S 17°E, 39.0 ft.
280	RWS35-A	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 35-A References: 28" Fir N 45°E, 19.7 ft. 30" Fir S 30°E, 15.3 ft.
281	RWS35-B	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 35-B References: 23" Fir N 78°W, 32.9 ft. 36" Fir S 18°E, 17.0 ft.

282	RWS35-C	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 34-C References: 26" Fir S 86° E, 24.0 ft. 25" Fir S 11° W, 30.8 ft.
283	RWS35-D	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 35-D References: 16" Fir N 79°E, 25.5 ft. 7" Fir S 25° E, 25.2 ft.
284	RWS35-E	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 3D-E References: 19" Fir N 66°E, 7.4 ft. 22" Pine S 34°W, 33.6 ft.
285	RWS35-F	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 35-F References: 23" Fir N 78°E, 14.8 ft. 19" Fir S 19°W, 16.6 ft.
286	RWS35-G	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 35-G References: 22" Fir N 21°E, 21.6 ft. 12" Fir S 88°E, 24.1 ft.
287	RWS36	A 2-1/2 in. diameter G.L.O. monument projecting 4 inches above ground Section corner common to Sections 26, 27, 34, and 35, T. 30 S., R. 3 E., W.M.
288	USGS NZ1056	Station mark is a standard disk cemented in large boulder on highest point and stamped – Y-1931. Stella, monumented by United States Geological Survey in 1931 Stability D (Unknown)
289	CGS NZ1058	Station is the APEX of the lookout tower located on the summit of Stella Mountain. Mark is 14.44 Feet from Lookout Tower. Monumented in 1953 by Coast and Geodetic Survey
307	RWS40	A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set at the intersection of the centerlines of Forest Roads 6515 and 6520. Cap placed 2 in. below graveled surface Cap marked: RWS 40 References: 17" Pine N 36° W, 54.4 ft. 16" Pine S 25° W, 53.5 ft.

316	RWS41	<p>A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set at the intersection of the Centerlines of Forest Roads 6520 and 6520-060. Cap placed 2 in. below graveled surface Cap marked: RWS 41 References: 15" Fir N 42° W, 44.4 ft. 5" Pine S 41° E, 28.6 ft.</p>
316A	RWS41-A	<p>A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 41-A References: 5" Hemlock N 56° E, 10.2 ft. 7" Hemlock N 46° W, 5.9 ft.</p>
316B	RWS41-B	<p>A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set flush with ground. Cap marked: RWS 41-B References: 6" Fir S 54° W, 18.0 ft. 13" Fir N 57° W, 34.6 ft.</p>
317	RWS42	<p>A 5/8 in. diameter iron pin 24 in. long with a 1-1/2 Inch diameter aluminum cap set in the center of Forest Road 6520-200, 2 in. below surface. Cap marked: RWS 42 References: 13" Hemlock S 37° W, 51.6 ft. 7" Fir S 72° E, 13.2 ft.</p>
Not Listed	GPS 0023	<p>A 3 inch diameter brass disk cemented in rock. This is a Rogue 1992 GPS point No. 0023. The NAD89(91) coordinates are as follows Latitude – 42°55ft.35.57"N., Longitude – 122°26ft.25.30"W Cap marked: USFS GPS-T30SR3E26-1992-LS2332 Point located N.07°51ft.23"E. 406.30Ft. from Angle Point</p>
Not Listed	GPS0027	<p>A 2-1/2 inch diameter brass cap set on 2-1/2" diameter Iron post 30" long. This is a Rogue 1992 GPS point No. 0027. The NAD89(91) coordinates are as follows: Latitude – 42°58ft.58.97"N., Longitude – 122°24ft.18.34"W Cap marked: USFS GPS-T30SR3E12-1992-LS2332 Point located S.56°38ft.17"E. 190.18Ft. from Angle Point 317 or (RWS42)</p>
354	RWS49	<p>Size 60-D Spike References: 10" Fir S 09°W, 48.7 ft. 5" Fir S 80°W, 22.3 ft.</p>
396	RWS52	<p>Size 60-D Spike References: 15" Fir N 41°E, 25.19 ft. 31" Fir S 18°E, 28.10 ft.</p>
405	RWS56	<p>Size 60-D Spike References: 20" Fir N 88°E, 12.5 ft. 12" Fir S 24°W, 26.9 ft.</p>

422	RWS63	Size 60-D Spike
	References:	13" Pine S 06°E, 14.2 ft.
		15" Pine S 68°E, 33.7 ft.
511	RWS70	Size 60-D Spike
	References:	12" Fir S 20°E, 38.39 ft.
		26" Fir N 15°E, 63.3 ft.
615	RWS83	Size 60-D Spike
	References:	6" Fir N 18°E, 43.7 ft.
		34" Fir N 52°W, 51.4 ft.
685	RWS101	Size 60-D Spike
	References:	16" Pine S 21°W, 40.2 ft.
		10" Pine N 78°W, 13.7 ft.
690	RWS106	Size 60-D Spike
	References:	36" Fir S 28°E, 43.0 ft.
		13" Fir S 11°W, 47.5 ft.