


BADGER CREEK WILDERNESS

Mt. Hood National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Badger Creek Wilderness on the Mt. Hood National Forest as entered into the National Wilderness Preservation System by the Act of June 26, 1984.

Signed 11-20-87
(Date)


JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Badger Creek Wilderness is as shown on the map dated September 1986 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-328. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Badger Creek Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

BADGER CREEK WILDERNESS BOUNDARY DESCRIPTION

All bearing and distances shown in the following description are based on the Oregon State Plane coordinate grid system, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
FLAG POINT MAP #2	1			The summit of Gordon Butte, elevation 4821 feet, North Latitude 45-17-30.06, West Longitude 121-26-28.96 NE1/4, SE1/4 of Section 20, T3S R11E Willamette Meridian Oregon Grid Coordinates North Zone X=1,757,743, Y=593,840.
	2	N65-28W	113 (34.4)	
	3	N52-58W	71 (21.6)	Along ridge between Badger Creek and Little Badger Creek.
		S87-53W	108 (32.9)	
	4			A point on said ridge.
	5	S53-31W	320 (97.5)	
	6	S42-02W	329 (100.3)	
	7	S22-53W	188 (57.3)	
	8	S30-02W	222 (67.7)	
	9	S17-12W	321 (97.8)	Descend spur ridge.
	10	S02-10W	264 (80.5)	
	11	S06-45W	281 (85.6)	
	12	S15-19E	227 (69.2)	
	13	S23-39E	202 (61.6)	
	14	S46-05E	112 (34.1)	
	15	S19-36E	218 (66.4)	
	16	S16-45E	409 (124.7)	
	17	S32-32E	383 (116.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER CREEK		S37-36E	411	(125.3)	
FLAG POINT	18				
MAP # 2		S46-37E	226	(68.9)	
	19				
		S22-58E	192	(58.5)	
	20				
		S19-40E	250	(76.2)	
	21				
		S07-29E	561	(171.0)	Descending a spur ridge.
	22				
		S14-08E	615	(187.5)	
	23				
FLAG POINT		S35-45E	224	(68.3)	
MAP # 1	24				
		S18-44E	476	(145.1)	
	25				
		S43-48E	236	(71.9)	
	26				
		S25-59E	402	(122.5)	
	27				
		S13-30E	180	(54.9)	
	28				
		S33-03E	400	(121.9)	
	29				
		S41-10E	254	(77.4)	
	30				
		S65-29E	414	(126.2)	
	31				
		S61-50E	366	(111.6)	
	32				A point on spur ridge. Elevation 3400 feet.
		S67-58E	419	(127.7)	
	33				
		S68-41E	239	(72.8)	
	34				
		S71-09E	443	(135.0)	
	35				
		S67-57E	421	(128.3)	Along the Northerly breaks of Badger Creek.
	36				
		S75-49E	269	(82.0)	
	37				
		S85-45E	593	(180.7)	
	38				
		S79-21E	357	(108.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	39	S86-02E	304	(92.7)	
	40	N90-00E	242	(73.8)	
	41	S77-46E	170	(51.8)	
	42	S66-12E	186	(56.7)	Along the Northerly breaks of Badger Creek.
	43	S57-15E	307	(93.6)	
	44	S63-43E	454	(138.4)	
	45	S75-19E	260	(79.2)	
	46	S89-15E	230	(70.1)	
	47	S70-19E	175	(53.3)	
	48	S60-00E	112	(34.1)	
FLAG POINT MAP # 2	49				A point on the Northerly breaks of Badger Creek.
		S47-08E	304	(92.7)	
	50	S43-29E	295	(89.9)	
	51	S70-01E	176	(53.6)	Along the Northerly breaks of Badger Creek.
	52	S64-07E	300	(91.4)	
	53	S67-06E	427	(130.1)	
	54	S71-27E	443	(135.0)	
	55	S75-43E	336	(102.4)	
	56	S81-25E	107	(32.6)	
	57				A point on the Northerly breaks of Badger Creek.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2		S69-17E	254	(77.4)	
	58	S71-09E	473	(144.2)	
	59	S69-03E	338	(103.0)	
	60	S74-13E	294	(89.6)	
	61	S44-35E	198	(60.4)	Along the Northerly breaks of Badger Creek.
	62	S47-07E	229	(69.8)	
	63	S37-02E	143	(43.6)	
	64	S30-14E	266	(81.1)	
	65	S37-09E	295	(89.9)	
	66	S46-28E	248	(75.6)	
	67	S28-49E	228	(69.5)	
	68	S53-21E	204	(62.2)	
	69	S54-02E	279	(85.0)	
	70	S67-05E	239	(72.8)	
	71	S46-09E	71	(21.6)	
	72	S59-58E	170	(51.8)	
	73	S67-50E	58	(17.7)	
	74				A point on the Northerly breaks of Badger Creek. Elevation 2400 feet.
		S47-58E	178	(54.3)	
	75	S45-00E	259	(78.9)	Descending into Badger Creek.
	76	S45-15E	166	(50.6)	
	77	S09-41E	131	(39.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
FLAG POINT MAP #2	78			A point in Badger Creek which is 200 feet upstream from centerline of USFS Road 2710.
		S30-36W	134 (40.8)	
	79	S54-39W	181 (55.2)	
	80	S66-57W	153 (46.6)	
	81	N79-24W	141 (43.0)	
	82	N58-30W	182 (55.5)	
	83	N47-35W	141 (43.0)	Ascending out of Badger Creek.
	84	N66-10W	94 (28.7)	
	85	N79-43W	196 (59.7)	
	86	N78-03W	261 (79.6)	
	87	N63-16W	156 (47.5)	
	88	N72-31W	133 (40.5)	
	89	N45-58W	209 (63.7)	
	90	N62-09W	180 (54.9)	
	91			Section corner between sections 34 & 35, T3S, R11E and sections 2 & 3, T4S, R11E.
		N58-34W	190 (57.9)	
	92	N65-31W	430 (131.1)	
	93	N66-01W	298 (90.8)	Along the Southerly breaks of Badger Creek.
	94	N79-20W	140 (42.7)	
	95	S86-39W	188 (57.3)	
	96	N83-49W	279 (85.0)	
	97			

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP #2		S84-44W	218	(66.4)	
	98	S88-03W	118	(36.0)	
	99	S68-30W	142	(43.3)	
	100	N80-23W	120	(36.6)	
	101	N78-34W	171	(52.1)	Along the Southerly breaks of Badger Creek.
	102	N41-15W	86	(26.2)	
	103	N40-12W	93	(28.3)	
	104	N71-34W	101	(30.8)	
	105	N73-35W	134	(40.8)	
	106	N63-41W	104	(31.7)	
	107	S77-56W	163	(49.7)	
	108	S84-27W	145	(44.2)	
	109				A point on the Southerly breaks of Badger Creek where the Highland Ditch crosses said breaks.
		N76-46W	227	(69.2)	
	110	N42-21W	184	(56.1)	
	111	N08-05W	192	(58.5)	
	112	N10-50W	186	(56.7)	
	113	N07-39W	135	(41.1)	Along the Southerly breaks of Badger Creek.
	114	N52-20W	272	(82.9)	
	115	N78-30W	236	(71.9)	
	116	S86-18W	248	(75.6)	
	117	N89-20W	256	(78.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
FLAG POINT MAP # 2	118			A point on the Southerly breaks of Badger creek. Elevation 2680 feet.
		S87-33W	210 (64.0)	
119		N90-00W	342 (104.2)	
120		S75-12W	200 (61.0)	
121		S77-54W	172 (52.4)	
122		N87-08W	180 (54.9)	Along the Southerly breaks of Badger Creek.
123		N76-04W	141 (43.0)	
124		N53-47W	69 (21.0)	
125		N73-41W	317 (96.6)	
126		N80-02W	462 (140.8)	
127		N84-08W	343 (104.5)	
128		S86-19W	250 (76.2)	
129		N87-08W	239 (72.8)	
130		S80-00W	230 (70.1)	
131		S82-09W	263 (80.2)	
132		S88-01W	202 (61.6)	
133		S70-47W	185 (56.4)	
134		S65-33W	205 (62.5)	
135		S68-59W	315 (96.0)	
136		S76-47W	254 (77.4)	
137		S89-18W	164 (50.0)	
138		N67-20W	223 (68.0)	
139		N61-45W	366 (111.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	140				
		N59-30W	234	(71.3)	
	141				
		N35-22W	114	(34.7)	
	142				
		N78-52W	124	(37.8)	
	143				
		N86-03W	116	(35.4)	
	144				
		N61-04W	217	(66.1)	
	145				
		N72-58W	116	(35.4)	
	146				
		N73-10W	79	(24.1)	Along the Southerly breaks of Badger Creek.
	147				
		N30-43W	80	(24.4)	
	148				
		N89-13W	146	(44.5)	
	149				
		S88-05W	120	(36.6)	
	150				
		N61-04W	97	(29.6)	
	151				
		N45-13W	192	(58.5)	
	152				
		N09-28W	79	(24.1)	
	153				
		N71-25W	126	(38.4)	
	154				
		N64-29W	172	(52.4)	
	155				
		N38-47W	144	(43.9)	
	156				
		N66-06W	86	(26.2)	
	157				
		N70-11W	91	(27.7)	
	158				
		N29-52W	116	(35.4)	
	159				
		N13-50W	71	(21.6)	
	160				
		N40-55W	99	(30.2)	
	161				
		N05-58W	86	(26.2)	
	162				
		N43-55W	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
FLAG POINT	163			
MAP # 2		N62-34W	148 (45.1)	
	164	N72-14W	82 (25.0)	
	165	N37-43W	95 (29.0)	
	166	N22-10W	87 (26.5)	
	167	N14-22W	85 (25.9)	
	168	N67-27W	70 (21.3)	
	169	N72-54W	82 (25.0)	Along the Southerly breaks of Badger Creek.
	170	N12-18W	80 (24.4)	
	171	N19-30W	51 (15.5)	
	172	N73-40W	60 (18.3)	
	173	S88-03W	118 (36.0)	
	174	N77-13W	99 (30.2)	
	175	N52-07W	103 (31.4)	
	176	N55-30W	198 (60.4)	
	177	N62-27W	389 (118.6)	
	178	N56-39W	284 (86.6)	
	179	N56-06W	367 (111.9)	
	180	N51-43W	405 (123.4)	
	181	N39-47W	303 (92.4)	
	182	N52-21W	177 (53.9)	
	183	N58-25W	158 (48.2)	
	184	N70-29W	201 (61.3)	
	185	S88-26W	146 (44.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	186				
		N76-59W	231	(70.4)	
	187				
		S69-20W	170	(51.8)	
	188				
		S70-15W	192	(58.5)	
	189				
		S84-25W	277	(84.4)	
	190				
		N89-35W	280	(85.3)	
	191				
		N82-47W	143	(43.6)	
	192				
		N71-34W	187	(57.0)	Along the Southerly breaks of Badger Creek.
	193				
		N51-02W	289	(88.1)	
	194				
		N61-42W	74	(22.6)	
	195				
		N60-57W	196	(59.7)	
	196				
		N56-49W	314	(95.7)	
	197				
		N62-11W	349	(106.4)	
	198				
		N59-59W	230	(70.1)	
	199				
		N63-10W	188	(57.3)	
	200				
		N60-59W	177	(53.9)	
	201				
		N71-34W	206	(62.8)	
	202				
		N55-01W	309	(94.2)	
	203				
		N51-24W	324	(98.8)	
	204				
		N45-55W	312	(95.1)	
	205				
		N23-09W	173	(52.7)	
	206				
		N13-13W	376	(114.6)	
	207				
		N33-25W	240	(73.2)	
	208				
		N60-51W	168	(51.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	209				
		N68-50W	285	(86.9)	
	210				
		N87-20W	172	(52.4)	
	211				
		N33-29W	149	(45.4)	
	212				
		N41-21W	256	(78.0)	
	213				
		N29-14W	211	(64.3)	Along the southerly breaks of Badger Creek.
	214				
		N51-13W	150	(45.7)	
	215				
		N76-43W	130	(39.6)	
	216				
		N84-35W	159	(48.5)	
	217				
		S88-06W	422	(128.6)	
	218				
		N78-12W	205	(62.5)	
	219				
		N81-52W	283	(86.3)	
	220				
		N71-50W	410	(125.0)	
	221				
		N71-46W	265	(80.8)	
	222				
		N84-11W	346	(105.5)	
	223				
		N83-51W	373	(113.7)	
	224				
		S88-19W	170	(51.8)	
	225				
		N81-44W	174	(53.0)	
	226				A point 10 feet Northerly of and perpendicular to the centerline of Three Mile Trail #466 and approximately 100 feet north of the end point of USFS Road No. 4811015.
		S88-20W	310	(94.5)	
	227				
		N76-13W	323	(98.5)	Paralleling Three Mile Trail #446, 10 feet Northerly of centerline.
	228				
		N70-11W	301	(91.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	229				
		N87-13W	391	(119.2)	
	230				
		N74-58W	320	(97.5)	
	231				
		N78-00W	361	(110.0)	
	232				
		N80-39W	258	(78.6)	
	233				
		N82-02W	296	(90.2)	
	234				
		N82-26W	258	(78.6)	
BADGER LAKE MAP # 1	235				
		S81-18W	225	(68.6)	Paralleling Three Mile Trail #446, 10 feet Northerly of centerline.
	236				
		S66-57W	197	(60.0)	
	237				
		N87-24W	264	(80.5)	
	238				
		S77-07W	431	(131.4)	
	239				
		S70-29W	383	(116.7)	
	240				
		S62-02W	328	(100.0)	
	241				
		S55-00W	330	(100.6)	
	242				
		S38-30W	169	(51.5)	
	243				
		S67-19W	389	(118.6)	
	244				
		S64-10W	353	(107.6)	
	245				
		S62-48W	361	(110.0)	
	246				
		S70-44W	218	(66.4)	
	247				
		S58-51W	157	(47.9)	
	248				
		S62-50W	256	(78.0)	
	249				
		S62-15W	281	(85.6)	
	250				
		S69-57W	327	(99.7)	
	251				
		S78-12W	347	(105.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1	252				
		S67-16W	321	(97.8)	
	253				
		S84-32W	410	(125.0)	
	254				
		S85-40W	357	(108.8)	
	255				
		S74-13W	191	(58.2)	
	256				
		S72-41W	225	(68.6)	
	257				
		N82-01W	166	(50.6)	
	258				
		N89-36W	290	(88.4)	Paralleling Three Mile Trail #466, 10 feet Northerly of centerline.
	259				
		S83-40W	91	(27.7)	
	260				
		S62-59W	335	(102.1)	
	261				
		S56-19W	339	(103.3)	
	262				
		S45-15W	320	(97.5)	
	263				
		S46-21W	180	(54.9)	
	264				
		S50-46W	127	(38.7)	
	265				
		S61-10W	203	(61.9)	
	266				
		S82-32W	269	(82.0)	
	267				
		N84-35W	382	(116.4)	
	268				
		N84-44W	294	(89.6)	
	269				
		S82-05W	341	(103.9)	
	270				
		S66-38W	305	(93.0)	
	271				
		S70-14W	352	(107.3)	
	272				
		S79-19W	270	(82.3)	
	273				
		N78-50W	232	(70.7)	
	274				
		S86-56W	168	(51.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1	275	S68-16W	175	(53.3)	
	276	S67-10W	165	(50.3)	Paralleling Three Mile Trail #466, 10 feet Northerly of centerline.
	277	S71-48W	231	(70.4)	
	278	S85-17W	425	(129.5)	
	279				A point which is 100 feet Easterly of and perpendicular to the centerline of USFS Road 4860 and 10 feet Northerly of and perpendicular to centerline of Three Mile Trail #466.
		N28-33W	232	(70.7)	
	280	N42-09W	256	(78.0)	
	281	N08-15W	209	(63.7)	
	282	N05-43E	301	(91.7)	
	283	N14-02E	264	(80.5)	Paralleling USFS Road 4860, 100 feet Easterly of centerline.
	284	N01-34E	183	(55.8)	
	285	N21-16W	141	(43.0)	
	286	N00-22E	156	(47.5)	
	287	N05-38E	163	(49.7)	
	288	N15-25W	120	(36.6)	
	289	N41-13W	193	(58.8)	
	290	N53-36W	222	(67.7)	
	291	N54-14W	282	(86.0)	
	292	N56-35W	173	(52.7)	
	293	N23-55W	232	(70.7)	
	294	N17-06W	272	(82.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1	295	N02-06E	218	(66.4)	Paralleling USFS Road 4860, 100 feet Southeasterly of centerline.
	296	N24-54E	62	(18.9)	
	297				A point which is 100 feet Easterly of and perpendicular to the centerline of USFS Road 4860140 at its intersection with USFS Road 4860.
	298	N07-40E	142	(43.3)	
	299	N20-54E	272	(82.9)	
	300	N21-55E	260	(79.2)	
	301	N06-32E	255	(77.7)	
	302	N04-39E	247	(75.3)	Paralleling USFS Road 4860140, 100 feet Southeasterly of centerline.
	303	N15-31E	217	(66.1)	
	304	N38-44E	227	(69.2)	
	305	N43-28E	211	(64.3)	
	306	N33-45E	275	(83.8)	
	307	N40-13E	229	(69.8)	
	308	N36-20E	108	(32.9)	
	309	N70-06E	112	(34.1)	
	310	N65-33E	157	(47.9)	
	311	N46-59E	204	(62.2)	
	312	N41-01E	122	(37.2)	
	313	N31-14E	187	(57.0)	
	314	N44-44E	155	(47.2)	
	315	N49-48E	245	(74.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N55-43E	190	(57.9)	
	316	N85-01E	126	(38.4)	
	317	N80-18E	202	(61.6)	
	318	N76-30E	184	(56.1)	
	319	N57-55E	237	(72.2)	
	320	N01-00E	231	(70.4)	
	321	N47-59E	176	(53.6)	Paralleling USFS Road 4860140, 100 feet Southeasterly of centerline.
	322	N55-59E	145	(44.2)	
	323	N70-17E	169	(51.5)	
	324	N69-10E	166	(50.6)	
	325	N71-11E	192	(58.5)	
	326	N73-33E	237	(72.2)	
	327	N65-05E	264	(80.5)	
	328	N58-11E	195	(59.4)	
	329	N51-13E	144	(43.9)	
	330	N28-31E	157	(47.9)	
	331	N21-44E	143	(43.6)	
	332	N11-01W	152	(46.3)	
	333	N44-45W	165	(50.3)	
	334	N55-32W	163	(49.7)	
	335	N63-43W	90	(27.4)	
	336	N37-32W	87	(26.5)	
	337	N03-41E	202	(61.6)	
	338				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N07-14E	428	(130.5)	
	339	N03-16E	351	(107.0)	
	340	N05-37E	133	(40.5)	
	341	N24-51E	105	(32.0)	
	342	N46-40E	146	(44.5)	
	343	N58-36E	202	(61.6)	
	344	N49-57E	205	(62.5)	Paralleling USFS Road 4860140, 100 feet Easterly and Northerly of centerline.
	345	N37-06E	154	(46.9)	
	346	N13-57E	178	(54.3)	
	347	N10-50E	239	(72.8)	
	348	N00-47W	290	(88.4)	
	349	N38-57W	121	(36.9)	
	350	N22-02W	141	(43.0)	
	351	N06-33E	149	(45.4)	
	352	N07-15W	119	(36.3)	
	353	N38-59W	169	(51.5)	
	354	N57-54W	120	(36.6)	
	355	N64-28W	174	(53.0)	
	356	N20-33W	188	(57.3)	
	357	N06-27W	241	(73.5)	
	358	N09-35W	228	(69.5)	
	359	N14-18W	158	(48.2)	
	360	N41-11W	138	(42.1)	
	361				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N59-24W	134	(40.8)	
	362	N73-34W	145	(44.2)	
	363	S87-49W	367	(111.9)	
	364	S85-37W	314	(95.7)	
	365	S82-12W	265	(80.8)	
	366	S83-59W	229	(69.8)	
	367	S83-33W	241	(73.5)	Paralleling USFS Road 4860140, 100 feet Northerly of centerline.
	368	S75-35W	108	(32.9)	
	369	S64-01W	89	(27.1)	
	370	N72-27W	143	(43.6)	
	371	N54-51W	87	(26.5)	
	372	N85-11W	250	(76.2)	
	373	S88-20W	275	(83.8)	
	374	N83-57W	285	(86.9)	
	375	N78-38W	360	(109.7)	
	376	N81-55W	348	(106.1)	
	377	N89-46W	477	(145.4)	
	378	N82-45W	285	(86.9)	
	379	N70-29W	135	(41.1)	
	380	N75-31W	124	(37.8)	
	381	S70-16W	98	(29.9)	
	382	S82-00W	122	(37.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
BADGER LAKE MAP # 1	383		A point 100 feet Northerly of and perpendicular to the centerline of USFS Road 4860140 on the Easterly boundary of Badger Lake Campground.
	N55-30W	470 (143.3)	Along East boundary of Badger Lake Campground.
	384		The Northeasterly corner of Badger Lake Campground.
	S65-34W	1192 (363.3)	Along Northerly boundary of Badger Lake Campground.
	385		The Northwesternly corner of Badger Lake Campground.
	S02-15W	102 (31.1)	Southerly.
	386		A point 10 feet Northwesternly of Badger Creek.
	S03-40E	78 (23.8)	
387	S31-58W	157 (47.9)	
388	S52-12W	209 (63.7)	
389	S01-00W	170 (51.8)	Paralleling Badger Creek, 10 feet Northwesternly of thread.
390	S86-06W	132 (40.2)	
391	S88-55W	105 (32.0)	
392	S49-04W	110 (33.5)	
393	S42-45W	144 (43.9)	
394	S40-04W	115 (35.1)	
395			A point 10 feet Northwesternly of thread of Badger Creek and 50 feet Northeasterly of Badger Lake Dam.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1	396	N65-18W	55	(16.8)	Along a line 50 feet Northeasterly of Badger Lake Dam.
		N64-48W	38	(11.6)	
	397				A point 50 feet Northeasterly of Badger Lake Dam which is on the continuation of a line 50 feet Northwesterly of the ordinary high water line of Badger Lake.
	398	S78-41W	61	(18.6)	
	399	S41-41W	98	(29.9)	Along a line 50 feet Northwesterly of the ordinary high water line of Badger Lake
	400	S38-28W	93	(28.3)	and a continuation of said line.
		S26-15W	81	(24.7)	
	401				A point 50 feet Northwesterly of ordinary high water line of Badger Lake.
		S54-47E	928	(282.9)	
	402				A point on the Southeast bank of Badger Lake. Elevation 4520 feet.
	403	N41-03E	113	(34.4)	
	404	N33-36E	168	(51.2)	
	405	N17-35E	255	(77.7)	Along the 4520 foot contour.
	406	N26-51E	263	(80.2)	
	407	N55-30E	237	(72.2)	
	408	N52-25E	241	(73.5)	
	409	N55-53E	405	(123.4)	
		N61-48E	345	(105.2)	
	410				A point 100 feet Southerly of and perpendicular to the centerline of USFS Road 4860140. Elevation 4520 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N63-12E	222	(67.7)	
	411	N70-58E	273	(83.2)	
	412	S83-57E	237	(72.2)	
	413	S83-35E	331	(100.9)	
	414	S82-23E	392	(119.5)	
	415	S85-03E	522	(159.1)	
	416	S79-39E	506	(154.2)	Paralleling USFS Road 4860140, 100 feet Southerly of centerline.
	417	S84-06E	312	(95.1)	
	418	N79-55E	183	(55.8)	
	419	N85-12E	119	(36.3)	
	420	S68-36E	134	(40.8)	
	421	S78-01E	236	(71.9)	
	422	N82-52E	153	(46.6)	
	423	N69-27E	188	(57.3)	
	424	N84-22E	204	(62.2)	
	425	S86-35E	251	(76.5)	
	426	N78-27E	235	(71.6)	
	427	N88-48E	336	(102.4)	
	428	N88-48E	240	(73.2)	
	429	S71-49E	144	(43.9)	
	430	S43-09E	132	(40.2)	
	431	S10-43E	188	(57.3)	
	432	S02-01E	312	(95.1)	
	433				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		S05-40E	152	(46.3)	
	434	S36-24E	194	(59.1)	
	435	S55-38E	165	(50.3)	
	436	S78-35E	111	(33.8)	
	437	S50-28E	82	(25.0)	
	438	S02-40W	150	(45.7)	
	439	S09-36E	132	(40.2)	Paralleling USFS Road 4860140, 100 feet Westerly of centerline.
	440	S20-29E	97	(29.6)	
	441	S55-11E	84	(25.6)	
	442	S09-13E	75	(22.9)	
	443	S11-21W	274	(83.5)	
	444	S09-16W	236	(71.9)	
	445	S26-34W	76	(23.2)	
	446	S49-07W	197	(60.0)	
	447	S53-41W	206	(62.8)	
	448	S47-13W	165	(50.3)	
	449	S40-26W	142	(43.3)	
	450	S16-56W	96	(29.3)	
	451	S01-55W	656	(199.9)	
	452	S08-28W	333	(101.5)	
	453	S01-16W	182	(55.5)	
	454	S18-13E	169	(51.5)	
	455	S35-48E	150	(45.7)	
	456				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		S56-25E	161	(49.1)	
	457	S49-36E	123	(37.5)	
	458	S06-39W	60	(18.3)	
	459	S45-44W	166	(50.6)	
	460	S57-51W	280	(85.3)	
	461	S72-56W	331	(100.9)	
	462	S74-01W	243	(74.1)	Paralleling USFS Road 4860140, 100 feet Northwesterly of centerline.
	463	S65-48W	261	(79.6)	
	464	S65-05W	218	(66.4)	
	465	S50-39W	180	(54.9)	
	466	S50-20W	251	(76.5)	
	467	S59-38W	148	(45.1)	
	468	N90-00W	110	(33.5)	
	469	S81-44W	292	(89.0)	
	470	S61-47W	296	(90.2)	
	471	S47-25W	269	(82.0)	
	472	S49-16W	228	(69.5)	
	473	S39-25W	269	(82.0)	
	474	S43-32W	193	(58.8)	
	475	S49-36W	123	(37.5)	
	476	S77-50W	119	(36.3)	
	477	S59-10W	144	(43.9)	
	478	S32-48W	301	(91.7)	
	479				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		S39-38W	378	(115.2)	
	480	S42-52W	190	(57.9)	
	481	S43-08W	195	(59.4)	
	482	S21-36W	206	(62.8)	
	483	S09-33W	205	(62.5)	Paralleling USFS Road 4860140, 100 feet Northwesterly of centerline.
	484	S00-21W	162	(49.4)	
	485	S01-22W	210	(64.0)	
	486	S11-27W	156	(47.5)	
	487	S23-32W	110	(33.5)	
	488	S44-36W	103	(31.4)	
	489				A point 100 feet Northwesterly of and perpendicular to centerline of USFS Road 4860140 and 100 feet Easterly of and perpendicular to the centerline of USFS Road 4860.
		N09-04W	165	(50.3)	
	490	N01-07E	204	(62.2)	
	491	N05-41W	232	(70.7)	
	492	N13-16W	235	(71.6)	
	493	N17-27W	310	(94.5)	Paralleling USFS Road 4860, 100 feet Northeasterly of centerline.
	494	N20-04W	178	(54.3)	
	495	N48-56W	216	(65.8)	
	496	N61-28W	274	(83.5)	
	497	N63-39W	349	(106.4)	
	498	N71-18W	471	(143.6)	
	499				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N66-14W	184	(56.1)	
	500	N45-38W	322	(98.1)	
	501	N49-38W	289	(88.1)	
	502	N56-11W	383	(116.7)	
	503	N62-04W	280	(85.3)	
	504	N60-49W	392	(119.5)	
	505	N77-05W	385	(117.3)	Paralleling USFS Road 4860, 100 feet Northeasterly of centerline.
	506	N83-49W	279	(85.0)	
	507	N85-45W	148	(45.1)	
	508	N83-35W	260	(79.2)	
	509	N77-03W	357	(108.8)	
	510	N67-28W	235	(71.6)	
	511	N66-37W	330	(100.6)	
	512	N76-29W	347	(105.8)	
	513	N72-58W	116	(35.4)	
	514	S86-25W	288	(87.8)	
	515	S77-07W	251	(76.5)	
	516	S85-14W	157	(47.9)	
	517	S01-00W	228	(69.5)	
	518	S52-20W	316	(96.3)	
	519	S63-59W	187	(57.0)	
	520	S87-43W	200	(61.0)	
	521	S87-32W	278	(84.7)	
	522				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		S62-01W	181	(55.2)	
	523				
		S55-53W	150	(45.7)	
	524				
		N88-27W	368	(112.2)	Paralleling USFS Road 4860, 100 feet Northerly of centerline.
	525				
		S84-41W	389	(118.6)	
	526				
		S78-15W	152	(46.3)	
	527				
		S83-33W	285	(86.9)	
	528				
		S81-23W	234	(71.3)	
	529				A point which is 100 feet Northerly of and perpendicular to the centerline of USFS Road 4860 and 100 feet Southeasterly of and perpendicular to the centerline of USFS Road 3550.
		N71-34W	60	(18.3)	
	530				
		N23-23E	121	(36.9)	
	531				
		N34-13E	272	(82.9)	
	532				
		N31-32E	170	(51.8)	
	533				
		N64-16E	154	(46.9)	Paralleling USFS Road 3550, 100 feet Easterly of centerline.
	534				
		N44-40E	242	(73.8)	
	535				
		N31-47E	216	(65.8)	
	536				
		N03-48E	226	(68.9)	
	537				
		N27-29W	167	(50.9)	
	538				
		N32-52W	326	(99.4)	
	539				
		N27-17W	179	(54.6)	
	540				
		N03-27W	199	(60.7)	
	541				
		N17-04E	133	(40.5)	
	542				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N55-15E	195	(59.4)	
	543	N60-29E	191	(58.2)	
	544	N40-13E	229	(69.8)	
	545	N29-34E	367	(111.9)	
	546	N31-28E	429	(130.8)	
	547	N31-01E	380	(115.8)	
	548	N42-21E	199	(60.7)	Paralleling USFS Road 3550, 100 feet Easterly of centerline.
	549	N47-58E	397	(121.0)	
	550	N42-20E	411	(125.3)	
	551	N36-45E	306	(93.3)	
	552	N30-38E	379	(115.5)	
	553	N28-29E	241	(73.5)	
	554	N20-16E	159	(48.5)	
	555	N16-40E	143	(43.6)	
	556	N10-47W	86	(26.2)	
	557	N23-46E	119	(36.3)	
	558	N10-13W	113	(34.4)	
	559	N06-47E	169	(51.5)	
	560	N22-53E	147	(44.8)	
	561	N06-52E	301	(91.7)	
	562	N11-15W	185	(56.4)	
	563	N35-03W	176	(53.6)	
	564	N51-20W	96	(29.3)	
	565				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N76-47W	136	(41.5)	
	566	N67-20W	99	(30.2)	
	567	N14-41W	130	(39.6)	
	568	N07-23E	163	(49.7)	
	569	N16-37E	189	(57.6)	
	570	N46-10E	139	(42.4)	
	571	N62-58E	216	(65.8)	Paralleling USFS Road 3550, 100 feet Easterly of centerline.
	572	N59-57E	228	(69.5)	
	573	N58-09E	165	(50.3)	
	574	N31-27E	142	(43.3)	
	575	N45-00E	102	(31.1)	
	576	N71-58E	184	(56.1)	
	577	N65-06E	154	(46.9)	
	578	N56-25E	146	(44.5)	
	579	N50-36E	268	(81.7)	
	580	N35-46E	145	(44.2)	
	581	N37-55E	120	(36.6)	
	582	N63-15E	144	(43.9)	
	583	N64-06E	153	(46.6)	
	584	N47-39E	184	(56.1)	
	585	N18-58E	172	(52.4)	
	586	N02-11E	210	(64.0)	
	587	N05-10E	156	(47.5)	
	588				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N36-45E	192	(58.5)	
	589	N36-08E	266	(81.1)	
	590	N58-25E	158	(48.2)	
	591	N61-16E	141	(43.0)	
	592	N69-35E	146	(44.5)	
	593	N82-41E	189	(57.6)	
	594	N80-48E	331	(100.9)	Paralleling USFS Road 3550, 100 feet Easterly of centerline.
	595	N73-45E	315	(96.0)	
	596	N63-42E	282	(86.0)	
	597	N63-20E	270	(82.3)	
	598	N54-08E	183	(55.8)	
	599	N21-09E	147	(44.8)	
	600	N08-40W	119	(36.3)	
	601	N61-49W	191	(58.2)	
	602	N45-22W	221	(67.4)	
	603	N13-12W	232	(70.7)	
	604	N03-51W	178	(54.3)	
	605	N20-13E	40	(12.2)	
	606	N60-01E	150	(45.7)	
	607	N47-35E	188	(57.3)	
	608	N25-37E	217	(66.1)	
	609	N09-58E	185	(56.4)	
	610	N10-31W	225	(68.6)	
	611				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N04-14W	217	(66.1)	
	612	N06-07E	141	(43.0)	
	613	N37-07E	139	(42.4)	
	614	N46-54E	171	(52.1)	
	615	N27-45E	107	(32.6)	
	616	N49-36E	123	(37.5)	
	617	N25-40E	143	(43.6)	Paralleling USFS Road 3550, 100 feet Easterly of centerline.
	618	N09-53E	134	(40.8)	
	619	N36-40E	176	(53.6)	
	620	N41-34E	130	(39.6)	
	621	N23-47E	221	(67.4)	
	622	N32-49E	164	(50.0)	
	623	N34-12E	215	(65.5)	
	624	N31-13E	237	(72.2)	
	625	N46-58E	62	(18.9)	
	626	N87-44E	126	(38.4)	
	627	N79-35E	188	(57.3)	
	628	N62-33E	230	(70.1)	
	629	N50-22E	212	(64.6)	
	630	N44-16E	221	(67.4)	
	631	N29-38E	192	(58.5)	
	632	N06-04E	142	(43.3)	
	633	N11-19E	92	(28.0)	
	634				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
BADGER LAKE MAP # 1		N39-55E	128 (39.0)	
	635	N02-40E	150 (45.7)	
	636	N11-49E	264 (80.5)	
	637	N08-20E	193 (58.8)	
	638	N14-28E	164 (50.0)	
	639	N38-56E	167 (50.9)	
	640	N40-28E	277 (84.4)	Paralleling USFS Road 3550, 100 feet Easterly of centerline.
	641	N37-48E	259 (78.9)	
	642	N34-54E	379 (115.5)	
	643	N48-29E	198 (60.4)	
	644	S87-25E	222 (67.7)	
	645	S88-44E	226 (68.9)	
	646	N81-59E	201 (61.3)	
	647	N62-20E	185 (56.4)	
	648	N34-18E	206 (62.8)	
	649	N25-02E	267 (81.4)	
	650	N28-04E	238 (72.5)	
	651	N28-42E	192 (58.5)	
	652	N34-29E	182 (55.5)	
	653	N52-46E	126 (38.4)	
	654	N51-45E	132 (40.2)	
	655	N04-24E	248 (75.6)	
	656	N07-40W	142 (43.3)	
	657			

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N11-51E	63	(19.2)	
	658	N80-16E	71	(21.6)	
	659	S55-18E	79	(24.1)	
	660	N71-39E	225	(68.6)	
	661	N67-56E	314	(95.7)	
	662	N58-02E	342	(104.2)	
	663	N57-22E	211	(64.3)	Paralleling USFS Road 3550, 100 feet Southeasterly of centerline.
	664	N29-06E	274	(83.5)	
	665	N10-41E	232	(70.7)	
	666	N00-26E	260	(79.2)	
	667	N06-01W	277	(84.4)	
	668	N04-48W	323	(98.5)	
	669	N19-02W	150	(45.7)	
	670	N42-13W	292	(89.0)	
	671	N40-21W	340	(103.6)	
	672	N33-38W	294	(89.6)	
	673	N40-32W	172	(52.4)	
	674	N51-17W	168	(51.2)	
	675	N59-38W	81	(24.7)	
	676	N02-52E	80	(24.4)	
	677	N48-31E	92	(28.0)	
	678	N46-50E	177	(53.9)	
	679	N47-57E	248	(75.6)	
	680				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N49-29E	217	(66.1)	
	681	N29-49E	308	(93.9)	
	682	N37-31E	233	(71.0)	
	683	N41-16E	206	(62.8)	
	684	N54-05E	143	(43.6)	Paralleling USFS Road 3550, 100 feet Southeasterly of centerline.
	685	N83-53E	113	(34.4)	
	686	S88-43E	222	(67.7)	
	687	S87-39E	292	(89.0)	
	688	N64-04E	162	(49.4)	
	689	N70-07E	100	(30.5)	
	690				A point which is 100 feet Southerly of junction of USFS Roads 3550, 4410, and 4420 (High Prairie).
		N79-52E	182	(55.5)	
	691	S84-25E	340	(103.6)	
	692	S78-01E	236	(71.9)	
	693	S65-18E	151	(46.0)	
	694	S74-40E	140	(42.7)	Paralleling USFS Road 4420, 100 feet Southerly of centerline.
	695	N75-12E	235	(71.6)	
	696	N66-31E	258	(78.6)	
	697	N74-54E	315	(96.0)	
	698	N71-49E	288	(87.8)	
	699	N67-04E	254	(77.4)	
	700	N62-18E	295	(89.9)	
	701				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		N86-17E	200	(61.0)	
	702	N59-25E	332	(101.2)	
	703	N57-15E	237	(72.2)	
	704	N43-28E	289	(88.1)	
	705	N31-56E	253	(77.1)	
	706	N02-03E	112	(34.1)	
	707	N14-23W	81	(24.7)	Paralleling USFS Road 4420, 100 feet Southerly of centerline.
	708	N52-14E	242	(73.8)	
	709	N43-10E	243	(74.1)	
	710	N24-40E	271	(82.6)	
	711	N32-25E	175	(53.3)	
	712	N26-54E	77	(23.5)	
	713	N59-30E	280	(85.3)	
	714	N56-51E	262	(79.9)	
	715	N59-02E	192	(58.5)	
	716	N46-49E	111	(33.8)	
	717	N65-33E	60	(18.3)	
	718	S49-11E	116	(35.4)	
	719	S38-24E	135	(41.1)	
	720	S29-45E	121	(36.9)	
	721	S01-15E	92	(28.0)	
	722	S38-50E	105	(32.0)	
	723	S59-12E	61	(18.6)	
	724				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BADGER LAKE MAP # 1		S78-10E	283	(86.3)	
	725				
		S75-10E	227	(69.2)	
	726				
		S66-41E	134	(40.8)	
	727				
		S36-44E	172	(52.4)	
	728				
		S40-36E	111	(33.8)	Paralleling USFS road 4420, 100 feet Southerly of centerline.
	729				
		S45-00E	231	(70.4)	
	730				
		S44-44E	311	(94.8)	
	731				
		S51-30E	169	(51.5)	
	732				
		S62-02E	164	(50.0)	
	733				
		S80-16E	107	(32.6)	
	734				
		S87-40E	98	(29.9)	
	735				
		S88-42E	220	(67.1)	
	736				
		N77-50E	209	(63.7)	
	737				
		N80-40E	154	(46.9)	
	738				
		N82-30E	130	(39.6)	
	739				
		S44-45E	158	(48.2)	
FLAG POINT MAP # 2	740				
		S88-00E	230	(70.1)	
	741				
		S76-02E	427	(130.1)	
	742				A point 100 feet Southerly of and perpen- dicular to the centerline of USFS Road 4420 on the Northerly breaks of Fifteenmile Creek.
		S63-16E	293	(89.3)	
	743				
		S60-39E	424	(129.2)	Along the Northerly breaks of Fifteenmil- Creek.
	744				
		S66-45E	309	(94.2)	
	745				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2		S81-55E	356	(108.5)	
	746	S87-25E	333	(101.5)	
	747	N69-26E	467	(142.3)	
	748	N68-08E	306	(93.3)	
	749	N53-43E	270	(82.3)	Along the Northerly breaks of Fifteenmile Creek.
	750	N49-42E	328	(100.0)	
	751	N48-32E	230	(70.1)	
	752	N53-52E	156	(47.5)	
	753	N81-15E	237	(72.2)	
	754	S72-09E	186	(56.7)	
	755	S48-10E	141	(43.0)	
	756	S49-20E	206	(62.8)	
	757	S33-55E	217	(66.1)	
	758	S51-59E	308	(93.9)	
	759	S66-44E	248	(75.6)	
	760	S83-30E	203	(61.9)	
	761				A point on the Northerly breaks of Fifteenmile Creek which is 100 feet Southerly of and perpendicular to the centerline of USFS Road 4420.
		S75-08E	218	(66.4)	
	762	S74-30E	340	(103.6)	
	763	S65-53E	313	(95.4)	Paralleling USFS Road 4420, 100 feet Southerly of centerline.
	764	S67-28E	159	(48.5)	
	765	S77-41E	202	(61.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	766				
		N85-36E	326	(99.4)	
	767	N88-22E	176	(53.6)	
	768	S76-38E	186	(56.7)	Paralleling USFS Road 4420, 100 feet Southerly of centerline.
	769	S48-55E	155	(47.2)	
	770	S70-05E	135	(41.1)	
	771	S79-11E	69	(21.0)	
	772				A point which is 100 feet Southerly of and perpendicular to the centerline of USFS Road 4420 and 100 feet Northwesterly of and perpendicular to the centerline of USFS Road 2730.
		S46-26W	369	(112.5)	
	773	S50-15W	255	(77.7)	
	774	S48-36W	225	(68.6)	
	775	S58-51W	162	(49.4)	
	776	S16-03W	159	(48.5)	Paralleling USFS Road 2730, 100 feet Northwesterly of centerline.
	777	S19-11E	122	(37.2)	
	778	S60-11E	205	(62.5)	
	779	S72-40E	215	(65.5)	
	780	S89-31E	240	(73.2)	
	781	N73-05E	131	(39.9)	
	782	S68-21E	141	(43.0)	
	783	N86-55E	204	(62.2)	
	784	N87-15E	250	(76.2)	
	785	N89-27E	316	(96.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT	786				
MAP # 2		N59-39E	176	(53.6)	
	787	N50-03E	145	(44.2)	
	788	N64-48E	263	(80.2)	
	789	N66-35E	204	(62.2)	
	790	N70-19E	131	(39.9)	
	791	N26-34E	31	(9.4)	
	792	S01-00E	200	(61.0)	Paralleling USFS Road 2730, 100 feet Northwesterly of centerline.
	793	N87-59E	312	(95.1)	
	794	N86-27E	258	(78.6)	
	795	N86-05E	161	(49.1)	
	796	S72-15E	131	(39.9)	
	797	S34-47E	116	(35.4)	
	798	S21-48E	129	(39.3)	
	799	S12-14E	193	(58.8)	
	800	S14-14W	138	(42.1)	
	801	S05-04E	193	(58.8)	
	802	S18-58E	206	(62.8)	
	803	S00-16E	214	(65.2)	
	804	S01-38E	176	(53.6)	
	805	S02-20W	172	(52.4)	
	806	S31-36E	31	(9.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	807				A point 100 feet Westerly of centerline of USFS Road 2730 in Cedar Creek.
		S22-55E	134	(40.8)	
808		S16-53E	279	(85.0)	
809		S13-24E	285	(86.9)	
810		S22-44E	228	(69.5)	
811		S64-57E	187	(57.0)	Southerly and Westerly.
812		S80-51E	264	(80.5)	
813		N74-31E	221	(67.4)	
814		N84-06E	321	(97.8)	
815		N79-13E	214	(65.2)	
816		N82-08E	314	(95.7)	
817					A point 100 feet Westerly of and perpendicular to the centerline of USFS Road 2730200 on a spur ridge.
		S44-20W	245	(74.7)	
818		S36-33W	322	(98.1)	
819		S01-00W	303	(92.4)	
820		S35-57W	310	(94.5)	
821		S29-26W	250	(76.2)	Paralleling USFS Road 2730200, 100 feet Northwesterly of centerline.
822		S13-57W	178	(54.3)	
823		S31-47W	226	(68.9)	
824		S49-23W	278	(84.7)	
825		S51-39W	256	(78.0)	
826		S48-04W	186	(56.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	827				
		S40-07W	141	(43.0)	
	828				
		S65-57W	133	(40.5)	
	829				
		S68-21W	293	(89.3)	
	830				
		S59-47W	197	(60.0)	
	831				
		S31-41W	190	(57.9)	
	832				
		S37-54W	223	(68.0)	
	833				
		S55-42W	316	(96.3)	Paralleling USFS Road 2730200, 100 feet Northerly of centerline.
	834				
		S81-50W	218	(66.4)	
	835				
		S81-26W	242	(73.8)	
	836				
		S89-23W	280	(85.3)	
	837				
		N87-32W	232	(70.7)	
	838				
		N86-05W	264	(80.5)	
	839				
		N81-24W	374	(114.0)	
	840				
		S72-01W	198	(60.4)	
	841				
		S55-44W	167	(50.9)	
	842				
		S65-07W	197	(60.0)	
	843				
		N88-59W	224	(68.3)	
	844				
		S89-18W	164	(50.0)	
	845				
		S67-33W	131	(39.9)	
	846				
		S49-43W	215	(65.5)	
	847				
		S37-41W	294	(89.6)	
	848				
		S29-15W	143	(43.6)	
	849				
		S23-42W	134	(40.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT	850				
MAP # 2		S26-34W	65	(19.8)	
	851	S50-43W	71	(21.6)	
	852	S82-35W	689	(210.0)	
	853	S78-22W	496	(151.2)	
	854	S72-35W	357	(108.8)	
	855	S61-03W	151	(46.0)	
	856	S33-03W	123	(37.5)	Paralleling USFS Road 2730200, 100 feet Northerly of centerline.
	857	S02-36W	154	(46.9)	
	858	S33-03E	198	(60.4)	
	859	S01-00E	161	(49.1)	
	860	S38-48E	124	(37.8)	
	861	S25-24E	110	(33.5)	
	862	S01-00E	172	(52.4)	
	863	S04-36E	225	(68.6)	
	864	S13-18E	244	(74.4)	
	865	S28-23E	282	(86.0)	
	866	S33-06E	244	(74.4)	
	867	S29-32E	138	(42.1)	
	868	S42-14E	118	(36.0)	
	869	S74-30E	142	(43.3)	
	870	S69-24E	159	(48.5)	
	871	S43-51E	105	(32.0)	
	872	S09-08E	113	(34.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT	873				
MAP # 2		S21-59E	118	(36.0)	
	874	S59-28E	136	(41.5)	
	875	S25-42E	237	(72.2)	
	876	S21-14E	226	(68.9)	
	877	S04-37W	124	(37.8)	
	878	S05-22E	182	(55.5)	
	879	S11-35E	289	(88.1)	Paralleling USFS Road 2730200, 100 feet Westerly of centerline.
	880	S22-14E	219	(66.8)	
	881	S36-32E	101	(30.8)	
	882	S47-13E	183	(55.8)	
	883	S33-41E	148	(45.1)	
	884	S36-43E	147	(44.8)	
	885	S65-58E	152	(46.3)	
	886	S68-15E	186	(56.7)	
	887	S30-55E	195	(59.4)	
	888	S33-46E	200	(61.0)	
	889	S20-01E	184	(56.1)	
	890	S46-05E	150	(45.7)	
	891	S64-51E	127	(38.7)	
	892	S69-49E	72	(21.9)	
	893	S76-28E	56	(17.1)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
FLAG POINT MAP # 2	894		A point 100 feet Southerly of and perpendicular to the centerline of USFS Road 2730200. Elevation 5600 feet.
895	S16-05E	108 (32.9)	
896	S00-59W	176 (53.6)	
897	S00-46W	148 (45.1)	
898	S28-24E	196 (59.7)	
899	S30-07E	151 (46.0)	Along 5600 foot contour.
900	S27-12E	123 (37.5)	
901	S05-03W	137 (41.8)	
902	S15-50W	132 (40.2)	
903	S10-23W	144 (43.9)	
904	S23-02E	87 (26.5)	
905	S48-29E	267 (81.4)	
906	S58-20E	211 (64.3)	
907	N76-41E	78 (23.8)	
908	N31-07E	68 (20.7)	
909	N09-16E	348 (106.1)	
910	N37-19E	127 (38.7)	
911	N42-59E	120 (36.6)	
912	N44-18E	116 (35.4)	
913	N34-16E	83 (25.3)	
	N46-06E	74 (22.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	914				An Angle Point. Elevation 5600 feet.
		S89-06E	64	(19.5)	
	915	N73-24E	109	(33.2)	Descend.
	916				A point on Gordon Butte Trail #470A. Elevation 5560 feet.
		N53-08E	160	(48.8)	
	917	N42-53E	134	(40.8)	
	918	N14-02E	132	(40.2)	Along 5560 foot contour.
	919	N13-49W	130	(39.6)	
	920	N51-29W	119	(36.3)	
	921	N64-27W	125	(38.1)	
	922	N89-31W	120	(36.6)	
	923	S76-41W	96	(29.3)	
	924				An Angle Point. Elevation 5560 feet.
		S69-52W	96	(29.3)	Ascend.
	925				A point in a minor drainage. Elevation 5600 feet.
		N74-51W	149	(45.4)	
	926	N72-55W	187	(57.0)	Along 5600 foot contour.
	927	N69-32W	72	(21.9)	
	928				A point 100 feet Easterly of and perpendicular to USFS Road 2730200. Elevation 5600 feet.
		N2703W	158	(48.2)	
	929	N22-14W	148	(45.1)	Paralleling USFS Road 2730200, 100 feet Northeasterly of centerline.
	930	N44-43W	145	(44.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	931				
		N71-26W	132	(40.2)	
	932	S81-24W	120	(36.6)	
	933	S87-21W	130	(39.6)	
	934	N01-00W	130	(39.6)	
	935	N26-43W	320	(97.5)	
	936	N24-58W	256	(78.0)	
	937	N38-53W	119	(36.3)	Paralleling USFS Road 2730200, 100 feet Northeasterly of centerline.
	938	N81-56W	128	(39.0)	
	939	N67-07W	118	(36.0)	
	940	N52-24W	93	(28.3)	
	941	N26-23W	146	(44.5)	
	942	N32-34W	98	(29.9)	
	943	N73-10W	124	(37.8)	
	944	N45-39W	124	(37.8)	
	945	N12-34W	198	(60.4)	
	946	N08-40W	119	(36.3)	
	947	N03-02W	170	(51.8)	
	948	N11-14W	164	(50.0)	
	949	N19-33W	245	(74.7)	
	950	N14-45W	216	(65.8)	
	951	N34-17W	186	(56.7)	
	952	N35-29W	141	(43.0)	
	953	N26-47W	120	(36.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	954				
		N08-29W	115	(35.1)	
	955				
		N55-08W	108	(32.9)	
	956				
		N56-43W	118	(36.0)	
	957				
		N71-06W	117	(35.7)	
	958				
		N52-53W	186	(56.7)	
	959				
		N36-46W	212	(64.6)	Paralleling USFS Road 2730200, 100 feet
	960				Southerly of centerline.
		N26-07W	229	(69.8)	
	961				
		N23-08W	216	(65.8)	
	962				
		N06-39W	225	(68.6)	
	963				
		N13-09W	233	(71.0)	
	964				
		N17-22W	221	(67.4)	
	965				
		N12-16W	245	(74.7)	
	966				
		N16-13W	90	(27.4)	
	967				
		N47-58E	164	(50.0)	
	968				
		N76-01E	240	(73.2)	
	969				
		N75-04E	264	(80.5)	
	970				
		N77-18E	500	(152.4)	
	971				
		N81-22E	293	(89.3)	
	972				
		N61-27E	142	(43.3)	
	973				
		N32-00E	217	(66.1)	
	974				
		N30-05E	247	(75.3)	
	975				
		N36-17E	196	(59.7)	
	976				
		N44-07E	184	(56.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	977				
		S83-53E	197	(60.0)	
	978	S83-49E	195	(59.4)	
	979	N68-47E	216	(65.8)	
	980	N50-39E	144	(43.9)	
	981	N60-59E	136	(41.5)	Paralleling USFS Road 2730200, 100 feet Southerly of centerline.
	982	N87-04E	117	(35.7)	
	983	S83-05E	382	(116.4)	
	984	S81-13E	400	(121.9)	
	985	N83-51E	262	(79.9)	
	986	N79-57E	275	(83.8)	
	987	N75-11E	301	(91.7)	
	988	N65-36E	237	(72.2)	
	989	N55-58E	182	(55.5)	
	990	N36-30E	187	(57.0)	
	991	N35-57E	247	(75.3)	
	992	N53-02E	116	(35.4)	
	993	N75-27E	135	(41.1)	
	994	N77-28E	148	(45.1)	
	995	N55-17E	234	(71.3)	
	996				A point which is 100 feet Southeasterly of and perpendicular to the centerline of USFS Road 2730200 in center of Three Bear Springs drainage.
		S32-23E	3008	(916.8)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	997			Point which is 10 feet Northerly of centerline of Tygh Creek Trail #460. Elevation 4520 feet.
	N74-34E	169	(51.5)	
998	N75-29E	263	(80.2)	
999	N79-39E	245	(74.7)	
1000	N82-32E	246	(75.0)	
1001	N69-05E	168	(51.2)	Paralleling Tygh Creek Trail #460, 10 feet Northerly of centerline.
1002	S83-30E	274	(83.5)	
1003	S84-12E	208	(63.4)	
1004	N88-42E	266	(81.1)	
1005	S88-52E	152	(46.3)	
1006	N76-55E	159	(48.5)	
1007	N83-59E	76	(23.2)	
1008	S88-31E	154	(46.9)	
1009	N88-39E	212	(64.6)	
1010	N57-49E	379	(115.5)	
1011	N54-45E	305	(93.0)	
1012	N64-42E	183	(55.8)	
1013	N57-34E	101	(30.8)	
1014	S89-05E	124	(37.8)	
1015	S67-34E	168	(51.2)	
1016	S61-20E	158	(48.2)	
1017	N81-52E	255	(77.7)	
1018				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2		N62-06E	269	(82.0)	
	1019	N76-22E	174	(53.0)	
	1020	N72-55E	187	(57.0)	
	1021	N50-17E	169	(51.5)	
	1022	N47-12E	110	(33.5)	Paralleling Tygh Creek Trail #460, 10 feet Northerly of centerline.
	1023	N86-52E	164	(50.0)	
	1024	S82-35E	263	(80.2)	
	1025	N88-17E	435	(132.6)	
	1026	S88-22E	525	(160.0)	
	1027	S84-35E	562	(171.3)	
	1028	S85-05E	456	(139.0)	
	1029	N87-43E	250	(76.2)	
	1030	S73-47E	236	(71.9)	
	1031	S55-26E	273	(83.2)	
	1032	S52-56E	241	(73.5)	
	1033	S50-35E	225	(68.6)	
	1034				A point 10 feet Northeasterly of and perpendicular to the centerline of Tygh Creek Trail #460.
		N89-41E	180	(54.9)	
	1035	N81-43E	409	(124.7)	Ascend.
	1036	N73-39E	366	(111.6)	
	1037				A point on the ridge between Jordan Creek and Tygh Creek.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	1038	N60-06E	277	(84.4)	
	1039	N67-30E	347	(105.8)	
	1040	N77-46E	378	(115.2)	Ascend said ridge.
	1041	N72-54E	381	(116.1)	
	1042	N67-26E	360	(109.7)	
	1043	N70-26E	224	(68.3)	
		S82-40E	71	(21.6)	
	1044				Top of Jordon Butte. Elevation 4772 feet.
	1045	S65-33E	181	(55.2)	
	1046	S50-23E	376	(114.6)	
	1047	S42-43E	318	(96.9)	
	1048	S46-16E	321	(97.8)	Descend said ridge.
	1049	S51-20E	301	(91.7)	
	1050	S70-12E	334	(101.8)	
	1051	S54-39E	257	(78.3)	
	1052	S25-54E	307	(93.6)	
	1053	S30-20E	346	(105.5)	
	1054	S38-51E	284	(86.6)	
	1055	S48-30E	382	(116.4)	
	1056	S40-13E	297	(90.5)	
	1057	S25-23E	240	(73.2)	
	1058	S18-03E	232	(70.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 2	1059	S12-36E	165	(50.3)	Descend said ridge.
		S38-16E	139	(42.4)	
	1060				Point on said ridge 10 feet Northeasterly of and perpendicular to the centerline of the junction of Tygh Creek Trail #460 and Jordan Butte Trail #461.
	1061	N28-15E	182	(55.5)	
	1062	N15-25E	425	(129.5)	
	1063	N09-28E	268	(81.7)	
	1064	N00-00W	78	(23.8)	
	1065	N49-26E	183	(55.8)	Paralleling Jordan Butte Trail #461, 10 feet Easterly of centerline.
	1066	N37-56E	184	(56.1)	
	1067	N31-18E	206	(62.8)	
	1068	N28-07E	149	(45.4)	
		N68-58E	111	(33.8)	
	1069				A point 10 feet Easterly of and perpendicular to the centerline of USFS Trail #461 and 100 feet Southerly of and perpendicular to the centerline of USFS Road 2720014.
	1070	N84-20E	142	(43.3)	
	1071	N72-57E	355	(108.2)	
	1072	N73-37E	284	(86.6)	Paralleling USFS Road 2720014 and 2720013, 100 feet Southerly of centerline.
	1073	N81-11E	202	(61.6)	
	1074	N61-40E	318	(96.9)	
	1075	N53-35E	227	(69.2)	
		N54-23E	239	(72.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

FLAG POINT MAP # 2	1076				
		N76-32E	219	(66.8)	
	1077				
		N83-21E	207	(63.1)	
	1078				
		N66-45E	279	(85.0)	Paralleling USFS Roads 2720014 and 2720013, 100 feet Southerly of centerline.
	1079				
		N64-40E	187	(57.0)	
	1080				
		N57-42E	148	(45.1)	
	1081				
		N73-38E	149	(45.4)	
	1082				
		N77-05E	210	(64.0)	
	1083				
		N61-56E	102	(31.1)	

	1084				A point 100 feet Southerly of and perpen- dicular to the centerline of USFS Road 2720013.

		N64-15E	189	(57.6)	
	1085				
		N87-55E	302	(92.0)	Easterly.
	1086				
		S69-52E	288	(87.8)	

	1087				A point on spur ridge. Elevation 3520 feet.

		S52-53E	335	(102.1)	
	1088				
		S54-04E	283	(86.3)	Descend spur ridge.
	1089				
		S32-44E	283	(86.3)	
	1090				
		S41-29E	127	(38.7)	

	1091				A point on spur ridge. Elevation 3120 feet.

		N53-41E	164	(50.0)	
	1092				
		N63-03E	199	(60.7)	Descend along the breaks of Pen Creek.
	1093				
		N37-36E	203	(61.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3	1094				
		S77-24E	243	(74.1)	
	1095				
		N81-52E	233	(71.0)	
	1096				
		N75-15E	354	(107.9)	
	1097				
		N80-59E	319	(97.2)	
	1098				
		S67-57E	221	(67.4)	Along the breaks of Pen Creek.
	1099				
		S83-16E	290	(88.4)	
	1100				
		S79-46E	197	(60.0)	
	1101				
		S88-05E	150	(45.7)	
	1102				
		S86-03E	174	(53.0)	
	1103				
		S82-56E	276	(84.1)	
	1104				A point on spur ridge on the breaks of Pen Creek. Elevation 3000 feet.
		S85-01E	219	(66.8)	
	1105				
		S82-40E	407	(124.1)	
	1106				
		S70-16E	267	(81.4)	Descend spur ridge.
	1107				
		S63-13E	237	(72.2)	
	1108				
		S53-22E	146	(44.5)	
	1109				A point on spur ridge which is 200 feet Westerly of and perpendicular to the centerline of USFS Road 27.
		S29-43W	236	(71.9)	
	1110				
		S63-40W	228	(69.5)	Paralleling USFS Road 27, 200 feet Westerly of centerline.
	1111				
		S66-44W	210	(64.0)	
	1112				
		S56-52W	254	(77.4)	
	1113				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3		S42-51W	207	(63.1)	
	1114	S27-03W	158	(48.2)	
	1115	S06-36E	165	(50.3)	
	1116	S33-35E	296	(90.2)	
	1117	S45-43E	284	(86.6)	
	1118	S58-53E	192	(58.5)	
	1119	S72-09E	219	(66.8)	Paralleling USFS Road 27, 200 feet Westerly of centerline.
	1120	S81-47E	175	(53.3)	
	1121	S53-32E	114	(34.7)	
	1122	S14-26E	172	(52.4)	
	1123	S12-36E	330	(100.6)	
	1124	S09-34E	421	(128.3)	
	1125	S02-40E	386	(117.7)	
	1126	S01-27E	393	(119.8)	
	1127	S07-49E	309	(94.2)	
	1128	S08-02W	315	(96.0)	
	1129	S10-59W	493	(150.3)	
	1130	S05-18W	281	(85.6)	
	1131	S07-00E	345	(105.2)	
	1132	S25-22E	236	(71.9)	
	1133	S40-42E	189	(57.6)	
	1134	S52-33E	199	(60.7)	
	1135	S65-13E	115	(35.1)	
	1136				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3		S58-04E	81	(24.7)	
	1137	S04-11W	82	(25.0)	
	1138	S01-00W	151	(46.0)	
	1139	S61-28W	130	(39.6)	
	1140	S74-53W	142	(43.3)	
	1141	S69-55W	143	(43.6)	
	1142	S42-20W	122	(37.2)	Paralleling USFS Road 27, 200 feet Westerly of centerline.
	1143	S19-39W	134	(40.8)	
	1144	S01-33E	184	(56.1)	
	1145	S23-20E	159	(48.5)	
	1146	S18-49E	189	(57.6)	
	1147	S20-52E	171	(52.1)	
	1148	S17-45E	52	(15.8)	
	1149	S22-18W	84	(25.6)	
	1150	S38-44W	136	(41.5)	
	1151	S65-59W	120	(36.6)	
	1152	S73-14W	465	(141.7)	
	1153	S69-44W	494	(150.6)	
	1154	S73-11W	484	(147.5)	
	1155	S80-45W	267	(81.4)	
	1156	N83-00W	328	(100.0)	
	1157	N68-56W	317	(96.6)	
	1158	N65-53W	198	(60.4)	
	1159				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3		N80-22W	221	(67.4)	
	1160	S86-22W	142	(43.3)	
	1161	S32-36W	102	(31.1)	
	1162	S02-23W	264	(80.5)	
	1163	S26-34E	195	(59.4)	
	1164	S48-36E	236	(71.9)	
	1165	S61-09E	213	(64.9)	Paralleling USFS Road 27, 200 feet Northerly, Westerly and Southwesterly of centerline.
	1166	S55-32E	124	(37.8)	
	1167	S66-37E	209	(63.7)	
	1168	S69-53E	195	(59.4)	
	1169	S80-04E	122	(37.2)	
	1170	S66-38E	129	(39.3)	
	1171	S55-53E	150	(45.7)	
	1172	S36-03E	155	(47.2)	
	1173	S55-16E	167	(50.9)	
	1174	S66-35E	342	(104.2)	
	1175	S70-24E	247	(75.3)	
	1176	S44-42E	134	(40.8)	
	1177	S03-02W	170	(51.8)	
	1178	S31-30W	182	(55.5)	
	1179	S40-52W	167	(50.9)	
	1180	S73-22W	171	(52.1)	
	1181	S89-43W	206	(62.8)	
	1182				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3		N86-03W	233	(71.0)	
	1183	N89-47W	258	(78.6)	
	1184	S01-00W	200	(61.0)	
	1185	S67-39W	213	(64.9)	
	1186	S40-02W	155	(47.2)	
	1187	S06-49W	236	(71.9)	
	1188	S14-39E	202	(61.6)	Paralleling USFS Road 27, 200 feet South- westerly and Northerly of centerline.
	1189	S32-20E	271	(82.6)	
	1190	S45-00E	188	(57.3)	
	1191	S47-10E	243	(74.1)	
	1192	S39-35E	202	(61.6)	
	1193	S56-11E	131	(39.9)	
	1194	S50-43E	57	(17.4)	
	1195	S18-36E	320	(97.5)	
	1196	S18-29E	397	(121.0)	
	1197	S22-23E	349	(106.4)	
	1198	S29-13E	434	(132.3)	
	1199	S36-22E	368	(112.2)	
	1200	S43-56E	417	(127.1)	
	1201	S50-26E	425	(129.5)	
	1202	S45-11E	448	(136.6)	
	1203	S50-44E	389	(118.6)	
	1204	S47-22E	428	(130.5)	
	1205				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3	1206	S50-16E	432	(131.7)	
	1207	S58-13E	349	(106.4)	Paralleling USFS Road 27, 200 feet South- westerly of centerline.
	1208	S54-21E	388	(118.3)	
		S66-48E	91	(27.7)	
	1209				A point which is 200 feet Southerly of and perpendicular to the centerline of USFS Road 27 which is on the North- South centerline of SW 1/4, Section 19, T3S, R12E.
		S00-50W	1983	(604.4)	Along the North-South centerlines of the SW 1/4, Section 19, and the NW1/4, Section 30, T3S, R12E.
	1210				A point which is 100 feet Northerly of and perpendicular to the centerline of USFS Road 2710 on the North-South center- line of the NW 1/4 of said Section 30.
	1211	N72-53W	262	(79.9)	
	1212	N70-39W	417	(127.1)	
	1213	N62-52W	316	(96.3)	
	1214	N54-09W	302	(92.0)	
	1215	N61-36W	307	(93.6)	Paralleling USFS Road 2710, 100 feet Northerly of centerline.
	1216	N61-40W	247	(75.3)	
	1217	N55-16W	198	(60.4)	
	1218	N88-53W	154	(46.9)	
	1219	S70-38W	196	(59.7)	
	1220	S73-55W	162	(49.4)	
	1221	S01-00W	73	(22.3)	
		N61-07W	265	(80.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FRIEND MAP # 3	1222				
		N70-22W	137	(41.8)	
	1223				
		N77-28W	221	(67.4)	
	1224				
		N53-52W	293	(89.3)	
	1225				
		N68-02W	201	(61.3)	
	1226				
		N62-10W	263	(80.2)	
	1227				
		N74-57W	246	(75.0)	
	1228				
		N77-36W	154	(46.9)	Paralleling USFS Road 2710, 100 feet Northerly of centerline.
	1229				
		N62-09W	120	(36.6)	
	1230				
		N35-26W	119	(36.3)	
	1231				
		N60-57W	144	(43.9)	
	1232				
		N56-05W	70	(21.3)	
	1233				
		N86-55W	130	(39.6)	
	1234				
		N43-09W	110	(33.5)	
	1235				
		N37-50W	204	(62.2)	
	1236				
		N50-06W	167	(50.9)	
	1237				
		N74-29W	273	(83.2)	
	1238				
		N77-02W	312	(95.1)	
	1239				
		N78-46W	159	(48.5)	
	1240				
		S82-34W	93	(28.3)	
	1241				
		S69-17W	88	(26.8)	
	1242				
		S46-38W	50	(15.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
FRIEND MAP # 3	1243		A point which is 100 feet Westerly of and perpendicular to the centerline of USFS Road 2710 at a switchback on a minor spur ridge.
FLAG POINT MAP # 1	1244	S85-55W 14 (4.3)	
	1245	S59-07W 125 (38.1)	
	1246	S52-39W 165 (50.3)	Ascend minor spur ridge.
	1247	S67-28W 217 (66.1)	
	1248	S72-47W 179 (54.6)	
		S77-42W 80 (24.4)	
	1249		A point at head of said minor spur ridge on Southerly breaks of Little Badger Creek.
	1250	N75-02W 476 (145.1)	
	1251	N71-47W 419 (127.7)	
	1252	N54-33W 209 (63.7)	
	1253	N64-30W 409 (124.7)	
	1254	N49-10W 214 (65.2)	Along the Southerly breaks of Little Badger Creek.
	1255	N41-42W 307 (93.6)	
	1256	N30-07W 267 (81.4)	
	1257	N40-21W 148 (45.1)	
	1258	N59-02W 204 (62.2)	
	1259	N72-36W 388 (118.3)	
		N73-43W 346 (105.5)	
	1260		A point on the Southerly breaks of Little Badger Creek. Elevation 2880 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 1	1261	N58-06W	221	(67.4)	
	1262	N15-55W	215	(65.5)	Along Southerly breaks of Little Badger Creek.
		N24-43W	124	(37.8)	
	1263				A point on the Southerly breaks of Little Badger Creek. Elevation 2920 feet.
	1264	N57-12W	485	(147.8)	
	1265	N65-03W	427	(130.1)	
	1266	N68-31W	393	(119.8)	Ascend the Southerly breaks of Little Badger Creek.
	1267	S89-35W	274	(83.5)	
	1268	N84-38W	310	(94.5)	
		S77-07W	350	(106.7)	
	1269				A point on spur ridge which is 100 feet Northerly of and perpendicular to the centerline of USFS Road 2711011.
	1270	S64-10W	209	(63.7)	
	1271	S67-29W	222	(67.7)	Paralleling USFS Road 2711011, 100 feet Northerly of centerline.
		S79-42W	145	(44.2)	
	1272				A point 100 feet Northerly of and perpendicular to the centerline of USFS Road 2711011 on spur ridge.
	1273	S84-17W	221	(67.4)	
	1274	N81-11W	450	(137.2)	Ascend spur ridge.
	1275	N78-56W	182	(55.5)	
		N47-46W	88	(26.8)	
	1276				A point 100 feet Northeasterly of and perpendicular to the centerline of USFS Road 2711011 on spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
FLAG POINT MAP # 1	1277	N45-59W	164	(50.0)	
	1278	N51-02W	208	(63.4)	
	1279	N71-25W	235	(71.6)	
	1280	N71-57W	239	(72.8)	
	1281	N76-29W	291	(88.7)	Paralleling USFS Road 2711011, 100 feet Northerly of centerline.
	1282	N76-20W	301	(91.7)	
	1283	S88-00W	345	(105.2)	
	1284	S85-39W	158	(48.2)	
	1285	N70-58W	215	(65.5)	
	1286	N54-21W	122	(37.2)	
	1287	N79-29W	241	(73.5)	
	1288	S81-32W	245	(74.7)	
		S72-11W	235	(71.6)	
	1289				A point 100 feet Northerly of and perpendicular to the centerline of USFS Road 2711011 at the end point of said road.
	1290	S67-18W	166	(50.6)	Ascend.
		S81-35W	198	(60.4)	
	1291				A point on top of a spur ridge.
	1292	S78-02W	357	(108.8)	
	1293	S86-30W	345	(105.2)	
	1294	S83-37W	315	(96.0)	Ascend spur ridge.
	1295	S86-51W	365	(111.3)	
		N66-44W	311	(94.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

FLAG POINT	1296				
MAP # 1		N55-36W	269	(82.0)	
	1297				
		N86-28W	162	(49.4)	
	1298				
		N88-59W	282	(86.0)	
	1299				
		S86-54W	314	(95.7)	Ascend spur ridge.
	1300				
		S83-11W	270	(82.3)	
	1301				
		S67-08W	160	(48.8)	
	1302				
		S80-32W	55	(16.8)	

	1303				A point on spur ridge. Elevation 4360 feet.

		S54-26W	4222	(1286.9)	

	1				Point of Beginning.
