


DIAMOND PEAK WILDERNESS

Willamette and Deschutes National Forests

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Diamond Peak Wilderness on the Willamette and Deschutes National Forests as entered into the National Wilderness Preservation System by the Act of September 3, 1964 and the Act of June 26, 1984.

Signed 2-18-88
(Date)


JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Diamond Peak Wilderness is as shown on the map dated September 1986 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 88-577 and Public Law 98-329. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Diamond Peak Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 Interactive Graphics System. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

DIAMOND PEAK WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon Coordinate System, 1927, South Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION

DIAMOND PEAK SUMMIT LAKE NW Map No. 6	1		A point located at the Southwest corner of Sec. 24, T.24S., R.5E., W.M. Latitude 43-28-10.35 North, Longitude 122-10-11.01 West; State Plane Coordinates Oregon South Zone X = 1,556,785, Y = 661,460.

	N01-09E	5295 (1613.9)	Along the West line of said Sec. 24.

	2		The Southwest corner of Section 13, T.24S., R.5E.

	N01-24E	5308 (1617.9)	Along West section line of said Sec. 13.

	3		The Northwest corner of said Section 13.

	N89-10W	5346 (1629.5)	West along the South line of Section 11, T.24S., R.5E.

	4		The Southwest corner of said Section 11.

	N03-53W	547 (166.7)	
WALDO LAKE	5		
SW	N01-26E	1967 (599.5)	Along the West line of said Section 11.
Map No. 1			-----
	6		The West 1/4 corner of said Section 11.

	N06-48E	2726 (830.9)	Along the West line of said Section 11.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
WALDO LAKE SW Map No. 1	7			The Southeast corner of Section 3, T.24S., R.5E.
	N88-41W	2840	(865.6)	Along the South line of said Section 3.
	8			The South 1/4 corner of said Section 3.
	N03-35E	2637	(803.8)	Along North-South centerline of said Section 3.
	9			The center 1/4 corner of said Section 3.
	N88-54W	2767	(843.4)	Along East-West centerline of said Section 3.
	10			The West 1/4 corner of said Section 3.
	N04-03E	2664	(812.0)	Along the West section line of said Section 3.
	11			The Northwest corner of said Section 3.
	N85-55W	505	(153.9)	Along the South section line of Section 33, T.23S., R.5E.
	12			A point on the South section line of said Section 33, and which is 200 feet easterly of and perpendicular to the centerline of Forest Road 2149.000.
	N06-43W	86	(26.2)	
13	N17-43W	125	(38.1)	
14	N32-07W	152	(46.3)	Paralleling Forest Road 2149.000, 200 feet northeasterly of the centerline.
15	N36-49W	199	(60.7)	
16	N29-47W	191	(58.2)	
17	N44-12W	255	(77.7)	
18	N33-55W	140	(42.7)	
19				

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	20	N42-41W	297 (90.5)	
	21	N43-37W	233 (71.0)	Paralleling Forest Road 2149.000, 200 feet northeasterly of the centerline.
	22	N52-12W	209 (63.7)	
		N44-36W	201 (61.3)	
	23			A point 200 feet northeasterly of and perpendicular to the centerline of Forest Road 2149.000.
		N39-04E	1066 (324.9)	
	24			A point located 200 feet southerly of and perpendicular to the centerline of Forest Road 2149.000, 200 feet southwest of a creek draining from Blue Lake.
	25	N69-31E	89 (27.1)	
	26	N84-34E	84 (25.6)	
	27	N62-25E	76 (23.2)	
	28	N57-23E	89 (27.1)	
	29	N53-00E	91 (27.7)	Paralleling Forest Road 2149.000, 200 feet easterly of the centerline.
	30	N36-04E	100 (30.5)	
	31	N37-21E	143 (43.6)	
	32	N32-27E	166 (50.6)	
	33	N50-48E	133 (40.5)	
	34	N23-03E	248 (75.6)	
	35	N20-44E	189 (57.6)	
	36	N33-36E	175 (53.3)	
	37	N08-42E	172 (52.4)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	38	N03-37W	190	(57.9)
	39	N10-09W	136	(41.5)
	40	N38-43W	149	(45.4) Paralleling Forest Road 2149.000, 200 feet easterly of the centerline.
	41	N47-58W	178	(54.3)
	42	N56-02W	174	(53.0)
	43	N70-59W	221	(67.4)
	44	N37-57W	224	(68.3)
	45	N47-27W	182	(55.5)
		N51-30W	112	(34.1)
	46			A point 200 feet northeasterly of and perpendicular to the centerline of Forest Road 2149.00, which is 200 feet south-easterly of the end of an unnamed spur road.
	47	N08-34E	74	(22.6)
	48	N33-41E	90	(27.4)
	49	N12-56E	76	(23.2)
	50	N32-31W	82	(25.0)
	51	N45-00W	98	(29.9) Paralleling said spur road, 200 feet northeasterly of centerline.
	52	N42-57W	40	(12.2)
	53	N34-28W	62	(18.9)
	54	N19-03W	89	(27.1)
	55	N28-08W	115	(35.1)
	56	N26-58W	126	(38.4)
	57	N25-29W	95	(29.0)
	58	N44-22W	129	(39.3)

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	59	N42-27W	127 (38.7)	
	60	N48-10W	166 (50.6)	Paralleling said spur road, 200 feet northeasterly of centerline.
	61	N50-40W	158 (48.2)	
		N42-10W	143 (43.6)	
	62			A point 200 feet easterly of the junction of Forest Roads 2149.000 and 2149.421.
	63	N35-42E	39 (11.9)	
	64	N50-17E	85 (25.9)	
	65	N71-17E	65 (19.8)	
	66	N60-25E	43 (13.1)	
	67	N49-56E	82 (25.0)	Paralleling Forest Road 2149.00, 200 feet southeasterly of the centerline.
	68	N53-45E	93 (28.3)	
	69	N46-22E	178 (54.3)	
	70	N51-55E	170 (51.8)	
	71	N45-00E	161 (49.1)	
	72	N53-35E	152 (46.3)	
	73	N47-25E	185 (56.4)	
	74	N47-59E	190 (57.9)	
	75	N48-25E	95 (29.0)	
	76	N42-50E	150 (45.7)	
	77	N46-18E	156 (47.5)	
	78	N34-44E	107 (32.6)	
	79	N42-13E	189 (57.6)	
	80	N44-05E	88 (26.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	81	N31-49E	127	(38.7)	
	82	N21-02E	111	(33.8)	
	83	N17-35E	106	(32.3)	
	84	N00-49E	70	(21.3)	
	85	N11-57W	87	(26.5)	Paralleling Forest Road 2149.00, 200 feet southeasterly of the centerline.
	86	N27-10W	127	(38.7)	
	87	N24-24W	107	(32.6)	
	88	N46-40W	98	(29.9)	
	89	N14-25W	72	(21.9)	
	90	N19-23E	114	(34.7)	
	91	N43-44E	127	(38.7)	
	92	N41-34E	142	(43.3)	
	93	N01-00E	161	(49.1)	
		N40-24E	123	(37.5)	
	94				A point 200 feet southeasterly of and perpendicular to the centerline of Forest Road 2149.00.
		N00-21E	2289	(679.7)	
	95				An angle point on ridge.
		N66-19E	2816	(858.3)	
	96				A point on ridge, elevation 4,960 feet.
	97	N45-00E	33	(10.1)	
	98	N50-06E	80	(24.4)	Along the 4,960 foot contour.
	99	N61-53E	83	(25.3)	
100		N88-40E	86	(26.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	N77-28E	111	(33.8)	
	101 S88-30E	114	(34.7)	
	102 N74-43E	144	(43.9)	
	103 N58-43E	125	(38.1)	
	104 N66-59E	159	(48.5)	Along the 4,960 foot contour.
	105 N63-38E	133	(40.5)	
	106 N45-00E	92	(28.0)	
	107 N12-17E	103	(31.4)	
	108 N33-14W	35	(10.7)	
	109 N46-51W	44	(13.4)	
	110 N72-28W	60	(18.3)	
	111 N02-27E	70	(21.3)	
	112 N28-08E	49	(14.9)	
	113 N56-31E	78	(23.8)	
	114 N75-58E	62	(18.9)	
	115 N50-46E	127	(38.7)	
	116 N67-58E	141	(43.0)	
	117 N71-54E	109	(33.2)	
	118 N86-32E	99	(30.2)	
	119	A point 200 feet southerly of and perpendicular to the centerline of Forest Road 2300.000. Elevation 4,960 feet.		
	S86-01E	86	(26.2)	
	120 S79-11E	91	(27.7)	Paralleling Forest Road 2300.000, 200 feet from centerline.
	121 S73-49E	65	(19.8)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION

WALDO LAKE	122			
SW				
Map No. 1	123	S87-33E	70 (21.3)	
		S85-14E	72 (21.9)	
	124			
		N78-09E	63 (19.2)	
	125			
		N46-01E	79 (24.1)	
	126			
		N49-24E	129 (39.3)	Paralleling Forest Road 2300.000, 200 feet southeasterly of the centerline.
	127			
		N49-42E	104 (31.7)	
	128			
		N40-28E	89 (27.1)	
	129			
		N32-14E	131 (39.9)	
	130			
		N20-51E	112 (34.1)	
	131			
		N46-40E	146 (44.5)	
	132			
		N57-48E	96 (29.3)	
	133			
		N60-07E	100 (30.5)	
	134			
		N42-22E	154 (46.9)	
	135			
		N30-12E	141 (43.0)	
	136			
		N17-45E	105 (32.0)	
	137			
		N10-56W	90 (27.4)	
	138			
		N17-24W	87 (26.5)	

	139			A point 200 feet northeasterly of and perpendicular to the centerline of Forest Road 2300.000 on the edge of an evident timber size class change (harvest unit).

		N13-08W	31 (9.4)	
	140			
		N05-53E	68 (20.7)	Along the edge of an evident timber size class change.
	141			
		N19-59E	105 (32.0)	
	142			
		N25-25E	156 (47.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	143			
	N29-01E	136	(41.5)	Along the edge of an evident timber size class change.
	144			A point 200 feet southeasterly of and perpendicular to the end of Forest Road 2300.432.
	N41-44E	50	(15.2)	
145	N47-53E	98	(29.9)	
146	N57-03E	129	(39.3)	
147	N58-38E	123	(37.5)	
148	N40-43E	161	(49.1)	Paralleling Forest Road 2300.432, 200 feet easterly of the centerline.
149	N34-49E	140	(42.7)	
150	N32-42E	176	(53.6)	
151	N41-49E	178	(54.3)	
152	N27-23E	157	(47.9)	
153	N21-34E	139	(42.4)	
154	N01-53E	182	(55.5)	
155	N13-57W	170	(51.8)	
156				A point 200 feet easterly of and perpendicular to the junction of Forest Roads 2300.432 and 2300.000.
	N05-53W	68	(20.7)	
157	N02-21W	122	(37.2)	
158	N05-21W	129	(39.3)	Paralleling Forest Road 2300.000, 200 feet northeasterly of the centerline.
159	N29-42W	163	(49.7)	
160	N34-23W	138	(42.1)	
161	N36-57W	131	(39.9)	
162				

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	N62-45W	188	(57.3)	
	163			
	N62-14W	170	(51.8)	
	164			
	N64-22W	192	(58.5)	
	165			
	N73-27W	211	(64.3)	
	166			
	N72-42W	208	(63.4)	Paralleling Forest Road 2300.000, 200 feet northeasterly of the centerline.
	167			
	N82-45W	214	(65.2)	
	168			
	N70-03W	179	(54.6)	
	169			
	N65-13W	186	(56.7)	
	170			
	N66-28W	110	(33.5)	
	171			
	N56-19W	133	(40.5)	
	172			
	N73-39W	139	(42.4)	
	173			
	N89-42W	190	(57.9)	
	174			A point 200 feet northerly of and perpen- dicular to the centerline of Forest Road 2300.000 on a minor ridge.
	N22-25E	155	(47.2)	
	175			
	N26-48E	111	(33.8)	Ascend minor ridge.
	176			
	N40-13E	127	(38.7)	
	177			
	N44-03E	171	(52.1)	
	178			A high point on the ridge between Swift Creek and Pinto Creek.
	N23-58E	20	(6.1)	
	179			
	N46-02E	156	(47.5)	Descending a broad spur ridge.
	180			
	N50-50E	139	(42.4)	
	181			
	N56-12E	138	(42.1)	
	182			

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	N50-35E	203	(61.9)	
	183			
	N45-18E	135	(41.1)	
	184			
	N45-00E	182	(55.5)	Descend a broad spur ridge.
	185			
	N34-49E	212	(64.6)	
	186			
	N31-01E	184	(56.1)	
	187			
	N25-37E	217	(66.1)	
	188			
	N25-03E	85	(25.9)	
	189			A point 200 feet southerly of and perpendicular to the centerline of Forest Road 2300.000 on said broad spur ridge.
	N83-40E	18	(5.5)	
	190			
	N59-14E	49	(14.9)	
	191			
	S78-22E	35	(10.7)	
	192			
	S73-34E	81	(24.7)	
	193			
	N83-56E	95	(29.0)	Paralleling Forest Road 2300.000, 200 feet southerly of the centerline.
	194			
	N75-38E	125	(38.1)	
	195			
	N63-41E	102	(31.1)	
	196			
	N56-19E	90	(27.4)	
	197			
	S83-35E	90	(27.4)	
	198			
	N74-21E	78	(23.8)	
	199			
	N83-13E	127	(38.7)	
	200			
	N86-53E	110	(33.5)	
	201			
	N79-35E	88	(26.8)	
	202			
	N58-41E	114	(34.7)	
	203			
	N46-03E	115	(35.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	204				
	205	N42-08E	198	(60.4)	Paralleling Forest Road 2300.000, 200 feet southerly of the centerline.
		N28-08E	146	(44.5)	
	206				A point in Pinto Creek 200 feet easterly of and perpendicular to Forest Road 2300.000.
		S65-18E	55	(16.8)	
	207	S60-47E	68	(20.7)	
	208	S63-44E	169	(51.5)	
	209	S85-33E	181	(55.2)	
	210	N87-16E	84	(25.6)	Ascending Pinto Creek
	211	N74-37E	113	(34.4)	
	212	N76-16E	93	(28.3)	
	213	N88-09E	124	(37.8)	
	214	S80-24E	138	(42.1)	
	215	S71-42E	134	(40.8)	
	216	S74-32E	98	(29.9)	
	217	S74-24E	115	(35.1)	
	218	S60-08E	116	(35.4)	
	219	S53-41E	103	(31.4)	
	220	S51-12E	65	(19.8)	
	221	S35-20E	67	(20.4)	
	222	S00-55E	62	(18.9)	
	223	S31-20E	81	(24.7)	
	224	S30-58E	140	(42.7)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	225			
	226	S29-12E	145 (44.2)	
	227	S20-02E	90 (27.4)	
	228	S42-10E	72 (21.9)	Ascending Pinto Creek.
	229	S57-03E	64 (19.5)	
	230	S20-04E	55 (16.8)	
	231	S03-41E	62 (18.9)	
	232	S19-09E	101 (30.8)	
		S27-36E	123 (37.5)	
	233			A point in Pinto Creek, 200 feet north- westerly of and perpendicular to Trail #3620.
	234	S63-26E	60 (18.3)	
	235	N71-16E	121 (36.9)	
	236	N65-18E	55 (16.8)	
	237	N53-32E	86 (26.2)	
	238	N57-34E	101 (30.8)	Paralleling Trail 3620 and 3662, 200 feet northwesterly of the centerline.
	239	N43-04E	63 (19.2)	
	240	N33-41E	101 (30.8)	
	241	N36-38E	151 (46.0)	
	242	N20-45E	102 (31.1)	
	243	N01-00E	106 (32.3)	
	244	N26-49E	102 (31.1)	
	245	N37-36E	220 (67.1)	
		N43-12E	112 (34.1)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE	246			
SW	N65-57E	71	(21.6)	
Map No. 1	247			
	N67-13E	142	(43.3)	
	248			
	N78-30E	120	(36.6)	Northeasterly paralleling Trail 3662, 200
	249			feet northwesterly of the centerline.
	N85-07E	117	(35.7)	
	250			
	S83-03E	124	(37.8)	
	251			
	S80-12E	170	(51.8)	
	252			A point 200 feet Northerly of and perpen- dicular to Trail 3662.
	N01-33E	780	(237.7)	
	253			An Angle Point.
	S88-31E	5261	(1603.6)	
	254			An Angle Point.
	N00-16W	1317	(401.4)	
	255			An Angle Point.
	S87-47E	1894	(577.3)	
	256			An Angle Point.
	N03-47E	2745	(836.7)	Northerly on a line excluding any portion of Forest Road 5884.403.
	257			A point 200 feet southwesterly of and perpendicular to the centerline of Trail 3662.
	N42-08W	85	(25.9)	
	258			
	N35-06W	136	(41.5)	Paralleling Trail 3662, 200 feet westerly
	259			of the centerline.
	N49-47W	144	(43.9)	
	260			

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SW Map No. 1	261	N18-35W	129 (39.3)	
	262	N25-15W	59 (18.0)	
	263	N09-43W	148 (45.1)	
	264	N07-55W	116 (35.4)	
	265	N13-56W	145 (44.2)	Paralleling Trail 3662, 200 feet westerly of the centerline.
	266	N03-56W	160 (48.8)	
	267	N05-43E	181 (55.2)	
	268	N00-23E	152 (46.3)	
	269	N11-11E	170 (51.8)	
	270	N12-32E	111 (33.8)	
	271	N14-26E	104 (31.7)	
	272	N11-35E	125 (38.1)	
	273	N18-34E	138 (42.1)	
	274	N02-03W	140 (42.7)	
	275	N01-29W	116 (35.4)	
	276	N07-39W	150 (45.7)	
		N07-58W	101 (30.8)	
	277			A point 200 feet westerly of and perpen- dicular to the centerline of Trail 3662.
		S87-09E	3788 (1154.0)	
	278			A point on a minor ridge.
	279	S33-07E	82 (25.0)	
	280	S63-53E	57 (17.4)	Ascending the ridge northeasterly of Diamond Creek.
		S09-28E	67 (20.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

WALDO LAKE	281				
SW		S42-56E	98	(29.9)	
Map No. 1	282				
		S46-53E	129	(39.3)	
	283				
		S50-59E	149	(45.4)	
	284				
		S56-13E	171	(52.1)	
	285				
		S42-55E	156	(47.5)	Ascending the ridge northeasterly of Diamond Creek.
	286				
		S54-18E	197	(60.0)	
	287				
		S51-11E	164	(50.0)	
	288				
		S63-06E	157	(47.9)	
	289				
		S63-13E	120	(36.6)	
	290				
		S66-48E	114	(34.7)	
WALDO LAKE	291				
SE		S21-28E	96	(29.3)	
Map No. 2	292				
		S14-31E	176	(53.6)	
	293				
		S21-16E	237	(72.2)	

	294				A point on said minor ridge easterly of Diamond Creek, elevation 4720 feet.

		S30-58E	23	(7.0)	
	295				
		S61-49E	95	(29.0)	
	296				
		S60-37E	100	(30.5)	Along the 4,720 foot contour.
	297				
		S52-33E	140	(42.7)	
	298				
		S34-47E	160	(48.8)	
	299				
		S36-09E	175	(53.3)	
	300				
		S56-46E	104	(31.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	301				
		N74-03E	87	(26.5)	
	302				
		N56-56E	154	(46.9)	
	303				
		N60-30E	148	(45.1)	
	304				
		N88-47E	142	(43.3)	Along the 4,720 foot contour,
	305				
		N46-54E	107	(32.6)	
	306				
		N29-54E	138	(42.1)	
	307				
		N25-31E	123	(37.5)	
	308				A point, elevation 4,720 feet, 100 feet westerly of the most westerly point of an unnamed skid road that extends west from Forest Road 5899.000.
		S68-12E	43	(13.1)	
	309				
		S50-30E	96	(29.3)	
	310				
		S54-08E	125	(38.1)	
	311				
		S59-20E	131	(39.9)	
	312				
		S53-03E	151	(46.0)	Paralleling said unnamed skid road,
	313				200 feet southwesterly of and
		S43-33E	167	(50.9)	perpendicular to the centerline.
	314				
		S34-02E	141	(43.0)	
	315				
		S36-24E	123	(37.5)	
	316				
		S33-48E	135	(41.1)	
	317				
		S61-36E	111	(33.8)	
	318				
		S74-34E	109	(33.2)	
	319				
		S83-55E	123	(37.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	320			
	321	S89-14E	74 (22.6)	Paralleling said unnamed skid road, 200 feet southwesterly of and perpendicular to the centerline.
	322	S12-50W	139 (42.4)	
	323	S11-41W	153 (46.6)	
		S01-00W	178 (54.3)	
	324			A point 200 feet Southerly of and perpendicular to the centerline of said unnamed skid road, elevation 5,200 feet.
	325	S86-31E	82 (25.0)	
	326	S66-40E	119 (36.3)	
	327	S67-05E	246 (75.0)	
	328	S58-15E	139 (42.4)	
	329	S01-00E	225 (68.6)	Along the 5,200 foot contour.
	330	S55-18E	111 (33.8)	
	331	N76-57E	84 (25.6)	
	332	N75-58E	120 (36.6)	
	333	N78-41E	127 (38.7)	
	334	N87-15E	146 (44.5)	
		N86-32E	132 (40.2)	
	335			A point in a minor draw, elevation 5,200 feet.
	336	S81-37E	96 (29.3)	
	337	S86-53E	184 (56.1)	Easterly.
	338	S85-53E	251 (76.5)	
		S86-15E	291 (88.7)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
WALDO LAKE SE Map No. 2	339		A point 200 feet Southerly of and perpen- dicular to the centerline of Forest Road 5899.000.
	N88-27E	332 (101.2)	
340	S76-44E	200 (61.0)	
341	S54-47E	42 (12.8)	
342	S68-12E	162 (49.4)	
343	N78-08E	141 (43.0)	Paralleling Forest Road 5899.000, 200 feet southerly of the centerline.
344	N60-18E	147 (44.8)	
345	N71-28E	195 (59.4)	
346	N71-40E	175 (53.3)	
347	N72-17E	177 (53.9)	
348	N73-27E	211 (64.3)	
349	N77-06E	184 (56.1)	
350	N86-11E	120 (36.6)	
351	N80-14E	124 (37.8)	
352	N71-02E	68 (20.7)	
353	N48-17E	62 (18.9)	
354	N05-50E	88 (26.8)	
355	N08-28E	190 (57.9)	
356	N01-46E	194 (59.1)	
357	N50-12E	62 (18.9)	
358	S52-34E	81 (24.7)	
359	S30-26E	93 (28.3)	
360			

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
WALDO LAKE SE Map No. 2	361 S38-15E	108 (32.9)	
	362 S34-54E	145 (44.2)	
	363 S39-46E	186 (56.7)	
	364 S44-45E	168 (51.2)	
	365 S67-41E	145 (44.2)	
	366 S78-25E	125 (38.1)	
	367 S86-05E	220 (67.1)	Paralleling Forest Road 5899.000, 200 feet southerly of the centerline.
	368 N80-34E	256 (78.0)	
	369 N68-17E	243 (74.1)	
	370 N53-47E	157 (47.9)	
	371 N01-00E	163 (49.7)	
	372 N33-56E	269 (82.0)	
	373 N49-02E	121 (36.9)	
	374 N57-45E	122 (37.2)	
	375 N81-48E	119 (36.3)	
	376 N84-06E	175 (53.3)	
	377 S79-02E	331 (100.9)	
	378 S85-12E	323 (98.5)	
	379 S78-33E	242 (73.8)	
	380 S77-03E	370 (112.8)	
	381 S70-17E	225 (68.6)	
	382 S59-05E	230 (70.1)	
	383 S51-38E	184 (56.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	384	S51-53E	212	(64.6)	
	385	S34-06E	232	(70.7)	
	386	S34-44E	230	(70.1)	
	387	S38-15E	174	(53.0)	
	388	S42-37E	170	(51.8)	
	389	S66-31E	158	(48.2)	
	390	S67-49E	222	(67.7)	Paralleling Forest Road 5899.000, 200 feet southerly of the centerline.
	391	S01-00E	208	(63.4)	
	392	S84-23E	409	(124.7)	
	393	S85-27E	277	(84.4)	
	394	S79-46E	242	(73.8)	
	395	N74-24E	89	(27.1)	
	396	N73-50E	104	(31.7)	
	397	N63-38E	133	(40.5)	
	398	N42-37E	170	(51.8)	
	399	N42-10E	72	(21.9)	
	400	N28-31E	197	(60.0)	
	401	N26-00E	91	(27.7)	
	402	N17-58E	156	(47.5)	
	403	N38-08E	118	(36.0)	
	404	S75-04E	31	(9.4)	
	405	S08-18W	49	(14.9)	
	406	S11-43E	84	(25.6)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	S08-53W	97	(29.6)	
	407 S02-10W	132	(40.2)	
	408 S06-18E	137	(41.8)	
	409 S01-18E	133	(40.5)	
	410 S22-54E	154	(46.9)	
	411 S20-06E	87	(26.5)	
	412 S31-15E	137	(41.8)	Paralleling Forest Road 5899.000, 200 feet southerly of the centerline.
	413 S40-44E	133	(40.5)	
	414 S18-06E	55	(16.8)	
	415 S45-30E	243	(74.1)	
	416 S48-38E	156	(47.5)	
	417 S59-02E	134	(40.8)	
	418 S64-21E	141	(43.0)	
	419 S62-46E	76	(23.2)	
	420 S73-18E	115	(35.1)	
	421 S87-19E	107	(32.6)	
	422 S82-10E	220	(67.1)	
	423 S80-04E	122	(37.2)	
	424 S81-56E	135	(41.1)	
	425 S79-45E	107	(32.6)	
	426 N85-57E	99	(30.2)	
	427 N70-21E	134	(40.8)	
	428 N44-26E	144	(43.9)	
	429			

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	N28-40E	85	(25.9)	
	430			
	N29-45E	81	(24.7)	
	431			
	N12-36E	96	(29.3)	
	432			
	N26-08E	179	(54.6)	
	433			
	N32-15E	176	(53.6)	Paralleling Forest Road 5899.000, 200 feet southerly of the centerline.
	434			
	N48-06E	157	(47.9)	
	435			
	N46-35E	128	(39.0)	
	436			
	N69-19E	105	(32.0)	
	437			
	N68-26E	133	(40.5)	
	438			
	N72-22E	158	(48.2)	
	439			
	N77-58E	139	(42.4)	
	440			
	N69-14E	186	(56.7)	
	441			
	N65-47E	207	(63.1)	
	442			
	N46-16E	129	(39.3)	

	443			A point 200 feet southeasterly of and perpendicular to the centerline of Forest Road 5899.000 and 200 feet southwesterly of and perpendicular to the centerline of the old Pengra Pass Road.

	S51-20E	13	(4.0)	
	444			
	S13-27E	47	(14.3)	
	445			
	S24-04E	113	(34.4)	Paralleling the old Pengra Pass Road, 200 feet southwesterly of centerline.
	446			
	S42-43E	159	(48.5)	
	447			
	S34-19E	229	(69.8)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	448			A point 200 feet southerly of and perpendicular to the forest road centerline at Pengra Pass Summit. Said point is on the boundary common to the Willamette and Deschutes National Forests.
	S20-59E	142	(43.3)	
449	S25-13E	246	(75.0)	
450	S27-12E	162	(49.4)	
451	S38-45E	182	(55.5)	
452	S40-08E	175	(53.3)	Paralleling the old Pengra Pass Road, 200 feet southwesterly of centerline.
453	S35-03E	164	(50.0)	
454	S50-40E	158	(48.2)	
455	S46-17E	158	(48.2)	
456	S52-17E	95	(29.0)	
457	S45-37E	132	(40.2)	
458	S52-57E	123	(37.5)	
459	S58-37E	138	(42.1)	
460	S50-04E	120	(36.6)	
461	S18-00E	84	(25.6)	
462	S06-12E	46	(14.0)	
463				A point 200 feet southerly of and perpendicular to the centerline of the old Pengrass Pass Road at the intersection with a line paralleling the right-of-way centerline of Southern Pacific Railroad Mainline, 250 feet southwesterly of said centerline.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	464	S02-48E	82	(25.0)	
	465	S08-14W	168	(51.2)	
	466	S03-01E	152	(46.3)	
	467	S04-54W	176	(53.6)	
	468	S07-18E	205	(62.5)	
	469	S01-00E	114	(34.7)	
	470	S05-57E	145	(44.2)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	471	S13-22E	164	(50.0)	
	472	S38-09E	178	(54.3)	
	473	S40-26E	142	(43.3)	
	474	S33-31E	89	(27.1)	
	475	S23-53E	133	(40.5)	
	476	S01-00E	223	(68.0)	
	477	S42-01E	149	(45.4)	
	478	S47-35E	172	(52.4)	
	479	S63-12E	217	(66.1)	
	480	S50-48E	168	(51.2)	
	481	S63-15E	273	(83.2)	
	482	S58-52E	286	(87.2)	
	483	S56-07E	253	(77.1)	
	484	S59-55E	291	(88.7)	
	485	S55-48E	340	(103.6)	
		S58-29E	249	(75.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	486				
		S65-50E	384	(117.0)	
	487				
		S54-02E	392	(119.5)	
	488				
		S62-54E	389	(118.6)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	489				
		S58-04E	444	(135.3)	
	490				
		S54-40E	405	(123.4)	
	491				
		S58-29E	285	(86.9)	
	492				
		S44-42E	267	(81.4)	
	493				
		S45-41E	117	(35.7)	
	494				A point 250 feet southwesterly of and perpendicular to the centerline of the Southern Pacific Railroad Mainline at the centerline of the western approach to the Southern Pacific Railroad turn-around tunnel.
		S34-19E	126	(38.4)	
	495				
		S04-51W	118	(36.0)	Paralleling the right-of-way of said railroad turn-around tunnel western approach, 250 feet southerly and westerly of centerline.
	496				
		S06-30E	159	(48.5)	
	497				
		S08-27W	150	(45.7)	
	498				A point 250 feet westerly of and perpendicular to the southerly end of the right-of-way centerline of the railroad turn-around tunnel.
		S12-42W	105	(32.0)	
	499				
		S19-22E	78	(23.8)	
	500				
		S44-21E	126	(38.4)	Along a 250 foot radius curve from the southerly end of the right-of-way centerline of the railroad turn-around tunnel.
	501				
		S53-19E	127	(38.7)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
WALDO LAKE SE Map No. 2	502			
		N78-48E	108 (32.9)	
	503	N57-54E	120 (36.6)	Along a 250 foot radius curve from the southerly end of the right-of-way centerline of the railroad turn-around tunnel.
	504	N16-54E	165 (50.3)	
	505			
				A point 250 feet easterly of and perpendicular to the southerly end of the right-of-way centerline of the railroad turn-around tunnel.
		N23-04E	176 (53.6)	
	506	N33-27E	134 (40.8)	Paralleling the right-of-way centerline of said railroad turn-around tunnel eastern approach, 250 feet easterly and southerly of said centerline.
	507	N38-40E	102 (31.1)	
	508	N56-59E	167 (50.9)	
	509			
				A point 250 feet southeasterly of and perpendicular to the right-of-way centerline of the eastern turn-around approach at the intersection with a line 250 feet southerly of and perpendicular to the right-of-way centerline of Southern Pacific Railroad Mainline.
		N82-24E	242 (73.8)	
	510	S88-29E	340 (103.6)	
	511	S70-54E	330 (100.6)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	512	S71-51E	260 (79.2)	
	513	S50-28E	371 (113.1)	
	514	S48-28E	397 (121.0)	
	515	S39-15E	424 (129.2)	
	516	S42-42E	494 (150.6)	
	517	S24-47E	289 (88.1)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION

WALDO LAKE	518			
SE				
Map No. 2	519	S25-32E	199 (60.7)	
		S24-52E	242 (73.8)	
	520			
		S07-07E	234 (71.3)	
	521			
		S22-12E	323 (98.5)	
	522			
		S18-57E	243 (74.1)	
	523			
		S23-50E	188 (57.3)	
	524			
		S20-22E	215 (65.5)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	525			
		S26-46E	244 (74.4)	
	526			
		S20-28E	295 (89.9)	
	527			
		S27-21E	226 (68.9)	
	528			
		S38-13E	239 (72.8)	
	529			
		S58-46E	389 (118.6)	
	530			
		S65-40E	299 (91.1)	
	531			
		S73-49E	323 (98.5)	
	532			
		S82-24E	310 (94.5)	
	533			
		N83-35E	260 (79.2)	
	534			
		N72-32E	300 (91.4)	
	535			
		N70-15E	358 (109.1)	
	536			
		N60-33E	338 (103.0)	
	537			
		N74-25E	413 (125.9)	
	538			
		N70-34E	216 (65.8)	
	539			
		S89-41E	180 (54.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

WALDO LAKE	540				
SE		S79-23E	260	(79.2)	
Map No. 2	541	S68-50E	219	(66.8)	
	542	S60-04E	237	(72.2)	
	543	S47-24E	236	(71.9)	
	544	S41-15E	270	(82.3)	
	545	S36-39E	209	(63.7)	
	546	S41-53E	261	(79.6)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	547	S30-37E	202	(61.6)	
	548	N63-07E	80	(24.4)	
ODELL LAKE	549	S27-30E	193	(58.8)	
Map No. 3	550	S26-42E	185	(56.4)	
	551	S38-10E	202	(61.6)	
	552	S42-15E	207	(63.1)	
	553	S52-57E	194	(59.1)	
	554	S61-33E	258	(78.6)	
	555	S68-45E	348	(106.1)	
	556	S64-42E	346	(105.5)	
	557	S70-45E	243	(74.1)	
	558	S63-26E	141	(43.0)	
	559	S64-45E	213	(64.9)	
	560	S18-44E	118	(36.0)	
	561	S57-39E	155	(47.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
ODELL LAKE Map No. 3	562			
	563	S34-42E	269 (82.0)	
	564	S33-44E	416 (126.8)	
	565	S26-21E	365 (111.3)	
	566	S25-50E	314 (95.7)	
	567	S27-28E	199 (60.7)	
	568	S58-53E	203 (61.9)	
	569	S64-13E	163 (49.7)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	570	S64-40E	250 (76.2)	
	571	S65-37E	247 (75.3)	
	572	S47-33E	159 (48.5)	
	573	S56-06E	231 (70.4)	
	574	S61-08E	402 (122.5)	
	575	S59-25E	338 (103.0)	
	576	S69-48E	585 (178.3)	
	577	S69-22E	463 (141.1)	
	578	S65-35E	610 (185.9)	
	579	S67-26E	263 (80.2)	
	580	S67-42E	216 (65.8)	
	581	S71-52E	308 (93.9)	
	582	S76-20E	224 (68.3)	
	583	S88-32E	312 (95.1)	
		S87-24E	462 (140.8)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
ODELL LAKE Map No. 3	584 S82-25E	386 (117.7)	
	585 S88-09E	372 (113.4)	
	586 S71-01E	163 (49.7)	
	587 S73-34E	163 (49.7)	
	588 S50-15E	131 (39.9)	
	589 S46-27E	196 (59.7)	
	590 S40-12E	279 (85.0)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	591 S40-36E	470 (143.3)	
	592 S41-29E	462 (140.8)	
	593 S37-11E	655 (199.6)	
	594 S36-03E	600 (182.9)	
	595 S36-27E	495 (150.9)	
	596 S42-20E	258 (78.6)	
	597 S32-46E	260 (79.2)	
	598 S51-23E	229 (69.8)	
	599 S22-53E	244 (74.4)	
	600 S17-28E	187 (57.0)	
	601 S10-23E	217 (66.1)	
	602 S07-24E	210 (64.0)	
	603 S02-26E	188 (57.3)	
	604 S06-46W	161 (49.1)	
	605		

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
ODELL LAKE Map No. 3	606	S15-31W	243	(74.1)	
	607	S26-13W	217	(66.1)	
	608	S35-39W	252	(76.8)	
	609	S33-49W	266	(81.1)	
	610	S45-34W	429	(130.8)	
	611	S48-05W	446	(135.9)	
	612	S52-47W	684	(208.5)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	613	S52-45W	745	(227.1)	
	614	S52-17W	775	(236.2)	
	615	S49-06W	721	(219.8)	
	616	S51-52W	722	(220.1)	
	617	S47-31W	677	(206.4)	
	618	S49-37W	607	(185.0)	
	619	S57-15W	220	(67.1)	
	620	S51-52W	154	(46.9)	
	621	S42-40W	208	(63.4)	
	622	S38-14W	192	(58.5)	
	623	S01-00W	208	(63.4)	
	624	S22-26W	204	(62.2)	
	625	S19-25W	165	(50.3)	
		S14-52W	168	(51.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION

ODELL LAKE Map No. 3	626			
	S11-19W	158	(48.2)	
	627			
	S00-21E	162	(49.4)	
	628			
	S06-26E	134	(40.8)	
	629			
	S03-43E	200	(61.0)	
	630			
	S07-24E	264	(80.5)	Paralleling the right-of-way of the Southern Pacific Railroad Mainline, 250 feet southwesterly of centerline.
	631			
	S13-29E	202	(61.6)	
	632			
	S15-49E	194	(59.1)	
	633			
	S09-12E	288	(87.8)	
	634			
	S23-32E	178	(54.3)	
	635			
	S29-52E	171	(52.1)	
	636			
	S34-20E	248	(75.6)	
	637			
	S32-43E	179	(54.6)	
	638			
	S33-56E	133	(40.5)	
	639			
	S08-16E	63	(19.2)	

	640			A point 250 feet westerly of and perpen- dicular to the right-of-way centerline of the Southern Pacific Railroad Mainline which is 500 feet northerly of and per- pendicular to the centerline of State Highway 162.

	S17-06W	54	(16.5)	
	641			
	S24-34W	77	(23.5)	Paralleling State Highway 162, 500 feet southwesterly of centerline.
	642			
	S25-32W	100	(30.5)	
	643			
	S20-33W	145	(44.2)	
	644			

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
ODELL LAKE Map No. 3	S20-33W	145	(44.2)	
	644 S12-10E	119	(36.3)	
	645 S04-24W	26	(7.9)	
	646 S14-02E	66	(20.1)	
	647 S35-15E	113	(34.4)	Paralleling State Highway 162, 500 feet southwesterly of centerline.
	648 S33-59E	163	(49.7)	
	649 S31-28E	193	(58.8)	
	650 S34-33E	168	(51.2)	
	651 S41-29E	127	(38.7)	
	652 S44-03E	171	(52.1)	
	653 S42-33E	232	(70.7)	
	654 S10-48E	112	(34.1)	
	655 S17-49E	59	(18.0)	
	656			A point 500 feet southwesterly of and perpendicular to the centerline of State Highway 162 which is 500 feet northwest- erly of and perpendicular to the center- line of Forest Road 60.
	S01-41E	34	(10.4)	
	657 S25-38W	55	(16.8)	
	658 S28-46W	139	(42.4)	Paralleling Forest Road 60, 500 feet northwesterly of centerline.
	659 S42-03W	193	(58.8)	
	660 S43-01W	204	(62.2)	
	661 S43-15W	185	(56.4)	
	662			

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
ODELL LAKE Map No. 3	663	S49-11W	311 (94.8)	
	664	S49-08W	284 (86.6)	
	665	S51-37W	288 (87.8)	
	666	S59-55W	190 (57.9)	
	667	S54-54W	226 (68.9)	
	668	S59-22W	182 (55.5)	
	669	S69-22W	173 (52.7)	Paralleling Forest Road 60, 500 feet northwesterly of centerline.
	670	S82-45W	182 (55.5)	
	671	S83-16W	179 (54.6)	
	672	S89-23W	92 (28.0)	
	673	S84-17W	100 (30.5)	
	674	S38-57W	60 (18.3)	
	675	S36-04W	114 (34.7)	
	676	S37-52W	91 (27.7)	
	677	S48-27W	164 (50.0)	
	678	S60-06W	285 (86.9)	
	679	S52-13W	214 (65.2)	
	680	S48-44W	196 (59.7)	
	681	S46-58W	207 (63.1)	
	682	S33-15W	257 (78.3)	
	683	S28-14W	417 (127.1)	
		S00-18E	190 (57.9)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
CRESCENT LAKE Map No. 4	684			
	S18-37E	97	(29.6)	
	685			
	S09-28E	134	(40.8)	
	686			
	S11-19W	61	(18.6)	
	687			
	S51-20W	26	(7.9)	
	688			
	S35-54W	165	(50.3)	
	689			
	S53-58W	82	(25.0)	
	690			
	S58-37W	117	(35.7)	Paralleling Forest Road 60, 500 feet northwesterly of centerline.
	691			
	S84-30W	104	(31.7)	
	692			
	S67-34W	136	(41.5)	
	693			
	S69-55W	154	(46.9)	
	694			
	S63-50W	127	(38.7)	
	695			
	S58-14W	207	(63.1)	
	696			
	S49-19W	160	(48.8)	
	697			
	S01-00W	173	(52.7)	
	698			
	S51-52W	189	(57.6)	
	699			
	S47-05W	194	(59.1)	
	700			
	S59-02W	58	(17.7)	
	701			
	S52-01W	145	(44.2)	
	702			
	S51-45W	174	(53.0)	
	703			
	S57-24W	145	(44.2)	
	704			
	S46-34W	129	(39.3)	
	705			
	S48-34W	148	(45.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CRESCENT LAKE Map No. 4	706				
		S62-29W	214	(65.2)	
	707				
		S38-30W	169	(51.5)	
	708				
		S58-53W	124	(37.8)	
	709				
		S67-47W	130	(39.6)	
	710				
		S58-46W	143	(43.6)	
	711				
		S54-22W	196	(59.7)	
	712				
		S83-13W	127	(38.7)	Paralleling Forest Road 60, 500 feet northwesterly of centerline.
	713				
		S01-00W	210	(64.0)	
	714				
		S59-43W	145	(44.2)	
	715				
		S73-23W	140	(42.7)	
	716				
		S68-16W	159	(48.5)	
	717				
		S60-47W	135	(41.1)	
	718				
		S75-18W	126	(38.4)	
	719				
		S57-28W	82	(25.0)	
	720				
		S56-09W	99	(30.2)	
SUMMIT LAKE NE Map No. 5	721				
		S53-53W	92	(28.0)	
	722				
		S34-17W	107	(32.6)	
	723				
		S29-27W	142	(43.3)	
	724				
		S46-38W	149	(45.4)	
	725				
		S33-54W	154	(46.9)	
	726				
		S44-05W	264	(80.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE	727		
NE	S45-23W	214 (65.2)	
Map No. 5	728		
	S59-32W	158 (48.2)	
	729		
	S54-55W	205 (62.5)	
	730		
	S55-52W	143 (43.6)	
	731		
	S51-54W	224 (68.3)	
	732		
	S53-01W	193 (58.8)	
	733		
	S52-07W	160 (48.8)	Paralleling Forest Road 60, 500 feet northwesterly of centerline.
	734		
	S56-14W	192 (58.5)	
	735		
	S39-20W	158 (48.2)	
	736		
	S36-42W	137 (41.8)	
	737		
	S36-38W	97 (29.6)	
	738		
	S36-20W	84 (25.6)	
	739		
	S41-17W	109 (33.2)	
	740		
	S37-30W	108 (32.9)	
	741		
	S37-39W	88 (26.8)	
	742		
	S43-28W	265 (80.8)	
	743		
	S29-50W	157 (47.9)	
	744		
	S29-21W	220 (67.1)	
	745		
	S25-21W	168 (51.2)	
	746		
	S37-58W	231 (70.4)	
	747		
	S25-19W	246 (75.0)	
	748		

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
SUMMIT LAKE NE Map No. 5	749	S22-01W	192 (58.5)	
	750	S23-32W	135 (41.1)	
	751	S40-19W	87 (26.5)	
	752	S49-47W	178 (54.3)	
	753	S58-47W	154 (46.9)	Paralleling Forest Road 60, 500 feet northwesterly of centerline.
	754	S58-57W	252 (76.8)	
	755	S62-26W	203 (61.9)	
	756	S52-00W	244 (74.4)	
	757	S65-25W	130 (39.6)	
	758	S56-28W	206 (62.8)	
	759	S45-45W	327 (99.7)	
	760	S48-29W	232 (70.7)	
	761	S46-30W	108 (32.9)	
	762	S47-24W	168 (51.2)	
	763	S44-34W	188 (57.3)	
		S37-00W	173 (52.7)	
	764			A point 500 feet northwesterly of and perpendicular to the centerline of Forest Road 60 which is S83-37W, 549 feet from the West 1/4 corner of Section 21 T.24 S., R.6 E., W.M.
		N83-37W	549 (167.3)	
	765			East 1/4 corner Sec.20, T.24 S., R.6 E.
		N89-01W	5332 (1625.2)	Along East-West centerline of said Sec. 20

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
SUMMIT LAKE 766 NE				East 1/4 corner of Sec. 19, T.24S., R.6E.
Map No. 5	N88-32W	4954	(1510.0)	Along East-west centerline of said Sec. 19.
	767			West 1/4 of corner said Section 19.
	S00-34W	1017	(310.0)	Along West line of said Section 19.
	768			A point on the West line of said Section 19 which is 200 feet northerly of and perpendicular to the centerline of Forest Road 6010.000.
	N48-57W	225	(68.6)	
769	N60-54W	243	(74.1)	
770	N55-20N	197	(60.0)	
771	N74-54W	131	(39.9)	
772	N72-11W	176	(53.6)	Paralleling Forest Road 6010.000,
773	S78-05W	184	(56.1)	200 feet northerly of centerline.
774	S71-07W	161	(49.1)	
775	S65-11W	176	(53.6)	
776	S58-28W	103	(31.4)	
777	S42-45W	144	(43.9)	
778	S42-04W	194	(59.1)	
779	S48-46W	258	(78.6)	
780	S42-36W	168	(51.2)	
781	S52-07W	91	(27.7)	
782	S56-53W	110	(33.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE	783		
NE	S66-04W	254 (77.4)	
Map No. 5	784		
	S74-29W	112 (34.1)	
	785		
	S64-30W	144 (43.9)	
	786		
	S40-55W	40 (12.2)	
	787		
	S35-17W	159 (48.5)	
	788		
	S24-46W	143 (43.6)	
	789		
	S15-27W	176 (53.6)	
	790		Paralleling Forest Road 6010.000,
	S13-24W	86 (26.2)	200 feet northerly of the centerline.
	791		
	S24-54W	62 (18.9)	
	792		
	S48-49W	170 (51.8)	
	793		
	S71-34W	114 (34.7)	
	794		
	S86-14W	182 (55.5)	
	795		
	S85-40W	239 (72.8)	
	796		
	S89-36W	290 (88.4)	
	797		
	N86-45W	282 (86.0)	
	798		
	N76-43W	183 (55.8)	
	799		
	N80-43W	254 (77.4)	
	800		
	N79-54W	205 (62.5)	
	801		
	N80-32W	292 (89.0)	
	802		
	00-00W	328 (100.0)	
	803		
	S85-49W	164 (50.0)	
	804		
	S78-24W	159 (48.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE	805		
NE	S79-32W	242 (73.8)	
Map No. 5	806		
	N87-25W	222 (67.7)	
	807		
	S57-00W	184 (56.1)	
	808		
	S86-38W	136 (41.5)	
	809		
	S69-19W	210 (64.0)	
	810		
	S72-39W	235 (71.6)	
	811		
	S75-17W	205 (62.5)	Paralleling Forest Road 6010.000, 200 feet northerly of centerline.
	812		
	S77-06W	148 (45.1)	
	813		
	S82-52W	161 (49.1)	
	814		
	N78-33W	161 (49.1)	
	815		
	N56-04W	133 (40.5)	
	816		
	N54-47W	125 (38.1)	
	817		
	N72-54W	109 (33.2)	
	818		
	N72-11W	118 (36.0)	
	819		
	N75-23W	95 (29.0)	
	820		
	S60-03W	136 (41.5)	
	821		
	S66-10W	94 (28.7)	
	822		
	S75-48W	163 (49.7)	
	823		
	S83-59W	153 (46.6)	
	824		
	N77-44W	188 (57.3)	
	825		
	N70-23W	214 (65.2)	
	826		
	N60-40W	204 (62.2)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE 827			
NE	N66-14W	184 (56.1)	
Map No. 5 828	N59-02W	128 (39.0)	
829	N69-35W	92 (28.0)	
830	N87-19W	128 (39.0)	
831	S77-34W	139 (42.4)	
832	S66-02W	177 (53.9)	
833	S61-15W	164 (50.0)	Paralleling Forest Road 6010.000, 200 feet northerly of centerline.
834	S50-19W	122 (37.2)	
835	S62-06W	192 (58.5)	
836	S56-19W	144 (43.9)	
837	S46-27W	168 (51.2)	
838	S67-40W	158 (48.2)	
839	S68-36W	208 (63.4)	
840	S89-04W	122 (37.2)	
841	S80-02W	150 (45.7)	
842	N76-52W	123 (37.5)	
843	S86-59W	114 (34.7)	
844	S71-55W	206 (62.8)	
845	S84-09W	157 (47.9)	
846	N80-19W	166 (50.6)	
847	S86-32W	198 (60.4)	
848	S77-54W	172 (52.4)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
SUMMIT LAKE	849			
NE	N89-42W	194	(59.1)	
Map No. 5	850			
	S80-38W	197	(60.0)	
	851			
	S78-56W	187	(57.0)	
	852			
	S73-42W	135	(41.1)	
	853			
	S62-17W	133	(40.5)	
	854			
	S50-32W	132	(40.2)	
	855			
	S40-55W	198	(60.4)	Paralleling Forest Road 6010.000, 200 feet northerly of centerline.
	856			
	S49-24W	111	(33.8)	
	857			
	S74-29W	187	(57.0)	
	858			
	S77-14W	262	(79.9)	
	859			
	S81-49W	267	(81.4)	
	860			
	S89-15W	154	(46.9)	
	861			
	N74-49W	145	(44.2)	
	862			
	N82-03W	174	(53.0)	
	863			
	N75-49W	196	(59.7)	
	864			
	N71-17W	196	(59.7)	
	865			
	01-00W	252	(76.8)	
	866			
	N77-37W	168	(51.2)	
	867			
	N75-58W	140	(42.7)	
	868			
	N79-03W	126	(38.4)	
	869			
	S80-27W	217	(66.1)	
	870			
	S75-53W	320	(97.5)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE	871		
NE	S87-28W	226 (68.9)	
Map No. 5	872		
	S78-54W	312 (95.1)	
	873		
	S74-49W	145 (44.2)	
	874		
	S64-37W	173 (52.7)	
	875		
	S78-31W	261 (79.6)	
	876		
	N87-33W	210 (64.0)	Paralleling Forest Road 6010.000, 200 feet northerly of centerline.
SUMMIT LAKE	877		
NW	N83-45W	129 (39.3)	
Map No. 6	878		
	S84-07W	263 (80.2)	
	879		
	S78-49W	180 (54.9)	
	880		
	S68-39W	162 (49.4)	
	881		
	S73-04W	168 (51.2)	
	882		
	S78-10W	171 (52.1)	
	883		
	S45-29W	83 (25.3)	
	884		
	S41-34W	130 (39.6)	
	885		
	S50-15W	131 (39.9)	
	886		
	S49-51W	109 (33.2)	
	887		
	S50-46W	63 (19.2)	
	888		
	S68-43W	83 (25.3)	
	889		
	S85-44W	134 (40.8)	
	890		
	00-00W	92 (28.0)	
	891		
	S65-55W	93 (28.3)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE 892			
NW	S45-54W	91 (27.7)	
Map No. 6 893	S40-06W	124 (37.8)	
894	S24-10W	117 (35.7)	
895	S19-48W	80 (24.4)	
896	S38-13W	60 (18.3)	
897	S02-52W	60 (18.3)	
898	S20-55W	36 (11.0)	Paralleling Forest Road 6010.000, 200 feet northerly of centerline.
899	N42-07W	98 (29.9)	
900	N59-38W	115 (35.1)	
901	N70-54W	110 (33.5)	
902	S77-12W	90 (27.4)	
903	S86-25W	80 (24.4)	
904	N85-59W	114 (34.7)	
905	N65-02W	81 (24.7)	
906	N47-46W	118 (36.0)	
907	N01-00W	91 (27.7)	
908	N05-03E	68 (20.7)	
909	N19-29W	69 (21.0)	
910	N31-49W	93 (28.3)	
911	N26-50W	93 (28.3)	
912	N50-38W	115 (35.1)	
913	N48-26W	71 (21.6)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE NW Map No. 6	914		
	915	N04-31W 76 (23.2)	
	916	N29-03W 93 (28.3)	
	917	N47-21W 103 (31.4)	
	918	N59-42W 103 (31.4)	
	919	N82-10W 81 (24.7)	Paralleling Forest Road 6010.000, 200 feet northerly of centerline.
	920	N88-30W 76 (23.2)	
	921	S79-11W 69 (21.0)	
	922	S56-28W 100 (30.5)	
	923	S50-29W 104 (31.7)	
	924	S32-42W 80 (24.4)	
	925	S47-15W 72 (21.9)	
	926	S53-08W 50 (15.2)	
	927	S88-20W 69 (21.0)	
	928		A point on Emigrant Pass which lies on the boundary to the Deschutes and Willamette National Forests.
	929	S82-17W 97 (29.6)	
	930	S75-17W 122 (37.2)	
	931	S61-28W 130 (39.6)	Paralleling Forest Road 2160.380, 200 feet northerly of centerline.
	932	S48-58W 102 (31.1)	
	933	S48-45W 86 (26.2)	
	934	S45-25W 97 (29.6)	
		S45-00W 69 (21.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
SUMMIT LAKE NW Map No. 6	935	S57-42W	103	(31.4)
	936	S75-08W	117	(35.7)
	937	N67-56W	120	(36.6)
	938	N62-53W	140	(42.7)
	939	N71-42W	127	(38.7)
	940	N80-48W	175	(53.3)
	941	S83-57W	85	(25.9) Paralleling Forest Road 2160.380, 200 feet northerly of centerline.
	942	N87-20W	86	(26.2)
	943	N43-05W	105	(32.0)
	944	N50-16W	100	(30.5)
	945	N48-35W	68	(20.7)
	946	N62-22W	121	(36.9)
	947	N77-43W	183	(55.8)
	948	N80-48W	144	(43.9)
	949	N86-45W	88	(26.8)
	950	S86-16W	92	(28.0)
	951	S75-44W	122	(37.2)
	952	S64-45W	59	(18.0)
	953	N51-29W	63	(19.2)
	954	N33-58W	118	(36.0)
	955	N43-22W	149	(45.4)
		N57-09W	151	(46.0)

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SUMMIT LAKE	956		
NW	N69-08W	149 (45.4)	
Map No. 6	957		
	N72-13W	138 (42.1)	
	958		
	N74-24W	186 (56.7)	
	959		
	N89-00W	230 (70.1)	
	960		
	S86-15W	122 (37.2)	
	961		
	S75-08W	117 (35.7)	
	962		
	S84-24W	102 (31.1)	Paralleling Forest Road 2160.380, 200 feet northerly of centerline.
	963		
	S74-15W	122 (37.2)	
	964		
	S43-05W	127 (38.7)	
	965		
	S33-41W	105 (32.0)	
	966		
	S47-24W	118 (36.0)	
	967		
	S65-26W	115 (35.1)	
	968		
	S83-11W	160 (48.8)	
	969		
	S67-33W	100 (30.5)	
	970		
	S74-53W	115 (35.1)	
	971		
	S55-22W	118 (36.0)	
	972		
	S49-54W	75 (22.9)	
	973		
	N79-39W	106 (32.3)	
	974		
	S83-17W	103 (31.4)	
	975		
	S67-21W	138 (42.1)	
	976		
	S55-44W	83 (25.3)	
	977		
	S49-58W	131 (39.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION

SUMMIT LAKE	978				
NW		S40-21W	122	(37.2)	
Map No. 6	979				
		S33-41W	108	(32.9)	
	980				
		S74-27W	119	(36.3)	
	981				
		S84-06W	117	(35.7)	
	982				
		N83-21W	121	(36.9)	
	983				
		S79-26W	120	(36.6)	
	984				
		S75-10W	121	(36.9)	Paralleling Forest Road 2160.380, 200 feet northerly of centerline.
	985				
		S88-03W	118	(36.0)	
	986				
		N86-31W	148	(45.1)	
	987				
		N73-55W	170	(51.8)	
	988				
		N76-13W	55	(16.8)	
	989				
		N85-08W	94	(28.7)	
	990				
		S81-43W	153	(46.6)	
	991				
		S76-02W	207	(63.1)	
	992				
		S89-35W	138	(42.1)	
	993				
		S83-45W	129	(39.3)	
	994				
		N70-41W	103	(31.4)	
	995				
		N69-56W	111	(33.8)	
	996				
		N43-07W	129	(39.3)	
	997				
		N23-43W	72	(21.9)	
	998				
		N53-47W	88	(26.8)	
	999				
		N62-10W	101	(30.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUMMIT LAKE NW Map No. 6	1000				
		N52-56W	113	(34.4)	
	1001				
		N32-04W	89	(27.1)	
	1002				
		N07-58W	101	(30.8)	
	1003				
		N05-03W	113	(34.4)	
	1004				
		N02-12W	104	(31.7)	Paralleling Forest Roads 2160.380 and 2160.000, 200 feet northerly of centerline.
	1005				
		N31-05W	79	(24.1)	
	1006				
		N52-12W	124	(37.8)	
	1007				
		N54-17W	110	(33.5)	
	1008				
		N54-08W	102	(31.1)	
	1009				
		N85-36W	104	(31.7)	
	1010				
		N62-17W	67	(20.4)	
	1011				
		N10-07W	85	(25.9)	
	1012				
		N18-26E	95	(29.0)	
	1013				
		N21-44E	154	(46.9)	
	1014				
		N00-20E	174	(53.0)	
	1015				
		N13-09E	171	(52.1)	
	1016				
		N16-26E	145	(44.2)	
	1017				
		N24-10E	85	(25.9)	
	1018				
		N19-36E	63	(19.2)	
	1019				A point on the North line of Section 26, T.24S., R.SE. which is 200 feet easterly of and perpendicular to Forest Road 2160.000.
		S84-57E	171	(52.1)	Along the North line of said Section 26.
	1				The Point of Beginning.