

STRAWBERRY MOUNTAIN WILDERNESS

Malheur National Forest

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Strawberry Mountain Wilderness on the Malheur National Forest as entered into the National Wilderness Preservation System by the Acts of June 26, 1984 and September 3, 1964.

Signed

7/26/77

(Date)

Richard A. Torrence
for JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Strawberry Mountain Wilderness is as shown on the map dated September, 1986, on file in the office of the Chief of the USDA Forest Service and as generally described in Public Laws 98-328 and 88-577. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines, and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Strawberry Mountain Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with the Hewlett-Packard 9020 (Interactive Graphics System.) The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

STRAWBERRY MOUNTAIN WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Oregon State Plane coordinate grid system, North Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
STRAWBERRY MTN. CANYON MTN. 1 Map No. 1			Northeast corner of Section 18. T. 14 S., R. 32 E. Latitude 42-21-54.02 North, Longitude 118-57-46.21 West, Oregon grid coordinates south zone X=2,415,420 Y=258,319.
	N88-36E	5289 (1612.1)	Along north section line of Section 17, T. 14 S., R. 32 E.
	2		Northeast corner of said Section 17.
	N88-29E	1279 (389.8)	Along north section line of Section 16, T. 14 S., R. 32 E.
	3		A point on the north line of said Section 16 on a spur ridge.
	S42-10E	286 (87.2)	
4	S01-00E	487 (148.4)	
5	S35-09E	314 (95.7)	Ascends ridge.
6	S29-22E	338 (103.0)	
7	S37-14E	544 (165.8)	
8	S35-24E	445 (135.6)	
9	S41-09E	327 (99.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	10				
		S44-20E	362	(110.3)	
	11	S53-43E	471	(143.6)	
	12	S40-42E	368	(112.2)	Ascends ridge.
	13	S39-29E	302	(92.0)	
	14	S38-05E	188	(57.3)	
	15				A knob on a ridge top. Elevation 6,823 feet.
		N51-20E	128	(39.0)	
	16	N32-38E	182	(55.5)	
	17	N09-43E	184	(56.1)	
	18	N08-30E	176	(53.6)	
	19	N28-47E	104	(31.7)	Descends ridge.
	20	N06-09W	131	(39.9)	
	21	N20-21W	95	(29.0)	
PINE CREEK MTN. Map No. 2	22	N11-47W	240	(73.2)	
CANYON MTN. Map No. 1	23	N13-20W	139	(42.4)	
	24	N04-28W	231	(70.4)	
	25	N00-20W	172	(52.4)	
	26	N05-47E	169	(51.5)	
	27	N16-55E	131	(39.9)	
	28	N06-39E	60	(18.3)	
	29	N23-15W	132	(40.2)	
	30	N12-47W	145	(44.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	31				
		N07-29W	291	(88.7)	
	32				
		N01-32W	262	(79.9)	
	33				
		N17-16W	340	(103.6)	Descends ridge.
	34				
		N28-44W	225	(68.6)	
	35				
		N50-04W	120	(36.6)	
	36				
		N02-23W	48	(14.6)	
	37				Intersection of ridge with north section line of Section 16, T. 14 S., R. 32 E.
PINE CREEK MTN. Map No. 2		N86-56E	412	(125.6)	
	38				Along north section line of said Section 16.
		N89-18E	1390	(423.7)	
	39				NE corner of said Section 16.
		N88-43E	5230	(1594.1)	Along north section line of Section 15, T. 14 S., R. 32 E.
	40				The northeast corner of said Section 16.
		N88-29E	5147	(1568.8)	Along north section line of Section 14, T. 14 S., R. 32 E.
	41				A point on the north section line of said Section 14 in a creek tributary to Pine Creek.
		S05-35W	226	(68.9)	
	42				
		S02-07W	108	(32.9)	Ascend said tributary.
	43				
		S06-00W	354	(107.9)	
	44				
		S04-13W	218	(66.4)	
	45				
		S16-59E	301	(91.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK	46				
MTN.		S26-34E	221	(67.4)	
Map	47				
No. 2		S14-37E	214	(65.2)	
	48				
		S00-48E	214	(65.2)	
	49				
		S01-49E	158	(48.2)	
	50				
		S13-57E	178	(54.3)	
	51				
		S20-46E	257	(78.3)	Ascend said tributary.
	52				
		S11-45E	226	(68.9)	
	53				
		S33-09E	203	(61.9)	
	54				
		S03-38E	142	(43.3)	
	55				
		S08-40E	153	(46.6)	
	56				
		S01-09E	298	(90.8)	
	57				
		S13-36W	157	(47.9)	
	58				
		S19-08W	156	(47.5)	
	59				
		S14-20W	137	(41.8)	
	60				
		S07-15E	166	(50.6)	
	61				
		S27-49E	309	(94.2)	
	62				
		S28-22E	284	(86.6)	
	63				
		S19-54E	358	(109.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	64				
		S23-37E	235	(71.6)	
	65	S03-41W	281	(85.6)	Ascend said tributary.
	66	S08-10W	239	(72.8)	
	67	S16-44W	170	(51.8)	
	68	S27-54W	77	(23.5)	
	69				Point in Saddle. Elevation 5920 feet.
		S37-08E	129	(39.3)	
	70	S29-21E	249	(75.9)	
	71	S29-51E	203	(61.9)	Along 5920 foot contour
	72	S05-34W	82	(25.0)	
	73	S10-50E	96	(29.3)	
	74	S39-17E	28	(8.5)	
	75				A point on the 5920 foot contour which is 200 feet slope distance southwesterly of and perpendicular to centerline of Forest Road 5401811.
		S28-23E	141	(43.0)	
	76	S54-55E	160	(48.8)	
	77	S76-02E	199	(60.7)	
	78	N86-34E	200	(61.0)	Paralleling Forest Road 5401811, 200 feet slope distance southwesterly of centerline.
	79	S77-53E	195	(59.4)	
	80	S57-14E	103	(31.4)	
	81	S41-30E	174	(53.0)	
	82	S31-00E	260	(79.2)	
	83				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2		S36-40E	410	(125.0)	
	84	S46-52E	218	(66.4)	
	85	S59-35E	199	(60.7)	
	86	S62-04E	263	(80.2)	
	87	S65-43E	146	(44.5)	
	88	S51-40E	195	(59.4)	Paralleling Forest Road 5401811. 200 feet slope distance southeasterly of centerline.
	89	S43-34E	284	(86.6)	
	90	S37-19E	206	(62.8)	
	91	S55-06E	210	(64.0)	
	92	S42-31E	342	(104.2)	
	93	S38-45E	371	(113.1)	
	94	S31-21E	429	(130.8)	
	95	S35-13E	104	(31.7)	
	96	S67-45E	71	(21.6)	
	97	S59-58E	192	(58.5)	
	98				A point 200 feet slope distance south- westerly from centerline of Forest Road 5401811, on north bank of Pine Creek.
		S66-45E	263	(80.2)	
	99	S69-24E	318	(96.9)	Along north bank of Pine Creek.
	100	S75-35E	297	(90.5)	
	101				A point in Pine Creek. Elevation 6000 feet.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	S01-59W	811	(247.2)	Ascending north facing slope.
	102			A point 200 feet slope distance southerly of and perpendicular to the end point of Forest Road 5401811.
	S84-45E	251	(76.5)	
103	S70-05E	317	(96.6)	
104	S78-02E	309	(94.2)	
105	S75-18E	228	(69.5)	Parallels Forest Road 5401811, 200 feet slope distance southerly of centerline.
106	N58-17E	129	(39.3)	
107	N48-37E	168	(51.2)	
108	N34-07E	146	(44.5)	
109	N09-10W	126	(38.4)	
110	N30-05W	146	(44.5)	
111	N43-56W	189	(57.6)	
112	N52-37W	288	(87.8)	
113	N55-38W	211	(64.3)	
114	N57-43W	170	(51.8)	
115	N61-10W	124	(37.8)	
116	N70-01W	234	(71.3)	
117	N60-57W	299	(91.1)	
118	N54-03W	225	(68.6)	
119	N58-46W	258	(78.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	120				
		N69-04W	196	(59.7)	
	121				
		N53-50W	212	(64.6)	
	122				Paralleling Forest Road 5401811, 200 feet slope distance easterly and northeasterly of centerline.
		N46-27W	447	(136.2)	
	123				
		N39-25W	487	(148.4)	
	124				
		N40-01W	431	(131.4)	
	125				
		N40-45W	411	(125.3)	
	126				
		N41-17W	317	(96.6)	
	127				
		N26-21W	122	(37.2)	
	128				
		N65-42W	102	(31.1)	
129					
		N72-06W	241	(73.5)	
	130				
131		N60-29W	244	(74.4)	
		N65-12W	174	(53.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	132				
		N31-34W	292	(89.0)	
	133				Paralleling Forest Road 5401811, 200 feet slope distance northeasterly of centerline.
		N30-31W	325	(99.1)	
	134				
		N27-29W	195	(59.4)	
	135				
		N47-44W	149	(45.4)	
	136				
		N72-32W	130	(39.6)	
	137				
		N87-39W	171	(52.1)	
	138				
		N71-16W	118	(36.0)	
	139				
		N46-47W	45	(13.7)	
	140				A point 200 feet slope distance northeasterly of and perpendicular to Forest Road No. 5401811.
		N34-56W	89	(27.1)	
	141				Ascend
		N07-07W	64	(19.5)	
	142				
		N38-09E	36	(11.0)	
	143				A point on a spur ridge. Elevation 6,120 feet.
		N65-29E	2361	(719.6)	
	144				A point on north section line, Sect. 24, T. 14 S., R. 32 E. Elevation 6,600 feet.
		N88-26E	1676	(510.8)	Along north section line of Section 24, T. 14 S., R. 32 E.
	145				Northeast corner of said Section 24.
		N67-10E	2513	(766.0)	
	146				A point in a tributary of West Fork Little Indian Creek. Elev. 5,760 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	147	N22-07E	207	(63.1)	
	148	N27-05E	301	(91.7)	Follows centerline of tributary of West Fork Little Indian Creek.
	149	N12-41E	319	(97.2)	
	150	N12-09E	199	(60.7)	
	151	N36-40E	117	(35.7)	
	152	N51-45E	258	(78.6)	
	153	N48-36E	271	(82.6)	
	154	N54-17E	180	(54.9)	
	155	N52-42E	396	(120.7)	
	156	N53-33E	380	(115.8)	
		N49-18E	179	(54.6)	
	157				Junction of tributary and West Fork Little Indian Creek
	158	S25-46E	191	(58.2)	
	159	S17-46E	272	(82.9)	
	160	S33-05E	181	(55.2)	Ascend West Fork Little Indian Creek.
	161	S18-02E	226	(68.9)	
	162	S14-07E	172	(52.4)	
	163	S46-08E	107	(32.6)	
	164	S12-13E	137	(41.8)	
	165	S15-28E	184	(56.1)	
	166	S03-23E	152	(46.3)	
		S13-07E	137	(41.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	167				
		S21-18E	63	(19.2)	
	168				Ascend West Fork Little Indian Creek.
		S41-07E	84	(25.6)	
	169				Point of crossing of Forest Road 5401797 and West Fork Little Indian Creek.
		S60-16E	655	(199.6)	
	170				
		S65-10E	562	(171.3)	Ascend ridge.
	171				
		S61-24E	493	(150.3)	
	172				
		S63-41E	426	(129.8)	
	173				
		S53-38E	226	(68.9)	
	174				
		S48-35E	361	(110.0)	
	175				
		S52-05E	407	(124.1)	
	176				
		S52-57E	491	(149.7)	
	177				
		S62-58E	378	(115.2)	
	178				
		S57-29E	190	(57.9)	
	179				High point on a ridge, Elevation 6,915 feet.
		S12-52E	72	(21.9)	
	180				
		S23-31W	236	(71.9)	Along ridge.
	181				
		S12-17W	413	(125.9)	
	182				
		S05-54W	302	(92.0)	
	183				
		S02-54E	256	(78.0)	
	184				
		S01-51E	62	(18.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	185				
		S32-49W	181	(55.2)	
	186				
		S32-18W	402	(122.5)	Along ridge.
	187				
		S29-29W	291	(88.7)	
	188				
		S24-38W	240	(73.2)	
	189				
		S27-58W	128	(39.0)	
	190				A point on a ridge.
		S64-11E	207	(63.1)	
	191				
		S51-50E	256	(78.0)	Descend ridge.
	192				
		S56-57E	249	(75.9)	
	193				
		S70-57E	89	(27.1)	
	194				A point in Little Indian Creek. Elevation 7,060 feet.
		S73-24E	168	(51.2)	
	195				
		S80-42E	359	(109.4)	
	196				
		S81-56E	271	(82.6)	Ascend ridge.
	197				
		S76-52E	277	(84.4)	
	198				
		S71-43E	252	(76.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	199				
		S74-33E	480	(146.3)	Ascend ridge.
	200	S72-48E	189	(57.6)	
	201				High point on ridge. Elevation 7,424 feet.
		N64-13E	260	(79.2)	
	202	N53-44E	308	(93.9)	Descend.
	203	N53-35E	275	(83.8)	
	204	N68-14E	321	(97.8)	
	205				A point on east section line of Section 20, T. 14 S., R. 33 E.
		N01-28W	2256	(687.6)	Along east section line of said Section 20.
	206				A point on east section line of said Section 20 on a spur ridge.
		N33-16E	560	(170.7)	
	207	N29-03E	319	(97.2)	
	208	N15-54E	329	(100.3)	
	209	N11-13E	478	(145.7)	
	210	N14-56E	477	(145.4)	
	211	N23-54E	202	(61.6)	Descend spur ridge.
	212	N47-32E	576	(175.6)	
	213	N53-48E	660	(201.2)	
	214	N54-53E	301	(91.7)	
	215	N54-26E	388	(118.3)	
	216	N49-56E	337	(102.7)	
	217				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PINE CREEK MTN. Map No. 2		N35-15E	92 (28.0)	Descend spur ridge.
	218			A point in a draw.
		N82-57E	90 (27.4)	
	219			
		S74-49E	206 (62.8)	Descend draw.
	220			
		S78-41E	240 (73.2)	
	221			
		S85-21E	222 (67.7)	
	222			A point in a draw. Elevation 5,400 feet.
		N44-14E	214 (65.2)	
	223			
		N35-27E	234 (71.3)	
	224			
		N57-03E	234 (71.3)	
	225			
		N31-41E	206 (62.8)	
	226			
		N06-35E	183 (55.8)	Along 5400 foot contour.
	227			
		N19-24W	133 (40.5)	
	228			
		N06-36E	191 (58.2)	
	229			
		N01-00W	249 (75.9)	
	230			
		N46-03W	232 (70.7)	
	231			
		N51-54W	206 (62.8)	
	232			
		N61-47W	186 (56.7)	
	233			
		N27-25E	180 (54.9)	
	234			
		N17-08E	166 (50.6)	
	235			
		N28-32W	117 (35.7)	
	236			
		N45-00W	61 (18.6)	
	237			
		N83-45W	64 (19.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN Map No. 2	238				A point on a spur ridge.
		N27-52E	374	(114.0)	
	239	N30-25E	399	(121.6)	Descend a spur ridge.
	240	N22-12E	212	(64.6)	
	241	N12-10E	104	(31.7)	
	242				A point on a spur ridge on north section line, Section 16, T. 14 S., R. 33 E
		00-00E	526	(160.3)	
	243	S89-20E	596	(181.7)	Along north section line of said Section 16.
	244				NW corner of Section 15, T. 14 S., R. 33 E.
		N89-46E	3125	(952.5)	Along north section line of said Section 15.
PRAIRIE CITY SW Map No. 3	245				A point on the north section line of said Section 15 on a spur ridge.
		S19-37W	200	(61.0)	
	246	00-00S	182	(55.5)	
	247	S17-08E	251	(76.5)	
	248	S21-50E	288	(87.8)	Ascend.
	249	S23-34E	223	(68.0)	
	250	S18-26E	269	(82.0)	
	251	S28-15E	137	(41.8)	
	252	S00-47E	220	(67.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	253				
		S03-27W	465	(141.7)	
	254				
		S03-14E	390	(118.9)	
	255				
		S19-35E	301	(91.7)	
	256				
		S48-47E	182	(55.5)	
	257				
		S64-42E	262	(79.9)	
	258				
		S65-51E	362	(110.3)	
	259				
		S51-23E	248	(75.6)	Ascend.
	260				
		S29-40E	422	(128.6)	
	261				
		S29-05E	397	(121.0)	
	262				
		S30-17E	290	(88.4)	
	263				
		S38-12E	424	(129.2)	
	264				
		S31-07E	557	(169.8)	
	265				
		S45-24E	397	(121.0)	
	266				
		S52-34E	301	(91.7)	
	267				
		S21-01E	162	(49.4)	
	268				
		S06-49E	337	(102.7)	
	269				
		S02-22E	483	(147.2)	
	270				
		S01-42E	168	(51.2)	
	271				
		S14-13W	232	(70.7)	
	272				
		S01-41E	170	(51.8)	
	273				
		S13-56E	137	(41.8)	
	274				
		S04-26E	233	(71.0)	
	275				
		S00-12W	288	(87.8)	
	276				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PRAIRIE CITY SW Map No. 3		S02-17E	451 (137.5)	Ascend.
	277			A point on a spur ridge. Elevation 5,860 feet.
		N78-53E	1198 (365.2)	
	278			West edge of Overholt Creek. Elevation 5,440 feet.
		S13-05W	146 (44.5)	
	279			Along west bank of Overholt Creek.
		S15-10W	161 (49.1)	
	280			A point in Overholt Creek. Elevation 6,080 feet.
		S76-26E	358 (109.1)	
	281			
		S74-16E	229 (69.8)	Ascend.
	282			
		S69-26E	561 (171.0)	
	283			
		S69-12E	405 (123.4)	
	284			
		S76-32E	296 (90.2)	
	285			
		S83-11E	93 (28.3)	
	286			
		N71-11E	46 (14.0)	
	287			A point on a ridge. Elevation 6,080 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3		N64-19E	115	(35.1)	
	288	N66-07E	143	(43.6)	
	289	N77-34E	70	(21.3)	
	290	S64-22E	139	(42.4)	
	291	S53-34E	261	(79.6)	
	292	S36-32E	139	(42.4)	
	293	S20-40E	65	(19.8)	Along 6080 foot contour.
	294	S47-15E	90	(27.4)	
	295	N89-25E	98	(29.9)	
	296	N59-59E	104	(31.7)	
	297	N44-21E	126	(38.4)	
	298	N76-08E	242	(73.8)	
	299	N76-22E	276	(84.1)	
	300	N85-45E	203	(61.9)	
	301	N81-32E	197	(60.0)	
	302	N70-57E	205	(62.5)	
	303	N86-38E	170	(51.8)	
	304	S75-41E	251	(76.5)	
	305	S62-55E	250	(76.2)	
	306	S88-31E	194	(59.1)	
	307	S83-52E	150	(45.7)	
	308				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3		S70-53E	211	(64.3)	
	309				
		S50-03E	209	(63.7)	
	310				
		S47-28E	164	(50.0)	
	311				
		S00-38W	182	(55.5)	
	312				
		S17-00E	127	(38.7)	Along 6080 contour.
	313				
		S40-57E	70	(21.3)	
	314				
		S78-33E	161	(49.1)	
	315				
		N71-45E	188	(57.3)	
	316				
		N64-15E	189	(57.6)	
	317				
		N82-35E	170	(51.8)	
	318				
		S89-42E	194	(59.1)	
	319				
		S74-24E	205	(62.5)	
	320				
		S74-12E	268	(81.7)	
	321				Intersection of 6,080 feet contour and draw.
		S68-38E	557	(169.8)	
	322				
		S70-58E	457	(139.3)	
	323				Ascend.
		S71-42E	510	(155.4)	
	324				
		S70-24E	417	(127.1)	
	325				
		S87-32E	139	(42.4)	
	326				The SE corner of Section 24, T. 14 S., R. 33 E.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3		S65-53E	325	(99.1)	
	327				
		S68-44E	372	(113.4)	Ascend.
	328				
		S82-20E	352	(107.3)	
	329				
		S88-44E	180	(54.9)	
	330				A point on a spur ridge.
		N59-08E	191	(58.2)	
	331				
		N48-26E	295	(89.9)	
	332				
		N23-09E	277	(84.4)	
	333				
		N18-42E	140	(42.7)	
	334				
		N36-52E	180	(54.9)	Descend spur ridge.
	335				
		N30-29E	262	(79.9)	
	336				
		N13-17E	539	(164.3)	
	337				
		N10-42E	754	(229.8)	
	338				
		00-00N	316	(96.3)	
	339				
		N11-14E	282	(86.0)	
	340				
		N19-16E	264	(80.5)	
	341				
		N12-35E	133	(40.5)	
	342				
		N01-31W	454	(138.4)	
	343				
		N10-20W	435	(132.6)	
	344				
		N04-51W	284	(86.6)	
	345				
		N01-00E	344	(104.9)	
	346				
		N15-47E	356	(108.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	347	N18-49E	335	(102.1)	Descend a spur ridge.
	348	N26-04E	153	(46.6)	
	349				A point on a spur ridge on north section line of Section 19, T. 14 S., R. 34 E.
		N89-16E	3024	(921.7)	Along north section line east of said Section 19.
	350				The northeast corner of said Section 19.
		N88-56E	3517	(1072.0)	Along north section line of Section 20, T. 14 S., R. 34 E.
	351				A point on the north section line of said Section 20 which is 200 feet slope distance from and perpendicular to centerline of Forest Road 6001.
		S39-45W	155	(47.2)	
352		S38-47W	287	(87.5)	
353		S38-57W	423	(128.9)	
354		S32-28W	535	(163.1)	Parallels Forest Road 6001, 200 feet slope distance westerly from centerline.
355		S42-16W	431	(131.4)	
356		S33-30W	344	(104.9)	
357		S35-38W	474	(144.5)	
358		S31-55W	422	(128.6)	
359		S39-26W	678	(206.7)	
360		S32-31W	716	(218.2)	
361		S39-21W	388	(118.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE	362				
CITY SW		S33-14W	482	(146.9)	
Map	363				
No. 3		S31-04W	308	(93.9)	
	364				
		S07-26W	270	(82.3)	
	365				
		S02-01W	369	(112.5)	
	366				
		S05-01W	263	(80.2)	
	367				
		S00-58E	294	(89.6)	Parallels Forest Road 6001, 200 feet slope distance westerly of centerline.
	368				
		S07-34E	175	(53.3)	
	369				
		S06-10W	112	(34.1)	
	370				
		S37-47W	467	(142.3)	
	371				
		S32-26W	416	(126.8)	
	372				
		S30-27W	349	(106.4)	
	373				
		S24-19W	330	(100.6)	
	374				
		S32-35W	371	(113.1)	
	375				
		S31-35W	220	(67.1)	
	376				
		S26-34W	183	(55.8)	
	377				
		S21-44W	143	(43.6)	
	378				
		S19-36W	155	(47.2)	
	379				
		S33-09W	179	(54.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	380				
		S47-45W	177	(53.9)	
	381				
		S38-42W	393	(119.8)	
	382				
		S26-39W	314	(95.7)	
	383				
		S24-13W	295	(89.9)	
	384				Parallels Forest Road 6001, 200 feet slope distance westerly of centerline.
		S20-33W	188	(57.3)	
	385				
		S38-54W	220	(67.1)	
	386				
		S32-56W	315	(96.0)	
	387				
		S32-24W	198	(60.4)	
	388				
		S15-33W	239	(72.8)	
	389				
		S03-29W	164	(50.0)	
	390				
		S17-46E	108	(32.9)	
	391				
		S28-51E	56	(17.1)	
	392				A point perpendicular to and 200 feet slope distance southwesterly from end of Road 6001.
		S41-11E	106	(32.3)	
	393				
		S42-10E	72	(21.9)	
	394				
		S73-47E	147	(44.8)	
	395				
		N68-51E	180	(54.9)	Follows curve of end of Forest Road 6001, crossing trail 375, and skirts 200 feet slope distance from perimeter of Strawberry Campground
	396				
		N43-13E	159	(48.5)	
	397				
		N44-00E	163	(49.7)	
	398				
		N29-27E	98	(29.9)	
	399				
		N13-08W	31	(9.4)	
	400				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3		N61-00W	95	(29.0)	
	401	N65-30W	87	(26.5)	Follows curve of end of Forest Road 6001,
	402	N63-42W	95	(29.0)	crossing trail 375, and skirts 200 feet
	403	N13-27W	47	(14.3)	slope distance from perimeter of
					Strawberry Campground
	404				Point on east bank of Strawberry Creek.
		N24-41E	177	(53.9)	
	405	N27-59E	288	(87.8)	
	406	N32-39E	274	(83.5)	
	407	N32-46E	257	(78.3)	
	408	N27-22E	381	(116.1)	
	409	N36-11E	217	(66.1)	Descend east bank of Strawberry Creek.
	410	N41-38E	217	(66.1)	
	411	N36-05E	265	(80.8)	
	412	N27-10E	342	(104.2)	
	413	N19-20E	160	(48.8)	
	414	N30-22E	344	(104.9)	
	415	N34-11E	381	(116.1)	
	416	N25-41E	351	(107.0)	
	417	N24-33E	383	(116.7)	
	418	N39-07E	255	(77.7)	
	419	N35-51E	347	(105.8)	
	420	N28-36E	315	(96.0)	
	421	N13-45E	290	(88.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	422				
		N01-25W	364	(110.9)	
	423				
		N03-09W	291	(88.7)	
	424				
		N03-24W	236	(71.9)	
	425				
		N14-32E	255	(77.7)	
	426				
		N32-19E	370	(112.8)	
	427				
		N39-41E	404	(123.1)	
	428				
		N31-46E	547	(166.7)	Descend east bank of Strawberry Creek.
	429				
		N40-23E	360	(109.7)	
	430				
		N39-25E	539	(164.3)	
	431				
		N29-09E	298	(90.8)	
	432				
		N26-15E	328	(100.0)	
	433				
		N31-30E	297	(90.5)	
	434				
		N33-57E	901	(274.6)	
	435				
		N35-22E	511	(155.8)	
	436				
		N41-46E	601	(183.2)	
	437				
		N40-16E	300	(91.4)	
	438				A point on east bank of Strawberry Creek and 200 feet from centerline of Forest Road 6001.
		N66-16E	154	(46.9)	
439					
		N89-10E	208	(63.4)	Parallels Forest Road 6001, 200 feet slope distance southerly from centerline of said road.
440					
		N77-43E	183	(55.8)	
441					
		N50-57E	136	(41.5)	
442					
		N37-09E	83	(25.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PRAIRIE CITY SW Map No. 3	443			Point on N section line Sec. 20, T.14 S., R.34 E., 200 feet easterly from Forest Road 6001.
		N87-56E	749 (228.3)	Along north section line of said Sec. 20.
	444			Northeast corner of said Sec. 20.
		S01-47E	5176 (1577.6)	Along east section line of said Sec. 20.
	445			The southeast corner of said Section 20.
PRAIRIE CITY SE Map No. 4	446	N88-42E	5058 (1541.7)	Along north section line of Section 28, T. 14 S., R. 34 E. east.
		N89-28E	216 (65.8)	
	447			The northeast corner of said Section 28.
		S01-47E	5304 (1616.7)	Along the east section line of said Section 28.
	448			Southeast corner of said Section 28.
		N88-45E	5291 (1612.7)	Along the north section line of Section 34, T. 14 S., R. 34 E.
	449			The northeast corner of said Sec. 34.
		S00-19W	5296 (1614.2)	Along the east section line of said Section 34.
	450			The southeast corner of said Section 34.
		N88-49E	4233 (1290.2)	Along the north section line of Section 2 T. 15 S., R. 34 E.
	451			Northeast corner of said Section 2.
		S02-15E	4930 (1502.7)	Along the east section line of said Section 2.
	452			Southeast corner of said Section 2.
		N88-44E	5281 (1609.7)	Along the north section line of Section 12, T. 15 S., R. 34 E.
	453			Northeast corner of said Section 12.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PRAIRIE CITY SE Map No. 4		S01-41E	5321 (1621.8)	Along the east section line of said Section 12.
	454			Southeast corner of said Section 12.
		S00-49E	5268 (1605.7)	Along the east section line of Section 13 T. 15 S., R. 34 E.
	455			Southeast corner of said Section 13.
LOGAN VALLEY NE Map No. 5		S01-32E	4502 (1372.2)	
	456	S01-15E	735 (224.0)	Along the east section line of Section 24, T. 15 S., R. 34 E.
	457			Southeast corner of said Section 24.
		S88-33W	5325 (1623.1)	Along the south section line of said Section 24.
	458			Southwest corner of said Section 24.
		S88-52W	5334 (1625.8)	Along the south section line of Section 23, T. 15 S., R. 34 E.
	459			Southwest corner of said Section 23.
		S88-38W	4287 (1306.7)	
LOGAN VALLEY NW Map No. 6	460	N89-28W	970 (295.7)	Along the south section line of Section 22, T. 15 S., R. 34 E.
	461			Southwest corner of said Section 22.
		S89-10W	5261 (1603.6)	Along the south section line of Section 21, T. 15 S., R. 34 E.
	462			Southwest corner of said Section 21.
		S89-07W	5297 (1614.5)	Along the south section line of Section 20, T. 15 S., R. 34 E.
	463			Southwest corner of said Section 20.
		S88-39W	2668 (813.2)	Along the south section line of Section 19, T. 15 S., R. 34 E.
	464			A point on the south section line of said Section 19 on a spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
LOGAN VALLEY NW Map No. 6	465	N08-23E	295	(89.9)	
	466	N09-03E	184	(56.1)	Ascend spur.
	467	N05-47E	149	(45.4)	
PRAIRIE CITY SW Map No. 3	468	N09-36E	533	(162.5)	
	469	N10-04E	789	(240.5)	
	470	N07-22W	694	(211.5)	
	471	N03-38W	741	(225.9)	
		N01-24W	370	(112.8)	
	472				A point on a ridge between Lake Creek and Bear Creek.
	473	N58-05W	441	(134.4)	
	474	N55-55W	657	(200.3)	
	475	N44-07W	598	(182.3)	
	476	N46-47W	930	(283.5)	
	477	N54-09W	596	(181.7)	Along ridge between Silvies and Malheur watersheds.
	478	N40-04W	576	(175.6)	
	479	N51-52W	509	(155.1)	
	480	N37-41W	510	(155.4)	
	481	N25-35W	445	(135.6)	
	482	N16-30W	141	(43.0)	
	483	N48-26W	366	(111.6)	
	484	N47-34W	507	(154.5)	
	485	N42-49W	558	(170.1)	
	486	N30-35W	588	(179.2)	
		N10-37W	700	(213.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	487				
		N01-15W	460	(140.2)	
	488				
		N05-26E	306	(93.3)	
	489				
		N14-35W	381	(116.1)	Along ridge between Silvies and Malheur watersheds.
	490				
		N11-46W	466	(142.0)	
	491				
		N10-45W	643	(196.0)	
	492				
		N08-05W	334	(101.8)	
	493				Point on a spur ridge. Elevation 8260 feet.
		S70-40W	1048	(319.4)	
	494				Point 200 feet slope distance northerly of switchback on Forest Road 1640.
		S72-19W	287	(87.5)	Descend.
	495				A point 200 feet slope distance westerly of and perpendicular to Forest Road 1640.
		S04-33E	252	(76.8)	
	496				
		S01-28W	466	(142.0)	
	497				
		S04-59W	427	(130.1)	Parallels Forest Road 1640, 200 feet slope distance westerly of centerline.
	498				
		S11-23W	451	(137.5)	
	499				
		S13-43W	346	(105.5)	
	500				
		S01-06W	260	(79.2)	
	501				
		S11-53E	175	(53.3)	
	502				
		S17-51E	157	(47.9)	
	503				
		S56-25E	293	(89.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	504				
		S67-47E	259	(78.9)	
	505				
		S35-56E	85	(25.9)	
	506				
		S08-51E	201	(61.3)	
	507				
		S08-12E	329	(100.3)	
	508				
		S14-59E	278	(84.7)	
	509				
		S24-42E	330	(100.6)	
	510				
		S41-24E	271	(82.6)	Parallels Forest Road 1640 at 200 feet slope distance southwesterly from centerline.
	511				
		S35-23E	377	(114.9)	
	512				
		S44-41E	378	(115.2)	
	513				
		S63-56E	312	(95.1)	
	514				
		N85-03E	232	(70.7)	
	515				
		N83-55E	151	(46.0)	
	516				
		S40-36E	101	(30.8)	
	517				
		S35-20E	455	(138.7)	
	518				
		S32-27E	527	(160.6)	
	519				
		S29-12E	156	(47.5)	
	520				
		S57-42E	103	(31.4)	
	521				
		S69-11E	290	(88.4)	
	522				
		S70-48E	359	(109.4)	
	523				
		S58-40E	565	(172.2)	
	524				
		S58-01E	417	(127.1)	
	525				
		S49-37E	659	(200.9)	
	526				
		S21-07E	108	(32.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	527				
		S05-34E	82	(25.0)	
	528				
		N78-48W	314	(95.7)	
	529				
		S83-27W	342	(104.2)	
	530				
		S71-44W	214	(65.2)	
	531				
		S55-57W	313	(95.4)	Parallels Forest Road 1640 at 200 feet slope distance southwesterly from center- line.
	532				
		S46-17W	314	(95.7)	
	533				
		S37-37W	275	(83.8)	
	534				
		S38-59W	337	(102.7)	
	535				
		S37-31W	250	(76.2)	
	536				A point 200 feet slope distance westerly of and perpendicular to Forest Road 1640. Elevation 6960 feet.
		N44-27W	367	(111.9)	
	537				
		N50-04W	344	(104.9)	Along 6,960 foot contour.
	538				
		N53-44W	154	(46.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE CITY SW Map No. 3	539				
		N82-26W	304	(92.7)	
	540				
		N84-41W	259	(78.9)	Along 6,960 foot contour.
	541				
		N76-51W	141	(43.0)	
	542				
		S54-41W	118	(36.0)	
	543				
		S39-35W	300	(91.4)	
	544				
		S56-16W	319	(97.2)	
	545				
LOGAN VALLEY NW Map No. 6		S61-38W	242	(73.8)	
	546				
		S66-24W	95	(29.0)	
	547				A point on a spur ridge. Elevation 6960 feet.
		S02-54W	296	(90.2)	
	548				
		S13-08W	418	(127.4)	
	549				
		S09-03W	438	(133.5)	
	550				
		S06-54W	358	(109.1)	Descend spur ridge.
	551				
		S21-07W	344	(104.9)	
	552				
		S28-07W	548	(167.0)	
	553				
		S27-42W	542	(165.2)	
	554				
		S20-17W	216	(65.8)	
	555				
		S27-14W	343	(104.5)	
	556				
		S20-21W	454	(138.4)	
	557				
		S12-24W	340	(103.6)	
	558				
		S15-12W	393	(119.8)	
	559				
		S15-09W	497	(151.5)	
	560				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
LOGAN VALLEY NW Map No. 6	561	S21-18W	273	(83.2)	Descend spur ridge.
		S01-00W	119	(36.3)	
	562				Intersection of spur ridge and Bear Creek.
		S81-57W	1644	(501.1)	
	563				A point on a spur ridge.
	564	N26-29W	316	(96.3)	
	565	N18-38W	545	(166.1)	
	566	N13-11W	535	(163.1)	
	567	N02-24W	500	(152.4)	Ascend ridge.
	568	N06-28E	409	(124.7)	
PRAIRIE CITY SW Map No. 3	569	N15-14E	187	(57.0)	
	570	N33-59W	55	(16.8)	
	571	N04-02E	214	(65.2)	
	572	N17-50W	212	(64.6)	
	573	N44-25W	417	(127.1)	
	574	N38-54W	220	(67.1)	
		N30-15W	167	(50.9)	
	575				A high point on a spur ridge. Elevation 6,640 feet.
	576	S70-32W	123	(37.5)	
	577	S55-58W	416	(126.8)	
578		S62-29W	567	(172.8)	Descend spur ridge.
		S31-53W	159	(48.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRAIRIE	579				
CITY SW		S33-45W	232	(70.7)	
Map	580				
No. 3		S49-13W	164	(50.0)	
	581				
		S15-35W	108	(32.9)	
LOGAN	582				
VALLEY NW		S27-43W	221	(67.4)	
Map No. 6	583				
		S16-33W	432	(131.7)	
	584				
		S22-59W	351	(107.0)	
	585				
		S10-04W	315	(96.0)	Descend spur ridge.
	586				
		S10-30W	291	(88.7)	
	587				
		S08-05W	149	(45.4)	
	588				
		S25-27W	277	(84.4)	
	589				
		S38-53W	358	(109.1)	
	590				
		S29-35W	306	(93.3)	
	591				
		S39-38W	129	(39.3)	
	592				
		S64-39W	84	(25.6)	
	593				
		N78-56W	187	(57.0)	
	594				
		N79-50W	187	(57.0)	
	595				
		N80-32W	201	(61.3)	
	596				
		S79-48W	344	(104.9)	
	597				
		S81-20W	477	(145.4)	
	598				
		S71-42W	385	(117.3)	
	599				
		S69-37W	278	(84.7)	
	600				
		S65-29W	125	(38.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
LOGAN VALLEY NW Map No. 6	601				
		S21-15W	251	(76.5)	
	602				
		S18-06W	331	(100.9)	Descend spur ridge.
	603				
		S11-32W	155	(47.2)	
	604				
		S26-47W	240	(73.2)	
	605				
		S27-31W	214	(65.2)	
	606				High point on a spur ridge. Elevation 6,400 feet.
		N86-28W	1687	(514.2)	Descend.
	607				A point in Canyon Creek at intersection with a spur ridge.
		N20-30W	228	(69.5)	
	608				
		N20-18E	205	(62.5)	
	609				
		N19-17E	191	(58.2)	
	610				
		N14-32W	227	(69.2)	Ascend spur ridge.
	611				
		N12-12W	326	(99.4)	
	612				
		N07-59W	368	(112.2)	
	613				
		N08-49E	411	(125.3)	
	614				
		N18-56E	438	(133.5)	
	615				
		N20-03E	382	(116.4)	
	616				
		N10-12W	232	(70.7)	
	617				
		N22-27W	243	(74.1)	
	618				
		N41-45W	174	(53.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
LOGAN VALLEY NW Map No. 6	619				
		N78-00W	82	(25.0)	
	620				
		N31-20W	183	(55.8)	
	621				
		N26-20W	216	(65.8)	
	622				
		N36-29W	210	(64.0)	Ascend spur ridge.
PRAIRIE CITY SW Map No. 3	623				
		N28-33W	245	(74.7)	
	624				
		N29-03W	402	(122.5)	
	625				
		N37-11W	182	(55.5)	
	626				
		N07-16W	332	(101.2)	
	627				
		N00-06E	594	(181.1)	
	628				
		N22-26W	186	(56.7)	
	629				
		N37-46W	90	(27.4)	
	630				
		N08-54E	433	(132.0)	
	631				
		N14-01E	516	(157.3)	
	632				
		N13-28E	318	(96.9)	
	633				
		N04-14W	488	(148.7)	
	634				
		N00-33W	522	(159.1)	
	635				
		N13-46W	563	(171.6)	
	636				
		N11-20W	478	(145.7)	
	637				
		N06-09W	196	(59.7)	
	638				A high point on a ridge. Elevation 6,917 feet.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PRAIRIE CITY SW Map No. 3	639	S72-17W	204 (62.2)	
	640	S71-27W	302 (92.0)	
	641	S01-00W	230 (70.1)	
PINE CREEK MTN. Map No. 2	642	S67-30W	536 (163.4)	
	643	S62-45W	483 (147.2)	
	644	S65-53W	198 (60.4)	
	645	S47-57W	137 (41.8)	Descend ridge.
	646	S17-40W	119 (36.3)	
	647	S11-10E	150 (45.7)	
	648	S07-03E	195 (59.4)	
	649	S01-56W	266 (81.1)	
	650	S12-51W	292 (89.0)	
	651	S27-27W	380 (115.8)	
	652	S28-28W	338 (103.0)	
	653	S24-01W	351 (107.0)	
	654	S19-56W	469 (143.0)	
	655	S18-58W	203 (61.9)	
	656	S01-01W	112 (34.1)	
	657	S16-42W	104 (31.7)	
	658	S36-40W	117 (35.7)	
	659	S31-30W	327 (99.7)	
		S44-33W	271 (82.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	660				
		S43-35W	287	(87.5)	
	661				
		S43-31W	219	(66.8)	Descend ridge.
	662				
		S34-54W	198	(60.4)	
	663				
		S12-18W	216	(65.8)	
	664				
		S15-02W	251	(76.5)	
	665				A high point on ridge. Elevation 6,350 feet.
		N53-17W	5629	(1715.7)	
	666				A point on minor spur ridge. Elevation 5,660 feet.
		N09-25W	177	(53.9)	
	667				
		N15-55W	244	(74.4)	Ascend minor ridge.
	668				
		N05-42W	423	(128.9)	
	669				
		N11-28W	342	(104.2)	
	670				
		N33-41W	76	(23.2)	
	671				
		00-00N	244	(74.4)	
	672				
		N16-42W	84	(25.6)	
	673				A point on a spur ridge.
		N53-42W	262	(79.9)	
	674				
		N54-04W	283	(86.3)	
	675				
		N57-36W	185	(56.4)	Ascend spur ridge.
	676				
		N12-47W	122	(37.2)	
	677				
		N10-23W	61	(18.6)	
	678				
		N52-20W	244	(74.4)	
	679				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	680	N52-13W	225	(68.6)	
	681	N74-15W	243	(74.1)	Ascend spur ridge.
	682	N74-34W	229	(69.8)	
	683	N54-55W	193	(58.8)	
	684	N73-22W	91	(27.7)	
		N37-42W	56	(17.1)	
	685				A point on a spur ridge. Elevation 6400 feet.
	686	S48-57W	277	(84.4)	
	687	S67-50W	233	(71.0)	
	688	S53-24W	169	(51.5)	
	689	S82-37W	54	(16.5)	
	690	N24-39W	67	(20.4)	Along the 6,400 foot contour.
	691	N08-28W	170	(51.8)	
	692	N19-23W	154	(46.9)	
	693	N33-10W	121	(36.9)	
	694	N01-00W	146	(44.5)	
	695	N39-28W	132	(40.2)	
	696	N45-00W	141	(43.0)	
	697	N37-52W	103	(31.4)	
	698	N45-00W	55	(16.8)	
	699	S59-05W	189	(57.6)	
	700	S55-33W	290	(88.4)	
		S01-00W	326	(99.4)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK MTN. Map No. 2	701			
		S64-12W	101 (30.8)	
	702			
		N62-25W	151 (46.0)	
	703			
		N51-11W	230 (70.1)	
	704			
		N54-23W	165 (50.3)	
	705			
		N56-37W	154 (46.9)	
	706			
		N53-33W	109 (33.2)	
	707			
		S64-19W	175 (53.3)	Along the 6,400 foot contour.
	708			
		S86-09W	239 (72.8)	
	709			
		S72-18W	224 (68.3)	
	710			
		S81-15W	197 (60.0)	
	711			
		S73-10W	124 (37.8)	
	712			
		S46-03W	115 (35.1)	
	713			
		S37-22W	186 (56.7)	
	714			
		S49-17W	104 (31.7)	
	715			
		S46-02W	117 (35.7)	
	716			
		S58-27W	119 (36.3)	
	717			
		S69-51W	116 (35.4)	
	718			
		S68-26W	92 (28.0)	
	719			
		S51-51W	107 (32.6)	
	720			
		S53-48W	120 (36.6)	
	721			
		S54-51W	87 (26.5)	
	722			
		S45-00W	81 (24.7)	
	723			
		S27-49W	41 (12.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
PINE CREEK MTN. Map No. 2	724			A point on the 6,400 foot contour which is 10 feet easterly of Table Mtn. Trail No. 217.
	725	S04-11E	178 (54.3)	
	726	S00-14E	254 (77.4)	
	727	S09-52E	210 (64.0)	
	728	S08-37E	200 (61.0)	Paralleling Table Mtn. Trail No. 217, 10 feet easterly of centerline.
	729	S17-07E	194 (59.1)	
	730	S09-51E	263 (80.2)	
	731	S06-28E	267 (81.4)	
	732	S08-42E	211 (64.3)	
	733	S05-59E	163 (49.7)	
	734	S01-01W	168 (51.2)	
	735	S14-52W	218 (66.4)	
		S38-53W	40 (12.2)	
	736			A point 10 feet easterly of Table Mtn. Trail No. 217 on a ridge.
	737	S33-55W	143 (43.6)	
	738	S10-31W	170 (51.8)	
	739	S19-35W	158 (48.2)	
	740	S13-48W	172 (52.4)	Along ridge.
	741	S20-05W	154 (46.9)	
		S30-50W	306 (93.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PINE CREEK	742				
MTN.		S31-51W	243	(74.1)	
Map	743				
No. 2		S25-29W	237	(72.2)	
	744				
		S24-27W	133	(40.5)	
	745				
		S10-15E	96	(29.3)	
	746				
		S42-28W	273	(83.2)	
	747				
		S66-20W	381	(116.1)	
	748				
		S72-09W	307	(93.6)	Along ridge.
	749				
		S75-18W	228	(69.5)	
	750				
		S77-08W	274	(83.5)	
	751				
		S75-41W	255	(77.7)	
	752				
		S65-09W	238	(72.5)	
	753				
		S53-16W	251	(76.5)	
	754				
		S52-12W	220	(67.1)	
	755				
		S45-44W	222	(67.7)	
	756				
		S39-10W	250	(76.2)	
	757				
		S24-54W	200	(61.0)	
	758				
		S10-55W	174	(53.0)	
	759				
		S40-25W	133	(40.5)	
	760				
		S57-05W	186	(56.7)	
	761				
		S47-07W	250	(76.2)	
	762				
		S23-08W	127	(38.7)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
SENECA NE Map No. 7	763		
	S31-41W	270 (82.3)	
	764		
	S45-23W	310 (94.5)	
	765		
	S61-01W	518 (157.9)	
	766		
	S73-47W	441 (134.4)	
	767		
	S71-58W	401 (122.2)	
	768		
	S66-52W	456 (139.0)	
	769		
	S64-23W	543 (165.5)	Along ridge.
	770		
	S53-42W	458 (139.6)	
SENECA NW Map No. 7	771		
	S65-33W	338 (103.0)	
	772		
	S74-47W	270 (82.3)	
	773		
	S83-26W	245 (74.7)	
	774		
	N88-51W	546 (166.4)	
	775		
	S89-32W	494 (150.6)	
	776		
	N86-51W	273 (83.2)	
	777		
	N76-31W	656 (199.9)	
	778		
	N72-06W	241 (73.5)	
	779		
	S83-17W	137 (41.8)	
	780		
	S85-59W	671 (204.5)	
	781		
	S78-11W	400 (121.9)	
	782		
	S82-17W	685 (208.8)	
	783		
	S78-02W	275 (83.8)	
	784		
	S67-43W	546 (166.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SENECA NE Map No. 7	785				
		S61-38W	627	(191.1)	
	786	S55-30W	415	(126.5)	
	787	S80-52W	454	(138.4)	
	788	S82-12W	612	(186.5)	Along ridge.
	789	S81-37W	487	(148.4)	
	790	S85-44W	484	(147.5)	
	791	S86-11W	361	(110.0)	
	792	S81-34W	491	(149.7)	
	793	S86-37W	306	(93.3)	
	794	S88-45W	410	(125.0)	
	795	N85-17W	316	(96.3)	
	796				A high point on a spur ridge. Elevation 5,011 feet.
		N83-35W	349	(106.4)	
	797	N75-46W	480	(146.3)	
	798	N75-06W	692	(210.9)	Along ridge.
	799	S81-15W	158	(48.2)	
SENECA NW Map No. 8	800	N61-38W	553	(168.6)	
	801	N64-45W	446	(135.9)	
	802	N59-29W	260	(79.2)	
	803	N64-32W	209	(63.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SENECA NW Map No. 8	804	N66-36W	113	(34.4)	
	805	S77-06W	255	(77.7)	
	806	S70-08W	303	(92.4)	
	807	S74-08W	402	(122.5)	
	808	S49-19W	319	(97.2)	Along ridge.
	809	S45-49W	298	(90.8)	
	810	S22-53W	285	(86.9)	
	811	S14-14W	220	(67.1)	
	812	S43-23W	150	(45.7)	
	813	S75-53W	168	(51.2)	
	814	N88-27W	260	(79.2)	
	815	N88-18W	202	(61.6)	
	816	N77-17W	159	(48.5)	
	817	N63-07W	164	(50.0)	
	818	N55-57W	134	(40.8)	
	819				A point on ridge on east section line of Sec. 29, T. 15 S., R. 32 E.
		N00-49W	1963	(598.3)	Along east section line of said Sec. 29.
	820				Northeast corner of said Section 29.
		S89-16W	1263	(385.0)	Along north section line of said Sec. 29.
	821				East 1/16 corner on north section line of said Section 29.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	822	N05-09W	735	(224.0)	Along north-south centerline of SE 1/4 Section 20, T. 15 S., R. 32 E.
		N00-17E	598	(182.3)	
	823				SE 1/16 corner of said Section 20.
		N88-33E	1259	(383.7)	Along east-west centerline of SE 1/4 of said Section 20.
	824				South 1/16 corner on the east section line of said Section 20.
		N00-00E	584	(178.0)	Along east line of said Section 20.
	825				A point on north bank of East Fork Canyon Creek on the east section line of said Section 20.
	826	N37-18E	79	(24.1)	
	827	N55-52E	71	(21.6)	
	828	N76-27E	85	(25.9)	
	829	N35-38E	65	(19.8)	
	830	N10-43E	75	(22.9)	Ascend west bank of East Fork Canyon Creek.
	831	N04-04E	169	(51.5)	
	832	N02-34W	134	(40.8)	
	833	N23-58E	148	(45.1)	
	834	N30-30E	104	(31.7)	
	835	N43-04E	168	(51.2)	
	836	N59-27E	142	(43.3)	
	837	N64-43E	159	(48.5)	
	838	N58-38E	96	(29.3)	
	839	N26-55E	73	(22.3)	
840		N04-46W	72	(21.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1		N26-15W	81	(24.7)	
	841				
		N44-26W	144	(43.9)	
	842				
		N13-11W	114	(34.7)	
	843				
		N01-24E	82	(25.0)	
	844				
		N12-48W	90	(27.4)	
	845				
		N60-52W	70	(21.3)	
	846				
		N41-55W	66	(20.1)	Ascend west bank of East Fork Canyon Creek.
	847				
		N43-52W	107	(32.6)	
	848				
		N32-28W	65	(19.8)	
	849				
		N18-12W	80	(24.4)	
	850				
		N04-34E	100	(30.5)	
	851				
		N21-41W	89	(27.1)	
	852				
		N12-12W	76	(23.2)	
	853				
		N13-04E	57	(17.4)	
	854				
		N44-02E	83	(25.3)	
	855				
		N75-46E	69	(21.0)	
	856				
		N62-41E	102	(31.1)	
	857				
		N54-15E	92	(28.0)	
	858				
		N08-02E	79	(24.1)	
	859				
		N28-58W	64	(19.5)	
	860				
		N07-21E	63	(19.2)	
	861				
		N54-05E	36	(11.0)	
	862				
		N59-53E	58	(17.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON	863				
MTN.		N59-23E	57	(17.4)	
Map	864				
No. 1		N40-51E	98	(29.9)	
	865				
		N64-37E	65	(19.8)	
	866				
		S63-04E	71	(21.6)	
	867				Ascend west bank of East Fork Canyon
		N87-40E	98	(29.9)	Creek.
	868				
		N88-57E	110	(33.5)	
	869				
		N72-28E	100	(30.5)	
	870				A point on north bank of East Fork Canyon
					Creek at intersection with ridge.
		N25-17E	119	(36.3)	
	871				
		N24-15E	178	(54.3)	
	872				
		N15-43E	140	(42.7)	
	873				
		N05-59E	317	(96.6)	
	874				
		N03-20E	258	(78.6)	Ascend ridge.
	875				
		N05-10W	167	(50.9)	
	876				
		N08-26E	300	(91.4)	
	877				
		N28-59E	318	(96.9)	
	878				
		N33-57E	251	(76.5)	
	879				
		N44-16E	222	(67.7)	
	880				
		N30-03E	523	(159.4)	
	881				
		N32-25E	338	(103.0)	
	882				
		N13-11E	377	(114.9)	
	883				
		N13-50E	398	(121.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	884				
		N13-09E	281	(85.6)	
	885				
		N03-16W	70	(21.3)	
	886				
		N24-53W	76	(23.2)	
	887				
		N28-16W	226	(68.9)	
	888				
		N20-17W	245	(74.7)	
	889				
		N09-09W	151	(46.0)	
	890				
		N22-01E	253	(77.1)	Ascend ridge.
	891				
		N18-36E	219	(66.8)	
	892				
		N13-08E	260	(79.2)	
	893				
		N02-38E	327	(99.7)	
	894				
		N07-49W	280	(85.3)	
	895				
		N16-12W	276	(84.1)	
	896				
		N30-19W	151	(46.0)	
	897				
		N50-21W	45	(13.7)	
	898				
		N20-39E	74	(22.6)	
	899				
		N23-56E	389	(118.6)	
	900				
		N13-51E	301	(91.7)	
	901				
		N12-16E	315	(96.0)	
	902				
		N06-43W	205	(62.5)	
	903				
		N15-39W	371	(113.1)	
	904				
		N18-07W	338	(103.0)	
	905				
		N19-08W	259	(78.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	906				A high point on a ridge. Approximate elevation 6,240 feet. The southwest corner of the Canyon Creek Research Natural Area.
		N38-48W	314	(95.7)	
	907				
		N46-27W	195	(59.4)	
	908				
		N35-20W	252	(76.8)	
	909				
		N48-18W	209	(63.7)	Along western boundary of Canyon Creek Research Natural Area.
	910				
		N46-54W	171	(52.1)	
	911				
		N45-00W	62	(18.9)	
	912				
		N03-54W	88	(26.8)	
	913				
		N04-47E	228	(69.5)	
	914				
		N02-08W	188	(57.3)	
	915				
		N16-59W	226	(68.9)	
	916				
		N25-36W	266	(81.1)	
	917				
		N24-20W	367	(111.9)	
	918				
		N23-19W	394	(120.1)	
	919				
		N23-23W	202	(61.6)	
	920				
		N21-32W	117	(35.7)	
	921				
		N11-34W	219	(66.8)	
	922				
		N12-22W	159	(48.5)	
	923				A point on Rattlesnake Ridge. The westernmost corner of the Canyon Creek Research Natural Area.
		N87-55W	770	(234.7)	
	924				
		N89-14W	300	(91.4)	Ascend Rattlesnake Ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON	925				
MTN.		S89-14W	150	(45.7)	
Map	926				
No. 1		S76-03W	170	(51.8)	
	927				
		S81-56W	235	(71.6)	
	928				
		N82-47W	613	(186.8)	
	929				
		N66-05W	126	(38.4)	
	930				
		N76-44W	161	(49.1)	
	931				
		N72-34W	578	(176.2)	
	932				
		N71-23W	294	(89.6)	
	933				
		N89-08W	266	(81.1)	Ascend Rattlesnake Ridge.
	934				
		S87-10W	263	(80.2)	
	935				
		S89-38W	160	(48.8)	
	936				
		N81-08W	266	(81.1)	
	937				
		N72-20W	688	(209.7)	
	938				
		N80-22W	532	(162.2)	
	939				
		N85-45W	338	(103.0)	
	940				
		N82-27W	563	(171.6)	
	941				
		N71-16W	414	(126.2)	
	942				
		N79-28W	437	(133.2)	
	943				
		N81-51W	515	(157.0)	
	944				
		N74-51W	459	(139.9)	
	945				
		N79-12W	352	(107.3)	
	946				
		N87-31W	392	(119.5)	
	947				
		N84-06W	593	(180.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	948				
		N80-35W	208	(63.4)	
	949				
		N65-17W	304	(92.7)	Ascend Rattlesnake Ridge.
	950				
		N69-14W	257	(78.3)	
	951				
		N75-29W	287	(87.5)	
	952				
		N78-06W	325	(99.1)	
	953				
		N85-19W	380	(115.8)	
	954				
		N74-43W	167	(50.9)	
	955				Jct of of Rattlesnake Ridge and unnamed ridge running northwesterly.
		N28-41W	206	(62.8)	
956					
		N19-57W	381	(116.1)	
957					
		N14-23W	435	(132.6)	Descend said unnamed ridge.
958					
		N12-10W	527	(160.6)	
959					
		N27-56W	207	(63.1)	
960					
		N13-24W	263	(80.2)	
961					
		N16-30W	187	(57.0)	
	962				A point on said unnamed ridge. Elevation 4,720 feet.
		N22-24E	197	(60.0)	
963					Descend.
		N13-58E	187	(57.0)	
	964				Southwest corner of Section 31, T. 14 S, R. 32 E.
		N00-54W	5263	(1604.2)	Along west section line of said Section 31.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
CANYON MTN. Map No. 1	965			Southwest corner of Section 30, T. 14 S., R. 32 E.
		N01-09W	5283 (1610.3)	Along west section line of said Section 30.
	966			Southwest corner of Section 19, T. 14 S., R. 32 E.
		N00-40W	5268 (1605.7)	Along west section line of said Section 19.
	967			Southwest corner of Section 18, T. 14 S., R. 32 E.
		N02-31W	500 (152.4)	Along west section line of said Section 18.
	968			A point on west section line of said Section 18 in Byram Gulch.
		N28-04E	257 (78.3)	
	969	N30-32E	272 (82.9)	
	970	N39-52E	237 (72.2)	
	971	N83-16E	179 (54.6)	Ascend Byram Gulch.
	972	S88-22E	176 (53.6)	
	973	S74-10E	132 (40.2)	
	974			A point in Byram Gulch at the intersec- tion of two small draws.
		S36-08E	124 (37.8)	
	975	S37-12E	172 (52.4)	Ascend southerly draw.
	976	S27-06E	237 (72.2)	
	977	S18-21E	213 (64.9)	
	978			A point in a draw at the point of a minor spur ridge.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1		N68-15E	394	(120.1)	
	979	N69-02E	472	(143.9)	Ascend minor spur ridge.
	980	N65-24E	339	(103.3)	
	981	N70-56E	346	(105.5)	
	982	N60-53E	403	(122.8)	
	983	N51-33E	310	(94.5)	
	984	N57-55E	149	(45.4)	
	985				A high point on a ridge. Approximate elevation 6,040 feet.
		N10-40W	259	(78.9)	
	986	N19-26W	252	(76.8)	
	987	N23-48W	149	(45.4)	
	988	N53-12W	154	(46.9)	Along ridge.
	989	N53-15W	306	(93.3)	
	990	N53-58W	177	(53.9)	
	991	N31-36W	107	(32.6)	
	992	N11-03W	355	(108.2)	
	993	N18-23W	403	(122.8)	
	994	N19-15W	246	(75.0)	
	995	N08-54W	284	(86.6)	
	996	N22-55W	324	(98.8)	
	997	N18-08W	177	(53.9)	
	998	N31-28W	157	(47.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
CANYON MTN. Map No. 1	999				
		N27-14W	114	(34.7)	
	1000	N09-55W	250	(76.2)	
	1001	N07-56E	203	(61.9)	
	1002	N20-54W	199	(60.7)	
	1003	N24-56W	268	(81.7)	
	1004				A point on a ridge on the north section section line of said Section 18.
		N88-56E	3084	(940.0)	
	1				The point of beginning.