

LAKE CHELAN-SAWTOOTH WILDERNESS

Okanogan and Wenatchee National Forests

I hereby certify that the legal boundary description and map herewith represent the location of the boundary of the Lake Chelan-Sawtooth Wilderness on the Wenatchee and Okanogan National Forests as entered into the National Wilderness Preservation System by the Act of July 3, 1984.

Signed

(Date)

7/30/87

Richard A. Torrence
for JAMES F. TORRENCE
Regional Forester

Definition of Intent

The legal description of the Lake Chelan-Sawtooth Wilderness is as shown on the map dated September, 1986 on file in the office of the Chief of the USDA Forest Service and as generally described in Public Law 98-339. The approximate courses of the map boundaries are identified in the following legal description. Where the boundary is described as following a topographical feature, the actual location of the feature will control the approximate course identifying that part of said boundary. Unless specified in the description, calls to a stream shall be to the thread and calls to a ridge shall be to the crest. Section, Township, and Range lines and Section corners established by the United States Public Land Survey, shall determine the actual location of these portions of the boundary so described.

Section subdivision lines and corners will be established under the rules of the United States Public Land Survey.

The data base for the Lake Chelan-Sawtooth Wilderness is a series of quadrangle maps published by the United States Geological Survey as identified on the attached index map. The various boundaries were marked on the map and the information was collected with a Hewlett-Packard 9020 digitizer. The data is published as the attached metes and bounds description. Courses in the description are shown as grid bearings and grid distances.

LAKE CHELAN-SAWTOOTH WILDERNESS BOUNDARY DESCRIPTION

All bearings and distances shown in the following description are based on the Washington State Plane coordinate grid system, North Zone. International, State, Indian Reservation, National Park, Mineral Claim, or Sectional land boundaries have been included although record bearing, distance, and monuments will prevail.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MAZAMA SW MAP #3	1			MONUMENTED TRIANGULATION STATION AT SUMMIT OF GARDNER MOUNTAIN, ELEVATION 8,897 FEET. LATITUDE 48-30-26.04 NORTH, LONGITUDE 120-29-12.98 WEST WASHINGTON GRID COORDINATES NORTH ZONE X=2,083,974, Y=549,993.
	2	S46-53E	345 (105.2)	
	3	S62-55E	294 (89.6)	
	4	S67-01E	315 (96.0)	
	5	S68-50E	299 (91.1)	
	6	S57-40E	187 (57.0)	
	7	S68-20E	168 (51.2)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND HUCKLEBERRY CREEK.
	8	S85-11E	167 (50.9)	
	9	S85-19E	343 (104.5)	
	10	S88-05E	60 (18.3)	
	11	S63-12E	224 (68.3)	
	12	S49-21E	243 (74.1)	
	13	S46-14E	330 (100.6)	
	14	S52-45E	152 (46.3)	
	15	S76-04E	258 (78.6)	
	16	S78-28E	390 (118.9)	
		S86-27E	597 (182.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SW MAP #3	17	S82-28E	381	(116.1)	
	18	S72-56E	211	(64.3)	
	19	S51-20E	205	(62.5)	
	20	S51-30E	218	(66.4)	
	21	S62-36E	248	(75.6)	
	22	S81-52E	113	(34.4)	
	23	S32-40E	93	(28.3)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND HUCKLEBERRY CREEK.
	24	S30-11E	127	(38.7)	
	25	S40-45E	248	(75.6)	
	26	S68-59E	287	(87.5)	
	27	S88-11E	316	(96.3)	
	28	N71-05E	296	(90.2)	
	29	N61-26E	180	(54.9)	
	30	N74-52E	176	(53.6)	
	31	N67-50E	384	(117.0)	
	32	N01-00E	257	(78.3)	
	33	N31-48E	421	(128.3)	
	34	N25-06E	702	(214.0)	
	35	N20-34E	544	(165.8)	
	36	N24-44E	502	(153.0)	
	37	N30-24E	454	(138.4)	
	38	N45-10E	251	(76.5)	
	39	N59-51E	243	(74.1)	
	40				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SW MAP #3		N70-19E	463	(141.1)	
	41	N67-47E	531	(161.8)	
	42	N50-47E	478	(145.7)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND HUCKLEBERRY CREEK.
	43	N24-06E	167	(50.9)	
	44	N09-28E	140	(42.7)	
	45				
					SUMMIT OF STOREY PEAK ELEVATION 7,821 FEET.
		N16-10W	366	(111.6)	
	46	N22-07W	335	(102.1)	
	47	N22-15W	333	(101.5)	
	48	N04-48W	442	(134.7)	
	49	N05-50W	452	(137.8)	
	50	N06-09W	410	(125.0)	DESCENDING RIDGE RUNNING NORTH FROM STOREY PEAK.
	51	N15-18W	284	(86.6)	
	52	N05-44W	220	(67.1)	
	53	N12-45E	172	(52.4)	
	54	N30-05E	247	(75.3)	
	55	N85-26E	50	(15.2)	
	56				A POINT ON RIDGE RUNNING NORTH FROM STOREY PEAK.
		N77-24E	193	(58.8)	
	57	N78-49E	371	(113.1)	ALONG TOP OF RIDGE BETWEEN LITTLE BOULDER CREEK AND NORTH FORK WOLF CREEK.
	58	N69-45E	471	(143.6)	
	59	N60-05E	429	(130.8)	
	60	N54-05E	430	(131.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SW MAP #3	61	N45-05E	457	(139.3)	
	62	N48-18E	517	(157.6)	
	63	N37-19E	412	(125.6)	ALONG TOP OF RIDGE BETWEEN LITTLE BOULDER CREEK AND NORTH FORK WOLF CREEK.
	64	N52-43E	332	(101.2)	
	65	N46-41E	216	(65.8)	
	66				A POINT ON RIDGE BETWEEN LITTLE BOULDER CREEK AND NORTH FORK WOLF CREEK, ELEVATION 6,783 FEET.
		N51-32E	386	(117.7)	
	67	N56-31E	319	(97.2)	
	68	N52-23E	154	(46.9)	
	69	N84-17E	472	(143.9)	
	70	N90-00E	252	(76.8)	ALONG TOP OF RIDGE BETWEEN LITTLE BOULDER CREEK AND NORTH FORK WOLF CREEK.
	71	N59-56E	176	(53.6)	
	72	N53-14E	434	(132.3)	
	73	N38-20E	590	(179.8)	
	74	N44-07E	549	(167.3)	
	75	N45-47E	310	(94.5)	
	76	N53-08E	175	(53.3)	
	77	N64-11E	69	(21.0)	
	78				A POINT ON RIDGE BETWEEN LITTLE BOULDER CREEK AND NORTH FORK WOLF CREEK.
		S57-32E	156	(47.5)	ALONG TOP OF RIDGE RUNNING SOUTH TO MCKINLEY MOUNTAIN.
	79	S34-53E	185	(56.4)	
	80				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SW MAP #3	81	S50-43E	227	(69.2)	
		S51-02E	175	(53.3)	
	82				
		S63-16E	445	(135.6)	
	83				
		S65-18E	412	(125.6)	ALONG TOP OF RIDGE RUNNING SOUTH TO McKINLEY MOUNTAIN.
	84				
		S72-26E	434	(132.3)	
	85				
		S74-50E	421	(128.3)	
	86				
		S76-16E	371	(113.1)	
	87				
		S77-43E	310	(94.5)	
	88				
		S69-16E	316	(96.3)	
	89				A POINT ON RIDGE RUNNING SOUTH TO McKINLEY MOUNTAIN.
		S20-15E	179	(54.6)	
	90				
		S17-35E	384	(117.0)	
	91				
		S18-05E	309	(94.2)	
	92				
		S17-45E	397	(121.0)	
	93				ALONG TOP OF RIDGE RUNNING SOUTH TO McKINLEY MOUNTAIN.
		S24-18E	340	(103.6)	
	94				
		S35-52E	276	(84.1)	
	95				
		S13-05E	203	(61.9)	
	96				
		S36-43E	157	(47.9)	
	97				
		S48-01E	54	(16.5)	
	98				SUMMIT OF McKINLEY MOUNTAIN ELEVATION 6,469 FEET.
		S65-52E	201	(61.3)	
	99				
		S70-43E	403	(122.8)	DESCENDING VIRGINIAN RIDGE.
	100				
		S80-29E	412	(125.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SW MAP #3	101	S76-57E	425	(129.5)	
	102	S63-52E	236	(71.9)	DESCENDING VIRGINIAN RIDGE.
	103	S72-19E	365	(111.3)	
	104	S78-26E	269	(82.0)	
	105				A POINT ON VIRGINIAN RIDGE.
		N72-23E	264	(80.5)	
	106	N87-20E	343	(104.5)	
	107	S89-19E	336	(102.4)	
	108	S73-15E	399	(121.6)	
	109	S62-59E	339	(103.3)	DESCENDING VIRGINIAN RIDGE.
	110	S53-42E	280	(85.3)	
	111	S66-48E	335	(102.1)	
	112	S47-16E	233	(71.0)	
	113	S43-35E	171	(52.1)	
	114	S44-12E	201	(61.3)	
	115	S44-29E	157	(47.9)	
	116	S52-16E	212	(64.6)	
	117	S43-14E	184	(56.1)	
	118	S56-34E	441	(134.4)	
	119	S71-25E	364	(110.9)	
	120	S69-31E	406	(123.7)	
	121	S77-36E	391	(119.2)	
	122	S76-19E	309	(94.2)	
	123	S67-44E	251	(76.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SE MAP #4	124	S75-58E	421	(128.3)	
	125	S71-08E	334	(101.8)	
	126	S59-02E	140	(42.7)	
	127	S38-07E	147	(44.8)	
	128	S27-41E	228	(69.5)	
	129	S23-12E	289	(88.1)	
	130	S28-28E	378	(115.2)	DESCENDING VIRGINIAN RIDGE.
	131	S40-48E	386	(117.7)	
	132	S42-41E	316	(96.3)	
	133	S48-44E	315	(96.0)	
	134	S43-13E	362	(110.3)	
	135	S45-47E	566	(172.5)	
	136	S45-08E	593	(180.7)	
	137	S41-54E	183	(55.8)	
	138	S53-38E	523	(159.4)	
	139	S53-43E	466	(142.0)	
	140	S48-02E	320	(97.5)	
	141	S53-29E	383	(116.7)	
	142	S58-02E	508	(154.8)	
	143	S60-20E	166	(50.6)	
	144	S74-07E	680	(207.3)	
	145	S75-10E	774	(235.9)	
	146	S76-18E	329	(100.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA SE MAP #4	147				A POINT ON VIRGINIAN RIDGE, ELEVATION 5,449 FEET.
		N62-32E	228	(69.5)	
	148	N60-44E	360	(109.7)	
	149	N70-58E	484	(147.5)	
	150	N85-45E	513	(156.4)	
	151	N89-09E	538	(164.0)	DESCENDING VIRGINIAN RIDGE.
	152	N80-13E	512	(156.1)	
	153	N81-57E	586	(178.6)	
	154	S82-50E	417	(127.1)	
	155	S71-29E	677	(206.4)	
	156	S63-31E	673	(205.1)	
	157	S56-12E	298	(90.8)	
	158	S79-06E	359	(109.4)	
	159	S89-20E	520	(158.5)	
	160	S88-16E	364	(110.9)	
	161	S87-55E	276	(84.1)	
	162	S83-32E	240	(73.2)	
	163	S27-21E	131	(39.9)	
THOMPSON RIDGE MAP #5	164	S27-07E	140	(42.7)	
	165				A POINT ON VIRGINIAN RIDGE, ELEVATION 4,580 FEET.
		S45-00E	64	(19.5)	
	166	S47-20E	174	(53.0)	DESCENDING VIRGINIAN RIDGE.
	167	S53-32E	367	(111.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THOMPSON RIDGE MAP #5	168				
		S35-58E	441	(134.4)	
	169				
		S53-43E	490	(149.4)	
	170				
		S54-51E	186	(56.7)	
	171				
		S35-13E	104	(31.7)	
	172				
		S14-15E	317	(96.6)	DESCENDING VIRGINIAN RIDGE.
	173				
		S27-49E	306	(93.3)	
	174				
		S38-19E	334	(101.8)	
	175				
		S39-40E	304	(92.7)	
	176				
		S49-30E	199	(60.7)	
	177				
		S44-26E	283	(86.3)	
	178				
		S47-01E	242	(73.8)	
	179				
		S45-27E	265	(80.8)	
	180				
		S38-10E	273	(83.2)	
	181				A POINT ON SPUR RIDGE DESCENDING FROM VIRGINIAN RIDGE, ELEVATION 4,001 FEET.
		S16-57W	6479	(1974.8)	
	182				A HIGH POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK, ELEVATION 4,681 FEET.
		S30-52W	101	(30.8)	
	183				
		S51-20W	250	(76.2)	
	184				
		S61-53W	263	(80.2)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
	185				
		S85-05W	421	(128.3)	
	186				
		N82-35W	473	(144.2)	
	187				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THOMPSON RIDGE MAP #5		N74-57W	381	(116.1)	
	188	N73-14W	534	(162.8)	
	189	N74-32W	525	(160.0)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
	190	N77-45W	528	(160.9)	
	191	N70-34W	457	(139.3)	
	192	N52-59W	301	(91.7)	
	193	N60-28W	207	(63.1)	
	194	N85-28W	126	(38.4)	
	195				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK, ELEVATION 5,343 FEET.
		S71-19W	225	(68.6)	
	196	S65-27W	267	(81.4)	
	197	S56-32W	346	(105.5)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
	198	S49-23W	352	(107.3)	
	199	S45-30W	243	(74.1)	
	200	S29-19W	280	(85.3)	
	201	S33-30W	85	(25.9)	
	202				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK, ELEVATION 5,254 FEET.
		S04-37W	62	(18.9)	
	203	S03-26E	100	(30.5)	
	204	S12-49E	216	(65.8)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
	205	S09-36E	330	(100.6)	
	206	S09-55E	389	(118.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THOMPSON RIDGE MAP #5	207				
		S01-06E	364	(110.9)	
	208				
		S03-32W	325	(99.1)	
	209				
		S16-50W	273	(83.2)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
	210				
		S23-10W	295	(89.9)	
	211				
		S15-05W	281	(85.6)	
	212				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
		S13-50W	134	(40.8)	
	213				
		S16-31W	302	(92.0)	ALONG A SIDE HILL.
	214				
		S50-46W	155	(47.2)	
	215				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE WOLF CREEK.
		S78-52W	197	(60.0)	
	216				
		S88-56W	588	(179.2)	
	217				ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
		N87-57W	364	(110.9)	
	218				
		S79-56W	235	(71.6)	
	219				
		S85-08W	460	(140.2)	
	220				
		S79-57W	384	(117.0)	
	221				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 5,580 FEET.
		S72-21W	69	(21.0)	
	222				
		N77-30W	171	(52.1)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	223				
		N87-49W	236	(71.9)	
	224				
		S87-54W	218	(66.4)	
	225				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
THOMPSON RIDGE MAP #5		S77-46W	208	(63.4)	
	226	S63-04W	353	(107.6)	
	227	S58-43W	152	(46.3)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	228	S83-19W	224	(68.3)	
	229	N86-58W	246	(75.0)	
	230	S89-03W	180	(54.9)	
	231	S77-05W	273	(83.2)	
	232	S72-32W	207	(63.1)	
	233	S56-43W	191	(58.2)	
	234				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	235	S50-21W	478	(145.7)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	236	S54-15W	479	(146.0)	
		S84-11W	168	(51.2)	
	237				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	238	N80-49W	100	(30.5)	
	239	N65-49W	356	(108.5)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	240	N66-16W	380	(115.8)	
	241	N82-31W	215	(65.5)	
		N87-33W	328	(100.0)	
	242				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 5,514 FEET.
		N50-57W	136	(41.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION	
THOMPSON RIDGE MAP #6	243					
		N54-41W	332	(101.2)		
	244					
		N21-59W	112	(34.1)		
	245					
		N47-28W	263	(80.2)		
	246					
		N60-44W	209	(63.7)		
	247					
		N77-09W	292	(89.0)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.	
248						
	S85-18W	330	(100.6)			
MIDNIGHT MOUNTAIN MAP #6	249					
		S74-01W	185	(56.4)		
	250					
		S55-26W	164	(50.0)		
	251					
		S63-09W	272	(82.9)		
	252					
		S76-31W	279	(85.0)		
	253					
		N88-10W	188	(57.3)		
	254					
		N70-45W	464	(141.4)		
	255					
		N74-55W	449	(136.9)		
	256					
		N78-34W	560	(170.7)		
	257					
		N62-24W	397	(121.0)		
258						
	N48-53W	354	(107.9)			
259						
	N41-25W	215	(65.5)			

	260				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 5,117 FEET.	

		S80-41W	253	(77.1)		
	261					
		S01-00W	196	(59.7)		
	262					
		N74-09W	253	(77.1)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.	
	263					
		N79-38W	450	(137.2)		
	264					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		N82-48W	423	(128.9)	
	265	S83-47W	435	(132.6)	
	266	S68-37W	203	(61.9)	
	267	S61-39W	272	(82.9)	
	268	S60-27W	326	(99.4)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	269	S66-39W	295	(89.9)	
	270	N69-45W	90	(27.4)	
	271	N60-26W	452	(137.8)	
	272	N72-25W	487	(148.4)	
	273	N67-27W	172	(52.4)	
	274	N60-55W	428	(130.5)	
	275	N72-03W	376	(114.6)	
	276	N86-39W	343	(104.5)	
	277				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 6,156 FEET.
	278	S86-07W	429	(130.8)	
	279	S81-11W	280	(85.3)	
	280	S63-42W	291	(88.7)	ALONG TOP OF MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK.
	281	S61-40W	289	(88.1)	
	282	S54-06W	295	(89.9)	
	283	S59-11W	127	(38.7)	
	284	S69-51W	316	(96.3)	
		S83-17W	496	(151.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	285				A POINT ON MAIN RIDGE BETWEEN WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 6,390 FEET.
		S76-06W	304	(92.7)	
	286	S64-03W	379	(115.5)	
	287	S61-14W	349	(106.4)	
	288	S47-21W	242	(73.8)	
	289	S41-44W	496	(151.2)	ALONG TOP OF RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK.
	290	S39-22W	426	(129.8)	
	291	S38-32W	377	(114.9)	
	292	S35-16W	314	(95.7)	
	293	S25-10W	165	(50.3)	
	294	S34-36W	121	(36.9)	
	295	S48-35W	169	(51.5)	
	296	S58-33W	347	(105.8)	
	297	S59-06W	171	(52.1)	
	298	S32-24W	172	(52.4)	
	299	S49-40W	113	(34.4)	
	300				A POINT ON RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 7,035 FEET.
		S39-52W	237	(72.2)	
	301	S29-23W	347	(105.8)	
	302	S35-06W	449	(136.9)	ALONG TOP OF RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK.
	303	S34-52W	269	(82.0)	
	304	S49-57W	328	(100.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	305				
		S44-53W	349	(106.4)	
	306				
		S49-14W	345	(105.2)	
	307				
		S46-55W	255	(77.7)	
	308				
		S46-42W	166	(50.6)	
	309				ALONG TOP OF RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK.
		S04-58W	139	(42.4)	
	310				
		S13-02W	262	(79.9)	
	311				
		S07-38W	113	(34.4)	
	312				
		S03-40E	156	(47.5)	
	313				
		S02-28E	186	(56.7)	

	314				A POINT ON RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 7,405 FEET.

		S09-10E	295	(89.9)	
	315				
		S01-59W	550	(167.6)	
	316				
		S18-48E	146	(44.5)	
	317				ALONG TOP OF RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK.
		S01-03E	272	(82.9)	
	318				
		S08-53E	181	(55.2)	
	319				
		S21-15E	212	(64.6)	
	320				
		S20-41E	266	(81.1)	

	321				A POINT ON RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK, ELEVATION 7,422 FEET.

		S04-38E	174	(53.0)	ALONG TOP OF RIDGE BETWEEN SOUTH FORK WOLF CREEK AND LITTLE BRIDGE CREEK.
	322				
		S00-41E	336	(102.4)	
	323				
		S26-11E	335	(102.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	324				
		S28-08E	295	(89.9)	
	325				
		S48-43E	338	(103.0)	
	326				
		S57-49E	370	(112.8)	
	327				
		S38-38E	312	(95.1)	
	328				
		S01-44E	331	(100.9)	ALONG TOP OF RIDGE BETWEEN WEST FORK BRIDGE CREEK AND LITTLE SLATE CREEK.
	329				
		S09-43W	468	(142.6)	
	330				
		S01-08W	457	(139.3)	
	331				
		S05-56W	475	(144.8)	
	332				
		S20-00W	231	(70.4)	
	333				
		S45-13W	193	(58.8)	
	334				
		S59-19W	143	(43.6)	
	335				
		S47-00W	202	(61.6)	
	336				
		S32-00W	104	(31.7)	

	337				SUMMIT OF MIDNIGHT MOUNTAIN, ELEVATION 7,595 FEET.

		S04-04W	169	(51.5)	
338					
		S27-04E	207	(63.1)	
339					
		S26-29E	321	(97.8)	
340					ALONG TOP OF MIDNIGHT MOUNTAIN.
		S34-11E	482	(146.9)	
341					
		S37-13E	423	(128.9)	
342					
		S44-06E	361	(110.0)	
343					
		S51-06E	339	(103.3)	
344					
		S48-03E	133	(40.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	345				TRIANGULATION STATION ON MIDNIGHT MOUNTAIN, ELEVATION 7,480 FEET.
		S85-50E	262	(79.9)	
	346	N81-43E	423	(128.9)	
	347	S88-25E	218	(66.4)	ALONG TOP OF RIDGE.
	348	S66-07E	326	(99.4)	
	349	S41-03E	318	(96.9)	
	350	S32-30E	363	(110.6)	
	351	S29-03E	72	(21.9)	
	352				A POINT ON RIDGE BETWEEN CANYON CREEK AND LITTLE SLATE CREEK.
		S05-38E	275	(83.8)	
	353	S07-04E	252	(76.8)	
	354	S12-46E	208	(63.4)	ALONG TOP OF RIDGE BETWEEN CANYON CREEK AND LITTLE SLATE CREEK.
	355	S11-19W	209	(63.7)	
	356	S10-56W	242	(73.8)	
	357	S23-26W	254	(77.4)	
	358				SUMMIT OF THREE A.M. MOUNTAIN, ELEVATION 7,180 FEET.
		S06-19E	408	(124.4)	
	359	S04-57W	393	(119.8)	
	360	S13-55W	357	(108.8)	DESCENDING RIDGE.
	361	S07-43W	179	(54.6)	
	362	S02-41E	277	(84.4)	
	363	S20-11W	229	(69.8)	
	364				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		S01-43E	300	(91.4)	
	365	S12-29W	333	(101.5)	
	366	S18-52W	461	(140.5)	DESCENDING RIDGE.
	367	S09-24W	288	(87.8)	
	368	S22-16W	298	(90.8)	
	369	S05-11W	277	(84.4)	
	370	S02-21W	609	(185.6)	
	371				A POINT WHERE 6,600 FOOT ELEVATION CONTOUR INTERSECTS TOP OF RIDGE DESCENDING INTO TWISP RIVER.
		S12-04W	163	(49.7)	
	372	S24-28W	159	(48.5)	DESCENDING RIDGE.
	373	S22-21W	195	(59.4)	
	374				A POINT ON RIDGE DESCENDING INTO TWISP RIVER.
		S07-45W	304	(92.7)	
	375	S03-37W	349	(106.4)	
	376	S10-54W	296	(90.2)	
	377	S21-07W	250	(76.2)	DESCENDING SPUR RIDGE.
	378	S21-10W	366	(111.6)	
	379	S02-29W	185	(56.4)	
	380	S03-04W	336	(102.4)	
	381				A POINT ON RIDGE, ELEVATION 5,200 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	382	S10-51W	218	(66.4)	
	383	S13-28W	266	(81.1)	DESCEND MINOR DRAW.
		S17-47W	111	(33.8)	
	384				A POINT IN MINOR DRAW, ELEVATION 4,800 FEET.
	385	S58-24W	198	(60.4)	
	386	N79-12W	262	(79.9)	
	387	N31-03W	332	(101.2)	
	388	N14-10W	327	(99.7)	
	389	N19-32W	215	(65.5)	ALONG THE 4,800 FOOT ELEVATION CONTOUR.
	390	S82-34W	139	(42.4)	
	391	S81-13W	308	(93.9)	
	392	N75-05W	334	(101.8)	
	393	N14-46W	188	(57.3)	
	394	N19-24W	169	(51.5)	
	395	N58-11W	127	(38.7)	
	396	N50-41W	150	(45.7)	
	397	N14-57W	167	(50.9)	
	398	N16-07E	234	(71.3)	
		N29-09E	60	(18.3)	
	399				A POINT WHERE 4,800 FOOT ELEVATION CONTOUR INTERSECTS A SIDE DRAINAGE DESCENDING INTO LITTLE SLATE CREEK.
	400	N82-16W	208	(63.4)	DESCENDING SIDE DRAINAGE.
		S84-52W	458	(139.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	401	S64-57W	404	(123.1)	
	402	S65-26W	166	(50.6)	
	403	S80-53W	410	(125.0)	DESCENDING A SIDE DRAINAGE.
	404	S82-28W	351	(107.0)	
	405	S83-38W	262	(79.9)	
	406	S82-26W	129	(39.3)	
	407				A POINT IN LITTLE SLATE CREEK. APPROXIMATE ELEVATION 3,440 FEET.
		N84-54W	259	(78.9)	
	408	S89-40W	336	(102.4)	
	409	N77-08W	417	(127.1)	
	410	N71-16W	367	(111.9)	
	411	N44-38W	437	(133.2)	ASCENDING SPUR RIDGE.
	412	N42-06W	336	(102.4)	
	413	N28-49W	409	(124.7)	
	414	N28-45W	376	(114.6)	
	415	N33-50W	110	(33.5)	
	416				A POINT WHERE 4,800 FOOT ELEVATION CONTOUR INTERSECTS TOP OF SPUR RIDGE ASCENDING FROM LITTLE SLATE CREEK.
		N68-50W	233	(71.0)	
	417	N64-22W	409	(124.7)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	418	N54-55W	398	(121.3)	
	419	N51-53W	514	(156.7)	
	420				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		N47-27W	398	(121.3)	
	421	N22-07W	133	(40.5)	
	422	N12-29W	143	(43.6)	
	423	N03-14E	443	(135.0)	
	424	N04-18W	413	(125.9)	
	425	N12-15W	320	(97.5)	
	426	N36-52W	40	(12.2)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	427	N85-40W	132	(40.2)	
	428	N73-15W	128	(39.0)	
	429	S80-55W	317	(96.6)	
	430	S85-33W	504	(153.6)	
	431	N82-29W	275	(83.8)	
	432	N42-52W	190	(57.9)	
	433	N37-38W	403	(122.8)	
	434	N21-55W	453	(138.1)	
	435	N00-13E	260	(79.2)	
	436	N12-21E	206	(62.8)	
	437	N32-17W	202	(61.6)	
	438	N21-06W	258	(78.6)	
	439	N07-26E	186	(56.7)	
	440	N26-34E	49	(14.9)	
	441	N17-52W	192	(58.5)	
	442	N09-08E	145	(44.2)	
	443	N31-25E	132	(40.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	444	N31-28W	79	(24.1)	
	445	N08-48E	85	(25.9)	
	446	N24-38W	173	(52.7)	
	447	N12-32W	148	(45.1)	
	448	N42-28E	80	(24.4)	
	449	N01-44W	132	(40.2)	
	450	N39-48W	180	(54.9)	ALONG 4,800 FOOT CONTOUR.
	451	N07-42W	268	(81.7)	
	452	N08-38E	227	(69.2)	
	453	N26-42E	182	(55.5)	
	454	N46-32W	158	(48.2)	
	455	N17-35W	192	(58.5)	
	456	N64-51W	162	(49.4)	
	457	N79-26W	120	(36.6)	
	458	N71-49W	218	(66.4)	
	459	N51-54W	224	(68.3)	
	460	N73-20W	153	(46.6)	
	461	N49-37W	193	(58.8)	
	462	N41-53W	286	(87.2)	
	463	N25-11W	240	(73.2)	
	464	N13-30W	154	(46.9)	
	465	N02-45W	312	(95.1)	
	466	N82-31W	138	(42.1)	
	467				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		N85-55W	168	(51.2)	
	468	N64-20W	113	(34.4)	
	469	N23-53W	77	(23.5)	
	470	N80-46W	81	(24.7)	
	471	S79-56W	126	(38.4)	
	472	S61-54W	151	(46.0)	
	473	S81-52W	156	(47.5)	ALONG 4,800 FOOT CONTOUR.
	474	N62-49W	125	(38.1)	
	475	N38-40W	192	(58.5)	
	476	N65-13W	86	(26.2)	
	477	S70-40W	121	(36.9)	
	478	S86-57W	94	(28.7)	
	479	N55-11W	56	(17.1)	
	480	N01-00W	301	(91.7)	
	481	N19-03W	89	(27.1)	
	482	S83-01W	206	(62.8)	
	483	N80-09W	169	(51.5)	
	484	N52-02W	179	(54.6)	
	485	N24-57W	175	(53.3)	
	486	N21-35W	144	(43.9)	
	487	N10-27W	105	(32.0)	
	488	N78054W	109	(33.2)	
	489	S88-53W	256	(78.0)	
	490	N65-15W	155	(47.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT	491				
MOUNTAIN		N21-29W	197	(60.0)	
MAP #6	492	N08-08E	170	(51.8)	
	493	N03-41E	249	(75.9)	
	494	N13-14E	122	(37.2)	
	495	N01-01W	284	(86.6)	
	496	N04-00E	200	(61.0)	
	497	N70-13W	148	(45.1)	ALONG 4,800 FOOT CONTOUR.
	498	S62-48W	120	(36.6)	
	499	S73-04W	144	(43.9)	
	500	N84-08W	147	(44.8)	
	501	N64-19W	58	(17.7)	
	502	S65-23W	211	(64.3)	
	503	S73-09W	366	(111.6)	
	504	S80-53W	271	(82.6)	
	505	N76-53W	167	(50.9)	
	506	S69-07W	104	(31.7)	
	507	S72-51W	98	(29.9)	
	508	N84-31W	147	(44.8)	
	509	N57-06W	142	(43.3)	
	510	N47-08W	171	(52.1)	
	511	N35-51W	147	(44.8)	
	512	S82-26W	129	(39.3)	
	513	N89-07W	130	(39.6)	
	514				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN , MAP #6 GILBERT MAP #7	515	N53-50W	64	(19.5)	
	516	S83-11W	228	(69.5)	
	517	N87-45W	178	(54.3)	
	518	N61-24W	378	(115.2)	
	519	N48-33W	320	(97.5)	
	520	N27-59W	198	(60.4)	
	521	N06-35E	52	(15.8)	ALONG 4,800 FOOT CONTOUR.
	522	N26-34W	60	(18.3)	
	523	N55-16W	107	(32.6)	
	524	N18-50W	276	(84.1)	
	525	N10-57W	342	(104.2)	
	526	N05-25E	117	(35.7)	
	527	N08-58W	38	(11.6)	
	528	N32-13W	118	(36.0)	
	529	N13-42W	122	(37.2)	
	530	N21-56E	83	(25.3)	
		N43-09E	132	(40.2)	
531					A POINT WHERE 4,800 FOOT ELEVATION CONTOUR INTERSECTS A SIDE DRAINAGE DESCENDING INTO SCATTER CREEK.
532		N89-39W	162	(49.4)	
533		S72-21W	231	(70.4)	DESCENDING A SIDE DRAINAGE.
		S70-48W	310	(94.5)	
534					A POINT IN THE SIDE DRAINAGE. ELEVATION 4,400 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		N71-17W	193	(58.8)	
	535	N52-47W	131	(39.9)	DESCEND.
	536	N70-01W	47	(14.3)	
	537				A POINT AT THE JUNCTION OF AN UNNAMED TRIBUTARY AND SCATTER CREEK.
		N85-45W	148	(45.1)	
	538	N78-13W	167	(50.9)	
	539	N58-46W	258	(78.6)	ASCEND FROM SCATTER CREEK.
	540	N55-44W	250	(76.2)	
	541	N47-48W	58	(17.7)	
	542	N79-23W	33	(10.1)	
	543				A POINT ON THE 4,800 FOOT ELEVATION CONTOUR.
		S40-28W	45	(13.7)	
	544	S24-15W	277	(84.4)	
	545	S50-34W	80	(24.4)	
	546	S83-43W	201	(61.3)	
	547	S83-03W	83	(25.3)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	548	N57-05W	351	(107.0)	
	549	N52-44W	147	(44.8)	
	550	N70-28W	66	(20.1)	
	551	N09-11E	69	(21.0)	
	552	N34-23W	46	(14.0)	
	553	N15-31E	56	(17.1)	
	554				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		N50-54E	41	(12.5)	
	555	N03-22E	34	(10.4)	
	556	N66-33W	206	(62.8)	
	557	N61-37W	141	(43.0)	
	558	S79-53W	57	(17.4)	
	559	S63-26W	49	(14.9)	
	560	N62-38W	161	(49.1)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	561	N68-08W	153	(46.6)	
	562	N44-30W	81	(24.7)	
	563	N02-17W	176	(53.6)	
	564	N09-21W	252	(76.8)	
	565	N19-06W	55	(16.8)	
	566	N72-29W	196	(59.7)	
	567	N49-55W	182	(55.5)	
	568	N49-45W	180	(54.9)	
	569	N24-27W	97	(29.6)	
	570	N14-30W	60	(18.3)	
	571	N56-59W	119	(36.3)	
	572	N58-26W	97	(29.6)	
	573	N78-58W	84	(25.6)	
	574	S75-40W	93	(28.3)	
	575	N79-46W	73	(22.3)	
	576	N40-22W	79	(24.1)	
	577	N01-55W	238	(72.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	578				
		N05-05E	90	(27.4)	
	579				
		N66-48W	99	(30.2)	
	580				
		N67-30W	246	(75.0)	
	581				
		N74-51W	99	(30.2)	
	582				
		S77-04W	152	(46.3)	
	583				
		S83-10W	219	(66.8)	
	584				
		N77-28W	101	(30.8)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	585				
		N50-44W	177	(53.9)	
	586				
		N57-02W	153	(46.6)	
	587				
		N78-41W	138	(42.1)	
	588				
		N70-21W	104	(31.7)	
	589				
		N28-39W	98	(29.9)	
	590				
		N08-20E	249	(75.9)	
	591				
		N07-25E	217	(66.1)	
	592				
		N04-29W	167	(50.9)	
	593				
		N05-54W	58	(17.7)	
	594				
		N28-18W	44	(13.4)	
	595				
		S78-07W	78	(23.8)	
	596				
		S55-44W	83	(25.3)	
	597				
		S82-44W	103	(31.4)	
	598				
		N90-00W	84	(25.6)	
	599				
		S35-25W	55	(16.8)	
	600				
		S10-37W	33	(10.1)	
	601				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		S89-24W	96	(29.3)	
	602	S79-06W	111	(33.8)	
	603	N85-43W	80	(24.4)	
	604	N54-43W	428	(130.5)	
	605	N59-24W	375	(114.3)	
	606	N59-20W	131	(39.9)	
	607	N47-31W	129	(39.3)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	608	N21-52W	153	(46.6)	
	609	N21-11W	86	(26.2)	
	610	N75-58W	165	(50.3)	
	611	N68-29W	188	(57.3)	
	612	N35-12W	199	(60.7)	
	613	N24-25W	203	(61.9)	
	614	N00-00W	94	(28.7)	
	615	N20-23W	149	(45.4)	
	616	S50-26W	89	(27.1)	
	617	S72-52W	153	(46.6)	
	618	N84-42W	141	(43.0)	
	619	N45-00W	151	(46.0)	
	620	N41-29W	92	(28.0)	
	621	N63-26W	85	(25.9)	
	622	N61-54W	134	(40.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	623	N28-04W	255	(77.7)	
	624	N32-59W	156	(47.5)	
	625	S57-01W	112	(34.1)	
	626	S84-51W	100	(30.5)	
	627	N65-24W	247	(75.3)	
	628	N62-41W	307	(93.6)	
	629	N54-24W	100	(30.5)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	630	N58-22W	349	(106.4)	
	631	N43-10W	199	(60.7)	
	632	N12-54W	98	(29.9)	
	633	N10-07W	85	(25.9)	
	634	N61-01W	85	(25.9)	
	635	N31-07W	68	(20.7)	
	636	N16-42W	21	(6.4)	
	637	N70-51W	76	(23.2)	
	638	N61-58W	87	(26.5)	
	639	N28-38W	173	(52.7)	
	640	N12-55W	174	(53.0)	
	641	N09-07W	82	(25.0)	
	642	N79-17W	75	(22.9)	
	643	S81-48W	119	(36.3)	
	644	N83-15W	77	(23.5)	
	645	N42-19W	196	(59.7)	
	646				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		N32-05W	228	(69.5)	
	647	N17-36W	258	(78.6)	
	648	N04-18W	133	(40.5)	
	649	N49-46W	68	(20.7)	
	650	N21-48W	199	(60.7)	
	651	N13-36W	255	(77.7)	
	652	N07-25W	194	(59.1)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	653	N16-36E	109	(33.2)	
	654	N41-45E	125	(38.1)	
	655	N62-53E	94	(28.7)	
	656	N19-48W	80	(24.4)	
	657	N45-51W	144	(43.9)	
	658	N46-29W	109	(33.2)	
	659	N08-58W	77	(23.5)	
	660	N10-30E	252	(76.8)	
	661	N18-33E	163	(49.7)	
	662	N49-34E	71	(21.6)	
	663	N67-53E	35	(10.7)	
	664	N12-36E	96	(29.3)	
	665	N14-33E	107	(32.6)	
	666	N56-12E	135	(41.1)	
	667	N53-21E	54	(16.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
GILBERT MAP #7	668			A POINT WHERE 4,800 FOOT ELEVATION CONTOUR INTERSECTS UNNAMED SIDE DRAINAGE OF NORTH CREEK.
	669	N80-44W	466 (142.0)	
	670	N90-00W	226 (68.9)	DESCENDING UNNAMED SIDE DRAINAGE.
	671	N89-05W	313 (95.4)	
		N90-00W	250 (76.2)	
	672			A POINT AT THE CONFLUENCE OF UNNAMED SIDE DRAINAGE AND NORTH CREEK.
	673	S83-59W	315 (96.0)	
	674	N81-54W	213 (64.9)	ASCEND
	675	N86-37W	152 (46.3)	
		S73-39W	96 (29.3)	
	676			A POINT ON THE 4,400 ELEVATION CONTOUR.
	677	S28-49W	216 (65.8)	
	678	S22-28W	256 (78.0)	
	679	S05-23W	213 (64.9)	
	680	S21-18W	259 (78.9)	
	681	S26-34W	136 (41.5)	ALONG 4,400 FOOT ELEVATION CONTOUR.
	682	S12-36W	87 (26.5)	
	683	S18-13E	83 (25.3)	
	684	S19-41W	160 (48.8)	
	685	S37-38W	105 (32.0)	
		S04-19E	119 (36.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	686				
		S25-57W	126	(38.4)	
	687				
		S63-42W	97	(29.6)	
	688				
		S81-10W	150	(45.7)	
	689				
		S69-02W	165	(50.3)	
	690				
		N74-26W	164	(50.0)	
	691				
		N65-19W	81	(24.7)	
	692				
		S69-09W	180	(54.9)	ALONG 4,400 FOOT ELEVATION CONTOUR.
	693				
		S01-00W	355	(108.2)	
	694				
		N88-44W	316	(96.3)	
	695				
		N76-53W	181	(55.2)	
	696				
		N47-41W	91	(27.7)	
	697				
		N50-38W	101	(30.8)	
	698				
		S47-46W	103	(31.4)	
	699				
		S51-20W	45	(13.7)	
	700				
		S87-56W	166	(50.6)	
	701				
		S84-35W	159	(48.5)	
	702				
		N87-08W	60	(18.3)	
	703				
		S70-50W	125	(38.1)	
	704				
		S57-28W	151	(46.0)	
	705				
		S66-59W	202	(61.6)	
	706				
		S82-12W	192	(58.5)	
	707				
		N79-20W	157	(47.9)	
	708				
		N63-26W	51	(15.5)	
	709				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		S55-13W	116	(35.4)	
	710	S72-42W	128	(39.0)	
	711	N81-02W	77	(23.5)	
	712	N49-27W	218	(66.4)	
	713	N33-45W	232	(70.7)	ALONG 4,400 FOOT ELEVATION CONTOUR.
	714	N42-58W	139	(42.4)	
	715	N01-00W	80	(24.4)	
	716	N62-41W	102	(31.1)	
	717	N37-15W	210	(64.0)	
	718	N38-27W	124	(37.8)	
	719	N86-58W	132	(40.2)	
	720	N68-32W	227	(69.2)	
	721	N45-28W	175	(53.3)	
	722	N43-36W	87	(26.5)	
	723	S83-36W	117	(35.7)	
	724	S87-29W	114	(34.7)	
	725	N79-39W	106	(32.3)	
	726	N60-15W	89	(27.1)	
	727				A POINT WHERE 4,400 FOOT ELEVATION CONTOUR INTERSECTS A MINOR DRAINAGE DESCENDING INTO TWISP RIVER.
		S53-08W	5	(1.5)	
	728	S16-10W	104	(31.7)	DESCENDING A MINOR DRAINAGE.
	729	S14-16W	304	(92.7)	
	730				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		S30-53W	131	(39.9)	
	731	S13-35W	273	(83.2)	
	732	S01-09E	298	(90.8)	DESCENDING A MINOR DRAINAGE.
	733	S02-08W	376	(114.6)	
	734	S18-41E	215	(65.5)	
	735	S16-15E	132	(40.2)	
	736				A POINT ON THE SOUTH BANK, AT THE ORDINARY HIGH WATER LINE OF THE TWISP RIVER, APPROXIMATE ELEVATION 3,800 FEET.
		S02-36E	110	(33.5)	
	737	S05-21E	289	(88.1)	
	738	S03-04W	355	(108.2)	ASCEND.
	739	S12-58W	325	(99.1)	
	740	S29-03W	329	(100.3)	
	741				A POINT ON THE 4,400 FOOT ELEVATION CONTOUR IN A MINOR DRAW.
		S37-52E	228	(69.5)	
	742	S31-47E	511	(155.8)	
	743	S10-49E	293	(89.3)	
	744	S26-43E	171	(52.1)	ALONG 4,400 FOOT ELEVATION CONTOUR.
	745	S14-18E	211	(64.3)	
	746	S21-22W	242	(73.8)	
	747	S24-38W	226	(68.9)	
	748	S35-16W	192	(58.5)	
	749	S18-47W	158	(48.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	750	S01-34W	110	(33.5)	ALONG 4,400 FOOT ELEVATION CONTOUR.
	751	S02-58W	58	(17.7)	
	752				A POINT WHERE 4,400 FOOT ELEVATION CONTOUR INTERSECTS CRESCENT CREEK.
	753	S16-27W	201	(61.3)	ASCENDING A MINOR DRAINAGE BETWEEN CRESCENT CREEK AND AN UNNAMED SIDE DRAINAGE.
		S21-07W	189	(57.6)	
	754				A POINT IN THE MINOR DRAINAGE BETWEEN CRESCENT CREEK AND UNNAMED SIDE DRAINAGE.
	755	S10-09W	97	(29.6)	ASCEND.
	756	S03-59W	86	(26.2)	
	757	S03-14E	124	(37.8)	
		S10-44E	215	(65.5)	
	758				A POINT ON A SPUR RIDGE AT THE 5,000 FOOT ELEVATION CONTOUR.
	759	S19-36E	295	(89.9)	ALONG 5,000 FOOT ELEVATION CONTOUR.
	760	S87-05E	196	(59.7)	
	761	N53-45E	37	(11.3)	
	762	N26-06E	168	(51.2)	
	763	N38-37E	203	(61.9)	
	764	N75-17E	205	(62.5)	
	765	N81-59E	136	(41.5)	
	766	N30-45E	190	(57.9)	
	767	N24-52E	285	(86.9)	
		N34-51E	96	(29.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	768				
		N47-23E	238	(72.5)	
	769				
		N62-08E	178	(54.3)	
	770				
		S59-41E	226	(68.9)	
	771				
		S45-10E	231	(70.4)	
	772				
		S43-30E	161	(49.1)	
	773				
		S01-00E	142	(43.3)	
	774				
		S65-43E	258	(78.6)	ALONG 5,000 FOOT ELEVATION CONTOUR.
	775				
		S78-24E	268	(81.7)	
	776				
		S65-13E	215	(65.5)	
	777				
		S37-45E	168	(51.2)	
	778				
		S13-47E	113	(34.4)	
	779				
		S64-22E	164	(50.0)	
	780				
		S51-47E	144	(43.9)	
	781				
		N88-53E	206	(62.8)	
	782				
		N89-35E	140	(42.7)	
	783				
		S52-24E	252	(76.8)	
	784				
		S42-36E	304	(92.7)	
	785				
		S37-03E	123	(37.5)	
	786				
		S09-07E	164	(50.0)	
	787				
		S07-12W	183	(55.8)	
	788				
		S14-11W	196	(59.7)	
	789				
		S10-48W	133	(40.5)	
	790				
		N83-04E	365	(111.3)	
	791				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		N75-39E	173	(52.7)	
	792	S68-32E	191	(58.2)	
	793	S49-36E	159	(48.5)	
	794	S12-13E	246	(75.0)	
	795	S03-22W	204	(62.2)	
	796	S27-24E	61	(18.6)	
	797	S83-56E	142	(43.3)	ALONG 5,000 FOOT ELEVATION CONTOUR.
	798	N85-17E	280	(85.3)	
	799	S38-19E	127	(38.7)	
	800	S04-24E	235	(71.6)	
	801	S04-43E	219	(66.8)	
	802	S20-01W	126	(38.4)	
	803	S49-58E	163	(49.7)	
	804	S65-00E	376	(114.6)	
	805	S52-14E	281	(85.6)	
	806	S15-48E	220	(67.1)	
	807	S03-47W	166	(50.6)	
	808	S39-34E	314	(95.7)	
	809	S54-30E	300	(91.4)	
	810	S25-51E	252	(76.8)	
	811	S42-32E	346	(105.5)	
	812	S38-06E	259	(78.9)	
	813	S29-45E	64	(19.5)	
	814	S18-44W	59	(18.0)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
GILBERT MAP #7	815		A POINT WHERE 5,000 FOOT ELEVATION CONTOUR INTERSECTS TOP OF MAIN RIDGE BETWEEN TWISP RIVER AND SOUTH CREEK.
	S72-54E	432 (131.7)	
	816		
	S62-57E	427 (130.1)	
	817		
	S62-26E	460 (140.2)	
	818		
	S65-19E	424 (129.2)	
	819		
	S57-52E	226 (68.9)	DESCENDING INTO SOUTH CREEK.
	820		
	S36-56E	206 (62.8)	
	821		
	S12-41E	205 (62.5)	
	822		
	S11-00E	257 (78.3)	
	823		
	S04-33E	113 (34.4)	
	824		A POINT IN SOUTH CREEK, APPROXIMATE ELEVATION 3,560 FEET.
	S02-18E	422 (128.6)	
	825		
	S07-39E	323 (98.5)	
	826		
	S04-58E	381 (116.1)	
	827		
	S03-13W	375 (114.3)	
	828		ASCENDING UNNAMED SIDE DRAINAGE OF SOUTH CREEK.
	S09-40E	280 (85.3)	
	829		
	S09-24E	312 (95.1)	
	830		
	S20-32E	251 (76.5)	
	831		
	S28-52E	277 (84.4)	
	832		A POINT WHERE 4,700 FOOT ELEVATION CONTOUR INTERSECTS UNNAMED SIDE DRAINAGE OF SOUTH CREEK.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		N42-03E	206	(62.8)	
	833	N56-46E	281	(85.6)	
	834	N64-40E	187	(57.0)	
	835	S79-47E	164	(50.0)	
	836	S84-02E	173	(52.7)	
	837	S01-00E	530	(161.5)	
	838	S66-13E	516	(157.3)	ALONG 4,700 FOOT ELEVATION CONTOUR.
	839	S50-48E	182	(55.5)	
	840	S41-53E	338	(103.0)	
	841	S53-26E	425	(129.5)	
	842	S32-08E	327	(99.7)	
	843	S36-27E	323	(98.5)	
	844	S08-20E	269	(82.0)	
	845	S10-57E	216	(65.8)	
	846	S29-45E	169	(51.5)	
	847	S16-40W	206	(62.8)	
	848	S08-50W	208	(63.4)	
	849	S18-39E	172	(52.4)	
	850	S24-46E	387	(118.0)	
	851	S32-04E	392	(119.5)	
	852	S17-52E	385	(117.3)	
	853	S15-57E	298	(90.8)	
	854	S13-47E	113	(34.4)	
	855	S86-43E	244	(74.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	856				
		S69-02E	372	(113.4)	
	857				
		S59-57E	397	(121.0)	
	858				
		S59-49E	263	(80.2)	
	859				
		S19-49E	183	(55.8)	
	860				
		S56-31E	159	(48.5)	
	861				
		S39-41E	313	(95.4)	
	862				
		S24-57E	237	(72.2)	ALONG 4,700 FOOT ELEVATION CONTOUR.
	863				
		S29-47E	215	(65.5)	
	864				
		S34-03E	130	(39.6)	
	865				
		N80-32E	55	(16.8)	
	866				
		N48-29E	326	(99.4)	
	867				
		N68-24E	217	(66.1)	
	868				
		S87-54E	272	(82.9)	
	869				
		S61-41E	308	(93.9)	
	870				
		S61-50E	208	(63.4)	
	871				
		S59-50E	235	(71.6)	
	872				
		N80-49E	332	(101.2)	
	873				
		N67-06E	203	(61.9)	
	874				
		N59-32E	381	(116.1)	
	875				
		N65-05E	358	(109.1)	
	876				
		N78-35E	212	(64.6)	
	877				
		S78-13E	284	(86.6)	
	878				
		S34-08E	214	(65.2)	
	879				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		S16-04E	322	(98.1)	
	880	S12-04E	325	(99.1)	
	881	S32-46E	87	(26.5)	
	882	S77-28E	74	(22.6)	
	883	N89-22E	270	(82.3)	ALONG 4,700 FOOT ELEVATION CONTOUR.
	884	S66-15E	420	(128.0)	
	885	S46-10E	279	(85.0)	
	886	S24-37E	343	(104.5)	
	887	S19-49E	236	(71.9)	
	888	S41-58E	320	(97.5)	
	889	S45-00E	160	(48.8)	
	890	S11-28E	76	(23.2)	
	891	S03-22W	68	(20.7)	
	892	S53-41W	230	(70.1)	
	893	S53-25W	237	(72.2)	
	894	S38-58W	114	(34.7)	
	895				A POINT WHERE 4,700 FOOT ELEVATION CONTOUR INTERSECTS UNNAMED SIDE DRAINAGE OF REYNOLDS CREEK.
		S60-25E	213	(64.9)	
	896	S67-08E	160	(48.8)	
	897	S42-05E	319	(97.2)	DESCENDING UNNAMED SIDE DRAINAGE.
	898	S59-31E	392	(119.5)	
MIDNIGHT MOUNTAIN MAP #6	899	S64-52E	125	(38.1)	
	900				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		S56-35E	285	(86.9)	
	901	S41-02E	286	(87.2)	DESCENDING UNNAMED SIDE DRAINAGE.
	902	S24-38E	252	(76.8)	
	903	S10-16E	454	(138.4)	
	904				A POINT IN REYNOLDS CREEK AT ITS CONFLUENCE WITH SAID UNNAMED SIDE DRAINAGE.
		S02-56E	449	(136.9)	
	905	S05-02E	400	(121.9)	ASCEND AN UNNAMED SIDE DRAINAGE.
	906	S01-39W	242	(73.8)	
	907	S08-54E	149	(45.4)	
	908				A POINT WHERE APPROXIMATE 4,500 FEET ELEVATION INTERSECT UNNAMED SIDE DRAINAGE OF REYNOLDS CREEK.
		S05-26E	127	(38.7)	
	909	S27-42E	136	(41.5)	
	910	S70-34E	126	(38.4)	ASCEND.
	911	S69-50E	136	(41.5)	
	912	S51-49E	131	(39.9)	
	913	S34-24E	135	(41.1)	
	914	S37-57E	138	(42.1)	
	915				A POINT ON 4,800 FOOT ELEVATION CONTOUR.
		S30-54E	160	(48.8)	
	916	S31-52E	131	(39.9)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	917				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		S65-52E	105	(32.0)	
	918	N86-24E	271	(82.6)	
	919	S76-03E	158	(48.2)	
	920	S34-38E	118	(36.0)	
	921	S16-35E	196	(59.7)	
	922	S05-16E	348	(106.1)	
	923	S01-36E	250	(76.2)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	924	S22-42W	166	(50.6)	
	925	N79-38E	261	(79.6)	
	926	N77-18E	228	(69.5)	
	927	N81-34E	109	(33.2)	
	928	S58-24E	61	(18.6)	
	929	S10-27E	105	(32.0)	
	930	S07-27E	393	(119.8)	
	931	S04-31E	267	(81.4)	
	932	S05-15W	197	(60.0)	
	933	S25-19E	82	(25.0)	
	934	S20-30E	140	(42.7)	
	935	N79-17E	151	(46.0)	
	936	S85-21E	86	(26.2)	
	937	N46-30E	81	(24.7)	
	938	N81-36E	89	(27.1)	
	939	N44-26E	71	(21.6)	
	940	N63-06E	77	(23.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	941				
		N86-53E	92	(28.0)	
	942				
		N36-07E	92	(28.0)	
	943				
		N47-23E	102	(31.1)	
	944				
		N76-56E	115	(35.1)	
	945				
		N59-41E	75	(22.9)	ALONG 4,800 FOOT ELEVATION CONTOUR.
	946				
		N75-58E	132	(40.2)	
	947				
		N85-44E	94	(28.7)	
	948				
		S73-59E	217	(66.1)	
	949				
		S64-04E	604	(184.1)	
	950				
		S54-36E	47	(14.3)	
	951				
		S06-07W	84	(25.6)	
	952				
		S22-35W	122	(37.2)	
	953				
		S33-19W	126	(38.4)	
	954				
		S69-37W	112	(34.1)	
	955				
		S48-58W	102	(31.1)	
	956				
		S61-56W	68	(20.7)	
	957				
		S34-50W	152	(46.3)	
	958				A POINT ON 4,800 FOOT ELEVATION CONTOUR ON EAST FACING SLOPE OF WILLIAMS CREEK.
		S67-21E	249	(75.9)	
	959				
		S01-00E	255	(77.7)	
	960				
		S60-19E	206	(62.8)	DESCENDING INTO WILLIAMS CREEK.
	961				
		S52-59E	311	(94.8)	
	962				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6		S48-47E	150 (45.7)	DESCENDING INTO WILLIAMS CREEK.
	963			A POINT ON NORTH BANK, AT THE ORDINARY HIGH WATER LINE OF WILLIAMS CREEK, ELEVATION 4,040 FEET.
	964	S59-37E	322 (98.1)	
	965	S29-26E	250 (76.2)	
	966	S40-55E	238 (72.5)	
	967	S32-49E	308 (93.9)	ASCEND.
	968	S41-01E	265 (80.8)	
	969	S34-27E	274 (83.5)	
		S43-17E	95 (29.0)	
	970			A POINT WHERE 4,800 FOOT ELEVATION CONTOUR INTERSECTS TOP OF SPUR RIDGE.
	971	S36-34E	371 (113.1)	
	972	S32-51E	245 (74.7)	
	973	S32-17E	350 (106.7)	
	974	S19-07E	266 (81.1)	ASCENDING SPUR RIDGE.
	975	S19-48E	239 (72.8)	
	976	S04-54E	211 (64.3)	
	977	S02-45W	208 (63.4)	
	978	S08-12W	260 (79.2)	
	979	S11-28W	141 (43.0)	
	980	S09-52W	187 (57.0)	
		S03-17W	174 (53.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MIDNIGHT MOUNTAIN MAP #6	981				A POINT ON SPUR RIDGE, APPROXIMATE ELEVATION 6,000 FEET.
		S41-55W	66	(20.1)	
OVAL PEAK MAP #10	982	S07-11E	256	(78.0)	
	983	S13-25E	310	(94.5)	ASCENDING SPUR RIDGE.
	984	S24-51E	269	(82.0)	
	985				A POINT ON WAR CREEK RIDGE.
		S65-54E	394	(120.1)	
	986	S68-22E	385	(117.3)	
	987	S59-45E	111	(33.8)	
	988	S52-09E	613	(186.8)	
	989	S54-40E	135	(41.1)	ALONG WAR CREEK DRAINAGE.
	990	S70-16E	195	(59.4)	
	991	S45-00E	68	(20.7)	
	992	N88-20E	138	(42.1)	
	993	S46-48E	384	(117.0)	
	994	S55-43E	380	(115.8)	
	995	S61-54E	399	(121.6)	
	996	S76-59E	302	(92.0)	
	997	S55-07E	185	(56.4)	
	998	S46-41E	96	(29.3)	
	999	S52-20E	548	(167.0)	
	1000	S47-57E	603	(183.8)	
	1001	S44-33E	267	(81.4)	
	1002				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10		S43-17E	236	(71.9)	
	1003	S45-49E	298	(90.8)	
	1004	S01-00E	91	(27.7)	ALONG WAR CREEK DRAINAGE.
	1005	S48-01E	269	(82.0)	
	1006	S71-49E	349	(106.4)	
	1007	S80-56E	330	(100.6)	
	1008	S67-24E	323	(98.5)	
	1009				A POINT ON WAR CREEK RIDGE, APPROXIMATE ELEVATION 5,360 FEET.
		S37-44E	212	(64.6)	
	1010	S07-48E	250	(76.2)	
	1011	S03-54W	383	(116.7)	DESCENDING.
	1012	S09-06W	316	(96.3)	
	1013	S07-14E	262	(79.9)	
	1014				A POINT WHERE 4,400 FOOT ELEVATION CONTOUR INTERSECTS UNNAMED SIDE DRAINAGE OF WAR CREEK.
		S14-02E	214	(65.2)	
	1015	S09-34E	181	(55.2)	
	1016	S00-50E	552	(168.2)	DESCENDING UNNAMED SIDE DRAINAGE.
	1017	S02-15W	357	(108.8)	
	1018	S00-41W	332	(101.2)	
	1019				A POINT IN WAR CREEK, APPROXIMATE ELEVATION 3,500 FEET. APPROX- IMATELY 85 FEET EASTERLY OF CON- FLUENCE OF WAR CREEK AND THE SOUTH FORK OF WAR CREEK.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10		S07-07E	290	(88.4)	
	1020	S14-04E	769	(234.4)	
	1021	S28-56E	368	(112.2)	
	1022	S32-27E	410	(125.0)	ASCENDING SPUR RIDGE.
	1023	S27-06E	479	(146.0)	
	1024	S20-49E	411	(125.3)	
	1025	S07-09E	281	(85.6)	
	1026				A POINT AT 5,000 FEET ELEVATION ON SPUR RIDGE.
		S52-39E	287	(87.5)	
	1027	S38-51E	290	(88.4)	
	1028	S49-19E	169	(51.5)	
	1029	N66-58E	189	(57.6)	
	1030	N53-24E	174	(53.0)	ALONG 5,000 FOOT ELEVATION CONTOUR.
	1031	S86-09E	239	(72.8)	
	1032	N87-50E	264	(80.5)	
	1033	S73-49E	194	(59.1)	
	1034	S45-00E	122	(37.2)	
	1035	S39-17W	171	(52.1)	
	1036	S06-20W	91	(27.7)	
	1037	S24-27E	97	(29.6)	
	1038	S00-35W	196	(59.7)	
	1039	S60-11E	111	(33.8)	
	1040	S14-02E	148	(45.1)	
	1041				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10		S20-40E	130	(39.6)	
	1042	S77-17E	127	(38.7)	
	1043	N58-24E	92	(28.0)	
	1044	N52-36E	128	(39.0)	
	1045	N78-59E	157	(47.9)	
	1046	S74-32E	195	(59.4)	
	1047	S56-19E	58	(17.7)	ALONG 5,000 FOOT ELEVATION CONTOUR.
	1048	N75-58E	115	(35.1)	
	1049	N75-10E	312	(95.1)	
	1050	S47-47E	146	(44.5)	
	1051	S32-18E	161	(49.1)	
	1052	S46-40E	146	(44.5)	
	1053	N76-43E	183	(55.8)	
	1054	N51-28E	138	(42.1)	
	1055	N83-08E	109	(33.2)	
	1056	S74-03E	116	(35.4)	
	1057	N59-12E	121	(36.9)	
	1058	N43-53E	144	(43.9)	
	1059	S61-01E	149	(45.4)	
	1060	N51-49E	191	(58.2)	
	1061	N64-43E	80	(24.4)	
	1062	N86-41E	138	(42.1)	
	1063	N67-02E	128	(39.0)	
	1064	N75-12E	290	(88.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10	1065	S72-02E	78	(23.8)	
	1066	S10-14E	146	(44.5)	
	1067	S07-07E	193	(58.8)	
	1068	S10-53E	106	(32.3)	
	1069	S20-57E	201	(61.3)	ALONG 5,000 FOOT ELEVATION CONTOUR.
	1070	S20-17E	98	(29.9)	
	1071	S41-51W	180	(54.9)	
	1072	S45-54W	181	(55.2)	
	1073	S20-08W	64	(19.5)	
	1074	S39-57E	97	(29.6)	
	1075	S28-42E	192	(58.5)	
	1076	S01-00W	113	(34.4)	
	1077	S53-08W	180	(54.9)	
	1078	S34-17E	160	(48.8)	
	1079	S16-39E	244	(74.4)	
	1080	S25-44W	122	(37.2)	
	1081	S47-33W	127	(38.7)	
	1082	S79-51W	136	(41.5)	
	1083	S64-39W	42	(12.8)	
	1084				A POINT ON EAST FACING SLOPE OF EAGLE CREEK.
		S42-37E	408	(124.4)	
	1085	S35-58E	320	(97.5)	DESCENDING INTO EAGLE CREEK.
	1086	S37-01E	296	(90.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10	1087				
		S47-31E	290	(88.4)	
	1088				
		S51-20E	256	(78.0)	
	1089				
		S70-04E	364	(110.9)	DESCENDING INTO EAGLE CREEK.
	1090				
		S76-47E	341	(103.9)	
	1091				
		N87-58E	226	(68.9)	
	1092				THE CONFLUENCE OF EAGLE CREEK AND OVAL CREEK.
		N84-27E	72	(21.9)	
	1093				
		S64-47E	268	(81.7)	
	1094				
		S85-10E	309	(94.2)	
	1095				
		N90-00E	180	(54.9)	
	1096				ASCENDING UNNAMED SIDE DRAINAGE.
		S69-22E	182	(55.5)	
	1097				
		S44-14E	209	(63.7)	
	1098				
		S37-59E	533	(162.5)	
	1099				
		S43-47E	434	(132.3)	
	1100				
		S40-37E	343	(104.5)	
	1101				
		S28-45E	328	(100.0)	
	1102				
		S31-28E	356	(108.5)	
	1103				
		S24-37E	158	(48.2)	
	1104				A POINT ON MAIN RIDGE BETWEEN OVAL CREEK AND SCAFFOLD CAMP CREEK, ELEVATION 6,034 FEET.
		S13-21E	321	(97.8)	
	1105				
		S00-22E	314	(95.7)	ASCENDING MAIN RIDGE.
	1106				
		S12-07E	333	(101.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10	1107				
		S05-12E	221	(67.4)	
	1108				
		S03-30W	279	(85.0)	
	1109				
		S08-08W	325	(99.1)	
	1110				
		S02-32W	226	(68.9)	ASCENDING MAIN RIDGE.
	1111				
		S19-12E	377	(114.9)	
	1112				
		S16-21E	270	(82.3)	
	1113				
		S05-54E	312	(95.1)	
	1114				A POINT ON MAIN RIDGE BETWEEN OVAL CREEK AND SCAFFOLD CAMP CREEK, ELEVATION 6,302 FEET.
		S10-35W	218	(66.4)	
	1115				
		S19-07W	449	(136.9)	
	1116				
		S20-48W	490	(149.4)	
	1117				
		S20-44W	475	(144.8)	
	1118				
		S26-01W	465	(141.7)	
	1119				
		S23-26W	360	(109.7)	
	1120				
		S34-21W	241	(73.5)	
	1121				
		S19-26W	252	(76.8)	
	1122				
		S07-20W	235	(71.6)	
	1123				
		S02-00W	286	(87.2)	
	1124				
		S08-46W	302	(92.0)	
	1125				
		S15-15W	365	(111.3)	
	1126				A POINT ON MAIN RIDGE BETWEEN OVAL CREEK AND SCAFFOLD CAMP CREEK, ELEVATION 7,086 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10	1127	S26-46W	260	(79.2)	
	1128	S19-17W	254	(77.4)	
	1129	S13-42W	245	(74.7)	
	1130	S02-29W	276	(84.1)	
	1131	S19-43E	255	(77.7)	ASCENDING MAIN RIDGE.
	1132	S26-29E	592	(180.4)	
	1133	S28-02E	385	(117.3)	
	1134	S31-26E	253	(77.1)	
		S62-34E	178	(54.3)	
	1135				A POINT ON SCAFFOLD RIDGE, ELEVATION 7,625 FEET.
	1136	S85-11E	333	(101.5)	
	1137	N85-05E	478	(145.7)	
1138		N77-52E	476	(145.1)	
		N66-31E	532	(162.2)	ALONG SCAFFOLD RIDGE.
	1139	N63-48E	571	(174.0)	
	1140	N58-56E	535	(163.1)	
	1141	N75-29E	171	(52.1)	
	1142	N41-46E	351	(107.0)	
	1143	N45-36E	269	(82.0)	
	1144				SUMMIT OF SCAFFOLD PEAK, ELEVATION 7,497 FEET.
1145		S73-58E	181	(55.2)	
		S40-44E	285	(86.9)	DESCENDING SCAFFOLD RIDGE.
	1146	S47-24E	337	(102.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
OVAL PEAK MAP #10	1147				
		S60-02E	196	(59.7)	
	1148				
		S75-58E	124	(37.8)	
	1149				
		S84-24E	522	(159.1)	
	1150				
		N86-20E	407	(124.1)	
	1151				
		N80-48E	363	(110.6)	ALONG SCAFFOLD RIDGE.
	1152				
		N66-35E	277	(84.4)	
	1153				
		S89-07E	388	(118.3)	
	1154				
		N87-50E	264	(80.5)	
	1155				
		N73-07E	375	(114.3)	
	1156				
		S85-16E	315	(96.0)	
	1157				
		N78-31E	271	(82.6)	
	1158				
		N68-18E	222	(67.7)	
		1159	A POINT ON SCAFFOLD RIDGE, ELEVATION 6,755 FEET.		
HOODOO PEAK MAP #11		N65-12E	203	(61.9)	
	1160				
		N89-25E	196	(59.7)	
	1161				
		S81-42E	478	(145.7)	DESCENDING.
	1162				
		S79-44E	601	(183.2)	
	1163				
		S58-33E	226	(68.9)	
		1164	A POINT ON SPUR RIDGE DESCENDING FROM SCAFFOLD RIDGE, ELEVATION 6,360 FEET.		

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11		S62-39E	488	(148.7)	
	1165	S59-42E	323	(98.5)	
	1166	S89-18E	325	(99.1)	
	1167	N80-46E	467	(142.3)	DESCENDING SPUR RIDGE.
	1168	N77-56E	861	(262.4)	
	1169	N84-22E	458	(139.6)	
	1170	N79-13E	604	(184.1)	
	1171	N69-35E	376	(114.6)	
	1172	N56-16E	648	(197.5)	
	1173	N62-37E	533	(162.5)	
	1174	N54-48E	370	(112.8)	
	1175				A POINT ON SPUR RIDGE DESCENDING FROM SCAFFOLD RIDGE, ELEVATION 4,802 FEET.
	1176	S34-58E	199	(60.7)	DESCENDING UNNAMED SIDE DRAINAGE OF WEST FORK BUTTERMILK CREEK.
		S19-38E	378	(115.2)	
	1177				A POINT WHERE 4,600 FOOT ELEVATION CONTOUR INTERSECTS UNNAMED SIDE DRAINAGE.
	1178	S12-36E	358	(109.1)	
	1179	S01-51E	370	(112.8)	
	1180	S05-10E	355	(108.2)	DESCEND.
	1181	S08-42W	172	(52.4)	
		S25-17E	80	(24.4)	
	1182				A POINT IN WEST FORK BUTTERMILK CREEK, APPROXIMATE ELEVATION 4,120 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11		S10-28E	424	(129.2)	
	1183				
		S07-03E	359	(109.4)	
	1184				
		S02-53E	298	(90.8)	ASCEND.
	1185				
		S00-32W	426	(129.8)	
	1186				
		S03-42W	341	(103.9)	
	1187				
		S02-20W	270	(82.3)	
	1188				
		S07-09W	402	(122.5)	
	1189				
		S02-28W	232	(70.7)	
	1190				
		S07-45W	230	(70.1)	
	1191				A POINT WHERE 6,000 FOOT ELEVATION CONTOUR INTERSECTS TOP OF SPUR RIDGE.
		S12-25W	232	(70.7)	
	1192				
		S05-40W	273	(83.2)	ALONG SPUR RIDGE.
	1193				
		S04-25E	325	(99.1)	
	1194				A POINT ON SPUR RIDGE, ELEVATION 6,335 FEET.
		S07-07W	282	(86.0)	
	1195				
		S08-36E	174	(53.0)	
	1196				
		S05-59W	211	(64.3)	ASCENDING SPUR RIDGE.
	1197				
		S10-46W	209	(63.7)	
	1198				
		S03-51W	104	(31.7)	
	1199				
		S14-31W	171	(52.1)	
	1200				
		S09-40W	191	(58.2)	
	1201				
		S11-21W	336	(102.4)	
	1202				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11		S13-36W	570	(173.7)	
	1203	S12-50W	356	(108.5)	ASCENDING SPUR RIDGE.
	1204	S05-01W	297	(90.5)	
	1205				A POINT ON MAIN RIDGE BETWEEN WEST FORK BUTTERMILK CREEK AND EAST FORK BUTTERMILK CREEK, ELEVATION 7,206 FEET.
	1206	S34-01E	148	(45.1)	
	1207	S51-06E	326	(99.4)	
	1208	S63-19E	209	(63.7)	
	1209	S59-33E	264	(80.5)	DESCENDING SPUR RIDGE.
	1210	S60-59E	344	(104.9)	
	1211	S74-37E	339	(103.3)	
		S84-47E	176	(53.6)	
	1212				A POINT ON SPUR RIDGE, ELEVATION 6,766 FEET.
	1213	S75-10E	438	(133.5)	
	1214	S69-57E	414	(126.2)	
	1215	S76-21E	326	(99.4)	DESCENDING INTO EAST FORK BUTTERMILK CREEK.
	1216	S68-19E	441	(134.4)	
	1217	S73-39E	295	(89.9)	
	1218	S76-28E	410	(125.0)	
	1219	S70-04E	205	(62.5)	
	1220	S77-04E	290	(88.4)	
		S61-49E	95	(29.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11	1221				A POINT IN EAST FORK BUTTERMILK CREEK, APPROXIMATE ELEVATION 4,880 FEET.
		S81-58E	336	(102.4)	
	1222				
		S76-00E	364	(110.9)	
	1223				
		S79-18E	420	(128.0)	ASCEND.
	1224				
		S88-23E	388	(118.3)	
	1225				
		S88-23E	424	(129.2)	
	1226				A POINT WHERE 5,600 ELEVATION CONTOUR INTERSECTS TOP OF SPUR RIDGE.
		S88-31E	426	(129.8)	
	1227				
		S57-26E	256	(78.0)	
	1228				
		S54-25E	411	(125.3)	
	1229				
		S47-54E	294	(89.6)	
	1230				
		S83-50E	186	(56.7)	ALONG 5,600 FOOT ELEVATION CONTOUR.
	1231				
		S55-25E	196	(59.7)	
	1232				
		S61-36E	334	(101.8)	
	1233				
		S77-27E	281	(85.6)	
	1234				
		S71-06E	231	(70.4)	
	1235				
		N82-49E	224	(68.3)	
	1236				
		N79-47E	265	(80.8)	
	1237				
		N87-37E	120	(36.6)	
	1238				
		S67-21E	138	(42.1)	
	1239				
		S55-17E	546	(166.4)	
	1240				
		S49-06E	553	(168.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11	1241				
		S46-45E	508	(154.8)	
	1242	S39-07E	235	(71.6)	
	1243	S11-13W	128	(39.0)	
	1244	S41-15W	173	(52.7)	
	1245	S79-19W	124	(37.8)	
	1246	S66-45W	301	(91.7)	
	1247	S77-34W	566	(172.5)	ALONG 5,600 FOOT ELEVATION CONTOUR.
	1248	S72-37W	311	(94.8)	
	1249	S70-36W	262	(79.9)	
	1250	S59-11W	338	(103.0)	
	1251	S61-41W	219	(66.8)	
	1252	S52-02W	219	(66.8)	
	1253	S17-34E	229	(69.8)	
	1254	S03-45E	245	(74.7)	
	1255	S26-49E	104	(31.7)	
	1256	S37-28E	210	(64.0)	
	1257	S49-16E	285	(86.9)	
	1258	S49-33E	125	(38.1)	
	1259	S72-15E	105	(32.0)	
	1260	S80-04E	81	(24.7)	
	1261	S54-25E	134	(40.8)	
	1262	S14-39E	182	(55.5)	
	1263	S23-20E	167	(50.9)	
	1264				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11		S00-41W	166	(50.6)	
	1265	S29-18E	178	(54.3)	
	1266	S48-09E	193	(58.8)	
	1267	S66-09E	151	(46.0)	
	1268	S73-33E	201	(61.3)	
	1269	N86-49E	72	(21.9)	
	1270	N60-03E	144	(43.9)	ALONG 5,600 FOOT ELEVATION CONTOUR.
	1271	S74-32E	116	(35.4)	
	1272	S68-10E	368	(112.2)	
	1273	S69-11E	290	(88.4)	
	1274	S78-01E	265	(80.8)	
	1275	S85-39E	303	(92.4)	
	1276	S86-03E	247	(75.3)	
	1277	N74-20E	137	(41.8)	
	1278	N68-31E	101	(30.8)	
	1279	S37-22E	69	(21.0)	
	1280	S25-31W	123	(37.5)	
	1281	S48-26W	330	(100.6)	
	1282	S54-56W	459	(139.9)	
	1283	S15-21E	223	(68.0)	
	1284	S00-36W	284	(86.6)	
	1285	S11-05W	198	(60.4)	
	1286	S05-26E	211	(64.3)	
	1287	S22-46E	222	(67.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
HOODOO PEAK MAP #11	1288				
		S30-17E	186	(56.7)	
	1289				
		S39-14E	416	(126.8)	
	1290				
		S35-34E	280	(85.3)	
	1291				
		S19-03E	291	(88.7)	
	1292				
		S10-05W	274	(83.5)	
	1293				
		S25-49W	344	(104.9)	
	1294				
		S25-43W	272	(82.9)	ALONG 5,600 FOOT ELEVATION CONTOUR.
	1295				
		S02-16E	152	(46.3)	
	1296				
		S27-51E	218	(66.4)	
	1297				
		S42-00E	230	(70.1)	
	1298				
		S20-10E	52	(15.8)	
	1299				
		S68-35E	225	(68.6)	
	1300				
		S73-08E	348	(106.1)	
	1301				
		S29-33E	146	(44.5)	
	1302				
		S75-37E	161	(49.1)	
	1303				
		S31-50E	146	(44.5)	
	1304				
		S05-18E	152	(46.3)	
	1305				
		S20-02E	102	(31.1)	
	1306				
		S88-48E	144	(43.9)	
	1307				
		N86-33E	283	(86.3)	
	1308				
		S83-55E	151	(46.0)	
	1309				
		S55-13E	160	(48.8)	
	1310				
		S03-44E	153	(46.6)	
	1311				
		S18-54W	268	(81.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MARTIN PEAK MAP #12	1312				
		S19-04W	257	(78.3)	ALONG 5,600 FOOT ELEVATION CONTOUR.
	1313	S13-11E	66	(20.1)	
	1314				A POINT WHERE 5,600 FOOT ELEVATION CONTOUR INTERSECTS SOUTH FORK LIBBY CREEK.
		S52-46E	94	(28.7)	
	1315	S77-36E	93	(28.3)	
	1316	N64-59E	83	(25.3)	
	1317	S15-22E	136	(41.5)	ALONG 5,600 FOOT ELEVATION CONTOUR.
	1318	S43-46E	98	(29.9)	
	1319	S73-20E	206	(62.8)	
	1320	N87-10E	242	(73.8)	
	1321	S82-37E	218	(66.4)	
	1322				A POINT WHERE 5,600 FOOT ELEVATION CONTOUR INTERSECTS TOP OF RIDGE BETWEEN SOUTH FORK LIBBY CREEK AND AN UNNAMED TRIBUTARY.
		S33-27W	466	(142.0)	
	1323	S37-03W	649	(197.8)	
	1324	S33-17W	501	(152.7)	ASCENDING RIDGE.
	1325	S37-22W	303	(92.4)	
	1326	S19-59W	234	(71.3)	
	1327	S01-27E	393	(119.8)	
	1328	S00-42W	409	(124.7)	
	1329	S06-42E	386	(117.7)	
	1330	S02-21W	510	(155.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MARTIN PEAK MAP #12	1331	S10-58W	389	(118.6)	
	1332	S18-50W	459	(139.9)	ASCENDING RIDGE.
	1333	S32-06W	561	(171.0)	
	1334				A POINT ON RAVEN RIDGE, ELEVATION 7,409 FEET.
		S58-15W	629	(191.7)	
	1335	S65-58W	445	(135.6)	
	1336	S70-03W	586	(178.6)	
	1337	S87-55W	522	(159.1)	
	1338	N88-38W	294	(89.6)	ALONG TOP OF RAVEN RIDGE.
	1339	N65-30W	386	(117.7)	
	1340	N50-25W	548	(167.0)	
	1341	N41-05W	310	(94.5)	
	1342	N45-15W	321	(97.8)	
	1343				A POINT ON RAVEN RIDGE, ELEVATION 8,208 FEET.
		N79-11W	229	(69.8)	
	1344	S80-56W	216	(65.8)	
	1345	S61-44W	376	(114.6)	ALONG TOP OF RAVEN RIDGE.
	1346	S64-04W	327	(99.7)	
	1347	S62-30W	219	(66.8)	
	1348	S78-07W	466	(142.0)	
	1349	N88-35W	527	(160.6)	
	1350	N88-30W	418	(127.4)	
	1351				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MARTIN PEAK MAP #12		N76-48W	495	(150.9)	
	1352	N72-04W	286	(87.2)	
	1353	N72-49W	288	(87.8)	ALONG TOP OF RAVEN RIDGE.
	1354	N57-27W	528	(160.9)	
	1355	N43-38W	416	(126.8)	
	1356	N27-39W	282	(86.0)	
	1357	N45-00W	115	(35.1)	
	1358				A POINT ON RAVEN RIDGE, ELEVATION 8,572 FEET.
		S87-54W	218	(66.4)	
	1359	S76-30W	184	(56.1)	
	1360	S66-25W	197	(60.0)	
	1361	N88-05W	270	(82.3)	ALONG TOP OF RAVEN RIDGE.
	1362	N71-32W	492	(150.0)	
	1363	N82-55W	471	(143.6)	
	1364	S78-10W	234	(71.3)	
	1365	N84-38W	439	(133.8)	
	1366	N77-45W	288	(87.8)	
	1367	N86-50W	308	(93.9)	
	1368	S77-52W	176	(53.6)	
	1369				A POINT ON RAVEN RIDGE, ELEVATION 8,580 FEET.
		S48-41W	220	(67.1)	
	1370	S29-15W	315	(96.0)	ALONG TOP OF RIDGE BETWEEN EAST FORK BUTTERMILK CREEK AND CRATER CREEK.
	1371	S22-49W	356	(108.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MARTIN PEAK MAP #12	1372				
		S01-00W	307	(93.6)	
	1373				
		S03-59W	187	(57.0)	
	1374				
		S16-44E	340	(103.6)	
	1375				
		S17-14E	408	(124.4)	
	1376				
		S03-33E	484	(147.5)	ALONG TOP OF RIDGE BETWEEN EAST FORK BUTTERMILK CREEK AND CRATER CREEK.
	1377				
		S14-29E	276	(84.1)	
	1378				
		S03-17W	350	(106.7)	
	1379				
		S10-51W	537	(163.7)	
	1380				
		S02-42W	445	(135.6)	
	1381				
		S14-07E	320	(97.5)	
	1382				
		S22-22E	305	(93.0)	
	1383				
		S05-38E	326	(99.4)	
	1384				
		S12-28W	463	(141.1)	
	1385				
		S28-22W	383	(116.7)	
	1386				
		S16-18W	239	(72.8)	
	1387				
		S23-17W	329	(100.3)	
	1388				
		S44-28W	385	(117.3)	
	1389				
		S51-35W	438	(133.5)	
	1390				
		S49-40W	460	(140.2)	
	1391				
		S59-08W	376	(114.6)	
	1392				
		S81-37W	219	(66.8)	
	1393				SUMMIT OF MT. BIGELOW.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MARTIN PEAK MAP #12		N19-02W	92	(28.0)	
	1394	N62-48W	123	(37.5)	
	1395	N86-03W	116	(35.4)	
	1396	N89-28W	108	(32.9)	
	1397	N50-06W	80	(24.4)	ALONG TOP OF SAWTOOTH RIDGE.
	1398	N87-57W	112	(34.1)	
	1399	N90-00W	74	(22.6)	
	1400	N43-43W	221	(67.4)	
	1401	N54-54W	329	(100.3)	
	1402	N44-42W	263	(80.2)	
	1403	N37-03W	61	(18.6)	
	1404				A POINT ON SAWTOOTH RIDGE, ELEVATION 8,135 FEET.
		N68-02W	67	(20.4)	
	1405	S55-37W	115	(35.1)	
	1406	S49-26W	165	(50.3)	DESCENDING ALONG TOP OF SAWTOOTH RIDGE INTO HOODOO PASS.
	1407	S53-41W	328	(100.0)	
	1408	S74-03W	226	(68.9)	
	1409	S76-42W	187	(57.0)	
	1410	S60-55W	387	(118.0)	
	1411	S76-25W	183	(55.8)	
	1412				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MARTIN PEAK MAP #12		N88-59W	56	(17.1)	ALONG TOP OF RIDGE BETWEEN EAST FORK BUTTERMILK CREEK AND CRATER CREEK.
	1413	N63-26W	45	(13.7)	
	1414				A POINT WHERE TRAIL 420 GOES THROUGH HOODOO PASS.
		N65-21W	120	(36.6)	
	1415	N61-28W	352	(107.3)	
	1416	N70-33W	177	(53.9)	
	1417	N89-43W	198	(60.4)	
	1418	S67-55W	229	(69.8)	ALONG TOP OF SAWTOOTH RIDGE FROM HOODOO PASS.
	1419	S75-38W	387	(118.0)	
	1420	S72-41W	306	(93.3)	
	1421	S86-45W	194	(59.1)	
	1422	N77-38W	75	(22.9)	
	1423	S65-04W	221	(67.4)	
	1424	S75-37W	197	(60.0)	
	1425	N75-07W	66	(20.1)	
	1426	N42-59W	81	(24.7)	
	1427	N21-21W	93	(28.3)	
	1428	S75-13W	74	(22.6)	
	1429	S56-34W	64	(19.5)	
	1430	S18-06W	55	(16.8)	
PRINCE CREEK MAP #13	1431	S55-26W	109	(33.2)	
	1432	S68-36W	134	(40.8)	
	1433	S82-52W	97	(29.6)	
	1434				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13	1435	N60-30W	114	(34.7)	ALONG TOP OF SAWTOOTH RIDGE FROM HOODOO PASS.
		N31-46W	99	(30.2)	
PRINCE CREEK MAP #13	1436				A POINT ON SAWTOOTH RIDGE, ELEVATION 8,010 FEET.
MARTIN PEAK MAP #12	1437	S08-51E	78	(23.8)	
	1438	S12-32E	184	(56.1)	
	1439	S19-06E	138	(42.1)	
	1440	S30-46E	196	(59.7)	
	1441	S36-25E	303	(92.4)	ALONG TOP OF RIDGE BETWEEN PRINCE CREEK AND MIDDLE FORK PRINCE CREEK.
	1442	S16-40E	216	(65.8)	
	1443	S42-59E	323	(98.5)	
	1444	S30-19E	424	(129.2)	
	1445	S16-31E	218	(66.4)	
	1446	S06-26E	187	(57.0)	
	1447	S05-15E	349	(106.4)	
	1448	S02-10E	475	(144.8)	
	1449	S02-45W	271	(82.6)	
	1450	S08-32W	303	(92.4)	
	1451	S19-42W	329	(100.3)	
	1452	S41-17W	327	(99.7)	
	1453	S59-10W	150	(45.7)	
	1454	S50-08W	222	(67.7)	
	1455	S56-58W	464	(141.4)	
	1456	S77-41W	389	(118.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13	1478	N86-40W	223	(68.0)	
	1479	S56-19W	76	(23.2)	
	1480	S42-40W	69	(21.0)	
	1481	N77-37W	84	(25.6)	
	1482	N45-00W	78	(23.8)	ALONG RIDGE BETWEEN PRINCE CREEK AND MIDDLE FORK PRINCE CREEK.
	1483	N28-30W	251	(76.5)	
	1484	N26-51W	363	(110.6)	
	1485	N22-51W	366	(111.6)	
	1486	N29-01W	146	(44.5)	
	1487				A POINT ON RIDGE TOP WHERE SPUR RIDGE DESCENDS NORTHERLY TO PRINCE CREEK.
	1488	N79-19W	108	(32.9)	
	1489	S75-42W	271	(82.6)	
	1490	S74-48W	309	(94.2)	
	1491	S53-57W	168	(51.2)	
	1492	S34-07W	266	(81.1)	DESCENDING SPUR RIDGE BETWEEN PRINCE CREEK AND MIDDLE FORK PRINCE CREEK.
	1493	S45-26W	93	(28.3)	
	1494	S79-39W	223	(68.0)	
	1495	S89-17W	242	(73.8)	
	1496	N75-36W	301	(91.7)	
	1497	N67-36W	247	(75.3)	
	1498	S89-24W	190	(57.9)	
	1499	S89-11W	423	(128.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13		N79-54W	279	(85.0)	
	1500	N71-29W	230	(70.1)	
	1501	S01-00W	190	(57.9)	
	1502	S75-58W	392	(119.5)	
	1503	N61-59W	123	(37.5)	DESCENDING SPUR RIDGE BETWEEN PRINCE CREEK AND MIDDLE FORK PRINCE CREEK.
	1504	N58-04W	91	(27.7)	
	1505	S86-43W	244	(74.4)	
	1506	N83-56W	142	(43.3)	
	1507	N83-59W	211	(64.3)	
	1508	N84-57W	182	(55.5)	
	1509	N89-48W	290	(88.4)	
	1510	S84-17W	451	(137.5)	
	1511	S70-01W	363	(110.6)	
	1512	S67-56W	479	(146.0)	
	1513	S70-49W	408	(124.4)	
	1514	S69-20W	326	(99.4)	
	1515	S67-07W	355	(108.2)	
	1516	S68-38W	192	(58.5)	
	1517	S57-12W	177	(53.9)	
	1518	S34-33W	148	(45.1)	
	1519	S26-20W	110	(33.5)	
	1520				A POINT AT THE CENTER OF PRINCE CREEK.
		S16-03W	76	(23.2)	
	1521	S06-47W	85	(25.9)	DESCENDING PRINCE CREEK.
				73	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13	1522			POINT WHERE PRINCE CREEK INTERSECTS MIDDLE FORK PRINCE CREEK.
	S50-33E	146	(44.5)	
1523	S51-43E	315	(96.0)	
1524	S39-14E	127	(38.7)	
1525	S20-05E	99	(30.2)	
1526	S20-43E	254	(77.4)	ASCENDING SOUTHEASTERLY ON RIDGE RUNNING FROM THE CONFLUENCE OF PRINCE CREEK WITH MIDDLE FORK PRINCE CREEK TO OLD MAID MTN.
1527	S09-01E	191	(58.2)	
1528	S14-07E	176	(53.6)	
1529	S03-08E	164	(50.0)	
1530	S47-09E	132	(40.2)	
1531	S43-03E	104	(31.7)	
1532	S34-02E	138	(42.1)	
1533	S33-21E	95	(29.0)	
1534	S07-54E	36	(11.0)	
1535	S48-51E	359	(109.4)	
1536	S40-30E	180	(54.9)	
1537	S52-14E	343	(104.5)	
1538	S60-38E	210	(64.0)	
1539	N85-41E	106	(32.3)	
1540				A POINT ON SPUR RIDGE RUNNING FROM THE CONFLUENCE OF THE MIDDLE FORK OF PRINCE CREEK WITH PRINCE CREEK TO OLD MAID MOUNTAIN, ELEVATION 5,512 FT.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13		S65-49E	161	(49.1)	
	1541	S74-26E	82	(25.0)	
	1542	S19-49E	209	(63.7)	
	1543	S27-15E	376	(114.6)	
	1544	S35-09E	438	(133.5)	SOUTHEASTERLY ON RIDGE RUNNING FROM THE CONFLUENCE OF THE MIDDLE FORK OF PRINCE CREEK WITH PRINCE CREEK TO OLD MAID MOUNTAIN.
	1545	S40-11E	336	(102.4)	
	1546	S56-46E	177	(53.9)	
	1547	S67-44E	383	(116.7)	
	1548	S72-53E	221	(67.4)	
	1549	S46-18E	94	(28.7)	
	1550	S46-50E	418	(127.4)	
	1551	S41-52E	324	(98.8)	
	1552	S55-44E	357	(108.8)	
	1553	S53-38E	386	(117.7)	
	1554	S41-11E	287	(87.5)	
	1555	S61-43E	253	(77.1)	
	1556	S72-38E	338	(103.0)	
	1557	S61-25E	153	(46.6)	
	1558	S22-42E	60	(18.3)	
	1559				A POINT ON RIDGE ELEVATION 6,898 FT.
		S00-41E	166	(50.6)	
	1560	S03-51E	283	(86.3)	ASCENDING SOUTHEASTERLY ON RIDGE RUNNING FROM THE CONFLUENCE OF MIDDLE FORK PRINCE CREEK WITH PRINCE CREEK TO OLD MAID MTN.
	1561	S03-22E	392	(119.5)	
	1562				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13		S02-44E	356	(108.5)	
	1563	S00-28E	372	(113.4)	
	1564	S19-08E	183	(55.8)	ASCENDING SOUTHEASTERLY ON RIDGE RUNNING FROM THE CONFLUENCE OF MIDDLE FORK PRINCE CREEK WITH PRINCE CREEK TO OLD MAID MTN.
	1565	S45-26E	275	(83.8)	
	1566	S63-22E	411	(125.3)	
	1567	S56-45E	365	(111.3)	
	1568	S47-06E	173	(52.7)	
	1569	S30-34E	269	(82.0)	
	1570	S01-00E	227	(69.2)	
	1571	S37-22E	138	(42.1)	
	1572				
					A POINT ON RIDGE ELEVATION 7,492 FEET.
		S63-21E	276	(84.1)	
1573		S54-46E	175	(53.3)	
1574		S65-48E	315	(96.0)	ASCENDING SOUTHEASTERLY ON RIDGE RUNNING FROM THE CONFLUENCE OF MIDDLE FORK PRINCE CREEK WITH PRINCE CREEK TO OLD MAID MTN.
1575		S84-04E	329	(100.3)	
1576		N83-10E	269	(82.0)	
1577		N89-11E	210	(64.0)	
1578		S68-12E	237	(72.2)	
1579		S56-56E	202	(61.6)	
1580		S42-25E	329	(100.3)	
1581		S55-59E	145	(44.2)	
1582		S63-12E	111	(33.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13	1583				A POINT ON RIDGE RUNNING FROM THE CONFLUENCE OF MIDDLE FORK PRINCE CREEK WITH PRINCE CREEK TO OLD MAID MTN., ELEVATION 7,770 FT.
		S68-59W	204	(62.2)	
	1584	S44-39W	233	(71.0)	
	1585	S35-59W	271	(82.6)	DESCENDING ON SPUR RIDGE.
	1586	S29-06W	253	(77.1)	
	1587	S11-30W	351	(107.0)	
	1588	S01-44E	362	(110.3)	
	1589	S04-36E	361	(110.0)	
	1590	S03-31E	310	(94.5)	
	1591	S05-44E	390	(118.9)	
	1592				A POINT ON SPUR RIDGE, ELEVATION 6,810 FT.
		S14-19W	4934	(1503.9)	
	1593				A POINT ON SPUR RIDGE, APPROXIMATE ELEVATION 6,450 FT.
		S42-12E	101	(30.8)	
	1594	S19-11E	216	(65.8)	
	1595	S04-59E	253	(77.1)	ASCENDING SOUTHEASTERLY ON SPUR RIDGE.
	1596	S25-14E	192	(58.5)	
	1597	S54-28E	310	(94.5)	
	1598	S47-07E	269	(82.0)	
	1599	S53-15E	182	(55.5)	
	1600	S49-31E	108	(32.9)	
	1601				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13		S07-10E	176	(53.6)	
	1602	S03-28E	281	(85.6)	
	1603	S02-52E	160	(48.8)	ASCENDING SOUTHEASTERLY ON SPUR RIDGE.
	1604	S16-18E	153	(46.6)	
	1605	S24-20E	184	(56.1)	
	1606				A POINT ON SPUR RIDGE, ELEVATION 7,153 FT.
		S00-52W	198	(60.4)	
	1607	S01-01W	225	(68.6)	
	1608	S15-43E	199	(60.7)	
	1609	S22-28E	301	(91.7)	
	1610	S15-47E	198	(60.4)	ASCENDING SOUTHEASTERLY ON SPUR RIDGE.
	1611	S22-34E	250	(76.2)	
	1612	S36-05E	319	(97.2)	
	1613	S32-34E	325	(99.1)	
	1614	S27-46E	320	(97.5)	
	1615	S28-36E	265	(80.8)	
	1616	S48-54E	239	(72.8)	
	1617	S11-32E	295	(89.9)	
	1618	S04-49E	167	(50.9)	
	1619	S42-00E	203	(61.9)	
	1620	S23-20E	412	(125.6)	
	1621	S32-27E	166	(50.6)	
	1622	S05-51W	206	(62.8)	
	1623				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13		S01-56E	237	(72.2)	
	1624				
		S07-54W	247	(75.3)	
	1625				
		S12-20W	155	(47.2)	
	1626				
		S24-09E	213	(64.9)	
	1627				
		S32-15E	199	(60.7)	ASCENDING SOUTHEASTERLY ON SPUR RIDGE.
	1628				
		S00-24W	144	(43.9)	
	1629				
		S08-42W	284	(86.6)	
	1630				
		S15-31W	262	(79.9)	
	1631				
		S24-16W	246	(75.0)	
	1632				
		S31-55W	225	(68.6)	
	1633				
		S17-09W	309	(94.2)	
	1634				
		S03-49W	241	(73.5)	
	1635				
		S02-16W	353	(107.6)	

	1636				SUMMIT OF FERRY PEAK, ELEVATION 7,777 FT.

		S58-21E	172	(52.4)	
	1637				
		S61-46E	154	(46.9)	DESCENDING SOUTHEASTERLY ON RIDGE DIVIDING SAFETY HARBOR CREEK AND LONE FIR CREEK.
	1638				
		S37-23E	245	(74.7)	

	1639				A POINT ON RIDGE DIVIDING SAFETY HARBOR CREEK AND LONE FIR CREEK, APPROXIMATE ELEVATION 7,720 FT.

		S28-19E	190	(57.9)	DESCENDING SOUTHEASTERLY ON RIDGE DIVIDING SAFETY HARBOR CREEK AND LONE FIR CREEK.
	1640				
		S28-05E	321	(97.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
PRINCE CREEK MAP #13	1641				
		S13-05E	88	(26.8)	
	1642	S47-35E	329	(100.3)	DESCENDING SOUTHEASTERLY ON RIDGE DIVIDING SAFETY HARBOR CREEK AND LONE FIR CREEK.
	1643	S65-17E	318	(96.9)	
	1644	S52-22E	193	(58.8)	
	1645				A POINT ON RIDGE DIVIDING SAFETY HARBOR CREEK AND LONE FIR CREEK AT ELEVATION 7,200 FT.
BIG GOAT MOUNTAIN MAP #15		S19-12W	398	(121.3)	
	1646				
		S11-49W	351	(107.0)	
	1647				
		S12-46W	294	(89.6)	
	1648				
		S11-02W	277	(84.4)	DESCENDING STEEP SOUTH SLOPE ON EAST SIDE OF LONE FIR CREEK.
	1649	S05-34W	371	(113.1)	
	1650				
		S00-14E	251	(76.5)	
	1651				
		S07-07E	81	(24.7)	
	1652				A POINT IN LONE FIR CREEK. ELEVATION 6,200 FT.
		S08-41W	146	(44.5)	
	1653				
		S13-12E	201	(61.3)	
	1654				
		S08-49E	131	(39.9)	
	1655				
		S02-16W	329	(100.3)	
	1656				
		S02-27E	140	(42.7)	ALONG 6,200 FT. ELEVATION CONTOUR.
	1657	S24-08W	105	(32.0)	
	1658				
		S34-53W	185	(56.4)	
	1659				
		S14-34W	155	(47.2)	
	1660				
		S05-10E	211	(64.3)	
	1661				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BIG GOAT MOUNTAIN MAP #15		S08-43E	125	(38.1)	
	1662	S17-01W	102	(31.1)	
	1663	S01-00W	271	(82.6)	
	1664	S08-32W	121	(36.9)	
	1665	S24-37E	223	(68.0)	ALONG 6,200 FOOT ELEVATION CONTOUR.
	1666	S35-29E	551	(167.9)	
	1667	S31-03E	235	(71.6)	
	1668	S17-37W	178	(54.3)	
	1669	S16-48W	256	(78.0)	
	1670	S51-55W	123	(37.5)	
	1671	S87-54W	164	(50.0)	
	1672	S85-04W	163	(49.7)	
	1673	S35-21W	181	(55.2)	
	1674	S23-31W	336	(102.4)	
	1675	S10-38W	412	(125.6)	
	1676	S06-44E	410	(125.0)	
	1677	S20-51E	301	(91.7)	
	1678	S16-38W	252	(76.8)	
	1679	S25-42W	148	(45.1)	
	1680	S53-01W	101	(30.8)	
	1681				A POINT IN A DRAW ON THE 6,200 FT. CONTOUR LINE, APPROXIMATELY 400 FT. NORTH OF THE SADDLE ON THE RIDGE CONNECTING UNO PEAK TO BIG GOAT MOUNTAIN.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
BIG GOAT MOUNTAIN MAP #15	1682	S01-53E 212 (64.6)	ASCENDING STEEP NORTHWEST SLOPE.
		S00-15E 234 (71.3)	
	1683		A POINT IN THE SADDLE ON THE RIDGE RUNNING FROM UNO PEAK TO BIG GOAT MTN., ELEVATION 6,390 FT.
	1684	S81-35W 225 (68.6)	
	1685	S71-51W 315 (96.0)	
	1686	S76-59W 231 (70.4)	
	1687	S70-56W 230 (70.1)	
	1688	S58-47W 232 (70.7)	ASCENDING SOUTHWESTERLY ON RIDGE CONNECTING UNO PEAK AND BIG GOAT MOUNTAIN.
	1689	S57-03W 234 (71.3)	
	1690	S65-17W 124 (37.8)	
	1691	S57-10W 184 (56.1)	
	1692	S71-25W 119 (36.3)	
	1693	S48-22W 181 (55.2)	
	1694	S49-21W 140 (42.7)	
	1695	S28-43W 131 (39.9)	
	1696	S30-39W 157 (47.9)	
	1697	S14-38W 162 (49.4)	
	1698	S00-37E 186 (56.7)	
		S13-28E 120 (36.6)	
	1699		MIDDLE SUMMIT OF BIG GOAT MTN., APPROXIMATE ELEVATION 7,080 FT.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BIG GOAT MOUNTAIN MAP #15		S47-53E	253	(77.1)	
	1700	S50-55E	336	(102.4)	
	1701	S38-47E	228	(69.5)	
	1702	S61-12E	264	(80.5)	
	1703	S39-41E	290	(88.4)	
	1704	S47-49E	287	(87.5)	
	1705	S01-00E	290	(88.4)	SOUTHERLY ALONG RIDGE CONNECTING BIG GOAT MOUNTAIN AND LITTLE GOAT MOUNTAIN.
	1706	S11-25E	323	(98.5)	
	1707	S05-01E	503	(153.3)	
	1708	S03-19E	138	(42.1)	
	1709	S11-36E	438	(133.5)	
	1710	S14-19E	348	(106.1)	
	1711	S11-21E	295	(89.9)	
	1712	S06-13E	323	(98.5)	
	1713	S02-42E	296	(90.2)	
	1714	S01-00W	279	(85.0)	
	1715	S07-32W	206	(62.8)	
	1716	S00-50E	276	(84.1)	
	1717	S16-24E	276	(84.1)	
	1718	S11-30E	236	(71.9)	
	1719	S00-18E	194	(59.1)	
	1720	S02-40W	236	(71.9)	
	1721	S17-20W	198	(60.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BIG GOAT MOUNTAIN MAP #15	1722				SUMMIT OF LITTLE GOAT MTN., ELEVATION 6,776 FT.
		S15-13W	354	(107.9)	
	1723	S22-06W	401	(122.2)	
	1724	S18-20W	359	(109.4)	
	1725	S13-50W	213	(64.9)	
	1726	S07-13W	215	(65.5)	DESCENDING SOUTHWESTERLY ON RIDGE FORMING THE EASTERN LIMIT OF THE BIG GOAT CREEK DRAINAGE.
	1727	S28-54W	209	(63.7)	
	1728	S32-22W	275	(83.8)	
	1729	S20-53W	140	(42.7)	
	1730	S07-37W	204	(62.2)	
	1731	S13-52W	246	(75.0)	
	1732	S21-48W	156	(47.5)	
	1733	S51-16W	221	(67.4)	
	1734	S51-33W	174	(53.0)	
	1735	S36-38W	194	(59.1)	
	1736	S28-53W	188	(57.3)	
	1737	S52-02W	156	(47.5)	
	1738	S46-19W	153	(46.6)	
	1739	S43-06W	277	(84.4)	
	1740	S41-27W	228	(69.5)	
	1741	S41-33W	211	(64.3)	
	1742	S46-32W	238	(72.5)	
	1743	S37-32W	120	(36.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BIG GOAT MOUNTAIN MAP #15	1744				A POINT ON THE RIDGE FORMING THE EASTERN LIMIT OF BIG GOAT CREEK. ELEVATION 6,100 FT.
		S44-22W	127	(38.7)	
	1745				
		S80-50W	157	(47.9)	
	1746				
		S77-23W	156	(47.5)	
	1747				
		N75-58W	128	(39.0)	
	1748				
		N72-25W	106	(32.3)	DESCENDING SOUTHWESTERLY ON THE RIDGE BETWEEN BIG GOAT CREEK AND
	1749				POINT NO POINT CREEK.
		N73-40W	121	(36.9)	
	1750				
		S79-02W	100	(30.5)	
	1751				
		N74-37W	166	(50.6)	
	1752				
		N81-43W	201	(61.3)	
	1753				
		S84-06W	29	(8.8)	
	1754				A POINT ON RIDGE DIVIDING BIG GOAT CREEK AND POINT NO POINT CREEK, APPROXIMATE ELEVATION 5,500 FT.
		S78-49W	175	(53.3)	
	1755				
		S67-43W	174	(53.0)	
	1756				
		S47-11W	185	(56.4)	
	1757				
		S40-31W	145	(44.2)	DESCENDING SOUTHWESTERLY ON THE RIDGE BETWEEN BIG GOAT CREEK AND
	1758				POINT NO POINT CREEK.
		S01-00W	142	(43.3)	
	1759				
		S44-11W	99	(30.2)	
	1760				
		S27-05W	99	(30.2)	
	1761				
		S10-38W	298	(90.8)	
	1762				
		S27-10W	129	(39.3)	
	1763				
		S17-05W	214	(65.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
BIG GOAT MOUNTAIN MAP #15	1764	S22-39W	190	(57.9)	
	1765	S14-10W	327	(99.7)	
	1766	S15-42W	126	(38.4)	DESCENDING SOUTHWESTERLY ON THE
	1767	S15-45W	162	(49.4)	RIDGE BETWEEN BIG GOAT CREEK AND
	1768	S33-31W	185	(56.4)	POINT NO POINT CREEK.
	1769	S36-25W	128	(39.0)	
	1770				A POINT ON THE RIDGE FORMING THE
					WESTERN LIMIT OF THE POINT NO
					POINT CREEK DRAINAGE, APPROXIMATE
					ELEVATION 4,240 FT.
		S03-13E	196	(59.7)	
1771		S01-49W	316	(96.3)	
1772		S16-32E	162	(49.4)	
1773		S06-16W	422	(128.6)	
1774		S14-11W	294	(89.6)	DESCENDING SOUTHERLY ON THE RIDGE
1775		S05-40W	283	(86.3)	FORMING THE WESTERN LIMIT OF POINT
1776		S05-05W	192	(58.5)	NO POINT CREEK.
1777		S13-26E	163	(49.7)	
1778		S23-48E	389	(118.6)	
1779		S20-38E	290	(88.4)	
1780		S22-03E	261	(79.6)	
1781		S11-28E	227	(69.2)	
1782		S01-32W	112	(34.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
BIG GOAT MOUNTAIN MAP #15	1783			A POINT ON SPUR RIDGE APPROXIMATELY 200 FT. WEST OF AN INTERMITTENT TRIBUTARY TO POINT NO POINT CREEK, APPROXIMATE ELEVATION 2300 FT.
	1784	S47-53W	127 (38.7)	
	1785	S47-31W	129 (39.3)	
	1786	S53-52W	170 (51.8)	
	1787	S56-06W	147 (44.8)	DESCENDING SOUTHERLY ON THE RIDGE FORMING THE WESTERN LIMIT OF THE
	1788	S27-29W	195 (59.4)	POINT NO POINT CREEK DRAINAGE.
	1789	S12-59W	276 (84.1)	
	1790	S10-36W	272 (82.9)	
	1791	S16-43E	233 (71.0)	
	1792	S24-00E	280 (85.3)	
	1793	S19-59E	199 (60.7)	
	1794	S24-15E	166 (50.6)	
	1795	S29-38E	192 (58.5)	
		S39-10E	125 (38.1)	
	1796			A POINT ON A RIDGE APPROXIMATELY 100 FT. SOUTHERLY FROM THE MOUTH OF POINT NO POINT CREEK ON THE NORTHEAST SIDE OF LAKE CHELAN AT THE ORDINARY HIGH WATER LINE.
PRINGLE CREEK MAP #13	1797 to 2094		37,660 (11,479)	ALONG THE ORDINARY HIGH WATERLINE, NORTHEAST SIDE OF LAKE CHELAN.
	2094			A POINT ON THE ORDINARY HIGH WATER LINE, NORTHEAST SIDE OF LAKE CHELAN, ON AN EXTENSION OF THE LINE BETWEEN CORNERS 2 AND 3 OF HES NO. 55.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
PRINGLE CREEK MAP #13	N36-57E	1010 (307.8)	
	2095		COR. NO. 2 OF HES NO. 55.
	N70-47W	808 (246.3)	
	2096		POINT OF INTERSECTION OF THE LINE BETWEEN CORNER 1 AND 2 OF HES NO. 55 AND A LINE 50 FT. SLOPE DISTANCE FROM THE ORDINARY HIGH WATER LINE OF LAKE CHELAN.
	2097 to 2137	5310 (1616)	ALONG NORTHEAST SIDE OF LAKE CHELAN. 50 FT. SLOPE DISTANCE ABOVE ORDINARY HIGH WATER LINE.
	2137		A POINT, 50 FT. SLOPE DISTANCE FROM ORDINARY HIGH WATER LINE, AT MOUTH OF MINOR DRAINAGE.
	N01-38W	2147 (654.4)	
	2138		A POINT ON TRAIL NO. 1255 AT APPROXIMATE ELEVATION 1,280 FT. ON SWITCHBACK.
	N58-05W	1498 (456.6)	
	2139		A POINT 50 FT. SLOPE DISTANCE FROM ORDINARY HIGH WATER LINE. LAKE CHELAN ON MINOR SPUR RIDGE.
	N16-09W	198 (60.4)	
LUCERNE NE MAP #14	2140 to 2210	12670 (3862)	ALONG LAKE CHELAN 50 FT. SLOPE DISTANCE FROM THE ORDINARY HIGH WATER LINE.
	2210		A POINT 50 FEET SLOPE DISTANCE FROM THE ORDINARY HIGH WATER LINE, LAKE CHELAN ON THE EAST AND WEST CENTERLINE OF THE NW QUARTER OF SEC. 19, T.31N.,R.19E.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
LUCERNE NE MAP #14	S89-54E	1202	(366.4)	ALONG EAST & WEST CENTERLINE OF NW1/4 OF SAID SECTION 19.
2211				THE CENTER NORTH SIXTEENTH COR. OF SAID SECTION 19.
	N01-32E	2650	(807.7)	ALONG THE NORTH AND SOUTH CENTER LINE OF SAID SECTION 19 AND SECTION 18, T.31N., R.19E.
2212				THE CENTER SOUTH SIXTEENTH COR. OF SAID SECTION 18.
	N87-25W	1154	(351.7)	ALONG EAST AND WEST CENTER LINE OF SW1/4 OF SAID SECTION 18.
2213				THE SOUTHWEST SIXTEENTH COR. OF SECTION 18.
	N01-09W	1304	(397.5)	ALONG THE NORTH AND SOUTH CENTER LINE OF SW1/4 OF SAID SECTION 18.
2214				THE CENTER WEST SIXTEENTH COR. OF SAID SECTION 18.
	N89-47W	2153	(656.2)	ALONG EAST AND WEST CENTER LINE OF SAID SECTION 18 AND SECTION 13, T.31N., R.18E.
2215				POINT OF INTERSECTION OF THE NORTH BOUNDARY OF LOT 4, SEC. 13, T.31N., R.18E. AND A LINE 50 FEET SLOPE DISTANCE FROM ORDINARY HIGH WATER LAKE CHELAN.
2216 to 2263	N44-11W	148 5590 (1704)	(45.1)	ALONG NORTH EAST SIDE OF LAKE CHELAN. 50 FEET SLOPE DISTANCE ABOVE ORDINARY HIGH WATER.
2263				A POINT 50 FEET SLOPE DISTANCE FROM ORDINARY HIGH WATER LAKE CHELAN IN A MINOR DRAW.
2264	N16-38E	80	(24.4)	
	N14-54E	97	(29.6)	ASCENDING MINOR DRAW.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
LUCERNE NE MAP #14	2265				A POINT ON THE 1200 FT. CONTOUR, IN A MINOR DRAW.
	2266	N82-26W	159	(48.5)	
	2267	N40-17W	77	(23.5)	
	2268	N09-49W	158	(48.2)	
	2269	N10-33W	104	(31.7)	
	2270	S88-32W	78	(23.8)	ALONG THE 1200 FOOT CONTOUR.
	2271	N69-08W	171	(52.1)	
	2272	N45-00W	72	(21.9)	
	2273	N23-15W	155	(47.2)	
	2274	N17-02W	167	(50.9)	
		N45-43W	56	(17.1)	
LUCERNE NE MAP #14	2275				A POINT IN A MINOR DRAW. ELEVATION 1200 FEET.
	2276	N80-03W	116	(35.4)	
	2277	S88-31W	116	(35.4)	
	2278	S65-59W	101	(30.8)	DESCEND MINOR DRAW.
		S87-24W	44	(13.4)	
	2279				A POINT IN A MINOR DRAW, 50 FEET SLOPE DISTANCE FROM ORDINARY HIGH WATER LAKE CHELAN.
	2280 to 2298	N35-18W	168 3260	(51.2) (992)	ALONG NORTH EAST SIDE OF LAKE CHELAN. 50 FEET SLOPE DISTANCE ABOVE ORDINARY HIGH WATER.
		N66-48W	15	(4.6)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
LUCERNE NE 2298 MAP #14			A POINT AT THE MOST NORTHERLY LIMIT OF A SMALL COVE, 50 FT. SLOPE DISTANCE FROM ORDINARY HIGH WATER LAKE CHELAN.
	N52-30W	504 (153.6)	
2299			ANGLE POINT 3 OF TRACT 37, T.31N.,R18E. IN THE THREAD OF MEADOW CREEK.
	N36-12W	582 (177.4)	ALONG LINE BETWEEN ANGLE POINT 3 AND ANGLE POINT 2 OF SAID TRACT 37.
2300			ANGLE POINT 2 OF TRACT 37, IN SEC. 2, T.31N.,R.18E.
	S72-45W	229 (69.8)	ALONG LINE BETWEEN ANGLE POINT 2 AND ANGLE POINT 1 OF SAID TRACT 37.
2301			A POINT ON THE LINE BETWEEN ANGLE POINT 2 AND ANGLE POINT 1 WHICH IS 50 FEET SLOPE DISTANCE FROM ORDINARY HIGH WATER, LAKE CHELAN.
	N69-25W	202 (61.6)	
2302 to 2323		2302 3788 (1155)	ALONG NORTH EAST SIDE OF LAKE CHELAN. 50 FEET SLOPE DISTANCE ABOVE ORDINARY HIGH WATER.
2324			A POINT 50 FEET SLOPE DISTANCE FROM ORDINARY HIGH WATER LAKE CHELAN ON LINE BETWEEN CORNER 6 AND CORNER 1 OF THE HAPPY THOUGHT FRACTIONAL LODE OF MINERAL SURVEY NO. 705.
	N03-20E	465 (141.7)	ALONG LINE BETWEEN CORNER 6 AND CORNER 1 OF THE HAPPY THOUGHT FRACTIONAL LODE OF MINERAL SURVEY NO. 705.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
LUCERNE NE 2325 MAP #14			CORNER NO. 1 OF THE HAPPY THOUGHT FRACTIONAL LODE, IDENTICAL WITH COR. NO. 5 OF THE HAPPY THOUGHT LODE OF MINERAL SURVEY NO 705.
	N30-26E	841 (256.3)	ALONG LINE BETWEEN CORNER 5 AND CORNER 1 OF THE HAPPY THOUGHT FRACTIONAL LODE OF MINERAL SURVEY NO. 705.
2326			COR. NO. 1 OF THE HAPPY THOUGHT LODE IDENTICAL WITH COR. NO. 4 OF THE MCKINLEY FRACTIONAL LODE, MINERAL SURVEY NO. 705.
	N63-35W	1092 (332.8)	ALONG THE LINE BETWEEN CORNER 4 AND CORNER 1 OF THE MCKINLEY FRACTIONAL LODE OF MINERAL SURVEY NO. 705.
2327			COR. NO. 1 OF THE MCKINLEY FRACTIONAL LODE, IDENTICAL WITH COR. NO. 1 OF THE SUNDAY MORNING LODE, MINERAL SURVEY NO. 705.
	N84-37W	1216 (370.6)	ALONG THE LINE BETWEEN CORNER 1 OF THE SUNDAY MORNING LODE AND CORNER 5 OF THE OMEGA FRACTIONAL LODE OF MINERAL SURVEY NO. 705.
2328			COR. NO. 5 OF THE OMEGA FRACTIONAL LODE, MINERAL SURVEY NO. 705.
	S23-27W	1352 (412.1)	ALONG THE LINE BETWEEN CORNER 5 AND CORNER 4 OF THE OMEGA FRACTIONAL LODE OF MINERAL SURVEY NO. 705.
2329			THE POINT OF INTERSECTION OF LINE BETWEEN CORNERS 4 AND 5 OF MINERAL SURVEY NO. 705 OF THE OMEGA FRACTIONAL LODE, WHICH IS 50 FEET SLOPE DISTANCE FROM THE ORDINARY HIGH WATER, LAKE CHELAN.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
LUCERNE NE MAP #14	2330 to 2354	3040 (928)	ALONG NORTH EAST SIDE OF LAKE CHELAN. 50 FEET SLOPE DISTANCE ABOVE ORDINARY HIGH WATER.
	2355		A POINT ON THE LINE BETWEEN SECTIONS 3 AND 4, T.31N.,R.18E. WHICH IS 50 FEET SLOPE DISTANCE FROM THE ORDINARY HIGH WATER, LAKE CHELAN.
	N00-26W	1306 (398.1)	ALONG THE SECTION LINE BETWEEN SAID SECTIONS 3 AND 4.
	2356		THE COR. OF SAID SECTIONS 3, 4, 33, AND 34, T.31N.,R.18E.
	N00-08W	2668 (813.2)	ALONG THE SECTION LINE BETWEEN SAID SECTIONS 33 AND 34.
	2357		THE QUARTER SEC. COR. OF SECTIONS 33 AND 34, T.32N.,R.18E.
	S89-51W	1130 (344.4)	ALONG THE EAST AND WEST CENTERLINE OF SAID SECTION 33.
	2358		THE POINT WHERE THE EAST AND WEST CENTERLINE OF SECTION 33,T.32N.,R.18E. INTERSECTS THE LAKESHORE TRAIL, NO. 1247.
	N04-05W	2626 (800.4)	
	2359		THE EAST SIXTEENTH SEC. COR. OF SECTIONS 28 AND 33, T.32N.,R.18E.
	N01-20E	1331 (405.7)	ALONG THE NORTH AND SOUTH CENTER- LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 28.
	2360		THE SOUTHEAST SIXTEENTH SECTION COR. OF SECTION 28, T.32N.,R.18E.
	N87-54E	600 (182.9)	ALONG THE EAST AND WEST CENTER- LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 28.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
LUCERNE NE 2361 MAP #14			THE CENTER EAST SOUTHEAST SIXTY-FOURTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.
	N02-54E	575 (175.3)	ALONG THE NORTH AND SOUTH CENTER- LINE OF THE NORTHEAST 1/4 OF THE OF THE SOUTHEAST 1/4 OF SAID SECTION 28.
2362			THE NORTHEAST SOUTHEAST SIXTYFOURTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.
	N89-15E	616 (187.8)	ALONG THE EAST AND WEST CENTER- LINE OF THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SAID SECTION 28.
2363			THE NORTH SOUTH SIXTYFOURTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.
	N00-30E	1018 (310.3)	ALONG THE EAST SECTION LINE OF SAID SECTION 28.
2364			THE SOUTH SOUTH NORTH TWO HUNDRED FIFTY-SIXTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.
	N88-47W	2536 (773.0)	ALONG THE EAST AND WEST CENTERLINE OF THE SE AND SW 1/4 S OF THE SE 1/4 OF THE NE 1/4 AND THE SE AND SW 1/4'S OF THE SW 1/4 OF THE NE 1/4 OF SAID SECTION 28.
2365			THE CENTER SOUTH SOUTH NORTH TWO HUNDRED FIFTYSIXTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.
	N00-24W	288 (87.8)	ALONG THE NORTH AND SOUTH CENTER- LINE OF SAID SECTION 28.
2366			THE CENTER SOUTH NORTH SIXTYFOURTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)	DESCRIPTION
LUCERNE NE MAP #14	N86-13W	667 (203.3)	ALONG THE EAST AND WEST CENTER- LINE OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 28.
	2367		THE SOUTHEAST NORTHEAST SIXTY- FOURTH SECTION CORNER OF SECTION 28 T.32N.,R.18E.
	N01-32W	596 (181.7)	ALONG THE NORTH AND SOUTH CENTER- LINE OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 28.
	2368		THE CENTER EAST NORTHWEST SIXTY- FOURTH SECTION CORNER OF SECTION 28, T.32N.,R.18E.
	N88-50W	1327 (404.5)	ALONG THE EAST AND WEST CENTER- LINE OF THE NORTHWEST 1/4 OF SAID SECTION 28.
	2369		THE POINT WHERE THE NORTH BOUNDARY OF LOT 5, SECTION 28, T.32N.,R.18E. INTERSECTS A LINE WHICH IS 50 FEET DISTANCE FROM THE ORDINARY HIGH WATER LINE, LAKE CHELAN.
SUN MOUNTAIN MAP #9	2370 to 2387	3090 (942)	ALONG NORTHEAST SIDE OF LAKE CHELAN. 50 FEET SLOPE DISTANCE ABOVE ORDINARY HIGH WATER.
	2387		A POINT 50 FEET SLOPE DISTANCE FROM THE ORDINARY HIGH WATER, LAKE CHALAN ON THE LINE BETWEEN SECTIONS 20 AND 21, T.32N.,R.18E.
	N01-51E	1120 (341.4)	ALONG LINE BETWEEN SECTIONS 20 AND 21, T.32N.,R.18E.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)	DESCRIPTION
SUN MOUNTAIN MAP #9	2388			QUARTER SECTION CORNER OF SECTIONS 20 AND 21, T.32N.,R.18E.
		N89-36E	1285 (391.7)	ALONG THE EAST AND WEST CENTERLINE OF SAID SECTION 21.
	2389			CENTER WEST SIXTEENTH CORNER OF SECTION 21, T.32N.,R.18E.
		N00-14W	2665 (812.3)	ALONG THE NORTH AND SOUTH CENTER- LINE OF THE NORTHWEST 1/4 OF SAID SECTION 21.
	2390			WEST SIXTEENTH SECTION CORNER BETWEEN SECTIONS 16 AND 21, T.32N.,R.18E.
		N88-14W	1266 (385.9)	ALONG THE SECTION LINE BETWEEN SAID SECTIONS 16 AND 21.
	2391			THE CORNER OF SECTIONS 16, 17, 20, AND 21, T.32N.,R.18E.
		N01-38W	352 (107.3)	ALONG THE SECTION LINE BETWEEN SAID SECTIONS 16 AND 17.
	2392			A POINT ON THE SECTION LINE BETWEEN SAID SECTIONS 16 AND 17 ON SPUR RIDGE. ON LAKE CHELAN NATIONAL RECREATION BOUNDARY.
		N66-06E	249 (75.9)	
	2393			
		N70-09E	283 (86.3)	
	2394			
		N71-31E	347 (105.8)	ASCEND SPUR RIDGE, ALONG THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2395			
		N70-16E	308 (93.9)	
	2396			
		N63-21E	310 (94.5)	
	2397			
		N70-14E	272 (82.9)	
	2398			
		N73-29E	264 (80.5)	
	2399			
		N73-29E	313 (95.4)	
	2400			

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		N51-05E	207	(63.1)	
	2401	N77-36E	247	(75.3)	
	2402	N75-33E	168	(51.2)	ASCEND SPUR RIDGE, ALONG THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2403	N71-12E	298	(90.8)	
	2404	N62-36E	182	(55.5)	
	2405	N86-01E	172	(52.4)	
	2406	S74-13E	198	(60.4)	
	2407	N89-14E	222	(67.7)	
	2408				A POINT WHERE SPUR RIDGE DIES OUT INTO STEEP WEST SLOPE; APPROXIMATE ELEVATION 3,640 FT.
		N52-17E	123	(37.5)	
	2409	N00-40W	172	(52.4)	
	2410	N23-14E	215	(65.5)	
	2411	N23-36E	130	(39.6)	
	2412	N55-12E	72	(21.9)	ASCEND WEST SLOPE ALONG THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2413	N62-36E	213	(64.9)	
	2414	N55-22E	252	(76.8)	
	2415	N45-38E	255	(77.7)	
	2416	N78-41E	92	(28.0)	
	2417	N81-51E	353	(107.6)	
	2418	S88-25E	400	(121.9)	
	2419	S80-35E	373	(113.7)	
	2420	S71-16E	551	(167.9)	
	2421	S74-46E	323	(98.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9	2422				
		S68-01E	459	(139.9)	
	2423				
		S69-57E	335	(102.1)	ASCEND WEST SLOPE ALONG THE LAKE CHELAN NATIONAL RECREATION AREA
	2424				BOUNDARY.
		S58-23E	544	(165.8)	
	2425				
		N33-41E	14	(4.3)	
	2426				A POINT ON SPUR RIDGE BETWEEN FLICK CREEK AND AN UNNAMED CREEK; ELEVATION 6,200 FT.
		S56-44E	264	(80.5)	
	2427				
		S59-22E	296	(90.2)	
	2428				
		S59-09E	252	(76.8)	
	2429				
		S60-03E	280	(85.3)	
	2430				
		S60-02E	166	(50.6)	ASCEND SPUR RIDGE SOUTH OF FLICK CREEK ON THE LAKE CHELAN NATIONAL
	2431				RECREATION AREA BOUNDARY.
		S32-56E	125	(38.1)	
	2432				
		S50-14E	170	(51.8)	
	2433				
		N84-52E	190	(57.9)	
	2434				
		N71-43E	252	(76.8)	
	2435				
		N78-23E	179	(54.6)	
	2436				
		N67-58E	141	(43.0)	
	2437				
		N72-55E	160	(48.8)	
	2438				
		N71-56E	148	(45.1)	
	2439				
		N84-52E	179	(54.6)	
	2440				
		N82-51E	273	(83.2)	
	2441				SOUTH SUMMIT OF MOORE MOUNTAIN, ELEVATION 7,076.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		N27-47E	378	(115.2)	
	2442	N42-23E	340	(103.6)	
	2443	N33-06E	240	(73.2)	NORTHEASTERLY ALONG TOP OF MOORE MOUNTAIN ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2444	N36-12E	328	(100.0)	
	2445	N42-16E	297	(90.5)	
	2446	N28-45E	270	(82.3)	
	2447	N18-26E	319	(97.2)	
	2448	N22-31E	240	(73.2)	
	2449	N24-41E	259	(78.9)	
	2450				
					A POINT ON MOORE MOUNTAIN, ELEVATION 7,076.
		N63-15E	138	(42.1)	
2451		N59-16E	252	(76.8)	
2452		N33-30E	344	(104.9)	
2453		N28-06E	117	(35.7)	
2454		N48-41E	165	(50.3)	NORTHEASTERLY ALONG TOP OF MOORE MOUNTAIN ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
2455		N26-40E	270	(82.3)	
2456		N02-00E	200	(61.0)	
2457		N08-14W	377	(114.9)	
2458		N07-32W	298	(90.8)	
2459		N11-49W	132	(40.2)	
2460		N11-33E	325	(99.1)	
2461		N27-12E	326	(99.4)	
2462		N29-53E	301	(91.7)	
2463					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		N42-29E	258	(78.6)	
	2464	N29-53E	201	(61.3)	NORTHEASTERLY ALONG TOP OF MOORE MOUNTAIN ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2465	N44-09E	237	(72.2)	
	2466	N52-31E	265	(80.8)	
	2467				
					THE WESTERLY SUMMIT OF TWIN PEAKS, ELEVATION 7,641 FT.
		N55-15E	302	(92.0)	
	2468	N61-49E	269	(82.0)	
	2469	N60-40E	176	(53.6)	
	2470	N79-45E	180	(54.9)	NORTHEASTERLY ALONG THE TOP OF MOORE MOUNTAIN ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2471	N65-40E	126	(38.4)	
	2472	N43-11E	222	(67.7)	
	2473	N23-28E	83	(25.3)	
	2474				THE EASTERLY SUMMIT OF TWIN PEAKS, ELEVATION 7,686.
		N83-03E	124	(37.8)	
	2475	N80-27E	211	(64.3)	
	2476	N82-47E	215	(65.5)	ALONG THE RIDGE BETWEEN FOURMILE CREEK AND THE NORTH FORK OF FISH CREEK ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2477	N32-17E	112	(34.1)	
	2478	N39-06E	268	(81.7)	
	2479	N72-55E	214	(65.2)	
	2480	N51-01E	81	(24.7)	
	2481	N81-44E	229	(69.8)	
	2482	N68-15E	235	(71.6)	
	2483	S87-03E	155	(47.2)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9	2484				
		N76-10E	201	(61.3)	
	2485				
		S88-01E	174	(53.0)	
	2486				
		S89-15E	228	(69.5)	
	2487				
		N76-55E	190	(57.9)	
	2488				
		N54-23E	230	(70.1)	ALONG THE RIDGE BETWEEN FOURMILE CREEK AND THE NORTH FORK OF FISH CREEK ON THE LAKE CHELAN NATIONAL RECREATION AREA.
	2489				
		N24-26E	300	(91.4)	
	2490				
		N24-52E	271	(82.6)	
	2491				
		N04-29W	243	(74.1)	
	2492				
		N32-10W	156	(47.5)	
	2493				
		N28-34W	345	(105.2)	
	2494				
		N24-24W	213	(64.9)	
	2495				
		N13-24W	306	(93.3)	
	2496				
		N16-26W	191	(58.2)	
	2497				
		N51-08W	357	(108.8)	
	2498				
		N41-32W	374	(114.0)	
	2499				
		N23-37W	357	(108.8)	
	2500				
		N11-14W	421	(128.3)	
	2501				
		N06-48W	414	(126.2)	
	2502				
		N14-30W	359	(109.4)	

	2503				A POINT ON THE RIDGE BETWEEN FOURMILE CREEK AND FISH CREEK, ELEVATION 7,428 FT.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		N55-15W	254	(77.4)	
	2504	N52-34W	183	(55.8)	
	2505	N33-35W	146	(44.5)	ALONG RIDGE BETWEEN FOURMILE CREEK AND NORTH FORK FISH CREEK ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2506	N32-53W	195	(59.4)	
	2507	N43-05W	297	(90.5)	
	2508	N42-02W	164	(50.0)	
	2509	N32-05W	345	(105.2)	
	2510	N28-40W	256	(78.0)	
	2511	N29-36W	152	(46.3)	
	2512				A POINT ON MAIN RIDGE BETWEEN FOURMILE CREEK AND NORTH FORK FISH CREEK, ELEVATION 7,297.
		N38-45E	214	(65.2)	
	2513	N31-17E	408	(124.4)	
	2514	N20-30E	334	(101.8)	NORTHEASTERLY ON RIDGE DIVIDING FOURMILE CREEK AND NORTH FORK FISH CREEK ON THE LAKE CHELAN NATIONAL RECREATION AREA BOUNDARY.
	2515	N38-24E	388	(118.3)	
	2516	N27-25E	239	(72.8)	
	2517	N17-46E	108	(32.9)	
	2518				A POINT ON SAWTOOTH RIDGE WHERE THE BOUNDARY BETWEEN THE OKANOGAN AND WENATCHEE NATIONAL FORESTS AND LAKE CHELAN NATIONAL RECREATION AREA INTERSECT.
		N12-32W	286	(87.2)	
	2519	N16-51W	217	(66.1)	ALONG TOP OF RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND THE LAKE CHELAN NATIONAL RECREATION AREA.
	2520	N36-39W	258	(78.6)	
	2521				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		N49-47W	254	(77.4)	
	2522	N49-48W	262	(79.9)	
	2523	N56-19W	653	(199.0)	
	2524	N62-27W	262	(79.9)	
	2525	N64-21W	252	(76.8)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2526	N67-37W	184	(56.1)	
	2527	N57-04W	210	(64.0)	
	2528	N35-52W	343	(104.5)	
	2529	N41-55W	184	(56.1)	
	2530	N07-19W	189	(57.6)	
	2531	N07-35E	235	(71.6)	
	2532	N08-14E	252	(76.8)	
	2533	N05-04E	124	(37.8)	
	2534				SUMMIT OF SPLAWN MOUNTAIN, ELEVATION 7,450 FEET.
		S78-16W	260	(79.2)	
	2535	N84-47W	187	(57.0)	
	2536	N59-55W	190	(57.9)	
	2537	N53-36W	241	(73.5)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2538	N37-34W	115	(35.1)	
	2539	N83-22W	173	(52.7)	
	2540	S86-54W	332	(101.2)	
	2541	N65-07W	214	(65.2)	
	2542	N75-13W	259	(78.9)	
	2543				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		N70-30W	204	(62.2)	
	2544	N63-51W	186	(56.7)	
	2545	N54-56W	324	(98.8)	
	2546	N54-43W	239	(72.8)	
	2547	N55-15W	211	(64.3)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2548	N56-19W	144	(43.9)	
	2549	N82-03W	87	(26.5)	
	2550	S56-19W	83	(25.3)	
	2551	S56-37W	158	(48.2)	
	2552	S86-25W	240	(73.2)	
	2553	S85-46W	162	(49.4)	
	2554	N77-26W	152	(46.3)	
	2555	N46-29W	192	(58.5)	
	2556	N56-49W	124	(37.8)	
	2557	N74-27W	119	(36.3)	
	2558	N60-18W	147	(44.8)	
	2559	N46-26W	141	(43.0)	
	2560	N66-35W	106	(32.3)	
	2561				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 7,252 FEET.
		S75-31W	220	(67.1)	
	2562	S61-55W	253	(77.1)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2563	S76-52W	321	(97.8)	
	2564				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		S86-14W	91	(27.7)	
	2565	N48-15W	299	(91.1)	
	2566	N46-32W	265	(80.8)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2567	N27-08W	180	(54.9)	
	2568	N36-24W	222	(67.7)	
	2569	N50-52W	450	(137.2)	
	2570	N41-31W	244	(74.4)	
	2571	N46-21W	330	(100.6)	
	2572				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
		N60-22E	384	(117.0)	
	2573	N01-00E	291	(88.7)	
	2574	N56-29E	266	(81.1)	
	2575	N35-42E	166	(50.6)	
	2576	N26-21E	230	(70.1)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2577	N26-58E	452	(137.8)	
	2578	N18-23E	374	(114.0)	
	2579	N18-54E	198	(60.4)	
	2580	N00-12E	298	(90.8)	
	2581	N23-39W	299	(91.1)	
	2582	N13-27W	382	(116.4)	
	2583	N01-49W	440	(134.1)	
	2584	N03-29W	412	(125.6)	
	2585	N05-56W	348	(106.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9	2586				
		N06-21W	434	(132.3)	
	2587				
		N10-43E	339	(103.3)	
	2588				
		N10-57E	405	(123.4)	ALONG TOP OF MAIN RIDGE BETWEEN
	2589				OKANOGAN NATIONAL FOREST AND LAKE
		N12-44E	245	(74.7)	CHELAN NATIONAL RECREATION AREA.
	2590				
		N21-12E	340	(103.6)	
	2591				
		N32-55E	267	(81.4)	
	2592				
		N35-01E	241	(73.5)	
	2593				
		N45-37E	266	(81.1)	
	2594				A POINT ON MAIN RIDGE BETWEEN
					OKANOGAN NATIONAL FOREST AND LAKE
					CHELAN NATIONAL RECREATION AREA,
					ELEVATION 7,484 FEET.
		N87-27E	180	(54.9)	
	2595				
		N64-59E	116	(35.4)	
	2596				
		N40-59E	192	(58.5)	
	2597				
		N36-49E	219	(66.8)	
	2598				
		N19-08E	418	(127.4)	ALONG TOP OF MAIN RIDGE BETWEEN
	2599				OKANOGAN NATIONAL FOREST AND LAKE
		N25-12E	451	(137.5)	CHELAN NATIONAL RECREATION AREA.
	2600				
		N12-10E	313	(95.4)	
	2601				
		N32-18E	264	(80.5)	
	2602				
		N42-56E	275	(83.8)	
	2603				
		N55-57E	395	(120.4)	
	2604				
		N57-16E	350	(106.7)	
	2605				
		N62-53E	189	(57.6)	
	2606				
		N63-35E	178	(54.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9	2607				
		N74-51E	226	(68.9)	
	2608				
		N67-36E	352	(107.3)	ALONG TOP OF MAIN RIDGE BETWEEN
	2609				OKANOGAN NATIONAL FOREST AND LAKE
		N65-28E	253	(77.1)	CHELAN NATIONAL RECREATION AREA.
	2610				
		N55-29E	229	(69.8)	
	2611				A POINT ON MAIN RIDGE BETWEEN
					OKANOGAN NATIONAL FOREST AND
					LAKE CHELAN NATIONAL RECREATION
					AREA, ELEVATION 7,301 FEET.
		N06-43W	205	(62.5)	
2612					
		N00-19E	356	(108.5)	
2613					
		N06-58E	552	(168.2)	
2614					
		N14-01E	533	(162.5)	
2615					
		N15-43E	380	(115.8)	ALONG TOP OF MAIN RIDGE BETWEEN
2616					OKANOGAN NATIONAL FOREST AND LAKE
		N19-32E	332	(101.2)	CHELAN NATIONAL RECREATION AREA.
2617					
		N06-19E	227	(69.2)	
2618					
		N21-07W	264	(80.5)	
2619					
		N00-12W	298	(90.8)	
2620					
		N13-27E	331	(100.9)	
2621					
		N23-17E	336	(102.4)	
2622					
		N24-29E	147	(44.8)	
2623					
		N40-58E	151	(46.0)	
2624					
		N49-19E	75	(22.9)	
	2625				A POINT ON CAMELS HUMP, ELEVATION
					8,015 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9		S87-31E	323	(98.5)	
	2626	N75-58E	252	(76.8)	
	2627	N61-26E	345	(105.2)	ALONG TOP OF CAMELS HUMP.
	2628	N54-09E	294	(89.6)	
	2629	N54-36E	195	(59.4)	
	2630	N50-01E	129	(39.3)	
	2631				A POINT ON CAMELS HUMP.
		N39-38W	295	(89.9)	
	2632	N36-41W	435	(132.6)	
	2633	N37-52W	194	(59.1)	
	2634	N05-45W	389	(118.6)	
	2635	N14-18W	433	(132.0)	ALONG TOP OF MAIN RIDGE BETWEEN
	2636	N19-03W	349	(106.4)	OKANOGAN NATIONAL FOREST AND LAKE
	2637	N25-47W	198	(60.4)	CHELAN NATIONAL RECREATION AREA.
	2638	N06-47W	144	(43.9)	
	2639	N30-27E	132	(40.2)	
	2640	N17-00E	127	(38.7)	
	2641				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION, 8,002 FEET.
		N08-55E	226	(68.9)	
	2642	N14-46E	306	(93.3)	ALONG TOP OF MAIN RIDGE BETWEEN
	2643	N11-13E	339	(103.3)	OKANOGAN NATIONAL FOREST AND LAKE
	2644	N06-43W	402	(122.5)	CHELAN NATIONAL RECREATION AREA.
	2645				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SUN MOUNTAIN MAP #9	2646	N06-47W	398	(121.3)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
		N20-25W	146	(44.5)	
	2647				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION, 8,512 FEET.
	2648	N73-43W	260	(79.2)	
		N69-02W	321	(97.8)	
	2649				ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2650	N62-19W	323	(98.5)	
		N59-42W	178	(54.3)	
	2651	N32-20W	93	(28.3)	
GILBERT MAP #7	2652				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2653	N06-43E	231	(70.4)	
		N02-55E	196	(59.7)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2654	N10-39E	206	(62.8)	
	2655	N01-30E	114	(34.7)	
		N19-38E	152	(46.3)	
	2657				SUMMIT OF REYNOLDS PEAK, ELEVATION 8,384 FEET.
	2658	N72-40W	426	(129.8)	
		N80-54W	259	(78.9)	
	2659				ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2660	N83-01W	189	(57.6)	
		N56-59W	286	(87.2)	
	2661				
	2662	N51-25W	120	(36.6)	
		N62-33W	202	(61.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	2663				
		N57-55W	237	(72.2)	
	2664				
		N54-10W	311	(94.8)	
	2665				
		N52-01W	197	(60.0)	
	2666				
		N73-37W	177	(53.9)	
	2667				
		N87-40W	466	(142.0)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2668				
		N88-03W	469	(143.0)	
	2669				
		N68-36W	441	(134.4)	
	2670				
		N87-48W	156	(47.5)	
	2671				
		S83-07W	234	(71.3)	
	2672				
		N61-25W	433	(132.0)	
	2673				
		N51-48W	137	(41.8)	
	2674				
		N82-28W	191	(58.2)	
	2675				
		N37-37W	231	(70.4)	
	2676				
		N28-33W	387	(118.0)	
	2677				
		N38-40W	288	(87.8)	
	2678				
		N33-58W	340	(103.6)	
	2679				
		N19-03W	322	(98.1)	
	2680				
		N02-29E	208	(63.4)	
	2681				SUMMIT OF RENNIE PEAK, ELEVATION 7,742 FEET.
		N82-31W	300	(91.4)	
	2682				
		N62-27W	210	(64.0)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2683				
		N79-20W	70	(21.3)	
	2684				
		S76-03W	162	(49.4)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	2685	N82-16W	223	(68.0)	
	2686	N81-10W	150	(45.7)	
	2687	S76-47W	153	(46.6)	
	2688	N76-30W	180	(54.9)	
	2689	N79-18W	167	(50.9)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2690	S87-09W	342	(104.2)	
	2691	N85-23W	199	(60.7)	
	2692	N66-17W	206	(62.8)	
	2693	N55-42W	130	(39.6)	
	2694	N87-12W	102	(31.1)	
	2695	S87-46W	180	(54.9)	
	2696	N84-17W	50	(15.2)	
	2697	N41-31W	395	(120.4)	
	2698	N28-27W	55	(16.8)	
	2699	N50-56W	109	(33.2)	
	2700	N64-22W	247	(75.3)	
	2701				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 7,782 FEET.
		N29-48W	278	(84.7)	
	2702	N37-01W	296	(90.2)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2703	N55-24W	317	(96.6)	
	2704	N51-13W	275	(83.8)	
	2705	N38-16W	205	(62.5)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	2706				
		N36-52W	125	(38.1)	
	2707				
		N58-33W	163	(49.7)	
	2708				
		N64-46W	155	(47.2)	
	2709				
		N33-50W	343	(104.5)	
	2710				
		N16-48W	211	(64.3)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2711				
		N27-12W	280	(85.3)	
	2712				
		N32-17W	202	(61.6)	
	2713				
		N16-17W	389	(118.6)	
	2714				
		N28-06W	100	(30.5)	
	2715				
		N48-17W	62	(18.9)	
	2716				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 8,142 FEET.
		N58-25W	302	(92.0)	
	2717				
		N72-55W	160	(48.8)	
	2718				
		N76-41W	308	(93.9)	
	2719				
		S85-14W	157	(47.9)	
	2720				
		N86-37W	152	(46.3)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2721				
		N69-23W	116	(35.4)	
	2722				
		N57-42W	273	(83.2)	
	2723				
		N40-21W	227	(69.2)	
	2724				
		N65-58W	91	(27.7)	
	2725				
		N80-47W	156	(47.5)	
	2726				
		N55-16W	242	(73.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	2727	N56-24W	343	(104.5)	
	2728	N52-20W	272	(82.9)	
	2729	N52-40W	122	(37.2)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2730	N32-45W	253	(77.1)	
	2731	N25-54W	192	(58.5)	
	2732	N26-34W	40	(12.2)	
	2733				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 7,400 FEET.
	2734	S37-33W	185	(56.4)	
	2735	S46-57W	125	(38.1)	
	2736	N86-40W	120	(36.6)	
McALESTER MOUNTAIN MAP #8	2737	N83-19W	129	(39.3)	
	2738	S50-52W	173	(52.7)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2739	S50-03W	160	(48.8)	
	2740	S76-39W	182	(55.5)	
	2741	S79-58W	132	(40.2)	
	2742	S60-29W	469	(143.0)	
	2743	S76-43W	204	(62.2)	
	2744	S83-19W	258	(78.6)	
	2745	S87-43W	452	(137.8)	
	2746	N85-14W	181	(55.2)	
	2747	N79-08W	478	(145.7)	
		N89-32W	242	(73.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2748				
		S83-14W	238	(72.5)	
	2749				
		N87-55W	192	(58.5)	
	2750				
		S48-19W	98	(29.9)	ALONG TOP OF MAIN RIDGE BETWEEN
	2751				OKANOGAN NATIONAL FOREST AND LAKE
		S54-11W	120	(36.6)	CHELAN NATIONAL RECREATION AREA.
	2752				
		S78-05W	281	(85.6)	
	2753				
		N75-38W	294	(89.6)	
	2754				
		N57-26W	214	(65.2)	
	2755				
		N70-24W	251	(76.5)	
	2756				
		N88-27W	258	(78.6)	
	2757				
		S83-22W	243	(74.1)	
	2758				
		S68-04W	171	(52.1)	
	2759				
		S81-49W	176	(53.6)	
	2760				
		S80-35W	177	(53.9)	
	2761				
		S86-28W	309	(94.2)	
	2762				
		S81-15W	388	(118.3)	
	2763				
		N45-14W	338	(103.0)	
	2764				
		N42-14W	336	(102.4)	

	2765				SUMMIT OF McALESTER MOUNTAIN, ELEVATION 7,928 FEET.

		N45-29E	331	(100.9)	
	2766				
		N41-54E	196	(59.7)	ALONG TOP OF MAIN RIDGE BETWEEN
	2767				OKANOGAN NATIONAL FOREST AND LAKE
		N32-12E	150	(45.7)	CHELAN NATIONAL RECREATION AREA.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2768				
		N55-51E	278	(84.7)	
	2769				
		N44-49E	214	(65.2)	
	2770				
		N47-50E	186	(56.7)	
	2771				
		N60-43E	227	(69.2)	
	2772				
		N53-37E	165	(50.3)	
	2773				
		N08-21E	145	(44.2)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2774				
		N01-21E	254	(77.4)	
	2775				
		N17-52W	192	(58.5)	
	2776				
		N07-25W	217	(66.1)	
	2777				
		N25-37E	215	(65.5)	
	2778				
		N11-07E	238	(72.5)	
	2779				
		N06-20W	272	(82.9)	
	2780				
		N13-55W	116	(35.4)	
	2781				
		N29-37W	235	(71.6)	
	2782				
		N11-36W	114	(34.7)	
	2783				
		N00-00W	312	(95.1)	
	2784				
		N01-53W	122	(37.2)	
	2785				
		N21-27E	246	(75.0)	
	2786				
		N16-18E	178	(54.3)	
	2787				
		N39-32E	163	(49.7)	
	2788				
		N30-51E	90	(27.4)	
	2789				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 7,045 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8		N05-15W	284	(86.6)	
	2790	N02-38W	152	(46.3)	
	2791	N28-50W	294	(89.6)	DESCENDING INTO SOUTH PASS ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2792	N25-15W	331	(100.9)	
	2793	N22-42W	119	(36.3)	
	2794	N56-57W	75	(22.9)	
	2795	N81-43W	208	(63.4)	
	2796	N55-05W	117	(35.7)	
	2797	N34-54W	210	(64.0)	
	2798	N56-43W	233	(71.0)	
	2799				A POINT WHERE TRAIL 401 GOES THROUGH SOUTH PASS AND INTERSECTS BOUNDARY BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
		N27-15W	188	(57.3)	
	2800	N15-57W	124	(37.8)	
	2801	N23-04W	59	(18.0)	
	2802	N75-01W	73	(22.3)	ASCENDING FROM SOUTH PASS ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2803	N26-46W	127	(38.7)	
	2804	N02-34W	156	(47.5)	
	2805	N10-22E	345	(105.2)	
	2806	N01-14E	466	(142.0)	
	2807	N00-41W	418	(127.4)	
	2808	N03-55E	190	(57.9)	
	2809	N11-14W	154	(46.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2810	N18-14W	176	(53.6)	ALONG RIDGE.
	2811				A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 6,869 FEET.
		N74-21W	182	(55.5)	
	2812	N42-40W	156	(47.5)	
	2813	N34-12W	189	(57.6)	
	2814	N01-38W	176	(53.6)	
	2815	N11-45E	334	(101.8)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2816	N01-19E	260	(79.2)	
	2817	N18-02W	184	(56.1)	
	2818	N17-03W	208	(63.4)	
	2819	N05-43W	251	(76.5)	
	2820	N26-22W	254	(77.4)	
	2821	N22-36W	174	(53.0)	
	2822	N31-46W	148	(45.1)	
	2823	N44-02W	167	(50.9)	
	2824	N35-58W	293	(89.3)	
	2825	N24-25W	358	(109.1)	
	2826	N29-48W	286	(87.2)	
	2827	N15-43W	299	(91.1)	
	2828	N05-07W	269	(82.0)	
	2829	N08-26E	218	(66.4)	
	2830	N34-36E	35	(10.7)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2831			A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2832	N76-59E	178 (54.3)	
	2833	N85-11E	191 (58.2)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2834	S89-09E	134 (40.8)	
	2835	N63-49E	263 (80.2)	
		N55-07E	294 (89.6)	
	2836			A POINT ON MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA, ELEVATION 7,628 FEET.
	2837	N04-29E	167 (50.9)	
	2838	N10-04W	126 (38.4)	
	2839	N14-53E	214 (65.2)	
	2840	N02-45E	146 (44.5)	
	2841	N09-57W	58 (17.7)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2842	N26-49E	208 (63.4)	
	2843	N19-46W	68 (20.7)	
	2844	N26-34W	226 (68.9)	
	2845	N04-50E	379 (115.5)	
	2846	N08-57E	276 (84.1)	
	2847	N17-45W	105 (32.0)	
	2848	N54-22W	74 (22.6)	
	2849	N54-18W	158 (48.2)	
	2850	N27-15W	111 (33.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2851	N18-40W	153	(46.6)	
	2852	N34-55W	65	(19.8)	
	2853	S60-10W	86	(26.2)	
	2854	S77-46W	61	(18.6)	
	2855	N61-05W	77	(23.5)	
	2856	N38-32W	75	(22.9)	
	2857	N78-24W	194	(59.1)	ALONG TOP OF MAIN RIDGE BETWEEN OKANOGAN NATIONAL FOREST AND LAKE CHELAN NATIONAL RECREATION AREA.
	2858	N48-26W	71	(21.6)	
	2859	N34-12W	125	(38.1)	
	2860	N46-21W	210	(64.0)	
	2861	N39-32W	163	(49.7)	
	2862	N42-39W	121	(36.9)	
	2863	N35-19W	176	(53.6)	
	2864	N35-29W	124	(37.8)	
	2865	N31-40W	126	(38.4)	
	2866	N37-47W	202	(61.6)	
	2867	N83-53W	84	(25.6)	
	2868	N86-30W	49	(14.9)	
	2869	N60-28W	130	(39.6)	
	2870	S86-17W	123	(37.5)	
	2871	N83-14W	178	(54.3)	
	2872	N88-55W	210	(64.0)	
	2873	S84-41W	205	(62.5)	
		N77-28W	111	(33.8)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2874	N87-48W	182	(55.5)	
	2875	N66-07W	143	(43.6)	ALONG TOP OF MAIN RIDGE BETWEEN
	2876	N59-08W	101	(30.8)	OKANOGAN NATIONAL FOREST AND LAKE
					CHELAN NATIONAL RECREATION AREA.
	2877				A POINT ON THE MAIN RIDGE. A POINT COMMON TO THE OKANOGAN NATIONAL FOREST, THE LAKE CHELAN NATIONAL RECREATION AREA, AND THE NORTH CASCADES NATIONAL PARK.
	2878	N22-10W	286	(87.2)	ALONG TOP OF MAIN RIDGE, ON THE
	2879	N26-23W	146	(44.5)	BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES
		N08-29E	135	(41.1)	NATIONAL PARK. ELEVATION 7,385 FEET.
	2880				A POINT ON MAIN RIDGE, ON THE BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK, ELEVATION 7,385 FEET.
	2881	N19-57W	240	(73.2)	
	2882	N27-37W	293	(89.3)	
	2883	N11-01W	194	(59.1)	
	2884	N01-47E	322	(98.1)	
	2885	N01-20E	214	(65.2)	ALONG TOP OF MAIN RIDGE, ON THE
	2886	N16-50W	204	(62.2)	BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES
	2887	N28-12W	220	(67.1)	NATIONAL PARK.
	2888	N43-01W	205	(62.5)	
	2889	N66-43W	180	(54.9)	
	2890	N37-22W	234	(71.3)	
		N32-18W	125	(38.1)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2891	N02-59E	173	(52.7)	
	2892	N11-41W	207	(63.1)	
	2893	N09-28W	103	(31.4)	ALONG TOP OF MAIN RIDGE, ON THE BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK.
	2894	N36-47E	144	(43.9)	
	2895	N37-12E	308	(93.9)	
	2896	N32-30E	173	(52.7)	
	2897				SUMMIT OF HOCK MOUNTAIN, ELEVATION 7,750 FEET.
		N86-59E	152	(46.3)	
	2898	N73-02E	233	(71.0)	
	2899	S62-41E	102	(31.1)	
	2900	N81-40E	193	(58.8)	
	2901	S86-36E	219	(66.8)	ALONG TOP OF MAIN RIDGE, ON THE BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK.
	2902	S87-39E	342	(104.2)	
	2903	N73-52E	245	(74.7)	
	2904	N76-52E	264	(80.5)	
	2905	N83-47E	240	(73.2)	
	2906	N53-15E	99	(30.2)	
	2907	N88-52E	202	(61.6)	
	2908	S88-23E	319	(97.2)	
	2909	N66-07E	210	(64.0)	
	2910	N56-19E	97	(29.6)	
	2911	N73-24E	119	(36.3)	

QUAD SHEET NAME	ANGLE BEARING POINT	DISTANCE FEET (METERS)		DESCRIPTION
	2912			A POINT ON MAIN RIDGE, ON THE BOUNDARY COMMON TO THE OKANOGAN NATIONAL FOREST AND NORHTH CASCADES NATIONAL PARK.
	N03-23E	186	(56.7)	
2913	N03-47W	258	(78.6)	
2914	N10-11E	271	(82.6)	
2915	N37-58E	260	(79.2)	
2916	N41-18E	438	(133.5)	ALONG TOP OF MAIN RIDGE, ON THE BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK.
2917	N32-34E	98	(29.9)	
2918	N05-57E	193	(58.8)	
2919	N09-45E	301	(91.7)	
2920	N45-00E	201	(61.3)	
2921	N52-55E	211	(64.3)	
2922	N35-20E	67	(20.4)	
2923	N50-58W	170	(51.8)	
2924	N47-58W	109	(33.2)	
2925	N01-56E	118	(36.0)	
2926	N09-38E	263	(80.2)	
2927	N10-47E	380	(115.8)	
2928	N06-09E	103	(31.4)	
2929				SUMMIT OF TWISP MOUNTAIN, ELEVATION 7,161 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8		S69-34E	109	(33.2)	
	2930	N84-27E	145	(44.2)	
	2931	N88-13E	128	(39.0)	ALONG BOUNDARY COMMON TO
	2932	N87-13E	144	(43.9)	OKANOGAN NATIONAL FOREST AND
	2933	N87-37E	72	(21.9)	NORTH CASCADES NATIONAL PARK.
	2934				A POINT ON BOUNDARY COMMON TO
					OKANOGAN NATIONAL FOREST AND
					NORTH CASCADES NATIONAL PARK.
	2935	N31-39E	86	(26.2)	
	2936	N10-32E	159	(48.5)	
	2937	N10-10E	176	(53.6)	ALONG BOUNDARY COMMON TO
	2938	N16-30E	253	(77.1)	OKANOGAN NATIONAL FOREST AND
	2939	N25-59E	132	(40.2)	NORTH CASCADES NATIONAL PARK.
		N52-50E	114	(34.7)	
	2940				A POINT ON BOUNDARY BETWEEN
					OKANOGAN NATIONAL FOREST AND
					NORTH CASCADES NATIONAL PARK.
	2941	N42-16E	266	(81.1)	
	2942	N52-48E	213	(64.9)	DESCENDING INTO TWISP PASS ALONG
	2943	N21-26E	115	(35.1)	BOUNDARY BETWEEN OKANOGAN NATIONAL
		N30-54E	148	(45.1)	FOREST AND NORTH CASCADES NATIONAL
					PARK.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2944				
		N41-10E	232	(70.7)	
	2945				DESCENDING INTO TWISP PASS ALONG BOUNDARY BETWEEN OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK.
		N34-19E	225	(68.6)	
	2946				
		N29-03E	227	(69.2)	
	2947				
		N38-56E	201	(61.3)	
	2948				A POINT IN TWISP PASS WHERE TRAIL 432 INTERSECTS BOUNDARY BETWEEN OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK, BENCHMARK ELEVATION 6064 FEET.
		N30-45E	178	(54.3)	
	2949				
		N19-26E	162	(49.4)	
	2950				
		N50-56E	178	(54.3)	
	2951				
		N82-35E	310	(94.5)	
	2952				
		N33-52E	179	(54.6)	ASCENDING FROM TWISP PASS ALONG BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK.
	2953				
		N63-11E	202	(61.6)	
	2954				
		S80-04E	220	(67.1)	
	2955				
		S71-00E	289	(88.1)	
	2956				
		S76-36E	263	(80.2)	
	2957				
		S85-11E	167	(50.9)	
	2958				
		N73-59E	308	(93.9)	
	2959				
		N76-06E	216	(65.8)	
	2960				
		N82-42E	197	(60.0)	
	2961				
		N61-04E	260	(79.2)	
	2962				
		N45-00E	83	(25.3)	
	2963				A POINT ON LINCOLN BUTTE, APPROXIMATE ELEVATION 7,000 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8		N53-31W	272	(82.9)	
	2964	N60-55W	304	(92.7)	
	2965	N63-03W	269	(82.0)	
	2966	N21-48W	226	(68.9)	
	2967	N23-16W	225	(68.6)	
	2968	N45-00W	170	(51.8)	
	2969	N71-34W	161	(49.1)	ALONG TOP OF MAIN RIDGE, BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK.
	2970	N62-56W	154	(46.9)	
	2971	N35-41W	144	(43.9)	
	2972	N06-12W	130	(39.6)	
	2973	N65-31W	135	(41.1)	
	2974	N76-40W	139	(42.4)	
	2975	N76-13W	164	(50.0)	
	2976	S85-02W	115	(35.1)	
	2977	N80-07W	332	(101.2)	
	2978	N63-15W	280	(85.3)	
	2979	N65-48W	315	(96.0)	
	2980	N60-18W	295	(89.9)	
	2981	N58-08W	305	(93.0)	
	2982	N41-17W	164	(50.0)	
	2983	N41-28W	252	(76.8)	
	2984	N59-35W	525	(160.0)	
	2985	N56-00W	263	(80.2)	
	2986	N65-37W	329	(100.3)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	2987				
		N59-20W	269	(82.0)	
	2988				
		N63-34W	200	(61.0)	
	2989				
		N09-14W	212	(64.6)	
	2990				
		N09-25W	202	(61.6)	
	2991				
		N24-14W	375	(114.3)	
	2992				
		N25-37W	322	(98.1)	ALONG TOP OF MAIN RIDGE, BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND NORTH CASCADES NATIONAL PARK. ELEVATION 7,805 FEET.
	2993				
		N12-12W	265	(80.8)	
	2994				
		N02-59E	230	(70.1)	
	2995				
		N18-07E	283	(86.3)	
	2996				
		N28-34E	230	(70.1)	
	2997				
		N15-59E	192	(58.5)	
	2998				
		N44-19W	119	(36.3)	
	2999				
		N08-41E	73	(22.3)	
	3000				
		N32-46E	137	(41.8)	
	3001				
		N12-02E	201	(61.3)	
	3002				A POINT ON MAIN RIDGE, BOUNDARY COMMON TO OKANOGAN NATIONAL FOREST AND WENATCHEE NATIONAL FOREST (ADMINISTERED BY OKANOGAN NATIONAL FOREST) AND NORTH CASCADES NATIONAL PARK. ELEVATION 7,805 FEET.
		S75-28E	84	(25.6)	
3003		N73-55E	170	(51.8)	ALONG TOP OF RIDGE BETWEEN NORTH FORK TWISP RIVER AND COPPER CREEK.
3004		S75-35E	181	(55.2)	
3005		N75-58E	62	(18.9)	
3006					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8		N16-06W	101	(30.8)	
	3007	N01-35W	216	(65.8)	
	3008	N04-37E	124	(37.8)	
	3009	N18-10E	276	(84.1)	
	3010	N30-54E	296	(90.2)	
	3011	N14-50E	227	(69.2)	
	3012	N35-06E	136	(41.5)	ALONG TOP OF RIDGE BETWEEN NORTH FORK TWISP RIVER AND COPPER CREEK.
	3013	N41-12E	384	(117.0)	
	3014	N71-52E	235	(71.6)	
	3015	N64-51E	127	(38.7)	
	3016	N13-32E	137	(41.8)	
	3017	N46-21E	239	(72.8)	
	3018	N49-49E	287	(87.5)	
	3019	N56-28E	313	(95.4)	
	3020	N51-56E	105	(32.0)	
	3021	N78-19E	118	(36.0)	
	3022	S86-36E	84	(25.6)	
	3023	N45-22E	108	(32.9)	
	3024	N39-26E	241	(73.5)	
	3025	N31-27E	320	(97.5)	
	3026	N51-28E	75	(22.9)	
	3027	N16-56E	254	(77.4)	
	3028	N29-55E	160	(48.8)	
	3029	N47-40E	197	(60.0)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	3030				A POINT WHERE TRAIL 426 GOES THROUGH COPPER PASS.
		N47-10E	225	(68.6)	
	3031				
		N41-17E	164	(50.0)	
	3032				
		N72-25E	232	(70.7)	
	3033				
		S86-31E	460	(140.2)	
	3034				
		S80-10E	258	(78.6)	ALONG TOP OF RIDGE BETWEEN NORTH FORK TWISP RIVER AND COPPER CREEK.
	3035				
		N75-54E	230	(70.1)	
	3036				
		S86-08E	163	(49.7)	
	3037				
		S49-24E	157	(47.9)	
	3038				
		S69-12E	222	(67.7)	
	3039				
		S76-30E	210	(64.0)	
	3040				
		N79-26E	136	(41.5)	
	3041				
		N49-20E	281	(85.6)	
	3042				
		N44-40E	240	(73.2)	
	3043				
		N01-00E	140	(42.7)	
	3044				
		N05-43E	121	(36.9)	
	3045				BENCHMARK ON COPPER MOUNTAIN, ELEVATION 7,840 FEET.
		N41-25W	181	(55.2)	
	3046				
		N30-19W	184	(56.1)	
	3047				ALONG TOP OF RIDGE BETWEEN EARLY WINTERS CREEK AND COPPER CREEK.
		N12-47W	276	(84.1)	
	3048				
		N15-43W	140	(42.7)	
	3049				
		N13-03W	84	(25.6)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUNTAIN MAP #8	3050				A POINT ON RIDGE BETWEEN NORTH FORK TWISP RIVER AND EARLY WINTERS CREEK.
		N43-25E	128	(39.0)	
	3051	N57-31E	225	(68.6)	
	3052	N70-42E	166	(50.6)	
	3053	N48-26W	130	(39.6)	
WASHINGTON PASS MAP #1	3054	N63-10E	193	(58.8)	ALONG TOP OF RIDGE BETWEEN NORTH FORK TWISP RIVER AND EARLY WINTERS CREEK.
	3055	N63-18E	198	(60.4)	
	3056	N65-37E	153	(46.6)	
SILVER STAR MOUNTAIN MAP #2	3057	N77-20E	324	(98.8)	
	3058	N61-50E	369	(112.5)	
	3059	N55-42E	419	(127.7)	
	3060	N46-12E	405	(123.4)	
	3061	N35-02E	482	(146.9)	
	3062	N44-13E	310	(94.5)	
	3063	N39-11E	237	(72.2)	
	3064	N35-45E	246	(75.0)	
	3065				A POINT ON RIDGE BETWEEN NORTH FORK TWISP RIVER AND EARLY WINTERS CREEK.
		N26-26E	402	(122.5)	ALONG TOP OF RIDGE BETWEEN NORTH FORK TWISP RIVER AND EARLY WINTERS CREEK.
	3066	N22-34E	308	(93.9)	
	3067				A POINT ON KANGAROO RIDGE, ELEVATION 7,995 FEET.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
McALESTER MOUTNAIN MAP #8		S35-44E	281	(85.6)	
	3068	S37-22E	234	(71.3)	
	3069	S33-07E	247	(75.3)	
	3070	S30-37E	228	(69.5)	
	3071	S40-13E	254	(77.4)	
	3072	S29-23E	200	(61.0)	
	3073	S43-32E	250	(76.2)	ALONG TOP OF KANGAROO RIDGE.
	3074	S50-53E	235	(71.6)	
	3075	S71-12E	149	(45.4)	
	3076	S62-47E	79	(24.1)	
	3077	S29-10E	197	(60.0)	
	3078	S30-06E	160	(48.8)	
	3079	S22-53E	257	(78.3)	
	3080	S24-34E	231	(70.4)	
	3081	S18-04E	290	(88.4)	
	3082	S35-42E	197	(60.0)	
	3083	S39-23E	355	(108.2)	
	3084	S59-16E	215	(65.5)	
	3085	S69-02E	193	(58.8)	
	3086	S84-21E	183	(55.8)	
GILBERT MAP #7	3087	N87-55E	192	(58.5)	
	3088	S81-13E	98	(29.9)	
	3089	S47-01E	201	(61.3)	
	3090	S35-48E	203	(61.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	3091	S20-18E	242	(73.8)	
	3092	S11-49E	176	(53.6)	ALONG TOP OF KANGAROO RIDGE.
	3093	S19-41E	145	(44.2)	
	3094				A POINT ON KANGAROO RIDGE, APPROXIMATE ELEVATION 7,200 FEET.
		S42-43E	106	(32.3)	
	3095	S52-17E	123	(37.5)	ACROSS THE NORTH SLOPE OF KANGAROO RIDGE.
	3096				A POINT ON RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK, APPROXIMATE ELEVATION 7,200 FEET.
		S82-04E	340	(103.6)	
	3097	N87-03E	136	(41.5)	
	3098	N55-07E	322	(98.1)	
	3099	N48-20E	450	(137.2)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK.
	3100	N55-19E	193	(58.8)	
	3101	N70-09E	77	(23.5)	
	3102	N76-59E	315	(96.0)	
	3103	N77-49E	384	(117.0)	
	3104	N64-52E	485	(147.8)	
	3105	N63-59E	328	(100.0)	
	3106	N45-00E	143	(43.6)	
	3107	N33-28E	276	(84.1)	
	3108	N54-47E	104	(31.7)	
	3109	N69-40E	124	(37.8)	
	3110	N87-56E	304	(92.7)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	3111				
		N77-21E	160	(48.8)	
	3112				
SILVER STAR MOUNTAIN MAP #2		N82-04E	123	(37.5)	
	3113				
		N78-19E	306	(93.3)	
	3114				
		N57-54E	361	(110.0)	
	3115				
		N44-21E	439	(133.8)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK.
	3116				
		N46-47E	181	(55.2)	
	3117				
		N72-31E	57	(17.4)	
	3118				
		S88-16E	132	(40.2)	
	3119				
		S84-55E	293	(89.3)	
	3120				
		N83-12E	389	(118.6)	
	3121				
		N73-15E	226	(68.9)	
	3122				
		N63-55E	209	(63.7)	
	3123				
		N60-35E	216	(65.8)	
	3124				
		N59-45E	139	(42.4)	
	3125				
		N68-37E	203	(61.9)	
	3126				A POINT ON RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK, ELEVATION 7,002 FEET.
		N84-17E	181	(55.2)	
	3127				
		N87-25E	200	(61.0)	
	3128				
		S79-36E	222	(67.7)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK.
	3129				
		S82-13E	281	(85.6)	
	3130				
		N84-29E	229	(69.8)	
	3131				
		N69-16E	220	(67.1)	
	3132				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SILVER STAR MOUNTAIN MAP #2		N78-50E	222	(67.7)	
	3133				
		N77-43E	207	(63.1)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK.
	3134				
		N87-05E	118	(36.0)	
	3135				
		S68-40E	225	(68.6)	
	3136				A POINT ON RIDGE BETWEEN NORTH CREEK AND CEDAR CREEK.
		S68-40E	393	(119.8)	
	3137				
		S74-10E	293	(89.3)	
3138					
		S74-14E	177	(53.9)	
3139					
		S71-24E	213	(64.9)	
3140					
		S84-12E	247	(75.3)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK.
3141					
		S88-40E	258	(78.6)	
3142					
		S88-07E	244	(74.4)	
3143					
		S65-42E	68	(20.7)	
3144					
		S68-27E	174	(53.0)	
3145					
		S67-05E	372	(113.4)	
3146					
		S67-39E	231	(70.4)	
3147					
		S75-31E	248	(75.6)	
3148					
		S72-56E	331	(100.9)	
3149					
		S70-34E	252	(76.8)	
3150					
		S60-33E	285	(86.9)	

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7	3151	S14-56E	31	(9.4)	
	3152	S27-23W	63	(19.2)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK.
	3153	S64-15E	127	(38.7)	
	3154	S84-35E	117	(35.7)	
	3155				A POINT ON RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK, ELEVATION 6,542 FEET.
		S64-06E	114	(34.7)	
	3156	S69-10E	273	(83.2)	
	3157	S61-10E	259	(78.9)	
	3158	S57-42E	183	(55.8)	
	3159	S22-11E	427	(130.1)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK.
3160		S59-27E	187	(57.0)	
3161		S77-46E	255	(77.7)	
3162		S85-47E	245	(74.7)	
3163		N78-14E	147	(44.8)	
3164					A POINT ON RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK, ELEVATION 7,232 FEET.
		S53-53E	151	(46.0)	
3165		S64-24E	292	(89.0)	
3166		S78-03E	299	(91.1)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK.
3167		S81-07E	194	(59.1)	
3168		S78-57E	89	(27.1)	
3169		S43-27E	105	(32.0)	
3170					

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		S32-34E	437	(133.2)	
	3171	S37-59E	307	(93.6)	
	3172	S61-49E	159	(48.5)	
	3173	S78-25E	334	(101.8)	
	3174	S77-21E	160	(48.8)	ALONG TOP OF RIDGE BETWEEN NORTH CREEK AND SOUTH FORK CEDAR CREEK.
	3175	S44-17E	341	(103.9)	
	3176	S32-45E	203	(61.9)	
	3177	S19-11E	338	(103.0)	
	3178	S23-36E	320	(97.5)	
	3179	S39-30E	435	(132.6)	
	3180	S37-46E	359	(109.4)	
	3181	S27-16E	330	(100.6)	
	3182	S45-00E	160	(48.8)	
	3183				A POINT ON RIDGE BETWEEN WOLF CREEK AND SOUTH FORK CEDAR CREEK,
		N78-44E	297	(90.5)	
	3184	N73-16E	288	(87.8)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND SOUTH FORK CEDAR CREEK.
	3185	N63-51E	313	(95.4)	
	3186	N57-21E	198	(60.4)	
	3187				A POINT ON RIDGE BETWEEN WOLF CREEK AND SOUTH FORK CEDAR CREEK, ELEVATION 7,921 FEET.
		S51-27E	82	(25.0)	
	3188	S72-10E	274	(83.5)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND SOUTH FORK CEDAR CREEK.
	3189	S83-13E	440	(134.1)	
	3190				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
GILBERT MAP #7		N82-42E	370	(112.8)	
	3191				
		N69-27E	473	(144.2)	ALONG TOP OF RIDGE BETWEEN WOLF
	3192				CREEK AND SOUTH FORK CEDAR CREEK.
		N59-27E	315	(96.0)	
	3193				A POINT ON RIDGE BETWEEN WOLF
					CREEK AND SOUTH FORK CEDAR CREEK,
					ELEVATION 7,978 FEET.
		N39-45E	155	(47.2)	
	3194				
		N03-33E	339	(103.3)	
	3195				
		N04-51W	413	(125.9)	
	3196				
		N00-59W	700	(213.4)	
	3197				
		N10-52W	478	(145.7)	ALONG TOP OF RIDGE BETWEEN WOLF
	3198				CREEK AND SOUTH FORK CEDAR CREEK.
		N20-28W	295	(89.9)	
	3199				
		N00-27W	504	(153.6)	
	3200				
		N10-25W	404	(123.1)	
	3201				
		N02-14E	282	(86.0)	
	3202				
		N21-57E	206	(62.8)	
	3203				
		N52-11E	96	(29.3)	
SILVER STAR MOUNTAIN MAP #2	3204				
		N04-07W	223	(68.0)	
	3205				
		N05-59E	163	(49.7)	
	3206				
		N21-10E	133	(40.5)	
	3207				A POINT ON RIDGE BETWEEN WOLF
					CREEK AND CEDAR CREEK, ELEVATION
					8,082 FEET.
		N71-51E	128	(39.0)	
	3208				
		S75-58E	107	(32.6)	ALONG TOP OF RIDGE BETWEEN WOLF
	3209				CREEK AND UNNAMED SIDE DRAINAGE
		N74-58E	139	(42.4)	OF CEDAR CREEK.

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
SILVER STAR MOUNTAIN MAP #2	3210	N88-18E	338	(103.0)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND UNNAMED SIDE DRAINAGE OF CEDAR CREEK.
	3211				A POINT ON RIDGE BETWEEN WOLF CREEK AND CEDAR CREEK.
		N57-39E	71	(21.6)	
	3212	N27-12E	162	(49.4)	
	3213	N19-00E	319	(97.2)	
	3214	N40-07E	349	(106.4)	
	3215	N40-49E	174	(53.0)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND UNNAMED SIDE DRAINAGE OF CEDAR CREEK.
	3216	N17-17E	189	(57.6)	
	3217	N53-37E	378	(115.2)	
	3218	N58-03E	491	(149.7)	
	3219	N50-43E	398	(121.3)	
	3220	N51-28E	332	(101.2)	
	3221	N55-35E	439	(133.8)	
	3222	N45-50E	342	(104.2)	
	3223				A POINT ON RIDGE BETWEEN WOLF CREEK AND CEDAR CREEK, ELEVATION 8,487 FEET.
		N74-53E	77	(23.5)	
	3224	S63-11E	208	(63.4)	
	3225	S66-17E	306	(93.3)	ALONG TOP OF RIDGE BETWEEN WOLF CREEK AND UNNAMED SIDE DRAINAGE OF CEDAR CREEK.
	3226	S56-45E	146	(44.5)	
MAZAMA SW MAP #3	3227	S72-28E	319	(97.2)	
	3228	S78-52E	393	(119.8)	
	3229				

QUAD SHEET NAME	ANGLE POINT	BEARING	DISTANCE FEET (METERS)		DESCRIPTION
MAZAMA MAP #3		S70-41E	517	(157.6)	
	3230	S83-01E	460	(140.2)	
	3231	S81-11E	496	(151.2)	ALONG TOP OF RIDGE BETWEEN WOLF
	3232	S88-40E	302	(92.0)	CREEK AND UNNAMED SIDE DRAINAGE
	3233				OF CEDAR CREEK.
	3234	N84-34E	402	(122.5)	
	3235	N01-00E	210	(64.0)	
		N34-16E	273	(83.2)	
MAZAMA MAP #3	1				POINT OF BEGINNING.