

Figure 1.

ALASKA

◀ Mapped Class Data ▶

Training

◀ Reference Data ▶

	122	125	270	271	281	301	304	305	703	704	709	901	902	904	911		
White Spruce	122	979	29									1	17			1026	
Black Spruce	125	28	638										12			678	
Mountain Hemlock	270			572	1		15		4							592	
Alaska Yellow Cedar	271			16	136		40	1								193	
Lodgepole Pine	281			1	30		14	2								47	
Western Hemlock	301			14			827	2	4							847	
Western Red Cedar	304				3	17	81									101	
Sitka Spruce	305	6	19			26		360	2				1			414	
Black Cottonwood	703	1	1	1				7	36						1	47	
Willow	704									3			2	1		6	
Cottonwood	709	4									12		1			17	
Aspen	901	11	8									164	5			188	
Paper Birch	902	25	10	2		2		2				2	563			606	
Balsam Poplar	904	13	2	1				2	12			1	1	49		81	
Red Alder	911			1		6		1							2	10	
		1067	688	626	138	33	947	86	380	50	3	12	168	602	51	2	91.74%

◀ Mapped Class Data ▶

Testing

◀ Reference Data ▶



	122	125	270	271	281	301	304	305	703	704	709	901	902	904	911		
White Spruce	122	93	20									2	12			127	
Black Spruce	125	19	57									1	11			88	
Mountain Hemlock	270		1	49			8		3							61	
Alaska Yellow Cedar	271	1		2	1		13									17	
Lodgepole Pine	281				1		5									6	
Western Hemlock	301	1		9	5	1	89	3	2							110	
Western Red Cedar	304						3	3								6	
Sitka Spruce	305	2		1			4	28	1							36	
Black Cottonwood	703			1		1									1	3	
Willow	704														1	1	
Cottonwood	709														4	4	
Aspen	901	6	5									6	4			21	
Paper Birch	902	9	7	1								1	33			51	
Balsam Poplar	904	2	1					1	1				1	2		8	
Red Alder	911															0	
		133	91	63	7	1	123	6	34	2	0	0	10	67	2	0	66.98%

User's Producer's

White Spruce	70%	73%
Black Spruce	63%	65%
Mountain Hemlock	78%	80%
Alaska Yellow Cedar	14%	6%
Lodgepole Pine	0%	0%
Western Hemlock	72%	81%
Western Red Cedar	50%	50%
Sitka Spruce	82%	78%
Black Cottonwood	0%	0%
Willow	0%	0%
Cottonwood	0%	0%
Aspen	60%	29%
Paper Birch	49%	65%
Balsam Poplar	100%	25%
Red Alder	0%	0%

ZONE 01

◀ Mapped Class Data ▶



	User's	Producer's
Douglas-fir	62%	82%
Ponderosa Pine	52%	39%
Jeffrey Pine/Coulter Pine/Bigcone Douglas-fir	0%	0%
Western White Pine	0%	0%
Noble Fir	0%	0%
Pacific Silver Fir	56%	52%
Engelmann Spruce	33%	13%
Grand Fir	75%	43%
Subalpine Fir	29%	29%
Mountain Hemlock	33%	27%
Alaska-yellow-cedar	0%	0%
Lodgepole Pine	31%	33%
Western Hemlock	52%	50%
Western Redcedar	50%	15%
Sitka Spruce	0%	0%
Western Larch	0%	0%
Whitebark Pine	0%	0%
Misc. Western Softwoods	0%	0%
Cottonwood	0%	0%
Oregon Ash	0%	0%
Aspen	0%	0%
Paper Birch	0%	0%
Red Alder	50%	33%
Bigleaf Maple	0%	0%
Oregon White Oak	0%	0%
Pacific Madrone	0%	0%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 02

◀ Mapped Class Data ▶

	201	202	221	223	224	241	261	262	263	267	270	281	301	304	305	341	361	368	703	704	722	911	912	922	923	932	941	942	943	951	955		
Training	1085	9	3	14	2	14	14	4	1	8	39	3	1	26	1	2	1	2	77	6	14	5	30	13	58	2	2	35	36	0			
Reference Data	1475	9	3	17	2	16	16	4	0	0	0	10	48	0	35	0	1	2	0	1	0	96	14	7	40	15	65	3	0	36	0	1097 17 5 15 10 19 19 4 2 9 1 9 88 9 38 2 4 16 3 2 3 202 46 13 48 37 99 11 5 76 6	
																																	76.03%


◀ Mapped Class Data ▶

	201	202	221	223	224	241	261	262	263	267	270	281	301	304	305	341	361	368	703	704	722	911	912	922	923	932	941	942	943	951	955		
Testing	120	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	2	1	1	2	1	1	1	1	3	0			
Reference Data	178	1	0	2	0	2	1	0	0	0	0	2	5	0	2	0	0	0	0	0	0	9	0	0	3	1	2	0	0	3	0	131 1 2 4 0 4 3 0 0 2 0 0 0 23 6 1 5 3 6 0 1 5 3 6 0 1 5 0	
																																	61.14%


	User's	Producer's
Douglas-fir	67%	92%
Port-orford-cedar	0%	0%
Ponderosa Pine	0%	0%
Jeffrey Pine/Coulter Pine/Bigcone Douglas-fir	0%	0%
Sugar Pine	0%	0%
Western White Pine	50%	25%
White Fir	100%	33%
Red Fir	0%	0%
Noble Fir	0%	0%
Grand Fir	0%	0%
Mountain Hemlock	0%	0%
Lodgepole Pine	0%	0%
Western Hemlock	20%	14%
Western Redcedar	0%	0%
Sitka Spruce	0%	0%
Redwood	0%	0%
Southwest White Pine	0%	0%
Misc. Western Softwoods	0%	0%
Cottonwood	0%	0%
Willow	0%	0%
Oregon Ash	0%	0%
Red Alder	44%	17%
Bigleaf Maple	0%	0%
California Black Oak	0%	0%
Oregon White Oak	67%	40%
Canyon Live Oak/Interior Live Oak	0%	0%
Tanoak	0%	0%
California Laurel	0%	0%
Giant Chinkapin	0%	0%
Pacific Madrone	0%	0%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 04

◀ Mapped Class Data ▶



◀ Mapped Class Data ▶



User's Producer's

Western Juniper	0%	0%
Pinyon Juniper Woodland	0%	0%
Douglas-fir	0%	0%
Jeffrey Pine/Coulter Pine/Bigcone Douglas-fir	33%	20%
White Fir	0%	0%
Red Fir	0%	0%
Lodgepole Pine	0%	0%
Redwood	33%	100%
Southwest White Pine	0%	0%
Whitebark Pine	0%	0%
Misc. Western Softwoods	0%	0%
California Mixed Conifer	36%	83%
Willow	0%	0%
Bigleaf Maple	0%	0%
Gray Pine	0%	0%
California Black Oak	100%	100%
Blue Oak	0%	0%
Deciduous Oak Woodland	58%	50%
Coast Live Oak	13%	40%
Canyon Live Oak/Interior Live Oak	63%	57%
Tanoak	0%	0%
California Laurel	0%	0%
Pacific Madrone	0%	0%
Misc. Western Hardwood Woodlands	0%	0%
Paper Birch	0%	0%

ZONE 8

◀ Mapped Class Data ▶

	183	184	185	201	221	261	265	266	267	268	270	281	304	321	366	367	371	703	901	902	923	953	954	955		
Training																										
Western Juniper	183	62	2	14	148																				226	
Juniper Woodland	184		55		1																			1	57	
Pinyon Juniper Woodland	185			2																					3	
Douglas-fir	201	8			588	277	4	59	3	8	2								1			1			950	
Ponderosa Pine	221	1			76	1194		38		8	2														1319	
White Fir	261					3		2																	5	
Engelmann Spruce	265					3	4	48	21	8	5	3			1										93	
Engelmann Spruce/Subalpine Fir	266					1		16																	18	
Grand Fir	267					35	78	1	463	3	14	2													596	
Subalpine Fir	268					4			5	73	4	2							1						89	
Mountain Hemlock	270					1													1						2	
Lodgepole Pine	281					25	27		25	12	148	4							2						243	
Western Redcedar	304		1			1																			2	
Western Larch	321					15	20		2	13	3	16		44											113	
Limber Pine	366														1	1									2	
Whitebark Pine	367							2	1																13	
California Mixed Conifer	371																								0	
Cottonwood	703					3	3																		9	
Aspen	901		2			4	1																		62	
Paper Birch	902																								1	
Oregon White Oak	923																								2	
Cercocarpus Woodland	953		2	7	2																	4			27	
Intermountain Maple Woodland	954																								0	
Misc. Western Hardwood Woodlands	955																								10	
		76	67	0	772	1758	0	57	16	626	103	0	203	0	59	1	12	0	3	64	0	1	13	0	11	72.41%

◀ Mapped Class Data ▶

	183	184	185	201	221	261	265	266	267	268	270	281	304	321	366	367	371	703	901	902	923	953	954	955		
Testing																										
Western Juniper	183	3	1	1	17																				22	
Juniper Woodland	184		4																						4	
Pinyon Juniper Woodland	185			2																					2	
Douglas-fir	201	3			30	63	3	9	2	1									1						112	
Ponderosa Pine	221	3			18	114		11	4																150	
White Fir	261																								0	
Engelmann Spruce	265							1	6	4					2	1									14	
Engelmann Spruce/Subalpine Fir	266																								1	
Grand Fir	267					11	29	3	18		4	3													68	
Subalpine Fir	268					1			4	2	1														8	
Mountain Hemlock	270																								0	
Lodgepole Pine	281					4	5	2	4	2	1								1						19	
Western Redcedar	304																								0	
Western Larch	321					3	2		2	1	4			2											14	
Limber Pine	366																								0	
Whitebark Pine	367																								0	
California Mixed Conifer	371																								0	
Cottonwood	703					1																			2	
Aspen	901																								7	
Paper Birch	902																								0	
Oregon White Oak	923																								1	
Cercocarpus Woodland	953																								1	
Intermountain Maple Woodland	954																								0	
Misc. Western Hardwood Woodlands	955																								0	
		10	8	0	70	232	0	9	0	54	11	0	15	0	7	0	1	0	0	8	0	0	0	0	0	42.12%

User's Producer's

Western Juniper	30%	14%
Juniper Woodland	50%	100%
Pinyon Juniper Woodland	0%	0%
Douglas-fir	43%	27%
Ponderosa Pine	49%	76%
White Fir	0%	0%
Engelmann Spruce	11%	7%
Engelmann Spruce/Subalpine Fir	0%	0%
Grand Fir	33%	26%
Subalpine Fir	18%	25%
Mountain Hemlock	0%	0%
Lodgepole Pine	7%	5%
Western Redcedar	0%	0%
Western Larch	29%	14%
Limber Pine	0%	0%
Whitebark Pine	0%	0%
California Mixed Conifer	0%	0%
Cottonwood	0%	0%
Aspen	50%	57%
Paper Birch	0%	0%
Oregon White Oak	0%	0%
Cercocarpus Woodland	0%	0%
Intermountain Maple Woodland	0%	0%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 10

◀ Mapped Class Data ▶

	201	221	241	265	266	267	268	270	281	301	304	321	367	703	901	902	953	954	955		
Douglas-fir	201	1615	3		1	5			10		3										1637
Ponderosa Pine	221	11	345						2			2									360
Western White Pine	241			13					3		1										17
Engelmann Spruce	265	20		96	4		2		3			4									129
Engelmann Spruce/Subalpine Fir	266	5			488																493
Grand Fir	267	12				349					2										363
Subalpine Fir	268	2		2	1		21														26
Mountain Hemlock	270				1			45													46
Lodgepole Pine	281	9	2		3	2			488			8		1							513
Western Hemlock	301						2	3	72												77
Western Redcedar	304	28			2	1				171	3		2	2							209
Western Larch	321	36		2	1	1		2		1	207		2								252
Whitebark Pine	367	1										54									55
Cottonwood	703	2									1		8								11
Aspen	901	5	2									2		11							20
Paper Birch	902	4													10						14
Cercocarpus Woodland	953	3														2					5
Intermountain Maple Woodland	954	1															17				18
Misc. Western Hardwood Woodlands	955	1																1			2
		1755	352	13	100	499	358	25	47	511	72	179	226	54	11	13	12	2	17	1	94.49%

◀ Mapped Class Data ▶

	201	221	241	265	266	267	268	270	281	301	304	321	367	703	901	902	953	954	955		
Douglas-fir	201	148	12		8	8	1		11	1	2	2	1								194
Ponderosa Pine	221	25	20				1														46
Western White Pine	241										1										1
Engelmann Spruce	265	2		1	2								1								6
Engelmann Spruce/Subalpine Fir	266	12			32				7				2								53
Grand Fir	267	23	3	1	2	13			2	2	2										48
Subalpine Fir	268				1		2			2											5
Mountain Hemlock	270					1		2													3
Lodgepole Pine	281	19		8			1	1	21			4		1						1	55
Western Hemlock	301	1			1				3												5
Western Redcedar	304	10			3	1				2	2										18
Western Larch	321	8			2	1		1	1	3	4										20
Whitebark Pine	367				4				1			2									7
Cottonwood	703										1										1
Aspen	901	2											1								3
Paper Birch	902	1												1							2
Cercocarpus Woodland	953	1																			1
Intermountain Maple Woodland	954	2																	1		3
Misc. Western Hardwood Woodlands	955																				0
		254	35	0	2	57	29	5	3	45	7	11	14	6	1	0	0	0	2	0	53.29%


User's Producer's

Douglas-fir	58%	76%
Ponderosa Pine	57%	43%
Western White Pine	0%	0%
Engelmann Spruce	50%	17%
Engelmann Spruce/Subalpine Fir	56%	60%
Grand Fir	45%	27%
Subalpine Fir	40%	40%
Mountain Hemlock	67%	67%
Lodgepole Pine	47%	38%
Western Hemlock	43%	60%
Western Redcedar	18%	11%
Western Larch	29%	20%
Whitebark Pine	33%	29%
Cottonwood	0%	0%
Aspen	0%	0%
Paper Birch	0%	0%
Cercocarpus Woodland	0%	0%
Intermountain Maple Woodland	50%	33%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 15


◀ Mapped Class Data ▶

Training



◀ Mapped Class Data ▶

Testing



User's Producer's

Rocky Mountain Juniper	0%	0%
Juniper Woodland	46%	33%
Pinyon Juniper Woodland	73%	78%
Douglas-fir	67%	67%
Ponderosa Pine	61%	83%
White Fir	0%	0%
Engelmann Spruce	0%	0%
Engelmann Spruce/Subalpine Fir	0%	0%
Blue Spruce	0%	0%
Misc. Western Softwoods	100%	100%
Cottonwood	0%	0%
Aspen	0%	0%
Deciduous Oak Woodland	0%	0%
Evergreen Oak	38%	43%
Mesquite Woodland	50%	14%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 16

◀ Mapped Class Data ▶

▲ Reference Data ▼

Training

	182	184	185	201	221	261	265	266	268	269	281	365	366	703	901	925	953	954	955	
Rocky Mountain Juniper	10					1														13
Juniper Woodland		49																		56
Pinyon Juniper Woodland			380																	380
Douglas-fir				2	165											2				169
Ponderosa Pine				1		89														90
White Fir							96													96
Engelmann Spruce								119								1				120
Engelmann Spruce/Subalpine Fir									154							3				157
Subalpine Fir										19										19
Blue Spruce											6									6
Lodgepole Pine												139								139
Foxtail Pine/Bristlecone Pine													2							2
Limber Pine														16						17
Cottonwood															2					2
Aspen																351				351
Deciduous Oak Woodland				3												1	157			161
Cercocarpus Woodland				1												1		42		44
Intermountain Maple Woodland																			16	16
Misc. Western Hardwood Woodlands																				26
	10	49	396	165	90	96	119	154	19	6	139	2	16	2	360	157	42	16	26	98.61%

◀ Mapped Class Data ▶

▲ Reference Data ▼

Testing

	182	184	185	201	221	261	265	266	268	269	281	365	366	703	901	925	953	954	955		
Rocky Mountain Juniper				1		1	2														4
Juniper Woodland				3													1	1			5
Pinyon Juniper Woodland				35			1									1	1				38
Douglas-fir					5		2				5					8	1				21
Ponderosa Pine				1		1	2			1						1	1				7
White Fir				1	1	1	4									2	1				10
Engelmann Spruce						1	1	5	5	1		2									15
Engelmann Spruce/Subalpine Fir						1	2	2			2					7					14
Subalpine Fir							1	2								3					6
Blue Spruce																					0
Lodgepole Pine				1																	12
Foxtail Pine/Bristlecone Pine				1		1															2
Limber Pine																					0
Cottonwood																					1
Aspen				2	1		1	2				6				26	1	1			40
Deciduous Oak Woodland				6		1	1									1	12	1		2	24
Cercocarpus Woodland					2			1								1	1	1			6
Intermountain Maple Woodland																1			1		2
Misc. Western Hardwood Woodlands																					0
	0	0	50	8	8	15	10	12	1	0	25	0	0	0	50	21	4	1	2	49.28%	

User's Producer's

Rocky Mountain Juniper	0%	0%
Juniper Woodland	0%	0%
Pinyon Juniper Woodland	70%	92%
Douglas-fir	63%	24%
Ponderosa Pine	13%	14%
White Fir	27%	40%
Engelmann Spruce	50%	33%
Engelmann Spruce/Subalpine Fir	17%	14%
Subalpine Fir	0%	0%
Blue Spruce	0%	0%
Lodgepole Pine	40%	83%
Foxtail Pine/Bristlecone Pine	0%	0%
Limber Pine	0%	0%
Cottonwood	0%	0%
Aspen	52%	65%
Deciduous Oak Woodland	57%	50%
Cercocarpus Woodland	25%	17%
Intermountain Maple Woodland	100%	50%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 19

◀ Mapped Class Data ▶

Training

	182	184	185	201	221	265	266	267	268	281	304	321	366	367	703	901	902	953		
Rocky Mountain Juniper	182	4																	4	
Juniper Woodland	184		6																6	
Pinyon Juniper Woodland	185			1															1	
Douglas-fir	201				659		1												660	
Ponderosa Pine	221				6	76													82	
Engelmann Spruce	265			1		72	1				5								79	
Engelmann Spruce/Subalpine Fir	266			1			282			6									289	
Grand Fir	267				1			8											9	
Subalpine Fir	268				1				26										27	
Lodgepole Pine	281				1					465									466	
Western Redcedar	304										2								2	
Western Larch	321			1								35							36	
Limber Pine	366			3									32						35	
Whitebark Pine	367						1			2				86					89	
Cottonwood	703				1										12			1	14	
Aspen	901															23			23	
Paper Birch	902																2		2	
Cercocarpus Woodland	953																	11	11	
		4	6	1	675	76	72	285	8	26	478	2	35	32	86	12	23	2	12	98.20%

◀ Mapped Class Data ▶



Testing

	182	184	185	201	221	265	266	267	268	281	304	321	366	367	703	901	902	953		
Rocky Mountain Juniper	182	1				1													2	
Juniper Woodland	184																		0	
Pinyon Juniper Woodland	185																		0	
Douglas-fir	201				62	1	1			14									78	
Ponderosa Pine	221			10	4														14	
Engelmann Spruce	265			2		1	4			2		1							10	
Engelmann Spruce/Subalpine Fir	266			5			13		1	7				1					27	
Grand Fir	267			1								1							2	
Subalpine Fir	268				1					2									3	
Lodgepole Pine	281			10		1				35									46	
Western Redcedar	304			1															1	
Western Larch	321			3		1			1		1								6	
Limber Pine	366			2		1								1					4	
Whitebark Pine	367						1		4					1					6	
Cottonwood	703																		0	
Aspen	901			2												1	1		4	
Paper Birch	902																		0	
Cercocarpus Woodland	953																		0	
		1	0	0	98	6	2	22	0	3	63	0	3	0	3	1	1	0	0	59.61%

User's Producer's

Rocky Mountain Juniper	100%	50%
Juniper Woodland	0%	0%
Pinyon Juniper Woodland	0%	0%
Douglas-fir	63%	79%
Ponderosa Pine	67%	29%
Engelmann Spruce	50%	10%
Engelmann Spruce/Subalpine Fir	59%	48%
Grand Fir	0%	0%
Subalpine Fir	67%	67%
Lodgepole Pine	56%	76%
Western Redcedar	0%	0%
Western Larch	33%	17%
Limber Pine	0%	0%
Whitebark Pine	33%	17%
Cottonwood	0%	0%
Aspen	100%	25%
Paper Birch	0%	0%
Cercocarpus Woodland	0%	0%

ZONE 20



User's Producer's

Reference Class	User's	Producer's
Eastern Redcedar	0%	0%
Rocky Mountain Juniper	0%	0%
Juniper Woodland	50%	17%
Douglas-fir	75%	33%
Ponderosa Pine	77%	98%
Engelmann Spruce	100%	67%
Engelmann Spruce/Subalpine Fir	100%	33%
Lodgepole Pine	50%	71%
Limber Pine	0%	0%
Eastern Redcedar/Hardwood	0%	0%
White Oak/Red Oak/Hickory	0%	0%
Bur Oak	100%	33%
Mixed Upland Hardwoods	0%	0%
Black Ash/American Elm/Red Maple	0%	0%
Cottonwood	83%	83%
Sugarberry/Hackberry/Elm/Green Ash	0%	0%
Cottonwood/Willow	0%	0%
Elm/Ash/Locust	100%	33%
Aspen	0%	0%
Paper Birch	0%	0%
Intermountain Maple Woodland	0%	0%

ZONE 21

◀ Mapped Class Data ▶

Training

▲ Reference Data
▼

	182	184	201	221	265	266	268	269	281	366	367	703	901	953	954	955	
Rocky Mountain Juniper	182	1															1
Juniper Woodland	184		6														6
Douglas-fir	201			245													245
Ponderosa Pine	221				1												1
Engelmann Spruce	265					134			4								138
Engelmann Spruce/Subalpine Fir	266						299			1							300
Subalpine Fir	268							5									5
Blue Spruce	269								4								4
Lodgepole Pine	281			1							379						380
Limber Pine	366				1							34	1				36
Whitebark Pine	367				1								124				125
Cottonwood	703													3			3
Aspen	901								1							100	101
Cercarpus Woodland	953														1		1
Intermountain Maple Woodland	954															4	4
Misc. Western Hardwood Woodlands	955																1
																	99.26%

◀ Mapped Class Data ▶

Testing

▲ Reference Data
▼

	182	184	201	221	265	266	268	269	281	366	367	703	901	953	954	955	
Rocky Mountain Juniper	182																0
Juniper Woodland	184									1							1
Douglas-fir	201			20												2	29
Ponderosa Pine	221																0
Engelmann Spruce	265				1		4	4		1		3					13
Engelmann Spruce/Subalpine Fir	266					1		17			5		2		2		28
Subalpine Fir	268																0
Blue Spruce	269																0
Lodgepole Pine	281			3		2	7				31					1	44
Limber Pine	366				1		1					1					4
Whitebark Pine	367							8				1			6		16
Cottonwood	703																0
Aspen	901				3					4						7	14
Cercarpus Woodland	953																0
Intermountain Maple Woodland	954					1											1
Misc. Western Hardwood Woodlands	955																0
																	56.67%

User's Producer's

Rocky Mountain Juniper	0%	0%
Juniper Woodland	0%	0%
Douglas-fir	67%	69%
Ponderosa Pine	0%	0%
Engelmann Spruce	40%	31%
Engelmann Spruce/Subalpine Fir	45%	61%
Subalpine Fir	0%	0%
Blue Spruce	0%	0%
Lodgepole Pine	67%	70%
Limber Pine	0%	0%
Whitebark Pine	50%	38%
Cottonwood	0%	0%
Aspen	54%	50%
Cercarpus Woodland	0%	0%
Intermountain Maple Woodland	0%	0%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 22

◀ Mapped Class Data ▶

Training

▲ Reference Data ▼

	182	184	185	201	221	261	265	266	281	366	703	901	925	953	
Rocky Mountain Juniper	4														7
Juniper Woodland		165											1		170
Pinyon Juniper Woodland			684												685
Douglas-fir				1	42										43
Ponderosa Pine					1	51									52
White Fir							2								2
Engelmann Spruce								3							3
Engelmann Spruce/Subalpine Fir									13						13
Lodgepole Pine										6					6
Limber Pine											23				23
Cottonwood			1	1								9			11
Aspen													87		87
Deciduous Oak Woodland				3										107	110
Cercocarpus Woodland															9
	4	167	697	42	51	2	3	13	6	23	9	87	108	9	98.69%

◀ Mapped Class Data ▶

Testing

▲ Reference Data ▼

	182	184	185	201	221	261	265	266	281	366	703	901	925	953	
Rocky Mountain Juniper															1
Juniper Woodland		12												1	20
Pinyon Juniper Woodland			71											2	75
Douglas-fir				2											3
Ponderosa Pine					1										2
White Fir															0
Engelmann Spruce															0
Engelmann Spruce/Subalpine Fir										1					1
Lodgepole Pine											2				2
Limber Pine												1			3
Cottonwood				2											2
Aspen													1		11
Deciduous Oak Woodland					8		1							9	15
Cercocarpus Woodland														6	0
	0	17	88	2	3	0	0	1	2	1	1	10	10	0	78.52%

User's Producer's

Rocky Mountain Juniper	0%	0%
Juniper Woodland	71%	60%
Pinyon Juniper Woodland	81%	95%
Douglas-fir	100%	67%
Ponderosa Pine	33%	50%
White Fir	0%	0%
Engelmann Spruce	0%	0%
Engelmann Spruce/Subalpine Fir	100%	100%
Lodgepole Pine	100%	100%
Limber Pine	100%	33%
Cottonwood	100%	50%
Aspen	90%	82%
Deciduous Oak Woodland	60%	40%
Cercocarpus Woodland	0%	0%

ZONE 24

◀ Mapped Class Data ▶

Training

◀ Reference Data ▶

	184	185	201	221	266	901	925	926		
Juniper Woodland	184	175	1						176	
Pinyon Juniper Woodland	185		782						782	
Douglas-fir	201		1	12					13	
Ponderosa Pine	221			129					129	
Engelmann Spruce/Subalpine Fir	266				1				1	
Aspen	901					6			6	
Deciduous Oak Woodland	925						38		38	
Evergreen Oak	926		1					8	9	
		175	785	12	129	1	6	38	8	99.74%

◀ Mapped Class Data ▶

Testing

◀ Reference Data ▶

	184	185	201	221	266	901	925	926		
Juniper Woodland	184	13	8						21	
Pinyon Juniper Woodland	185	6	78	4					88	
Douglas-fir	201			1					1	
Ponderosa Pine	221		6	9			1		16	
Engelmann Spruce/Subalpine Fir	266								0	
Aspen	901								0	
Deciduous Oak Woodland	925		1	1					2	
Evergreen Oak	926								0	
		19	93	0	15	0	0	1	0	78.13%

User's Producer's

Juniper Woodland	68%	62%
Pinyon Juniper Woodland	84%	89%
Douglas-fir	0%	0%
Ponderosa Pine	60%	56%
Engelmann Spruce/Subalpine Fir	0%	0%
Aspen	0%	0%
Deciduous Oak Woodland	0%	0%
Evergreen Oak	0%	0%

ZONE 25

◀ Mapped Class Data ▶

Training

Reference Data

	182	184	185	201	221	261	265	368	703	706	901	925	926	952	955		
Rocky Mountain Juniper	182	6														7	
Juniper Woodland	184		98											1	2	106	
Pinyon Juniper Woodland	185			462												462	
Douglas-fir	201				31											31	
Ponderosa Pine	221					2										62	
White Fir	261															19	
Engelmann Spruce	265															0	
Misc. Western Softwoods	368															6	
Cottonwood	703															3	
Sugarberry/Hackberry/Elm/Green Ash	706															1	
Aspen	901															1	
Deciduous Oak Woodland	925															28	
Evergreen Oak	926															113	
Mesquite Woodland	952															84	
Misc. Western Hardwood Woodlands	955															7	
		6	98	473	31	60	19	0	6	3	1	1	26	113	86	7	98.49%

◀ Mapped Class Data ▶

Testing

Reference Data

	182	184	185	201	221	261	265	368	703	706	901	925	926	952	955		
Rocky Mountain Juniper	182															1	
Juniper Woodland	184															9	
Pinyon Juniper Woodland	185															50	
Douglas-fir	201															3	
Ponderosa Pine	221															6	
White Fir	261															2	
Engelmann Spruce	265															1	
Misc. Western Softwoods	368															1	
Cottonwood	703															1	
Sugarberry/Hackberry/Elm/Green Ash	706															0	
Aspen	901															0	
Deciduous Oak Woodland	925															5	
Evergreen Oak	926															12	
Mesquite Woodland	952															11	
Misc. Western Hardwood Woodlands	955															0	
		1	4	56	2	6	3	0	2	0	0	0	2	16	10	0	72.55%

User's Producer's

Rocky Mountain Juniper	0%	0%
Juniper Woodland	25%	11%
Pinyon Juniper Woodland	77%	86%
Douglas-fir	50%	33%
Ponderosa Pine	67%	67%
White Fir	67%	100%
Engelmann Spruce	0%	0%
Misc. Western Softwoods	50%	100%
Cottonwood	0%	0%
Sugarberry/Hackberry/Elm/Green Ash	0%	0%
Aspen	0%	0%
Deciduous Oak Woodland	100%	40%
Evergreen Oak	69%	92%
Mesquite Woodland	90%	82%
Misc. Western Hardwood Woodlands	0%	0%

ZONE 28

◀ Mapped Class Data ▶

Reference Data

Training

	182	184	185	201	221	261	265	266	268	269	281	365	366	703	706	901	925	954	955	
Rocky Mountain Juniper	5																			7
Juniper Woodland		13																		17
Pinyon Juniper Woodland			324																	324
Douglas-fir				186								1					2			191
Ponderosa Pine					261															261
White Fir						67														67
Engelmann Spruce							171													171
Engelmann Spruce/Subalpine Fir								166				1								167
Subalpine Fir									31			1								33
Blue Spruce										18							1			19
Lodgepole Pine											192									192
Foxtail Pine/Bristlecone Pine												11								11
Limber Pine													13							13
Cottonwood														4						4
Sugarberry/Hackberry/Elm/Green Ash															1					1
Aspen											1									293
Deciduous Oak Woodland				4														2	123	129
Intermountain Maple Woodland																				0
Misc. Western Hardwood Woodlands																				1
	5	13	334	186	263	67	171	166	31	18	196	11	13	4	1	298	123	0	1	98.84%

◀ Mapped Class Data ▶

Reference Data



Testing

	182	184	185	201	221	261	265	266	268	269	281	365	366	703	706	901	925	954	955		
Rocky Mountain Juniper																					0
Juniper Woodland						2															3
Pinyon Juniper Woodland																					34
Douglas-fir																					29
Ponderosa Pine																					33
White Fir																					6
Engelmann Spruce																					21
Engelmann Spruce/Subalpine Fir																					18
Subalpine Fir																					1
Blue Spruce																					1
Lodgepole Pine																					23
Foxtail Pine/Bristlecone Pine																					1
Limber Pine																					4
Cottonwood																					0
Sugarberry/Hackberry/Elm/Green Ash																					0
Aspen																					29
Deciduous Oak Woodland																					8
Intermountain Maple Woodland																					0
Misc. Western Hardwood Woodlands																					0
	0	0	44	14	42	5	18	21	3	0	21	0	0	0	0	0	43	0	0	0	53.55%

User's Producer's

Rocky Mountain Juniper	0%	0%
Juniper Woodland	0%	0%
Pinyon Juniper Woodland	61%	79%
Douglas-fir	71%	34%
Ponderosa Pine	48%	61%
White Fir	80%	67%
Engelmann Spruce	50%	43%
Engelmann Spruce/Subalpine Fir	33%	39%
Subalpine Fir	0%	0%
Blue Spruce	0%	0%
Lodgepole Pine	67%	61%
Foxtail Pine/Bristlecone Pine	0%	0%
Limber Pine	0%	0%
Cottonwood	0%	0%
Sugarberry/Hackberry/Elm/Green Ash	0%	0%
Aspen	51%	76%
Deciduous Oak Woodland	0%	0%
Intermountain Maple Woodland	0%	0%
Misc. Western Hardwood Woodlands	0%	0%



ZONE 48



User's	Producer's	
Eastern White Pine/Eastern Hemlock	0%	0%
Longleaf Pine	0%	0%
Loblolly Pine	0%	0%
Shortleaf Pine	0%	0%
Virginia Pine	0%	0%
Pitch Pine	0%	0%
Eastern Redcedar	0%	0%
Eastern White Pine/Northern Red Oak/White Ash	0%	0%
Eastern Redcedar/Hardwood	0%	0%
Longleaf Pine/Oak	0%	0%
Shortleaf Pine/Oak	0%	0%
Virginia Pine/Southern Red Oak	0%	0%
Loblolly Pine/Hardwood	0%	0%
Other Pine/Hardwood	0%	0%
Post Oak/Blackjack Oak	0%	0%
Chestnut Oak	0%	0%
White Oak/Red Oak/Hickory	0%	0%
White Oak	0%	0%
Northern Red Oak	0%	0%
Yellow-poplar/White Oak/Northern Red Oak	0%	0%
Sweetgum/Yellow-poplar	0%	0%
Bur Oak	0%	0%
Yellow-poplar	0%	0%
Black Walnut	0%	0%
Chestnut Oak/Black Oak/Scarlet Oak	0%	0%
Red Maple/Oak	0%	0%
Mixed Upland Hardwoods	0%	0%
Swamp Chestnut Oak/Cherrybark Oak	0%	0%
Sweetgum/Nuttall Oak/Willow Oak	0%	0%
Baldcypress/Water Tupelo	0%	0%
Black Ash/American Elm/Red Maple	0%	0%
River Birch/Sycamore	0%	0%
Sycamore/Pecan/American Elm	0%	0%
Sugarberry/Hackberry/Elm/Green Ash	0%	0%
Red Maple/Lowland	0%	0%
Sugar Maple/Beech/Yellow Birch	0%	0%
Hard Maple/Basswood	0%	0%
Elm/Ash/Locust	0%	0%

ZONE 56

◀ Mapped Class Data ▶



	User's	Producer's
Longleaf Pine	0%	0%
Slash Pine	67%	44%
Sand Pine	0%	0%
Table-mountain Pine	0%	0%
Pond Pine	0%	0%
Longleaf Pine/Oak	0%	0%
Loblolly Pine/Hardwood	0%	0%
Slash Pine/Hardwood	0%	0%
Southern Scrub Oak	0%	0%
Mixed Upland Hardwoods	0%	0%
Sweetgum/Nuttall Oak/Willow Oak	0%	0%
Baldcypress/Water Tupelo	57%	100%
Sweetbay/Swamp Tupelo/Red Mapl	0%	0%
Willow	0%	0%
Sugarberry/Hackberry/Elm/Green A	0%	0%
Sable Palm	33%	100%
Mangrove	0%	0%
Eucalyptus	0%	0%


ZONE 58

◀ Mapped Class Data ▶

Training

▲ Reference Data ▼

Eastern White Pine	103	1
Longleaf Pine	141	4
Slash Pine	142	17
Loblolly Pine	161	653
Pond Pine	166	41
Spruce Pine	168	1
Longleaf Pine/Oak	403	1
Shortleaf Pine/Oak	404	20
Loblolly Pine/Hardwood	406	1
Slash Pine/Hardwood	407	150
Other Pine/Hardwood	409	2
Post Oak/Blackjack Oak	501	15
White Oak/Red Oak/Hickory	503	4
White Oak	504	25
Yellow-poplar/White Oak/Northern Red Oak	506	1
Sweetgum/Yellow-poplar	508	3
Southern Scrub Oak	514	5
Mixed Upland Hardwoods	520	66
Swamp Chestnut Oak/Cherrybark Oak	601	18
Sweetgum/Nuttall Oak/Willow Oak	602	55
Overcup Oak/Water Hickory	605	14
Baldcypress/Water Tupelo	607	1
Sweetbay/Swamp Tupelo/Red Maple	608	204
River Birch/Sycamore	702	1
Cottonwood	703	67
Willow	704	129
Sycamore/Pecan/American Elm	705	3
Sugarberry/Hackberry/Elm/Green Ash	706	2




◀ Mapped Class Data ▶

Testing

▲ Reference Data ▼

Eastern White Pine	103	1
Longleaf Pine	141	4
Slash Pine	142	8
Loblolly Pine	161	2
Pond Pine	166	61
Spruce Pine	168	2
Longleaf Pine/Oak	403	2
Shortleaf Pine/Oak	404	3
Loblolly Pine/Hardwood	406	6
Slash Pine/Hardwood	407	1
Other Pine/Hardwood	409	1
Post Oak/Blackjack Oak	501	1
White Oak/Red Oak/Hickory	503	2
White Oak	504	2
Yellow-poplar/White Oak/Northern Red Oak	506	1
Sweetgum/Yellow-poplar	508	1
Southern Scrub Oak	514	3
Mixed Upland Hardwoods	520	1
Swamp Chestnut Oak/Cherrybark Oak	601	2
Sweetgum/Nuttall Oak/Willow Oak	602	8
Overcup Oak/Water Hickory	605	1
Baldcypress/Water Tupelo	607	3
Sweetbay/Swamp Tupelo/Red Maple	608	2
River Birch/Sycamore	702	1
Cottonwood	703	1
Willow	704	1
Sycamore/Pecan/American Elm	705	1
Sugarberry/Hackberry/Elm/Green Ash	706	2




User's Producer's


Eastern White Pine	0%	0%
Longleaf Pine	73%	57%
Slash Pine	67%	50%
Loblolly Pine	65%	85%
Pond Pine	33%	50%
Spruce Pine	0%	0%
Longleaf Pine/Oak	100%	67%
Shortleaf Pine/Oak	0%	0%
Loblolly Pine/Hardwood	40%	46%
Slash Pine/Hardwood	0%	0%
Other Pine/Hardwood	50%	50%
Post Oak/Blackjack Oak	0%	0%
White Oak/Red Oak/Hickory	100%	100%
White Oak	0%	0%
Yellow-poplar/White Oak/Northern Red Oak	0%	0%
Sweetgum/Yellow-poplar	60%	50%
Southern Scrub Oak	100%	29%
Mixed Upland Hardwoods	50%	67%
Swamp Chestnut Oak/Cherrybark Oak	0%	0%
Sweetgum/Nuttall Oak/Willow Oak	63%	50%
Overcup Oak/Water Hickory	0%	0%
Baldcypress/Water Tupelo	50%	38%
Sweetbay/Swamp Tupelo/Red Maple	50%	25%
River Birch/Sycamore	0%	0%
Cottonwood	0%	0%
Willow	0%	0%
Sycamore/Pecan/American Elm	0%	0%
Sugarberry/Hackberry/Elm/Green Ash	67%	33%

ZONE 59

◀ Mapped Class Data ▶



◀ Mapped Class Data ▶



User's Producer's

	User's	Producer's
Eastern White Pine	0%	0%
Eastern White Pine/Eastern Hemlock	0%	0%
Loblolly Pine	62%	80%
Shortleaf Pine	100%	67%
Virginia Pine	67%	67%
Eastern Redcedar	100%	100%
Eastern White Pine/Northern Red Oak/White Ash	0%	0%
Eastern Redcedar/Hardwood	100%	50%
Longleaf Pine/Oak	0%	0%
Shortleaf Pine/Oak	0%	0%
Virginia Pine/Southern Red Oak	80%	80%
Loblolly Pine/Hardwood	55%	73%
Other Pine/Hardwood	100%	60%
Post Oak/Blackjack Oak	0%	0%
Chestnut Oak	33%	33%
White Oak/Red Oak/Hickory	60%	56%
White Oak	0%	0%
Yellow-poplar/White Oak/Northern Red Oak	57%	80%
Sweetgum/Yellow-poplar	64%	75%
Mixed Upland Hardwoods	50%	36%
Sweetgum/Nuttall Oak/Willow Oak	0%	0%
Sweetbay/Swamp Tupelo/Red Maple	0%	0%
River Birch/Sycamore	0%	0%
Sugarberry/Hackberry/Elm/Green Ash	0%	0%

